

TABLE S104. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body affected by the injury or illness and age of worker, state government, 2012³

Part of body	Part of body code ⁴	State government ⁵	Age								
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over
Total		167.6	-	-	111.4	123.0	154.6	177.8	205.5	143.3	108.1
Head	1	10.7	-	-	16.0	12.8	12.9	9.6	12.4	7.3	12.8
Head, unspecified	10	1.9	-	-	10.1	2.0	.9	2.0	1.9	2.0	3.4
Cranial region, including skull	11	2.0	-	-	-	1.0	2.3	1.9	2.8	1.2	1.7
Cranial region, unspecified	110	.2	-	-	-	-	-	-	.5	-	-
Brain	111	1.4	-	-	-	-	1.7	1.8	1.4	.8	1.7
Scalp	112	.3	-	-	-	-	.3	-	.7	.2	-
Skull	113	.1	-	-	-	-	-	-	-	-	-
Cranial region, n.e.c.	119	.1	-	-	-	-	-	-	-	-	-
Ear(s)	12	.1	-	-	-	-	.4	-	-	-	-
Face	13	6.0	-	-	-	9.2	8.7	5.2	6.3	3.6	7.7
Face, unspecified	130	1.1	-	-	-	1.0	1.1	1.3	1.8	.2	1.1
Forehead	131	.5	-	-	-	-	.3	.3	.5	.9	-
Eye(s)	132	2.2	-	-	-	1.8	3.9	1.8	2.3	1.4	-
Nose, nasal cavity	133	.7	-	-	-	4.0	-	.7	.4	.5	3.9
Nose, except internal location of diseases or disorders	1330	.7	-	-	-	4.0	-	.7	.4	.5	3.9
Cheek(s)	134	(⁶)	-	-	-	-	-	-	-	-	-
Jaw, chin	135	.1	-	-	-	-	-	-	.2	-	-
Mouth	136	.7	-	-	-	.9	1.6	.5	.5	-	-
Mouth, unspecified	1360	.2	-	-	-	-	.7	-	-	-	-
Lip(s)	1361	.1	-	-	-	-	-	-	-	-	-
Tooth (teeth)	1363	.3	-	-	-	-	.8	-	.3	-	-
Mouth, n.e.c.	1369	(⁶)	-	-	-	-	-	-	-	-	-
Multiple face locations	138	.7	-	-	-	1.2	1.4	.5	.4	.5	-
Face, n.e.c.	139	.1	-	-	-	-	-	-	-	-	-
Multiple head locations	18	.6	-	-	-	-	.6	.5	1.1	.3	-
Head, n.e.c.	19	.1	-	-	-	-	-	-	-	-	-
Neck, including throat	2	3.2	-	-	-	-	4.1	3.5	3.6	2.4	2.3
Neck, except internal location of diseases or disorders ...	20	3.2	-	-	-	-	4.1	3.5	3.6	2.4	2.3
Trunk	3	33.8	-	-	23.5	29.3	33.2	34.7	43.8	27.4	18.5
Trunk, unspecified	30	.2	-	-	-	-	-	-	.5	-	-
Chest, including ribs, internal organs	31	2.9	-	-	-	3.1	1.7	2.4	4.2	3.2	5.2
Chest, except internal location of diseases or disorders	310	2.1	-	-	-	1.6	1.3	1.8	3.1	2.5	2.0
Internal chest location, unspecified	311	.3	-	-	-	-	.3	.3	.6	.3	-
Heart	313	.3	-	-	-	-	-	.2	-	.3	3.2
Lung(s), pleura	315	.2	-	-	-	-	-	-	.5	-	-
Back, including spine, spinal cord	32	25.5	-	-	-	22.1	27.0	27.5	31.9	19.6	10.5
Back, including spine, spinal cord, unspecified	320	9.3	-	-	-	7.9	10.7	9.4	12.0	6.0	5.9
Thoracic region	321	1.3	-	-	-	3.0	1.1	3.1	.5	.4	-
Lumbar region	322	13.9	-	-	-	10.7	14.1	13.9	18.3	12.7	4.6
Coccygeal region	324	.3	-	-	-	-	.5	.2	.2	.4	-
Multiple back regions	328	.7	-	-	-	-	.6	.9	.8	-	-
Back, including spine, spinal cord, n.e.c.	329	(⁶)	-	-	-	-	-	-	-	-	-
Abdomen	33	1.7	-	-	10.7	2.2	1.8	1.1	2.3	1.4	-

See footnotes at end of table.

TABLE S104. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body affected by the injury or illness and age of worker, state government, 2012³ — Continued

Part of body	Part of body code ⁴	State government ⁵	Age								
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over
Abdomen, except internal location of diseases or disorders	330	1.5	—	—	—	2.2	1.8	1.0	1.8	1.2	—
Internal abdominal location, unspecified	331	.2	—	—	—	—	—	—	—	.2	—
Pelvic region	34	2.7	—	—	—	1.4	2.1	2.9	3.5	2.6	1.5
Hip(s)	341	1.3	—	—	—	—	1.3	1.0	2.0	1.3	1.1
Pelvis	342	.1	—	—	—	—	—	—	—	—	—
Buttock(s)	343	.3	—	—	—	—	—	—	.3	.4	—
Groin	344	.9	—	—	—	.9	.3	1.5	.8	.7	—
Multiple pelvic region locations	348	.1	—	—	—	—	—	—	—	—	—
Pelvic region, n.e.c.	349	(⁶)	—	—	—	—	—	—	—	—	—
Multiple trunk locations	38	.8	—	—	—	—	.7	.7	1.4	.5	—
Upper extremities	4	41.7	—	—	38.4	29.6	36.8	47.1	51.1	36.5	26.4
Upper extremities, unspecified	40	.2	—	—	—	—	.6	.2	—	.2	—
Shoulder(s), including clavicle(s), scapula(e)	41	11.3	—	—	—	8.0	6.8	12.9	13.4	12.6	14.7
Arm(s)	42	7.3	—	—	—	3.8	4.9	9.0	11.4	5.5	2.0
Arm(s), unspecified	420	2.0	—	—	—	—	2.0	1.4	3.6	1.2	—
Upper arm(s)	421	.6	—	—	—	—	—	.5	1.4	.5	—
Elbow(s)	422	3.0	—	—	—	2.7	1.9	4.1	4.7	1.8	—
Forearm(s)	423	1.2	—	—	—	—	.5	2.0	.9	1.6	—
Multiple arm locations	428	.5	—	—	—	—	—	1.1	.8	.4	—
Elbow(s) and arm(s)	4281	.3	—	—	—	—	—	.7	.6	—	—
Multiple arm locations, n.e.c.	4289	.2	—	—	—	—	—	—	.2	.3	—
Arm(s), n.e.c.	429	.1	—	—	—	—	.5	—	—	—	—
Wrist(s)	43	5.0	—	—	7.1	2.7	6.0	3.5	6.1	5.2	4.5
Hand(s)	44	13.7	—	—	28.5	12.0	14.2	17.4	15.1	9.8	3.9
Hand(s), unspecified	440	3.8	—	—	—	4.3	4.1	4.5	3.8	3.2	1.3
Hand(s), except finger(s)	441	.8	—	—	—	—	.5	1.4	1.2	.3	—
Finger(s), fingernail(s)	442	8.3	—	—	28.5	6.9	8.6	10.4	9.0	6.0	2.0
Finger(s), fingernail(s), unspecified	4420	5.9	—	—	21.9	6.2	6.1	8.3	5.6	3.9	1.9
Fingernail(s), nailbed(s)	4421	(⁶)	—	—	—	—	—	—	—	—	—
Fingertip(s)	4422	.7	—	—	—	—	1.1	.2	1.0	1.0	—
Finger(s), fingernail(s), n.e.c.	4429	1.6	—	—	—	—	1.3	1.8	2.3	1.1	—
Hand(s) and finger(s)	448	.5	—	—	—	—	.4	.8	.6	.2	—
Hand(s), n.e.c.	449	.4	—	—	—	—	.6	.2	.6	.2	—
Multiple upper extremities locations	48	4.0	—	—	—	3.1	4.3	4.2	4.9	3.2	—
Multiple upper extremities locations, unspecified	480	.1	—	—	—	—	—	.2	—	—	—
Hand(s) and arms(s)	481	.3	—	—	—	—	.2	.4	.4	.3	—
Hand(s) and arm(s), unspecified	4810	.1	—	—	—	—	—	—	.2	—	—
Hand(s) and elbow(s)	4811	.1	—	—	—	—	—	—	—	—	—
Hand(s) and arm(s), n.e.c.	4819	.1	—	—	—	—	—	—	.2	—	—
Hand(s) and wrist(s)	482	.7	—	—	—	.9	.7	1.0	.8	.5	—
Wrist(s) and arm(s)	483	.4	—	—	—	—	.4	.2	.4	.3	—
Wrist(s) and arm(s), unspecified	4830	.1	—	—	—	—	.3	—	—	—	—
Wrist(s) and elbow(s)	4831	.1	—	—	—	—	—	—	—	—	—
Wrist(s) and arm(s), n.e.c.	4839	.2	—	—	—	—	—	—	.3	—	—
Shoulder(s) and arm(s)	484	1.0	—	—	—	—	.7	1.6	1.2	.8	—
Multiple upper extremities locations, n.e.c.	489	1.5	—	—	—	1.0	2.3	.8	2.1	1.3	—
Lower extremities	5	39.1	—	—	26.8	30.1	36.7	41.4	51.6	34.0	16.0

See footnotes at end of table.

TABLE S104. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body affected by the injury or illness and age of worker, state government, 2012³ — Continued

Part of body	Part of body code ⁴	State government ⁵	Age								
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over
Leg(s)	51	25.0	—	—	12.2	16.3	25.3	24.1	33.9	22.7	8.0
Leg(s), unspecified	510	1.8	—	—	—	1.2	1.8	2.4	1.5	1.8	—
Thigh(s)	511	.7	—	—	—	—	.6	.5	1.1	1.0	—
Knee(s)	512	20.4	—	—	12.2	13.8	20.8	19.8	28.0	17.8	6.0
Lower leg(s)	513	1.3	—	—	—	—	1.3	.9	1.7	1.7	1.1
Multiple leg locations	518	.7	—	—	—	—	.8	.4	1.5	.2	—
Knee(s) and leg(s)	5181	.3	—	—	—	—	.8	.3	.2	—	—
Multiple leg locations, n.e.c.	5189	.4	—	—	—	—	—	—	1.4	—	—
Leg(s), n.e.c.	519	.1	—	—	—	—	—	—	—	.2	—
Ankle(s)	52	7.4	—	—	—	3.5	6.8	10.4	8.9	5.2	5.0
Foot (feet)	53	4.7	—	—	9.8	10.0	2.8	5.3	5.0	4.6	2.0
Foot (feet), unspecified	530	3.2	—	—	—	7.2	2.3	3.9	2.5	3.4	1.5
Sole(s)	531	.3	—	—	—	—	—	—	.6	.5	—
Arch(es), instep(s)	5312	.1	—	—	—	—	—	—	.2	—	—
Heel(s)	5313	.2	—	—	—	—	—	—	.3	.5	—
Toes(s), toenail(s)	532	.7	—	—	8.2	1.8	—	.7	1.3	.4	—
Multiple foot (feet) locations	538	.1	—	—	—	—	—	.2	—	—	—
Foot (feet), n.e.c.	539	.4	—	—	—	—	—	.4	.5	.3	—
Multiple lower extremities locations	58	2.0	—	—	—	—	1.8	1.6	3.8	1.3	1.1
Multiple lower extremities locations, unspecified	580	.1	—	—	—	—	—	—	—	—	—
Foot (feet) and leg(s)	581	.2	—	—	—	—	.3	.6	—	—	—
Foot(feet) and knee(s)	5811	.1	—	—	—	—	.3	.3	—	—	—
Foot(feet) and leg(s), n.e.c.	5819	.1	—	—	—	—	—	.2	—	—	—
Foot (feet) and ankle(s)	582	.5	—	—	—	—	.7	.4	.9	.5	—
Ankle(s) and leg(s)	583	.6	—	—	—	—	.6	.4	.9	.5	—
Ankle(s) and leg(s), unspecified	5830	.1	—	—	—	—	—	—	—	—	—
Ankle(s) and knee(s)	5831	.3	—	—	—	—	.6	.3	.5	.3	—
Ankle(s) and leg(s), n.e.c.	5839	.1	—	—	—	—	—	.2	.4	—	—
Multiple lower extremities locations, n.e.c.	589	.6	—	—	—	—	.2	—	1.8	.3	—
Body systems	6	5.2	—	—	—	2.9	5.4	6.2	4.8	5.5	5.9
Multiple body parts	8	29.5	—	—	—	17.0	23.7	33.8	36.9	27.9	24.4
Multiple body parts, unspecified	80	1.9	—	—	—	—	3.1	1.4	1.3	.8	2.8
Head and neck	81	.8	—	—	—	—	1.2	.5	.8	.8	—
Head, neck, and trunk	82	.4	—	—	—	—	—	1.5	—	—	—
Head and trunk	83	.6	—	—	—	—	1.8	.2	.5	.2	—
Neck and back	84	2.7	—	—	—	—	1.5	4.3	3.0	2.6	2.9
Shoulder(s) and back	85	1.5	—	—	—	1.4	2.0	1.7	.9	2.1	—
Hip(s) and leg(s)	86	.3	—	—	—	—	.2	—	.6	—	—
Upper and lower limb(s)	87	2.4	—	—	—	1.9	1.0	2.6	2.7	3.4	4.4
Other multiple body parts	89	19.1	—	—	—	12.2	12.9	21.4	27.0	17.8	13.9
Whole body	891	.2	—	—	—	—	—	.5	—	—	—
Multiple body parts, n.e.c.	899	18.8	—	—	—	12.2	12.7	20.9	26.9	17.6	13.9

See footnotes at end of table.

TABLE S104. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body affected by the injury or illness and age of worker, state government, 2012³ — Continued

Part of body	Part of body code ⁴	State government ⁵	Age								
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over
Nonclassifiable	9999	4.5	—	—	—	—	1.8	1.3	1.3	2.3	1.8

¹ The incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as: (N/EH) x 20,000,000, where

N = number of injuries and illnesses

EH = total hours worked by all employees during the calendar year

20,000,000 = base for 10,000 equivalent full-time workers

(working 40 hours per week, 50 weeks per year)

² Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

³ Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2012.

This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.

⁴ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁵ Excludes farms with fewer than 11 employees.

⁶ Data too small to be displayed.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.