

TABLE S51. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and race or ethnic origin of worker, state government, 2013

Part of body	Part of body code ²	State government ³	Race or ethnic origin ⁴								Not reported
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	
Total		64,990	18,580	7,990	2,710	480	110	110	-	40	34,950
Head	1	4,700	1,210	630	180	60	-	-	-	-	2,630
Head, unspecified	10	870	340	80	30	-	-	-	-	-	410
Cranial region, including skull	11	880	230	70	30	20	-	-	-	-	520
Cranial region, unspecified	110	50	-	-	-	-	-	-	-	-	30
Brain	111	660	170	40	20	20	-	-	-	-	410
Scalp	112	150	50	30	-	-	-	-	-	-	60
Skull	113	20	-	-	-	-	-	-	-	-	20
Ear(s)	12	130	20	-	-	-	-	-	-	-	90
Face	13	2,530	520	440	90	30	-	-	-	-	1,450
Face, unspecified	130	550	70	140	30	-	-	-	-	-	310
Forehead	131	120	30	30	-	-	-	-	-	-	50
Eye(s)	132	1,010	240	190	50	20	-	-	-	-	510
Nose, nasal cavity	133	340	30	30	-	-	-	-	-	-	270
Nose, except internal location of diseases or disorders	1330	340	30	30	-	-	-	-	-	-	270
Cheek(s)	134	70	-	-	-	-	-	-	-	-	70
Jaw, chin	135	50	-	-	-	-	-	-	-	-	30
Mouth	136	80	-	20	-	-	-	-	-	-	50
Mouth, unspecified	1360	30	-	-	-	-	-	-	-	-	20
Lip(s)	1361	20	-	-	-	-	-	-	-	-	-
Tooth (teeth)	1363	20	-	-	-	-	-	-	-	-	-
Multiple face locations	138	270	100	30	-	-	-	-	-	-	130
Face, n.e.c.	139	30	-	-	-	-	-	-	-	-	20
Multiple head locations	18	290	100	30	-	-	-	-	-	-	160
Neck, including throat	2	970	300	170	30	-	-	-	-	-	470
Neck, except internal location of diseases or disorders ...	20	970	300	170	30	-	-	-	-	-	470
Trunk	3	13,470	3,680	1,440	460	120	20	20	-	-	7,730
Trunk, unspecified	30	50	-	-	-	-	-	-	-	-	40
Chest, including ribs, internal organs	31	1,120	310	80	20	30	-	-	-	-	660
Chest, except internal location of diseases or disorders	310	820	260	80	20	-	-	-	-	-	450
Internal chest location, unspecified	311	130	-	-	-	-	-	-	-	-	130
Heart	313	50	-	-	-	-	-	-	-	-	20
Lung(s), pleura	315	110	30	-	-	-	-	-	-	-	60
Back, including spine, spinal cord	32	10,070	2,640	1,160	390	80	-	-	-	-	5,770
Back, including spine, spinal cord, unspecified	320	4,160	990	540	60	30	-	-	-	-	2,540
Thoracic region	321	570	80	20	40	-	-	-	-	-	380
Lumbar region	322	4,800	1,400	550	250	-	-	-	-	-	2,580
Coccygeal region	324	50	30	-	-	-	-	-	-	-	-
Multiple back regions	328	470	130	50	30	-	-	-	-	-	260
Abdomen	33	890	270	100	30	-	-	-	-	-	490

See footnotes at end of table.

TABLE S51. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and race or ethnic origin of worker, state government, 2013 — Continued

Part of body	Part of body code ²	State government ³	Race or ethnic origin ⁴									
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported	
Abdomen, except internal location of diseases or disorders	330	890	270	100	30	—	—	—	—	—	—	480
Pelvic region	34	960	360	40	20	—	—	—	—	—	—	530
Hip(s)	341	420	190	20	—	—	—	—	—	—	—	200
Buttock(s)	343	90	20	—	—	—	—	—	—	—	—	60
Groin	344	420	140	20	—	—	—	—	—	—	—	250
Multiple trunk locations	38	360	90	30	—	—	—	—	—	—	—	230
Upper extremities	4	16,240	5,020	1,890	730	110	20	30	—	20	—	8,420
Shoulder(s), including clavicle(s), scapula(e)	41	4,810	1,550	550	220	20	—	—	—	—	—	2,430
Arm(s)	42	2,280	790	200	100	30	—	—	—	—	—	1,150
Arm(s), unspecified	420	780	170	90	20	—	—	—	—	—	—	480
Upper arm(s)	421	340	170	20	20	—	—	—	—	—	—	130
Elbow(s)	422	780	280	60	40	—	—	—	—	—	—	390
Forearm(s)	423	270	120	20	—	—	—	—	—	—	—	110
Multiple arm locations	428	100	50	—	—	—	—	—	—	—	—	40
Elbow(s) and arm(s)	4281	70	20	—	—	—	—	—	—	—	—	30
Multiple arm locations, n.e.c.	4289	30	20	—	—	—	—	—	—	—	—	—
Wrist(s)	43	2,070	550	410	90	—	—	—	—	—	—	1,010
Hand(s)	44	5,210	1,610	470	220	40	—	—	—	—	—	2,860
Hand(s), unspecified	440	1,340	360	190	40	—	—	—	—	—	—	740
Hand(s), except finger(s)	441	410	210	20	—	—	—	—	—	—	—	170
Finger(s), fingernail(s)	442	3,090	940	240	160	40	—	—	—	—	—	1,710
Finger(s), fingernail(s), unspecified	4420	2,390	780	180	80	40	—	—	—	—	—	1,320
Fingernail(s), nailbed(s)	4421	50	—	—	—	—	—	—	—	—	—	30
Fingertip(s)	4422	180	20	20	20	—	—	—	—	—	—	120
Finger(s), fingernail(s), n.e.c.	4429	470	130	30	60	—	—	—	—	—	—	240
Hand(s) and finger(s)	448	320	70	30	—	—	—	—	—	—	—	220
Hand(s), n.e.c.	449	50	30	—	—	—	—	—	—	—	—	20
Multiple upper extremities locations	48	1,860	530	260	100	—	—	—	—	—	—	960
Multiple upper extremities locations, unspecified	480	50	—	—	—	—	—	—	—	—	—	—
Hand(s) and arms(s)	481	310	120	20	—	—	—	—	—	—	—	160
Hand(s) and arm(s), unspecified	4810	30	—	—	—	—	—	—	—	—	—	—
Hand(s) and elbow(s)	4811	130	80	—	—	—	—	—	—	—	—	30
Hand(s) and arm(s), n.e.c.	4819	160	40	—	—	—	—	—	—	—	—	120
Hand(s) and wrist(s)	482	390	80	50	—	—	—	—	—	—	—	250
Wrist(s) and arm(s)	483	140	30	—	—	—	—	—	—	—	—	100
Wrist(s) and elbow(s)	4831	30	—	—	—	—	—	—	—	—	—	20
Wrist(s) and arm(s), n.e.c.	4839	100	30	—	—	—	—	—	—	—	—	70
Shoulder(s) and arm(s)	484	440	110	60	60	—	—	—	—	—	—	200
Multiple upper extremities locations, n.e.c.	489	540	160	120	20	—	—	—	—	—	—	240
Lower extremities	5	15,250	4,760	1,680	630	40	30	40	—	—	—	8,050
Leg(s)	51	9,360	3,140	1,030	360	20	—	30	—	—	—	4,760
Leg(s), unspecified	510	990	280	90	30	—	—	—	—	—	—	580
Thigh(s)	511	350	140	40	50	—	—	—	—	—	—	110

See footnotes at end of table.

TABLE S51. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and race or ethnic origin of worker, state government, 2013 — Continued

Part of body	Part of body code ²	State government ³	Race or ethnic origin ⁴									
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported	
Knee(s)	512	6,870	2,200	730	230	20	—	—	30	—	—	3,640
Lower leg(s)	513	890	360	140	30	—	—	—	—	—	—	350
Multiple leg locations	518	240	150	20	—	—	—	—	—	—	—	70
Multiple leg locations, unspecified	5180	20	—	—	—	—	—	—	—	—	—	—
Knee(s) and leg(s)	5181	110	40	20	—	—	—	—	—	—	—	50
Multiple leg locations, n.e.c.	5189	110	100	—	—	—	—	—	—	—	—	—
Leg(s), n.e.c.	519	20	—	—	—	—	—	—	—	—	—	—
Ankle(s)	52	3,310	1,000	350	60	—	—	—	—	—	—	1,890
Foot (feet)	53	1,780	440	170	90	—	—	20	—	—	—	1,050
Foot (feet), unspecified	530	1,170	310	130	60	—	—	—	—	—	—	640
Sole(s)	531	120	30	—	—	—	—	—	—	—	—	80
Sole(s), unspecified	5310	30	—	—	—	—	—	—	—	—	—	20
Heel(s)	5313	90	30	—	—	—	—	—	—	—	—	60
Toes(s), toenail(s)	532	360	50	30	20	—	—	—	—	—	—	260
Multiple foot (feet) locations	538	60	—	—	—	—	—	—	—	—	—	40
Foot (feet), n.e.c.	539	80	50	—	—	—	—	—	—	—	—	20
Multiple lower extremities locations	58	790	180	130	130	—	—	—	—	—	—	350
Foot (feet) and leg(s)	581	160	20	20	70	—	—	—	—	—	—	50
Foot(feet) and leg(s), unspecified	5810	30	—	20	—	—	—	—	—	—	—	—
Foot(feet) and knee(s)	5811	120	—	—	70	—	—	—	—	—	—	50
Foot(feet) and leg(s), n.e.c.	5819	20	—	—	—	—	—	—	—	—	—	—
Foot (feet) and ankle(s)	582	190	40	30	40	—	—	—	—	—	—	80
Ankle(s) and leg(s)	583	300	110	40	—	—	—	—	—	—	—	130
Ankle(s) and leg(s), unspecified	5830	70	—	—	—	—	—	—	—	—	—	50
Ankle(s) and knee(s)	5831	170	50	30	—	—	—	—	—	—	—	80
Ankle(s) and leg(s), n.e.c.	5839	60	40	—	—	—	—	—	—	—	—	—
Multiple lower extremities locations, n.e.c.	589	140	20	30	—	—	—	—	—	—	—	90
Body systems	6	1,740	360	300	90	—	—	—	—	—	—	980
Multiple body parts	8	11,930	3,060	1,760	580	150	30	20	—	—	—	6,320
Multiple body parts, unspecified	80	1,060	150	40	120	—	—	—	—	—	—	750
Head and neck	81	190	50	20	—	—	—	—	—	—	—	110
Head, neck, and trunk	82	170	110	30	—	—	—	—	—	—	—	30
Head and trunk	83	70	20	20	—	—	—	—	—	—	—	30
Neck and back	84	920	190	210	30	—	—	—	—	—	—	470
Shoulder(s) and back	85	460	90	90	—	—	—	—	—	—	—	260
Hip(s) and leg(s)	86	280	20	30	70	—	—	—	—	—	—	150
Upper and lower limb(s)	87	900	190	240	30	20	—	—	—	—	—	420
Other multiple body parts	89	7,900	2,220	1,100	310	110	20	20	—	—	—	4,100
Whole body	891	30	20	—	—	—	—	—	—	—	—	—
Multiple body parts, n.e.c.	899	7,870	2,210	1,100	310	110	20	20	—	—	—	4,090

See footnotes at end of table.

TABLE S51. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and race or ethnic origin of worker, state government, 2013 — Continued

Part of body	Part of body code ²	State government ³	Race or ethnic origin ⁴								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported
Nonclassifiable	9999	670	180	130	—	—	—	—	—	—	350

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Race and ethnicity data do not add to total. Some cases may be counted as both Multi-race and Hispanic and other race.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.