

TABLE S53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, state government, 2013

Part of body	Part of body code ²	State government ³	Summary occupational groups ⁴					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Total		64,990	2,310	970	6,160	6,230	33,290	300
Head	1	4,700	160	120	490	670	2,170	—
Head, unspecified	10	870	40	—	100	120	350	—
Cranial region, including skull	11	880	30	—	80	100	380	—
Cranial region, unspecified	110	50	—	—	—	—	30	—
Brain	111	660	30	—	60	80	260	—
Scalp	112	150	—	—	—	—	70	—
Skull	113	20	—	—	—	—	20	—
Ear(s)	12	130	—	—	—	—	120	—
Face	13	2,530	80	100	290	350	1,170	—
Face, unspecified	130	550	—	80	20	130	180	—
Forehead	131	120	—	—	20	20	50	—
Eye(s)	132	1,010	20	—	80	60	520	—
Nose, nasal cavity	133	340	—	—	120	20	170	—
Nose, except internal location of diseases or disorders	1330	340	—	—	120	20	170	—
Cheek(s)	134	70	—	—	—	70	—	—
Jaw, chin	135	50	—	—	—	—	20	—
Mouth	136	80	—	—	20	—	40	—
Mouth, unspecified	1360	30	—	—	—	—	—	—
Lip(s)	1361	20	—	—	—	—	—	—
Tooth (teeth)	1363	20	—	—	—	—	—	—
Multiple face locations	138	270	40	—	20	40	150	—
Face, n.e.c.	139	30	—	—	—	—	30	—
Multiple head locations	18	290	—	—	20	100	150	—
Neck, including throat	2	970	30	—	50	220	360	—
Neck, except internal location of diseases or disorders	20	970	30	—	50	220	360	—
Trunk	3	13,470	310	180	1,100	1,030	7,170	40
Trunk, unspecified	30	50	—	—	—	—	20	—
Chest, including ribs, internal organs	31	1,120	—	40	80	100	750	—
Chest, except internal location of diseases or disorders	310	820	—	40	80	60	530	—
Internal chest location, unspecified	311	130	—	—	—	—	130	—
Heart	313	50	—	—	—	—	20	—
Lung(s), pleura	315	110	—	—	—	30	60	—
Back, including spine, spinal cord ..	32	10,070	230	100	900	700	5,300	30
Back, including spine, spinal cord, unspecified	320	4,160	80	40	320	280	2,210	—

See footnotes at end of table.

TABLE S53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, state government, 2013

— Continued

Part of body	Summary occupational groups ⁴					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Total	3,860	350	4,430	3,050	710	3,070
Head	300	—	310	190	30	230
Head, unspecified	50	—	70	60	—	30
Cranial region, including skull	60	—	130	40	—	40
Cranial region, unspecified	—	—	—	—	—	—
Brain	40	—	130	20	—	30
Scalp	20	—	—	20	—	—
Skull	—	—	—	—	—	—
Ear(s)	—	—	—	—	—	—
Face	170	—	100	80	20	170
Face, unspecified	80	—	30	—	—	—
Forehead	—	—	—	—	—	—
Eye(s)	60	—	60	70	—	130
Nose, nasal cavity	—	—	—	—	—	—
Nose, except internal location of diseases or disorders	—	—	—	—	—	—
Cheek(s)	—	—	—	—	—	—
Jaw, chin	—	—	—	—	—	—
Mouth	—	—	—	—	—	—
Mouth, unspecified	—	—	—	—	—	—
Lip(s)	—	—	—	—	—	—
Tooth (teeth)	—	—	—	—	—	—
Multiple face locations	—	—	—	—	—	—
Face, n.e.c.	—	—	—	—	—	—
Multiple head locations	—	—	—	—	—	—
Neck, including throat	50	40	50	20	—	140
Neck, except internal location of diseases or disorders	50	40	50	20	—	140
Trunk	580	100	1,060	890	280	660
Trunk, unspecified	—	—	20	—	—	—
Chest, including ribs, internal organs	30	—	30	60	—	20
Chest, except internal location of diseases or disorders	20	—	30	40	—	—
Internal chest location, unspecified	—	—	—	—	—	—
Heart	—	—	—	—	—	—
Lung(s), pleura	—	—	—	—	—	—
Back, including spine, spinal cord ..	500	80	660	740	230	560
Back, including spine, spinal cord, unspecified	230	40	260	300	40	280

See footnotes at end of table.

TABLE S53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, state government, 2013 — Continued

Part of body	Part of body code ²	State government ³	Summary occupational groups ⁴					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Thoracic region	321	570	—	—	70	20	250	—
Lumbar region	322	4,800	130	60	490	360	2,520	—
Coccygeal region	324	50	—	—	—	—	—	—
Multiple back regions	328	470	—	—	20	30	300	—
Abdomen	33	890	20	—	40	110	320	—
Abdomen, except internal location of diseases or disorders	330	890	20	—	40	110	320	—
Pelvic region	34	960	30	—	60	80	580	—
Hip(s)	341	420	20	—	20	50	220	—
Buttock(s)	343	90	—	—	—	—	40	—
Groin	344	420	—	—	20	—	310	—
Multiple trunk locations	38	360	20	30	—	40	200	—
Upper extremities	4	16,240	470	210	890	1,560	8,860	60
Shoulder(s), including clavicle(s), scapula(e)	41	4,810	180	50	290	520	2,610	20
Arm(s)	42	2,280	60	50	110	130	1,160	—
Arm(s), unspecified	420	780	20	—	30	70	440	—
Upper arm(s)	421	340	—	—	—	—	90	—
Elbow(s)	422	780	20	20	40	40	390	—
Forearm(s)	423	270	—	—	20	—	170	—
Multiple arm locations	428	100	—	—	—	—	70	—
Elbow(s) and arm(s)	4281	70	—	—	—	—	50	—
Multiple arm locations, n.e.c.	4289	30	—	—	—	—	20	—
Wrist(s)	43	2,070	90	50	190	240	890	—
Hand(s)	44	5,210	90	60	190	430	3,060	40
Hand(s), unspecified	440	1,340	40	20	40	160	800	—
Hand(s), except finger(s)	441	410	—	20	—	20	300	—
Finger(s), fingernail(s)	442	3,090	20	—	110	240	1,730	—
Finger(s), fingernail(s), unspecified	4420	2,390	20	—	60	160	1,400	—
Fingernail(s), nailbed(s)	4421	50	—	—	—	—	40	—
Fingertip(s)	4422	180	—	—	20	20	80	—
Finger(s), fingernail(s), n.e.c.	4429	470	—	—	30	70	220	—
Hand(s) and finger(s)	448	320	30	—	—	—	220	—
Hand(s), n.e.c.	449	50	—	—	40	—	—	—
Multiple upper extremities locations	48	1,860	40	—	100	240	1,140	—
Multiple upper extremities locations, unspecified	480	50	—	—	—	—	40	—
Hand(s) and arms(s)	481	310	—	—	—	90	190	—
Hand(s) and arm(s), unspecified	4810	30	—	—	—	—	—	—
Hand(s) and elbow(s)	4811	130	—	—	—	—	40	—

See footnotes at end of table.

TABLE S53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, state government, 2013

— Continued

Part of body	Summary occupational groups ⁴					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Thoracic region	50	—	30	60	70	—
Lumbar region	160	40	340	330	110	250
Coccygeal region	20	—	—	—	—	—
Multiple back regions	30	—	20	40	—	20
Abdomen	20	—	270	40	—	50
Abdomen, except internal location of diseases or disorders	20	—	260	40	—	50
Pelvic region	30	—	90	40	—	20
Hip(s)	20	—	50	—	—	20
Buttock(s)	—	—	—	—	—	—
Groin	—	—	20	30	—	—
Multiple trunk locations	—	—	—	20	30	—
Upper extremities	1,030	60	1,210	1,000	160	660
Shoulder(s), including clavicle(s), scapula(e)	290	30	280	270	50	200
Arm(s)	160	20	370	90	30	70
Arm(s), unspecified	90	—	60	—	—	40
Upper arm(s)	20	—	180	—	—	—
Elbow(s)	40	20	90	50	20	—
Forearm(s)	—	—	30	20	—	—
Multiple arm locations	—	—	—	—	—	—
Elbow(s) and arm(s)	—	—	—	—	—	—
Multiple arm locations, n.e.c.	—	—	—	—	—	—
Wrist(s)	280	—	40	100	—	190
Hand(s)	200	—	460	410	80	160
Hand(s), unspecified	30	—	110	60	—	50
Hand(s), except finger(s)	20	—	—	40	—	—
Finger(s), fingernail(s)	150	—	320	300	70	90
Finger(s), fingernail(s), unspecified	70	—	260	240	70	90
Fingernail(s), nailbed(s)	—	—	—	—	—	—
Fingertip(s)	40	—	—	—	—	—
Finger(s), fingernail(s), n.e.c.	30	—	50	60	—	—
Hand(s) and finger(s)	—	—	20	20	—	—
Hand(s), n.e.c.	—	—	—	—	—	—
Multiple upper extremities locations	100	—	60	140	—	40
Multiple upper extremities locations, unspecified	—	—	—	—	—	—
Hand(s) and arms(s)	20	—	—	—	—	—
Hand(s) and arm(s), unspecified	—	—	—	—	—	—
Hand(s) and elbow(s)	—	—	—	—	—	—

See footnotes at end of table.

TABLE S53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, state government, 2013 — Continued

Part of body	Part of body code ²	State government ³	Summary occupational groups ⁴					Sales and related occupations
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	
Hand(s) and arm(s), n.e.c.	4819	160	—	—	—	—	140	—
Hand(s) and wrist(s)	482	390	—	—	—	40	270	—
Wrist(s) and arm(s)	483	140	—	—	20	20	80	—
Wrist(s) and elbow(s)	4831	30	—	—	—	—	—	—
Wrist(s) and arm(s), n.e.c.	4839	100	—	—	—	—	70	—
Shoulder(s) and arm(s)	484	440	20	—	50	50	180	—
Multiple upper extremities locations, n.e.c.	489	540	—	—	20	40	380	—
Lower extremities	5	15,250	630	270	1,780	1,230	7,860	30
Leg(s)	51	9,360	240	120	1,050	860	4,940	20
Leg(s), unspecified	510	990	20	—	230	120	490	—
Thigh(s)	511	350	—	—	50	—	230	—
Knee(s)	512	6,870	210	90	630	680	3,810	20
Lower leg(s)	513	890	—	—	110	30	330	—
Multiple leg locations	518	240	—	—	30	30	70	—
Multiple leg locations, unspecified	5180	20	—	—	—	—	20	—
Knee(s) and leg(s)	5181	110	—	—	30	20	40	—
Multiple leg locations, n.e.c.	5189	110	—	—	—	—	—	—
Leg(s), n.e.c.	519	20	—	—	—	—	—	—
Ankle(s)	52	3,310	230	50	410	190	1,640	—
Foot (feet)	53	1,780	90	70	200	140	900	—
Foot (feet), unspecified	530	1,170	60	30	150	90	600	—
Sole(s)	531	120	—	—	—	—	70	—
Sole(s), unspecified	5310	30	—	—	—	—	—	—
Heel(s)	5313	90	—	—	—	—	60	—
Toes(s), toenail(s)	532	360	30	—	40	40	160	—
Multiple foot (feet) locations	538	60	—	—	—	—	30	—
Foot (feet), n.e.c.	539	80	—	—	—	—	40	—
Multiple lower extremities locations	58	790	70	30	120	40	370	—
Foot (feet) and leg(s)	581	160	20	—	70	20	40	—
Foot(feet) and leg(s), unspecified	5810	30	—	—	—	—	—	—
Foot(feet) and knee(s)	5811	120	—	—	70	—	30	—
Foot(feet) and leg(s), n.e.c.	5819	20	—	—	—	—	—	—
Foot (feet) and ankle(s)	582	190	—	—	—	—	110	—
Ankle(s) and leg(s)	583	300	—	—	20	—	150	—
Ankle(s) and leg(s), unspecified	5830	70	—	—	—	—	20	—
Ankle(s) and knee(s)	5831	170	—	—	—	—	100	—
Ankle(s) and leg(s), n.e.c.	5839	60	—	—	—	—	20	—
Multiple lower extremities locations, n.e.c.	589	140	30	—	—	20	70	—

See footnotes at end of table.

TABLE S53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, state government, 2013

— Continued

Part of body	Summary occupational groups ⁴					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Hand(s) and arm(s), n.e.c.	—	—	—	—	—	—
Hand(s) and wrist(s)	20	—	—	30	—	—
Wrist(s) and arm(s)	—	—	—	—	—	—
Wrist(s) and elbow(s)	—	—	—	—	—	—
Wrist(s) and arm(s), n.e.c.	—	—	—	—	—	—
Shoulder(s) and arm(s)	—	—	40	60	—	20
Multiple upper extremities locations, n.e.c.	40	—	—	40	—	—
Lower extremities	920	70	960	700	80	680
Leg(s)	540	50	530	490	60	440
Leg(s), unspecified	—	—	20	20	—	30
Thigh(s)	30	—	20	—	—	—
Knee(s)	390	40	330	340	30	280
Lower leg(s)	20	—	150	110	—	120
Multiple leg locations	90	—	—	—	—	—
Multiple leg locations, unspecified	—	—	—	—	—	—
Knee(s) and leg(s)	—	—	—	—	—	—
Multiple leg locations, n.e.c. ...	—	—	—	—	—	—
Leg(s), n.e.c.	—	—	—	—	—	—
Ankle(s)	230	—	310	130	—	90
Foot (feet)	100	—	80	60	—	120
Foot (feet), unspecified	70	—	50	20	—	70
Sole(s)	—	—	—	20	—	30
Sole(s), unspecified	—	—	—	—	—	20
Heel(s)	—	—	—	—	—	—
Toes(s), toenail(s)	20	—	—	—	—	—
Multiple foot (feet) locations	—	—	—	—	—	—
Foot (feet), n.e.c.	—	—	—	—	—	—
Multiple lower extremities locations	50	—	50	20	—	30
Foot (feet) and leg(s)	—	—	—	—	—	—
Foot(feet) and leg(s), unspecified	—	—	—	—	—	—
Foot(feet) and knee(s)	—	—	—	—	—	—
Foot(feet) and leg(s), n.e.c. ...	—	—	—	—	—	—
Foot (feet) and ankle(s)	—	—	—	—	—	—
Ankle(s) and leg(s)	30	—	30	20	—	20
Ankle(s) and leg(s), unspecified	—	—	—	20	—	20
Ankle(s) and knee(s)	—	—	—	—	—	—
Ankle(s) and leg(s), n.e.c.	—	—	20	—	—	—
Multiple lower extremities locations, n.e.c.	—	—	—	—	—	—

See footnotes at end of table.

TABLE S53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, state government, 2013 — Continued

Part of body	Part of body code ²	State government ³	Summary occupational groups ⁴					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Body systems	6	1,740	50	50	170	90	720	100
Multiple body parts	8	11,930	630	140	1,510	1,350	5,850	60
Multiple body parts, unspecified	80	1,060	30	—	70	70	630	40
Head and neck	81	190	—	—	—	30	120	—
Head, neck, and trunk	82	170	30	—	20	80	30	—
Head and trunk	83	70	—	—	—	—	20	—
Neck and back	84	920	70	—	110	90	390	—
Shoulder(s) and back	85	460	—	—	30	50	270	—
Hip(s) and leg(s)	86	280	—	—	40	—	140	—
Upper and lower limb(s)	87	900	50	—	130	140	320	—
Other multiple body parts	89	7,900	420	120	1,090	860	3,930	20
Whole body	891	30	—	—	—	—	20	—
Multiple body parts, n.e.c.	899	7,870	420	120	1,090	860	3,900	20
Nonclassifiable	9999	670	30	—	180	80	290	—

See footnotes at end of table.

TABLE S53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, state government, 2013
— Continued

Part of body	Summary occupational groups ⁴					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Body systems	250	—	120	30	—	140
Multiple body parts	710	70	700	210	130	550
Multiple body parts, unspecified	40	30	100	—	—	30
Head and neck	—	—	—	—	—	—
Head, neck, and trunk	—	—	—	—	—	—
Head and trunk	—	—	—	—	—	—
Neck and back	30	—	60	—	—	140
Shoulder(s) and back	30	—	—	—	—	30
Hip(s) and leg(s)	70	—	—	—	—	—
Upper and lower limb(s)	60	—	30	20	—	110
Other multiple body parts	460	20	490	150	100	240
Whole body	—	—	—	—	—	—
Multiple body parts, n.e.c.	460	20	490	150	100	230
Nonclassifiable	20	—	—	—	—	20

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ *Standard Occupational Classification Manual*, 2010, Office of Management and Budget.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.