

TABLE S68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by injury or illness and number of days away from work, and median number of days away from work, state government, 2013

Part of body	Part of body code <sup>2</sup>	State government <sup>3</sup>	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Total .....		64,990	7,480	11.5	5,840	9.0	10,950	16.8
<b>Head</b> .....	1	4,700	1,070	22.8	480	10.2	1,010	21.5
Head, unspecified .....	10	870	210	24.1	90	10.3	240	27.6
Cranial region, including skull .....	11	880	90	10.2	90	10.2	170	19.3
Cranial region, unspecified .....	110	50	—	—	—	—	—	—
Brain .....	111	660	50	7.6	80	12.1	120	18.2
Scalp .....	112	150	30	20.0	—	—	40	26.7
Skull .....	113	20	—	—	—	—	—	—
Ear(s) .....	12	130	—	—	—	—	—	—
Face .....	13	2,530	740	29.2	290	11.5	560	22.1
Face, unspecified .....	130	550	120	21.8	40	7.3	90	16.4
Forehead .....	131	120	50	41.7	30	25.0	20	16.7
Eye(s) .....	132	1,010	460	45.5	60	5.9	280	27.7
Nose, nasal cavity .....	133	340	40	11.8	110	32.4	40	11.8
Nose, except internal location of diseases or disorders .....	1330	340	40	11.8	110	32.4	40	11.8
Cheek(s) .....	134	70	—	—	—	—	40	57.1
Jaw, chin .....	135	50	—	—	—	—	20	40.0
Mouth .....	136	80	30	37.5	20	25.0	—	—
Mouth, unspecified .....	1360	30	—	—	—	—	—	—
Lip(s) .....	1361	20	—	—	—	—	—	—
Tooth (teeth) .....	1363	20	—	—	—	—	—	—
Multiple face locations .....	138	270	30	11.1	—	—	70	25.9
Face, n.e.c. ....	139	30	—	—	—	—	—	—
Multiple head locations .....	18	290	20	6.9	—	—	30	10.3
<b>Neck, including throat</b> .....	2	970	60	6.2	50	5.2	130	13.4
Neck, except internal location of diseases or disorders ...	20	970	60	6.2	50	5.2	130	13.4
<b>Trunk</b> .....	3	13,470	1,110	8.2	1,130	8.4	2,550	18.9
Trunk, unspecified .....	30	50	—	—	—	—	—	—
Chest, including ribs, internal organs .....	31	1,120	70	6.2	130	11.6	120	10.7
Chest, except internal location of diseases or disorders .....	310	820	70	8.5	110	13.4	110	13.4
Internal chest location, unspecified .....	311	130	—	—	—	—	—	—
Heart .....	313	50	—	—	—	—	—	—
Lung(s), pleura .....	315	110	—	—	—	—	—	—
Back, including spine, spinal cord .....	32	10,070	920	9.1	820	8.1	1,950	19.4
Back, including spine, spinal cord, unspecified .....	320	4,160	390	9.4	320	7.7	740	17.8
Thoracic region .....	321	570	40	7.0	30	5.3	160	28.1
Lumbar region .....	322	4,800	460	9.6	440	9.2	960	20.0
Coccygeal region .....	324	50	—	—	—	—	20	40.0
Multiple back regions .....	328	470	30	6.4	20	4.3	70	14.9
Abdomen .....	33	890	20	2.2	90	10.1	140	15.7
Abdomen, except internal location of diseases or disorders .....	330	890	20	2.2	90	10.1	140	15.7
Pelvic region .....	34	960	80	8.3	70	7.3	230	24.0
Hip(s) .....	341	420	50	11.9	30	7.1	80	19.0

See footnotes at end of table.

TABLE S68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by injury or illness and number of days away from work, and median number of days away from work, state government, 2013 — Continued

Part of body	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Total .....	9,220	14.2	8,570	13.2	4,380	6.7	18,540	28.5	10
<b>Head</b> .....	750	16.0	580	12.3	210	4.5	610	13.0	5
Head, unspecified .....	120	13.8	80	9.2	—	—	120	13.8	4
Cranial region, including skull .....	170	19.3	140	15.9	50	5.7	170	19.3	8
Cranial region, unspecified .....	—	—	—	—	—	—	30	60.0	180
Brain .....	140	21.2	130	19.7	20	3.0	130	19.7	8
Scalp .....	30	20.0	—	—	—	—	—	—	5
Skull .....	—	—	—	—	—	—	—	—	12
Ear(s) .....	20	15.4	90	69.2	—	—	—	—	14
Face .....	420	16.6	260	10.3	70	2.8	190	7.5	4
Face, unspecified .....	120	21.8	90	16.4	—	—	90	16.4	6
Forehead .....	—	—	—	—	—	—	—	—	2
Eye(s) .....	90	8.9	80	7.9	—	—	40	4.0	2
Nose, nasal cavity .....	110	32.4	20	5.9	—	—	—	—	4
Nose, except internal location of diseases or disorders .....	110	32.4	20	5.9	—	—	—	—	4
Cheek(s) .....	20	28.6	—	—	—	—	—	—	5
Jaw, chin .....	—	—	—	—	—	—	—	—	5
Mouth .....	20	25.0	—	—	—	—	—	—	2
Mouth, unspecified .....	—	—	—	—	—	—	—	—	2
Lip(s) .....	—	—	—	—	—	—	—	—	2
Tooth (teeth) .....	—	—	—	—	—	—	—	—	26
Multiple face locations .....	40	14.8	70	25.9	40	14.8	—	—	7
Face, n.e.c. ....	—	—	—	—	—	—	20	66.7	21
Multiple head locations .....	—	—	—	—	70	24.1	130	44.8	24
<b>Neck, including throat</b> .....	200	20.6	150	15.5	70	7.2	300	30.9	12
Neck, except internal location of diseases or disorders ...	200	20.6	150	15.5	70	7.2	300	30.9	12
<b>Trunk</b> .....	2,130	15.8	2,090	15.5	1,050	7.8	3,400	25.2	10
Trunk, unspecified .....	—	—	—	—	—	—	20	40.0	6
Chest, including ribs, internal organs .....	210	18.8	210	18.8	100	8.9	260	23.2	12
Chest, except internal location of diseases or disorders .....	170	20.7	140	17.1	60	7.3	160	19.5	8
Internal chest location, unspecified .....	—	—	—	—	—	—	—	—	46
Heart .....	—	—	—	—	—	—	30	60.0	45
Lung(s), pleura .....	—	—	—	—	50	45.5	—	—	8
Back, including spine, spinal cord .....	1,480	14.7	1,660	16.5	790	7.8	2,450	24.3	10
Back, including spine, spinal cord, unspecified .....	460	11.1	800	19.2	340	8.2	1,100	26.4	12
Thoracic region .....	120	21.1	70	12.3	—	—	130	22.8	7
Lumbar region .....	760	15.8	700	14.6	380	7.9	1,090	22.7	8
Coccygeal region .....	—	—	—	—	—	—	—	—	6
Multiple back regions .....	130	27.7	70	14.9	50	10.6	110	23.4	10
Abdomen .....	200	22.5	60	6.7	50	5.6	330	37.1	10
Abdomen, except internal location of diseases or disorders .....	200	22.5	60	6.7	50	5.6	330	37.1	10
Pelvic region .....	120	12.5	100	10.4	100	10.4	270	28.1	10
Hip(s) .....	40	9.5	30	7.1	80	19.0	120	28.6	15

See footnotes at end of table.

TABLE S68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by injury or illness and number of days away from work, and median number of days away from work, state government, 2013 — Continued

Part of body	Part of body code <sup>2</sup>	State government <sup>3</sup>	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Buttock(s) .....	343	90	20	22.2	20	22.2	—	—
Groin .....	344	420	—	—	20	4.8	130	31.0
Multiple trunk locations .....	38	360	—	—	—	—	100	27.8
<b>Upper extremities</b> .....	4	16,240	1,690	10.4	1,190	7.3	2,410	14.8
Shoulder(s), including clavicle(s), scapula(e) .....	41	4,810	320	6.7	270	5.6	550	11.4
Arm(s) .....	42	2,280	310	13.6	170	7.5	320	14.0
Arm(s), unspecified .....	420	780	90	11.5	50	6.4	110	14.1
Upper arm(s) .....	421	340	50	14.7	—	—	—	—
Elbow(s) .....	422	780	110	14.1	50	6.4	150	19.2
Forearm(s) .....	423	270	40	14.8	60	22.2	20	7.4
Multiple arm locations .....	428	100	20	20.0	—	—	—	—
Elbow(s) and arm(s) .....	4281	70	—	—	—	—	—	—
Multiple arm locations, n.e.c. ....	4289	30	—	—	—	—	—	—
Wrist(s) .....	43	2,070	160	7.7	150	7.2	370	17.9
Hand(s) .....	44	5,210	740	14.2	420	8.1	930	17.9
Hand(s), unspecified .....	440	1,340	180	13.4	90	6.7	260	19.4
Hand(s), except finger(s) .....	441	410	60	14.6	30	7.3	70	17.1
Finger(s), fingernail(s) .....	442	3,090	440	14.2	300	9.7	560	18.1
Finger(s), fingernail(s), unspecified .....	4420	2,390	300	12.6	190	7.9	490	20.5
Fingernail(s), nailbed(s) .....	4421	50	—	—	40	80.0	—	—
Fingertip(s) .....	4422	180	40	22.2	—	—	20	11.1
Finger(s), fingernail(s), n.e.c. ....	4429	470	90	19.1	70	14.9	40	8.5
Hand(s) and finger(s) .....	448	320	50	15.6	—	—	30	9.4
Hand(s), n.e.c. ....	449	50	—	—	—	—	—	—
Multiple upper extremities locations .....	48	1,860	150	8.1	170	9.1	240	12.9
Multiple upper extremities locations, unspecified .....	480	50	—	—	—	—	—	—
Hand(s) and arms(s) .....	481	310	80	25.8	—	—	50	16.1
Hand(s) and arm(s), unspecified .....	4810	30	—	—	—	—	—	—
Hand(s) and elbow(s) .....	4811	130	—	—	—	—	—	—
Hand(s) and arm(s), n.e.c. ....	4819	160	70	43.8	—	—	40	25.0
Hand(s) and wrist(s) .....	482	390	20	5.1	20	5.1	30	7.7
Wrist(s) and arm(s) .....	483	140	30	21.4	—	—	—	—
Wrist(s) and elbow(s) .....	4831	30	—	—	—	—	—	—
Wrist(s) and arm(s), n.e.c. ....	4839	100	20	20.0	—	—	—	—
Shoulder(s) and arm(s) .....	484	440	20	4.5	—	—	70	15.9
Multiple upper extremities locations, n.e.c. ....	489	540	20	3.7	40	7.4	70	13.0
<b>Lower extremities</b> .....	5	15,250	1,760	11.5	1,640	10.8	2,500	16.4
Leg(s) .....	51	9,360	1,010	10.8	810	8.7	1,620	17.3
Leg(s), unspecified .....	510	990	140	14.1	30	3.0	270	27.3
Thigh(s) .....	511	350	50	14.3	—	—	40	11.4
Knee(s) .....	512	6,870	770	11.2	620	9.0	1,150	16.7
Lower leg(s) .....	513	890	40	4.5	50	5.6	150	16.9
Multiple leg locations .....	518	240	—	—	110	45.8	20	8.3
Multiple leg locations, unspecified .....	5180	20	—	—	—	—	—	—
Knee(s) and leg(s) .....	5181	110	—	—	20	18.2	—	—
Multiple leg locations, n.e.c. ....	5189	110	—	—	—	—	—	—
Leg(s), n.e.c. ....	519	20	—	—	—	—	—	—

See footnotes at end of table.

TABLE S68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by injury or illness and number of days away from work, and median number of days away from work, state government, 2013 — Continued

Part of body	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Buttock(s) .....	—	—	—	—	—	—	—	—	3
Groin .....	80	19.0	50	11.9	20	4.8	130	31.0	9
Multiple trunk locations .....	100	27.8	50	13.9	—	—	70	19.4	8
<b>Upper extremities</b> .....	2,280	14.0	2,070	12.7	1,230	7.6	5,380	33.1	12
Shoulder(s), including clavicle(s), scapula(e) .....	500	10.4	560	11.6	460	9.6	2,150	44.7	25
Arm(s) .....	380	16.7	280	12.3	90	3.9	740	32.5	10
Arm(s), unspecified .....	160	20.5	130	16.7	30	3.8	210	26.9	9
Upper arm(s) .....	40	11.8	—	—	—	—	200	58.8	41
Elbow(s) .....	140	17.9	110	14.1	30	3.8	190	24.4	7
Forearm(s) .....	30	11.1	20	7.4	—	—	90	33.3	8
Multiple arm locations .....	—	—	—	—	—	—	50	50.0	36
Elbow(s) and arm(s) .....	—	—	—	—	—	—	30	42.9	36
Multiple arm locations, n.e.c. ....	—	—	—	—	—	—	—	—	20
Wrist(s) .....	240	11.6	310	15.0	190	9.2	640	30.9	12
Hand(s) .....	930	17.9	750	14.4	300	5.8	1,140	21.9	8
Hand(s), unspecified .....	320	23.9	170	12.7	90	6.7	230	17.2	7
Hand(s), except finger(s) .....	50	12.2	30	7.3	20	4.9	150	36.6	9
Finger(s), fingernail(s) .....	500	16.2	450	14.6	170	5.5	670	21.7	8
Finger(s), fingernail(s), unspecified .....	380	15.9	400	16.7	150	6.3	480	20.1	9
Fingernail(s), nailbed(s) .....	—	—	—	—	—	—	—	—	2
Fingertip(s) .....	40	22.2	20	11.1	—	—	60	33.3	7
Finger(s), fingernail(s), n.e.c. ....	80	17.0	30	6.4	20	4.3	130	27.7	6
Hand(s) and finger(s) .....	20	6.2	100	31.2	30	9.4	80	25.0	19
Hand(s), n.e.c. ....	30	60.0	—	—	—	—	—	—	9
Multiple upper extremities locations .....	230	12.4	170	9.1	190	10.2	720	38.7	19
Multiple upper extremities locations, unspecified .....	—	—	—	—	—	—	—	—	15
Hand(s) and arms(s) .....	60	19.4	20	6.5	—	—	30	9.7	3
Hand(s) and arm(s), unspecified .....	—	—	—	—	—	—	—	—	21
Hand(s) and elbow(s) .....	30	23.1	—	—	—	—	—	—	2
Hand(s) and arm(s), n.e.c. ....	30	18.8	—	—	—	—	—	—	4
Hand(s) and wrist(s) .....	30	7.7	20	5.1	80	20.5	190	48.7	29
Wrist(s) and arm(s) .....	—	—	50	35.7	—	—	30	21.4	16
Wrist(s) and elbow(s) .....	—	—	—	—	—	—	—	—	4
Wrist(s) and arm(s), n.e.c. ....	—	—	50	50.0	—	—	20	20.0	16
Shoulder(s) and arm(s) .....	70	15.9	20	4.5	20	4.5	230	52.3	40
Multiple upper extremities locations, n.e.c. ....	60	11.1	30	5.6	90	16.7	220	40.7	27
<b>Lower extremities</b> .....	1,990	13.0	2,020	13.2	1,080	7.1	4,270	28.0	10
Leg(s) .....	1,200	12.8	1,370	14.6	620	6.6	2,720	29.1	11
Leg(s), unspecified .....	90	9.1	180	18.2	40	4.0	230	23.2	7
Thigh(s) .....	120	34.3	60	17.1	20	5.7	60	17.1	8
Knee(s) .....	740	10.8	870	12.7	520	7.6	2,200	32.0	11
Lower leg(s) .....	220	24.7	220	24.7	40	4.5	160	18.0	9
Multiple leg locations .....	20	8.3	30	12.5	—	—	60	25.0	4
Multiple leg locations, unspecified .....	—	—	—	—	—	—	—	—	10
Knee(s) and leg(s) .....	—	—	30	27.3	—	—	40	36.4	15
Multiple leg locations, n.e.c. ....	—	—	—	—	—	—	—	—	2
Leg(s), n.e.c. ....	—	—	—	—	—	—	—	—	16

See footnotes at end of table.

TABLE S68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by injury or illness and number of days away from work, and median number of days away from work, state government, 2013 — Continued

Part of body	Part of body code <sup>2</sup>	State government <sup>3</sup>	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Ankle(s) .....	52	3,310	400	12.1	450	13.6	490	14.8
Foot (feet) .....	53	1,780	250	14.0	290	16.3	230	12.9
Foot (feet), unspecified .....	530	1,170	210	17.9	150	12.8	140	12.0
Sole(s) .....	531	120	—	—	20	16.7	20	16.7
Sole(s), unspecified .....	5310	30	—	—	—	—	—	—
Heel(s) .....	5313	90	—	—	20	22.2	—	—
Toes(s), toenail(s) .....	532	360	20	5.6	100	27.8	50	13.9
Multiple foot (feet) locations .....	538	60	—	—	—	—	—	—
Foot (feet), n.e.c. ....	539	80	—	—	—	—	20	25.0
Multiple lower extremities locations .....	58	790	90	11.4	80	10.1	160	20.3
Foot (feet) and leg(s) .....	581	160	—	—	—	—	40	25.0
Foot(feet) and leg(s), unspecified .....	5810	30	—	—	—	—	—	—
Foot(feet) and knee(s) .....	5811	120	—	—	—	—	30	25.0
Foot(feet) and leg(s), n.e.c. ....	5819	20	—	—	—	—	—	—
Foot (feet) and ankle(s) .....	582	190	70	36.8	—	—	30	15.8
Ankle(s) and leg(s) .....	583	300	—	—	50	16.7	70	23.3
Ankle(s) and leg(s), unspecified .....	5830	70	—	—	—	—	20	28.6
Ankle(s) and knee(s) .....	5831	170	—	—	20	11.8	50	29.4
Ankle(s) and leg(s), n.e.c. ....	5839	60	—	—	20	33.3	—	—
Multiple lower extremities locations, n.e.c. ....	589	140	—	—	20	14.3	20	14.3
<b>Body systems</b> .....	<b>6</b>	<b>1,740</b>	<b>190</b>	<b>10.9</b>	<b>210</b>	<b>12.1</b>	<b>270</b>	<b>15.5</b>
<b>Multiple body parts</b> .....	<b>8</b>	<b>11,930</b>	<b>1,460</b>	<b>12.2</b>	<b>990</b>	<b>8.3</b>	<b>1,900</b>	<b>15.9</b>
Multiple body parts, unspecified .....	80	1,060	110	10.4	80	7.5	140	13.2
Head and neck .....	81	190	—	—	40	21.1	—	—
Head, neck, and trunk .....	82	170	—	—	—	—	—	—
Head and trunk .....	83	70	—	—	—	—	20	28.6
Neck and back .....	84	920	60	6.5	70	7.6	170	18.5
Shoulder(s) and back .....	85	460	20	4.3	—	—	70	15.2
Hip(s) and leg(s) .....	86	280	30	10.7	—	—	120	42.9
Upper and lower limb(s) .....	87	900	130	14.4	40	4.4	190	21.1
Other multiple body parts .....	89	7,900	1,090	13.8	740	9.4	1,160	14.7
Whole body .....	891	30	—	—	—	—	—	—
Multiple body parts, n.e.c. ....	899	7,870	1,080	13.7	740	9.4	1,160	14.7
<b>Nonclassifiable</b> .....	<b>9999</b>	<b>670</b>	<b>150</b>	<b>22.4</b>	<b>150</b>	<b>22.4</b>	<b>160</b>	<b>23.9</b>

See footnotes at end of table.

TABLE S68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by injury or illness and number of days away from work, and median number of days away from work, state government, 2013 — Continued

Part of body	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Ankle(s) .....	490	14.8	330	10.0	170	5.1	980	29.6	8
Foot (feet) .....	240	13.5	230	12.9	100	5.6	440	24.7	7
Foot (feet), unspecified .....	130	11.1	160	13.7	70	6.0	300	25.6	8
Sole(s) .....	—	—	40	33.3	—	—	20	16.7	12
Sole(s), unspecified .....	—	—	—	—	—	—	—	—	12
Heel(s) .....	—	—	20	22.2	—	—	20	22.2	12
Toes(s), toenail(s) .....	70	19.4	30	8.3	20	5.6	70	19.4	6
Multiple foot (feet) locations .....	—	—	—	—	—	—	30	50.0	12
Foot (feet), n.e.c. ....	20	25.0	—	—	—	—	—	—	7
Multiple lower extremities locations .....	60	7.6	90	11.4	180	22.8	130	16.5	11
Foot (feet) and leg(s) .....	20	12.5	—	—	90	56.2	—	—	23
Foot(feet) and leg(s), unspecified .....	—	—	—	—	—	—	—	—	21
Foot(feet) and knee(s) .....	—	—	—	—	—	—	—	—	23
Foot(feet) and leg(s), n.e.c. ....	—	—	—	—	—	—	—	—	24
Foot (feet) and ankle(s) .....	20	10.5	—	—	40	21.1	20	10.5	3
Ankle(s) and leg(s) .....	20	6.7	50	16.7	50	16.7	50	16.7	11
Ankle(s) and leg(s), unspecified .....	—	—	—	—	20	28.6	—	—	15
Ankle(s) and knee(s) .....	—	—	40	23.5	30	17.6	20	11.8	11
Ankle(s) and leg(s), n.e.c. ....	—	—	—	—	—	—	20	33.3	7
Multiple lower extremities locations, n.e.c. ....	—	—	20	14.3	—	—	60	42.9	18
<b>Body systems</b> .....	270	15.5	180	10.3	60	3.4	560	32.2	9
<b>Multiple body parts</b> .....	1,540	12.9	1,470	12.3	640	5.4	3,930	32.9	11
Multiple body parts, unspecified .....	130	12.3	150	14.2	30	2.8	410	38.7	13
Head and neck .....	—	—	30	15.8	—	—	80	42.1	20
Head, neck, and trunk .....	30	17.6	30	17.6	—	—	90	52.9	31
Head and trunk .....	30	42.9	—	—	—	—	—	—	6
Neck and back .....	90	9.8	190	20.7	30	3.3	310	33.7	15
Shoulder(s) and back .....	70	15.2	40	8.7	50	10.9	190	41.3	23
Hip(s) and leg(s) .....	20	7.1	20	7.1	—	—	70	25.0	4
Upper and lower limb(s) .....	170	18.9	80	8.9	50	5.6	230	25.6	6
Other multiple body parts .....	980	12.4	930	11.8	470	5.9	2,540	32.2	10
Whole body .....	—	—	—	—	—	—	—	—	12
Multiple body parts, n.e.c. ....	980	12.5	920	11.7	470	6.0	2,530	32.1	10
<b>Nonclassifiable</b> .....	70	10.4	—	—	40	6.0	80	11.9	3

<sup>1</sup> Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

<sup>2</sup> Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

<sup>3</sup> Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.  
Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.