

TABLE S21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, state government, 2014

Part of body	Part of body code <sup>2</sup>	State government <sup>3</sup>	Event or exposure leading to injury or illness <sup>4</sup>							
			Contact with objects				Falls, slips, trips			
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall
Total .....		67,400	8,190	3,870	2,640	1,160	16,650	2,180	11,390	2,760
<b>Head</b> .....	1	4,620	1,200	540	490	–	950	220	640	100
Head, unspecified .....	10	1,060	350	70	280	–	320	130	170	–
Cranial region, including skull .....	11	1,130	210	120	90	–	470	60	330	–
Brain .....	111	1,000	160	80	80	–	420	60	280	–
Scalp .....	112	110	50	40	20	–	50	–	50	–
Ear(s) .....	12	80	–	–	–	–	–	–	–	–
Face .....	13	2,230	610	340	110	–	140	–	140	–
Face, unspecified .....	130	360	40	30	–	–	20	–	20	–
Forehead .....	131	160	100	30	70	–	20	–	20	–
Eye(s) .....	132	930	390	210	20	–	40	–	40	–
Nose, nasal cavity .....	133	120	–	–	–	–	20	–	20	–
Nose, except internal location of diseases or disorders .....	1330	120	–	–	–	–	20	–	20	–
Cheek(s) .....	134	50	–	–	–	–	–	–	–	–
Jaw, chin .....	135	120	–	–	–	–	–	–	–	–
Mouth .....	136	170	50	30	20	–	20	–	20	–
Mouth, unspecified .....	1360	20	–	–	–	–	–	–	–	–
Lip(s) .....	1361	60	20	–	–	–	–	–	–	–
Tooth (teeth) .....	1363	90	20	–	–	–	20	–	20	–
Multiple face locations .....	138	240	–	–	–	–	30	–	30	–
Face, n.e.c. ....	139	70	–	–	–	–	–	–	–	–
Multiple head locations .....	18	120	20	–	–	–	20	–	–	–
<b>Neck, including throat</b> .....	2	1,390	120	20	30	–	60	–	40	–
Neck, except internal location of diseases or disorders ...	20	1,380	120	20	30	–	60	–	40	–
<b>Trunk</b> .....	3	12,670	320	200	80	20	2,670	560	1,700	360
Trunk, unspecified .....	30	170	–	–	–	–	50	–	40	–
Chest, including ribs, internal organs .....	31	1,040	80	30	20	20	240	60	180	–
Chest, except internal location of diseases or disorders .....	310	880	80	30	20	20	240	60	180	–
Internal chest location, unspecified .....	311	30	–	–	–	–	–	–	–	–
Heart .....	313	100	–	–	–	–	–	–	–	–
Lung(s), pleura .....	315	40	–	–	–	–	–	–	–	–
Back, including spine, spinal cord .....	32	9,440	200	150	40	–	1,580	190	1,060	290
Back, including spine, spinal cord, unspecified .....	320	4,160	50	20	30	–	800	120	530	130
Thoracic region .....	321	310	–	–	–	–	–	–	–	–
Lumbar region .....	322	4,470	110	90	–	–	590	60	360	130
Sacral region .....	323	90	–	–	–	–	–	–	–	–
Coccygeal region .....	324	130	–	–	–	–	130	–	120	–
Multiple back regions .....	328	250	–	–	–	–	50	–	30	20
Back, including spine, spinal cord, n.e.c. ....	329	20	–	–	–	–	–	–	–	–

See footnotes at end of table.

TABLE S21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, state government, 2014 — Continued

Part of body	Event or exposure leading to injury or illness <sup>4</sup>											
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				All other events <sup>5</sup>
	Total	In lifting	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
<b>Total</b> .....	17,960	4,090	1,310	2,320	4,440	3,710	80	12,720	6,270	5,860	440	5,020
<b>Head</b> .....	50	—	—	270	240	170	—	1,900	1,550	270	50	—
Head, unspecified .....	20	—	—	—	60	60	—	280	260	—	—	—
Cranial region, including skull .....	—	—	—	20	150	110	—	270	230	20	—	—
Brain .....	—	—	—	20	150	110	—	250	220	20	—	—
Scalp .....	—	—	—	—	—	—	—	20	20	—	—	—
Ear(s) .....	—	—	—	30	—	—	—	40	—	30	—	—
Face .....	—	—	—	210	30	—	—	1,220	980	200	30	—
Face, unspecified .....	—	—	—	40	—	—	—	270	250	—	—	—
Forehead .....	—	—	—	—	—	—	—	20	20	—	—	—
Eye(s) .....	—	—	—	150	—	—	—	340	240	80	20	—
Nose, nasal cavity .....	—	—	—	—	—	—	—	90	50	40	—	—
Nose, except internal location of diseases or disorders .....	—	—	—	—	—	—	—	90	50	40	—	—
Cheek(s) .....	—	—	—	—	—	—	—	40	40	—	—	—
Jaw, chin .....	—	—	—	—	—	—	—	110	100	—	—	—
Mouth .....	—	—	—	—	—	—	—	100	60	40	—	—
Mouth, unspecified .....	—	—	—	—	—	—	—	—	—	—	—	—
Lip(s) .....	—	—	—	—	—	—	—	30	30	—	—	—
Tooth (teeth) .....	—	—	—	—	—	—	—	50	20	40	—	—
Multiple face locations .....	—	—	—	30	—	—	—	170	150	—	—	—
Face, n.e.c. ....	—	—	—	—	—	—	—	70	70	—	—	—
Multiple head locations .....	—	—	—	—	—	—	—	90	80	—	—	—
<b>Neck, including throat</b> .....	320	70	—	—	370	370	—	510	250	200	—	—
Neck, except internal location of diseases or disorders ...	320	70	—	—	370	370	—	510	250	200	—	—
<b>Trunk</b> .....	7,330	2,600	130	110	690	620	—	1,540	800	690	50	20
Trunk, unspecified .....	100	—	—	—	—	—	—	20	—	20	—	—
Chest, including ribs, internal organs .....	270	30	—	70	60	40	—	310	160	150	—	—
Chest, except internal location of diseases or disorders .....	180	30	—	—	60	40	—	310	160	150	—	—
Internal chest location, unspecified .....	—	—	—	—	—	—	—	—	—	—	—	—
Heart .....	90	—	—	—	—	—	—	—	—	—	—	—
Lung(s), pleura .....	—	—	—	40	—	—	—	—	—	—	—	—
Back, including spine, spinal cord .....	6,200	2,330	120	—	560	540	—	880	450	430	—	—
Back, including spine, spinal cord, unspecified .....	2,530	850	—	—	310	300	—	460	290	160	—	—
Thoracic region .....	260	90	—	—	—	—	—	30	20	—	—	—
Lumbar region .....	3,250	1,310	100	—	180	170	—	340	110	230	—	—
Sacral region .....	30	—	—	—	—	—	—	—	—	—	—	—
Coccygeal region .....	—	—	—	—	—	—	—	—	—	—	—	—
Multiple back regions .....	130	70	—	—	—	—	—	50	20	20	—	—
Back, including spine, spinal cord, n.e.c. ....	—	—	—	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE S21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, state government, 2014 — Continued

Part of body	Part of body code <sup>2</sup>	State government <sup>3</sup>	Event or exposure leading to injury or illness <sup>4</sup>							
			Contact with objects				Falls, slips, trips			
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall
Abdomen .....	33	630	—	—	—	—	30	—	20	—
Abdomen, except internal location of diseases or disorders .....	330	610	—	—	—	—	30	—	20	—
Intestines, peritoneum .....	335	20	—	—	—	—	—	—	—	—
Pelvic region .....	34	1,040	30	20	—	—	520	250	220	50
Hip(s) .....	341	690	—	—	—	—	450	250	190	20
Pelvis .....	342	40	—	—	—	—	—	—	—	—
Buttock(s) .....	343	20	—	—	—	—	—	—	—	—
Groin .....	344	260	—	—	—	—	40	—	—	30
External reproductive tract structures .....	345	20	—	—	—	—	—	—	—	—
Multiple trunk locations .....	38	350	—	—	—	—	240	50	180	—
<b>Upper extremities</b> .....	<b>4</b>	<b>15,360</b>	<b>3,850</b>	<b>1,970</b>	<b>710</b>	<b>1,020</b>	<b>2,430</b>	<b>160</b>	<b>2,090</b>	<b>170</b>
Upper extremities, unspecified .....	40	60	—	—	—	—	—	—	—	—
Shoulder(s), including clavicle(s), scapula(e) .....	41	4,500	160	90	20	60	970	60	790	120
Arm(s) .....	42	2,480	390	170	210	—	530	20	490	20
Arm(s), unspecified .....	420	780	110	80	30	—	180	—	180	—
Upper arm(s) .....	421	260	20	—	—	—	30	—	20	—
Elbow(s) .....	422	960	140	40	110	—	240	—	220	—
Forearm(s) .....	423	260	80	50	30	—	20	—	20	—
Multiple arm locations .....	428	190	40	—	30	—	60	—	50	—
Multiple arm locations, unspecified .....	4280	30	—	—	—	—	—	—	—	—
Elbow(s) and arm(s) .....	4281	60	—	—	—	—	—	—	—	—
Multiple arm locations, n.e.c. .....	4289	100	30	—	30	—	50	—	50	—
Arm(s), n.e.c. .....	429	30	—	—	—	—	—	—	—	—
Wrist(s) .....	43	1,590	200	130	30	30	440	20	400	—
Hand(s) .....	44	5,050	2,870	1,470	380	900	230	40	180	—
Hand(s), unspecified .....	440	1,420	500	230	130	120	80	—	70	—
Hand(s), except finger(s) .....	441	130	90	70	—	—	—	—	—	—
Finger(s), fingernail(s) .....	442	3,220	2,160	1,080	250	750	130	30	100	—
Finger(s), fingernail(s), unspecified .....	4420	2,280	1,470	800	130	490	120	30	90	—
Fingertip(s) .....	4422	220	210	20	20	170	—	—	—	—
Finger(s), fingernail(s), n.e.c. .....	4429	710	470	250	100	100	—	—	—	—
Hand(s) and finger(s) .....	448	200	100	80	—	20	—	—	—	—
Hand(s), n.e.c. .....	449	70	—	—	—	—	—	—	—	—
Multiple upper extremities locations .....	48	1,670	230	100	70	20	260	—	220	20
Multiple upper extremities locations, unspecified .....	480	40	—	—	—	—	—	—	—	—
Hand(s) and arms(s) .....	481	250	40	—	—	—	30	—	30	—
Hand(s) and arm(s), unspecified .....	4810	80	30	—	—	—	—	—	—	—
Hand(s) and elbow(s) .....	4811	40	—	—	—	—	—	—	—	—
Hand(s) and arm(s), n.e.c. .....	4819	130	—	—	—	—	30	—	30	—
Hand(s) and wrist(s) .....	482	380	100	70	20	—	60	—	50	—
Wrist(s) and arm(s) .....	483	100	—	—	—	—	—	—	—	—
Wrist(s) and arm(s), unspecified .....	4830	50	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE S21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, state government, 2014 — Continued

Part of body	Event or exposure leading to injury or illness <sup>4</sup>											
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				All other events <sup>5</sup>
	Total	In lifting	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
Abdomen .....	410	190	—	20	—	—	—	140	80	30	30	—
Abdomen, except internal location of diseases or disorders .....	410	190	—	—	—	—	—	140	80	30	30	—
Intestines, peritoneum .....	—	—	—	—	—	—	—	—	—	—	—	—
Pelvic region .....	290	50	—	—	40	—	—	150	100	50	—	—
Hip(s) .....	120	—	—	—	30	—	—	80	40	40	—	—
Pelvis .....	—	—	—	—	—	—	—	—	—	—	—	—
Buttock(s) .....	—	—	—	—	—	—	—	—	—	—	—	—
Groin .....	160	50	—	—	—	—	—	50	40	—	—	—
External reproductive tract structures .....	—	—	—	—	—	—	—	20	20	—	—	—
Multiple trunk locations .....	50	—	—	—	20	20	—	30	20	—	—	—
<b>Upper extremities .....</b>	<b>4,810</b>	<b>910</b>	<b>1,010</b>	<b>220</b>	<b>470</b>	<b>290</b>	<b>—</b>	<b>3,490</b>	<b>1,170</b>	<b>2,120</b>	<b>160</b>	<b>70</b>
Upper extremities, unspecified .....	20	—	20	30	—	—	—	—	—	—	—	—
Shoulder(s), including clavicle(s), scapula(e) .....	2,020	430	80	—	330	190	—	990	260	720	—	30
Arm(s) .....	960	190	210	60	30	20	—	500	90	330	70	—
Arm(s), unspecified .....	320	40	30	40	20	—	—	110	40	60	—	—
Upper arm(s) .....	90	40	—	—	—	—	—	120	—	60	50	—
Elbow(s) .....	420	70	170	—	—	—	—	150	—	130	—	—
Forearm(s) .....	40	—	—	20	—	—	—	90	—	60	20	—
Multiple arm locations .....	70	30	—	—	—	—	—	30	—	—	—	—
Multiple arm locations, unspecified .....	30	—	—	—	—	—	—	—	—	—	—	—
Elbow(s) and arm(s) .....	20	—	—	—	—	—	—	—	—	—	—	—
Multiple arm locations, n.e.c. .....	20	—	—	—	—	—	—	—	—	—	—	—
Arm(s), n.e.c. .....	—	—	—	—	—	—	—	—	—	—	—	—
Wrist(s) .....	710	120	300	—	40	20	—	210	80	120	—	—
Hand(s) .....	560	70	270	120	50	40	—	1,180	540	560	60	30
Hand(s), unspecified .....	280	30	180	80	40	40	—	400	180	190	20	30
Hand(s), except finger(s) .....	—	—	—	—	—	—	—	30	—	20	—	—
Finger(s), fingernail(s) .....	210	40	60	40	—	—	—	670	300	340	30	—
Finger(s), fingernail(s), unspecified .....	160	30	40	30	—	—	—	490	240	240	—	—
Fingertip(s) .....	—	—	—	—	—	—	—	—	—	—	—	—
Finger(s), fingernail(s), n.e.c. .....	50	—	30	—	—	—	—	170	60	100	20	—
Hand(s) and finger(s) .....	30	—	20	—	—	—	—	70	40	20	—	—
Hand(s), n.e.c. .....	30	—	—	—	—	—	—	20	—	—	—	—
Multiple upper extremities locations .....	530	110	140	—	20	20	—	610	190	380	20	—
Multiple upper extremities locations, unspecified .....	—	—	—	—	—	—	—	—	—	—	—	—
Hand(s) and arms(s) .....	80	—	50	—	—	—	—	90	—	90	—	—
Hand(s) and arm(s), unspecified .....	30	—	—	—	—	—	—	—	—	—	—	—
Hand(s) and elbow(s) .....	—	—	—	—	—	—	—	40	—	40	—	—
Hand(s) and arm(s), n.e.c. .....	50	—	40	—	—	—	—	40	—	30	—	—
Hand(s) and wrist(s) .....	100	—	30	—	—	—	—	120	40	80	—	—
Wrist(s) and arm(s) .....	30	—	—	—	—	—	—	60	—	30	20	—
Wrist(s) and arm(s), unspecified .....	—	—	—	—	—	—	—	30	—	—	—	—

See footnotes at end of table.

TABLE S21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, state government, 2014 — Continued

Part of body	Part of body code <sup>2</sup>	State government <sup>3</sup>	Event or exposure leading to injury or illness <sup>4</sup>							
			Contact with objects				Falls, slips, trips			
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall
Wrist(s) and elbow(s) .....	4831	20	-	-	-	-	-	-	-	-
Wrist(s) and arm(s), n.e.c. ....	4839	30	-	-	-	-	-	-	-	-
Shoulder(s) and arm(s) .....	484	560	40	-	30	-	100	-	70	20
Multiple upper extremities locations, n.e.c. ....	489	340	30	20	-	-	50	-	50	-
<b>Lower extremities</b> .....	<b>5</b>	<b>14,290</b>	<b>2,280</b>	<b>860</b>	<b>1,260</b>	<b>60</b>	<b>6,190</b>	<b>580</b>	<b>3,470</b>	<b>1,900</b>
Lower extremities, unspecified .....	50	20	-	-	-	-	-	-	-	-
Leg(s) .....	51	8,010	760	200	510	-	3,290	280	2,150	750
Leg(s), unspecified .....	510	680	30	20	-	-	310	90	210	20
Thigh(s) .....	511	260	20	20	-	-	70	-	40	20
Knee(s) .....	512	6,170	550	110	390	-	2,660	140	1,740	680
Lower leg(s) .....	513	600	130	30	100	-	160	20	100	30
Multiple leg locations .....	518	240	20	20	-	-	70	20	50	-
Multiple leg locations, unspecified .....	5180	20	-	-	-	-	-	-	-	-
Knee(s) and leg(s) .....	5181	200	20	20	-	-	70	20	50	-
Multiple leg locations, n.e.c. ....	5189	30	-	-	-	-	-	-	-	-
Leg(s), n.e.c. ....	519	50	-	-	-	-	-	-	-	-
Ankle(s) .....	52	3,050	310	50	210	30	1,760	190	700	800
Foot (feet) .....	53	2,580	1,140	580	490	20	700	40	360	240
Foot (feet), unspecified .....	530	1,480	710	320	360	20	360	20	130	140
Sole(s) .....	531	260	80	30	50	-	110	-	20	80
Heel(s) .....	5313	230	70	30	40	-	90	-	-	80
Toes(s), toenail(s) .....	532	560	290	200	60	-	210	-	200	-
Multiple foot (feet) locations .....	538	30	20	20	-	-	-	-	-	-
Foot (feet), n.e.c. ....	539	250	40	-	20	-	-	-	-	-
Multiple lower extremities locations .....	58	630	70	30	40	-	430	80	240	110
Foot (feet) and leg(s) .....	581	120	-	-	-	-	80	40	40	-
Foot(feet) and leg(s), unspecified .....	5810	30	-	-	-	-	-	-	-	-
Foot(feet) and knee(s) .....	5811	80	-	-	-	-	70	40	40	-
Foot (feet) and ankle(s) .....	582	120	-	-	-	-	70	-	30	30
Ankle(s) and leg(s) .....	583	280	40	-	40	-	200	20	100	80
Ankle(s) and leg(s), unspecified .....	5830	90	-	-	-	-	50	-	-	50
Ankle(s) and knee(s) .....	5831	170	-	-	-	-	130	-	90	30
Ankle(s) and leg(s), n.e.c. ....	5839	30	-	-	-	-	-	-	-	-
Multiple lower extremities locations, n.e.c. ....	589	110	20	-	-	-	90	-	70	-
<b>Body systems</b> .....	<b>6</b>	<b>1,760</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>
<b>Multiple body parts</b> .....	<b>8</b>	<b>12,300</b>	<b>410</b>	<b>270</b>	<b>80</b>	<b>30</b>	<b>4,230</b>	<b>660</b>	<b>3,340</b>	<b>230</b>
Multiple body parts, unspecified .....	80	770	-	-	-	-	200	20	170	-
Head and neck .....	81	420	80	40	40	-	30	-	20	-
Head, neck, and trunk .....	82	200	-	-	-	-	20	-	-	-
Head and trunk .....	83	140	20	-	-	-	50	-	40	-
Neck and back .....	84	930	20	-	-	-	80	-	70	-

See footnotes at end of table.

TABLE S21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, state government, 2014 — Continued

Part of body	Event or exposure leading to injury or illness <sup>4</sup>											
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				All other events <sup>5</sup>
	Total	In lifting	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
Wrist(s) and elbow(s) .....	-	-	-	-	-	-	-	-	-	-	-	-
Wrist(s) and arm(s), n.e.c. ....	-	-	-	-	-	-	-	20	-	20	-	-
Shoulder(s) and arm(s) .....	270	70	30	-	-	-	-	150	60	90	-	-
Multiple upper extremities locations, n.e.c. ....	60	-	20	-	-	-	-	190	80	90	-	-
<b>Lower extremities</b> .....	<b>3,670</b>	<b>110</b>	<b>-</b>	<b>220</b>	<b>170</b>	<b>50</b>	<b>-</b>	<b>1,690</b>	<b>500</b>	<b>1,110</b>	<b>50</b>	<b>70</b>
Lower extremities, unspecified .....	-	-	-	-	-	-	-	-	-	-	-	-
Leg(s) .....	2,460	70	-	20	100	30	-	1,340	430	830	50	40
Leg(s), unspecified .....	190	-	-	-	-	-	-	120	30	80	-	-
Thigh(s) .....	110	-	-	-	-	-	-	50	40	-	-	-
Knee(s) .....	1,850	50	-	-	60	30	-	1,010	320	650	-	20
Lower leg(s) .....	260	-	-	-	-	-	-	40	-	20	-	-
Multiple leg locations .....	40	-	-	-	20	-	-	90	30	60	-	-
Multiple leg locations, unspecified .....	20	-	-	-	-	-	-	-	-	-	-	-
Knee(s) and leg(s) .....	20	-	-	-	20	-	-	70	30	40	-	-
Multiple leg locations, n.e.c. ....	-	-	-	-	-	-	-	-	-	-	-	-
Leg(s), n.e.c. ....	-	-	-	-	-	-	-	30	-	-	-	-
Ankle(s) .....	770	20	-	-	30	-	-	170	-	160	-	-
Foot (feet) .....	390	20	-	190	40	-	-	110	20	90	-	-
Foot (feet), unspecified .....	280	-	-	40	40	-	-	60	-	40	-	-
Sole(s) .....	70	-	-	-	-	-	-	-	-	-	-	-
Heel(s) .....	60	-	-	-	-	-	-	-	-	-	-	-
Toes(s), toenail(s) .....	-	-	-	-	-	-	-	30	-	30	-	-
Multiple foot (feet) locations .....	-	-	-	-	-	-	-	-	-	-	-	-
Foot (feet), n.e.c. ....	30	-	-	-	-	-	-	20	-	20	-	-
Multiple lower extremities locations .....	50	-	-	-	-	-	-	70	40	30	-	-
Foot (feet) and leg(s) .....	-	-	-	-	-	-	-	30	-	-	-	-
Foot(feet) and leg(s), unspecified .....	-	-	-	-	-	-	-	-	-	-	-	-
Foot(feet) and knee(s) .....	-	-	-	-	-	-	-	-	-	-	-	-
Foot (feet) and ankle(s) .....	20	-	-	-	-	-	-	20	-	20	-	-
Ankle(s) and leg(s) .....	20	-	-	-	-	-	-	20	20	-	-	-
Ankle(s) and leg(s), unspecified .....	-	-	-	-	-	-	-	-	-	-	-	-
Ankle(s) and knee(s) .....	-	-	-	-	-	-	-	20	-	-	-	-
Ankle(s) and leg(s), n.e.c. ....	-	-	-	-	-	-	-	-	-	-	-	-
Multiple lower extremities locations, n.e.c. ....	-	-	-	-	-	-	-	-	-	-	-	-
<b>Body systems</b> .....	<b>210</b>	<b>-</b>	<b>-</b>	<b>1,220</b>	<b>-</b>	<b>-</b>	<b>70</b>	<b>180</b>	<b>130</b>	<b>-</b>	<b>40</b>	<b>50</b>
<b>Multiple body parts</b> .....	<b>1,530</b>	<b>350</b>	<b>160</b>	<b>260</b>	<b>2,430</b>	<b>2,170</b>	<b>-</b>	<b>3,330</b>	<b>1,830</b>	<b>1,440</b>	<b>30</b>	<b>110</b>
Multiple body parts, unspecified .....	150	30	-	-	180	150	-	190	90	90	-	30
Head and neck .....	50	-	-	-	40	40	-	220	190	30	-	-
Head, neck, and trunk .....	-	-	-	-	80	80	-	70	70	-	-	-
Head and trunk .....	-	-	-	-	20	20	-	50	50	-	-	-
Neck and back .....	250	80	-	-	550	520	-	30	-	20	-	-

See footnotes at end of table.

TABLE S21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, state government, 2014 — Continued

Part of body	Part of body code <sup>2</sup>	State government <sup>3</sup>	Event or exposure leading to injury or illness <sup>4</sup>							
			Contact with objects				Falls, slips, trips			
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall
Shoulder(s) and back .....	85	560	—	—	—	—	40	—	40	—
Hip(s) and leg(s) .....	86	170	—	—	—	—	70	—	40	20
Upper and lower limb(s) .....	87	1,030	30	30	—	—	680	90	540	50
Other multiple body parts .....	89	8,070	240	170	30	20	3,060	520	2,400	140
Whole body .....	891	30	—	—	—	—	—	—	—	—
Multiple body parts, n.e.c. ....	899	8,040	240	170	30	20	3,050	520	2,390	140

See footnotes at end of table.

TABLE S21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, state government, 2014 — Continued

Part of body	Event or exposure leading to injury or illness <sup>4</sup>											
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				All other events <sup>5</sup>
	Total	In lifting	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
Shoulder(s) and back .....	160	40	—	—	130	130	—	210	90	120	—	—
Hip(s) and leg(s) .....	80	—	—	—	—	—	—	—	—	—	—	—
Upper and lower limb(s) .....	—	—	—	—	100	50	—	210	90	120	—	—
Other multiple body parts .....	830	160	120	220	1,320	1,190	—	2,340	1,220	1,070	—	60
Whole body .....	—	—	—	—	—	—	—	—	—	—	—	—
Multiple body parts, n.e.c. ....	820	160	120	210	1,310	1,180	—	2,340	1,220	1,070	—	60

See footnotes at end of table.



TABLE S21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, state government, 2014 — Continued

Part of body	Part of body code <sup>2</sup>	State government <sup>3</sup>	Event or exposure leading to injury or illness <sup>4</sup>							
			Contact with objects				Falls, slips, trips			
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall
<b>Nonclassifiable</b> .....	9999	5,010	—	—	—	—	110	—	110	—

See footnotes at end of table.

TABLE S21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, state government, 2014 — Continued

Part of body	Event or exposure leading to injury or illness <sup>4</sup>											
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				All other events <sup>5</sup>
	Total	In lifting	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
<b>Nonclassifiable .....</b>	60	30	–	–	60	30	–	70	40	–	–	4,700

<sup>1</sup> Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

<sup>2</sup> Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

<sup>3</sup> Excludes farms with fewer than 11 employees.

<sup>4</sup> Data shown in columns correspond to the following Event codes: Contact with objects, Total = 6; Struck by object = 62; Struck against object = 63; Caught in or compressed or crushed = 64; Falls, slips, trips, Total = 4; Fall to lower level = 43; Fall on same level = 42; Slips or trips without fall = 41; Overexertion and bodily reaction, Total = 7; In lifting = 711; Repetitive motion = 72; Exposure to harmful substance or environment = 5; Transportation accidents, Total = 2; Roadway accident = 26; Fires and explosions = 3; Violence and other injuries by persons or animals, Total = 1; Intentional injury by other person = 111; Injury by person-unintentional or intent unknown = 12; Animal and other insect related = 13; All other events = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

<sup>5</sup> Includes nonclassifiable responses.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.  
Source: U.S. Bureau of Labor Statistics, Survey of Occupational Injuries and Illnesses, in cooperation with participating state agencies.