

TABLE S47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, state government, 2014

Nature	Nature code ²	State government ³	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Total		67,400	35,120	27,590	4,680	2,060	4,110	14,070	40,610	6,550
Traumatic injuries and disorders	1	60,400	33,890	26,410	100	1,890	4,010	13,640	38,920	1,930
Traumatic injuries and disorders, unspecified	10	40	-	40	-	-	-	30	-	-
Traumatic injuries to bones, nerves, spinal cord	11	4,360	2,440	1,910	-	260	200	950	2,630	320
Traumatic injuries to bones, nerves, spinal cord, unspecified	110	730	480	240	-	140	-	220	340	-
Fractures	111	3,520	1,900	1,620	-	110	180	720	2,210	310
Traumatic injuries to nerves, except the spinal cord ..	113	90	50	40	-	-	-	-	70	-
Pinched nerve	1131	90	50	40	-	-	-	-	70	-
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	12	25,280	14,720	10,500	60	830	1,530	5,660	16,540	700
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	120	220	200	20	-	140	-	-	70	-
Dislocations	121	410	330	70	-	30	30	120	230	-
Dislocations, unspecified	1210	20	-	-	-	-	-	-	20	-
Herniated discs	1211	130	90	40	-	-	-	20	110	-
Dislocation of joints	1212	260	230	30	-	30	30	100	100	-
Cartilage fractures and tears	122	160	70	90	-	-	-	-	130	-
Meniscus tears	1221	140	70	70	-	-	-	-	110	-
Sprains, strains, tears	123	24,080	13,790	10,240	60	650	1,470	5,380	15,910	670
Sprains, strains, tears, unspecified	1230	2,840	1,570	1,240	40	40	100	570	2,060	80
Major tears to muscles, tendons, ligaments	1231	750	570	170	-	-	30	100	560	50
Sprains	1232	7,390	4,100	3,280	-	240	510	1,680	4,740	220
Strains	1233	12,510	7,270	5,230	-	360	840	2,780	8,210	320
Multiple sprains, strains, tears	1238	600	290	310	-	-	-	250	330	-
Hernias due to traumatic incidents	124	250	230	20	-	-	-	70	140	-
Whiplash	125	80	40	40	-	-	-	30	60	-
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	128	20	-	20	-	-	-	-	-	-
Traumatic injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	129	50	40	-	-	-	-	40	-	-
Open wounds	13	2,530	1,840	690	-	80	230	630	1,490	90
Amputations, avulsions, enucleations	131	190	170	20	-	-	-	120	60	-
Amputations	1311	140	140	-	-	-	-	80	50	-
Avulsions, enucleations	1312	40	30	-	-	-	-	40	-	-
Cuts, lacerations	132	1,800	1,300	500	-	70	140	430	1,100	70
Puncture wounds, except gunshot wounds	133	470	310	160	-	-	90	90	280	-
Gunshot wounds	134	40	40	-	-	-	-	-	20	20
Surface wounds and bruises	14	6,780	3,180	3,580	-	210	530	1,550	4,390	110
Surface wounds and bruises, unspecified	140	130	70	60	-	-	-	-	130	-
Abrasions, scratches	141	570	310	260	-	60	60	110	300	30
Bruises, contusions	143	5,880	2,670	3,190	-	140	460	1,390	3,810	80
Multiple surface wounds and bruises	148	160	110	50	-	-	-	30	120	-
Surface wounds and bruises, n.e.c.	149	30	-	20	-	-	-	-	20	-
Burns and corrosions	15	370	240	130	-	40	50	160	120	-
Chemical burns and corrosions	151	110	80	30	-	-	-	80	20	-
Chemical burns and corrosions, unspecified	1510	100	80	30	-	-	-	70	20	-
Heat (thermal) burns	152	220	110	100	-	-	40	70	90	-

See footnotes at end of table.

TABLE S47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, state government, 2014 — Continued

Nature	Nature code ²	State government ³	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Heat (thermal) burns, unspecified	1520	160	90	70	—	—	30	60	60	—
First degree heat (thermal) burns	1521	40	—	30	—	—	—	—	20	—
Other burns	159	40	40	—	—	—	—	—	—	—
Intracranial injuries	16	950	570	380	—	70	100	270	490	20
Intracranial injuries, unspecified	160	100	50	50	—	—	30	—	60	—
Concussions	162	840	510	330	—	60	70	260	410	20
Effects of environmental conditions	17	230	190	50	—	30	—	130	60	—
Effects of reduced temperature	171	20	—	—	—	—	—	—	20	—
Frostbite	1711	20	—	—	—	—	—	—	20	—
Effects of heat and light	172	210	170	40	—	20	—	130	50	—
Heat exhaustion, prostration	1725	180	160	20	—	20	—	110	40	—
Effects of heat and light, n.e.c.	1729	20	—	—	—	—	—	—	—	—
Multiple traumatic injuries and disorders	18	2,720	1,350	1,380	—	20	180	590	1,880	50
Multiple traumatic injuries and disorders, unspecified	180	120	100	20	—	—	—	50	70	—
Cuts and abrasions or bruises	181	530	350	180	—	—	80	90	330	20
Sprains and other injuries	182	1,270	540	730	—	—	50	290	910	20
Sprains and other injuries, unspecified	1820	40	20	20	—	—	—	—	30	—
Sprains and bruises	1821	990	410	580	—	—	40	250	680	20
Sprains and cuts	1822	80	50	30	—	—	—	20	70	—
Sprains and other injuries, n.e.c.	1829	160	60	100	—	—	—	20	130	—
Fractures and other injuries	183	230	130	110	—	—	—	50	150	—
Fractures (except skull fractures) and concussions	1831	30	20	—	—	—	—	20	—	—
Fractures and other injuries, n.e.c.	1839	170	90	80	—	—	—	30	120	—
Burns and other injuries, except fractures	184	40	—	—	—	—	—	—	—	—
Burns and other injuries, n.e.c.	1849	40	—	—	—	—	—	—	—	—
Multiple traumatic injuries and disorders, n.e.c.	189	530	220	310	—	—	40	70	420	—
Other traumatic injuries and disorders	19	17,120	9,360	7,750	—	360	1,160	3,670	11,310	620
Dermatitis and reactions affecting the skin—acute	195	390	330	60	—	—	—	190	180	—
Dermatitis and reactions affecting the skin—acute, unspecified	1950	140	120	20	—	—	—	20	120	—
Allergic dermatitis—acute	1951	190	180	—	—	—	—	160	—	—
Irritant dermatitis—acute	1952	50	20	30	—	—	—	—	40	—
Other poisoning, toxic, noxious, or allergenic effects	196	680	400	280	—	—	30	150	410	80
Poisoning, toxic, noxious, or allergenic effect, unspecified	1960	280	180	100	—	—	—	20	190	70
Poisoning, including poisoning-related asphyxia ...	1961	60	50	20	—	—	—	20	40	—
Other respiratory system symptoms—toxic, noxious, or allergenic effect	1963	110	60	50	—	—	—	30	70	—
Coughing and throat irritation— toxic, noxious, or allergenic effect	1964	20	—	20	—	—	—	—	20	—
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	1965	40	20	20	—	—	—	—	30	—
Other or unspecified allergic reactions	1966	130	90	40	—	—	—	80	40	—
Multiple poisoning, toxic, noxious, or allergenic effects	1968	30	—	30	—	—	—	—	30	—
Nonspecified injuries and disorders	197	15,940	8,590	7,340	—	330	1,120	3,320	10,630	540
Crushing injuries	1971	420	200	210	—	50	—	90	260	—
Soreness, pain, hurt—nonspecified injury	1972	13,740	7,330	6,390	—	250	950	2,910	9,140	490

See footnotes at end of table.

TABLE S47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, state government, 2014 — Continued

Nature	Nature code ²	State government ³	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Swelling, inflammation, irritation—nonspecified injury	1973	1,040	570	470	—	20	140	200	650	30
Numbness—nonspecified injury	1974	100	80	20	—	—	—	—	100	—
Multiple nonspecified injuries and disorders	1978	350	240	110	—	—	—	50	290	—
Nonspecified injuries and disorders, n.e.c.	1979	290	150	140	—	—	20	60	200	—
Other traumatic injuries and disorders, n.e.c.	199	100	40	60	—	—	—	—	80	—
Traumatic injuries and disorders, n.e.c.	1999	100	40	60	—	—	—	—	80	—
Diseases and disorders of body systems	2	1,220	600	630	—	110	50	180	850	30
Nervous system and sense organs diseases	22	440	180	260	—	70	—	40	310	20
Disorders of the peripheral nervous system	224	320	160	160	—	—	—	—	280	20
Disorders of the peripheral nervous system, unspecified	2240	60	30	30	—	—	—	—	50	—
Carpal tunnel syndrome	2241	260	120	140	—	—	—	—	230	—
Disorders of the eye, adnexa, vision	225	90	20	70	—	—	—	—	20	—
Conjunctivitis—non-viral	2251	70	—	70	—	—	—	—	—	—
Disorders of the ear, mastoid process, hearing	226	30	—	—	—	—	—	—	—	—
Circulatory system diseases	23	150	120	40	—	—	—	—	140	—
Ischemic heart disease, including heart attack	233	60	60	—	—	—	—	—	50	—
Myocardial infarction (heart attack)	2331	40	40	—	—	—	—	—	40	—
Other forms of heart disease	235	30	30	—	—	—	—	—	30	—
Cerebrovascular disease	236	40	30	20	—	—	—	—	40	—
Stroke	2361	40	30	20	—	—	—	—	40	—
Respiratory system diseases	24	90	60	20	—	—	—	—	50	—
Other diseases of upper respiratory tract	242	30	—	—	—	—	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions	244	30	30	—	—	—	—	—	30	—
Asthma, except intrinsic	2443	30	30	—	—	—	—	—	30	—
Musculoskeletal system and connective tissue diseases and disorders	27	490	190	300	—	—	40	120	320	—
Dorsopathies	272	20	—	—	—	—	—	—	20	—
Soft tissue disorders, except the back	273	460	170	290	—	—	40	120	280	—
Stenosing tenosynovitis	2732	110	—	100	—	—	—	100	—	—
Epicondylitis	2734	130	—	120	—	—	—	—	130	—
Other or unspecified tendonitis (tendinitis)	2735	140	80	60	—	—	40	—	100	—
Soft tissue disorder, except the back, n.e.c.	2739	50	50	—	—	—	—	—	30	—
Disorders of the skin and subcutaneous tissue	28	40	40	—	—	—	—	—	30	—
Infections of the skin and subcutaneous tissue	281	40	40	—	—	—	—	—	30	—
Methicillin-resistant staphylococcus aureus (MRSA) infection	2813	20	20	—	—	—	—	—	20	—
Infectious and parasitic diseases	3	60	20	40	—	—	—	—	40	—
Other infectious and parasitic diseases	39	20	—	20	—	—	—	—	20	—
Symptoms, signs, and ill-defined conditions	5	370	240	130	—	20	20	80	250	—
Symptoms	51	340	220	120	—	20	20	70	230	—
General symptoms	511	230	150	80	—	—	—	40	170	—
Loss of consciousness—not heat related	5111	110	80	30	—	—	—	—	90	—
Convulsions, seizures	5112	20	20	—	—	—	—	—	20	—

See footnotes at end of table.

TABLE S47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, state government, 2014 — Continued

Nature	Nature code ²	State government ³	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Dizziness—general	5114	50	30	20	—	—	—	—	40	—
Multiple general symptoms	5118	30	—	30	—	—	—	—	—	—
Symptoms involving respiratory system and chest	516	60	40	20	—	—	—	20	30	—
Symptoms involving respiratory system and chest, unspecified	5160	20	—	—	—	—	—	—	—	—
Chest pain	5164	20	20	—	—	—	—	—	—	—
Multiple symptoms	518	20	—	—	—	—	—	20	—	—
Other diseases, conditions, and disorders	6	520	170	350	—	—	30	100	380	—
Mental disorders and syndromes	62	510	170	350	—	—	30	100	370	—
Anxiety, stress	621	510	170	340	—	—	20	100	370	—
Anxiety, stress, unspecified	6210	340	120	220	—	—	20	50	260	—
Post-traumatic stress disorder	6211	90	30	70	—	—	—	30	60	—
Anxiety or panic disorder	6213	40	—	40	—	—	—	—	40	—
Anxiety, stress, n.e.c.	6219	40	—	30	—	—	—	20	—	—

See footnotes at end of table.

TABLE S47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, state government, 2014 — Continued

Nature	Nature code ²	State government ³	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Exposures to disease—no illness incurred	7	80	80	—	—	—	—	30	50	—
Nonclassifiable	9999	4,730	120	30	4,580	—	—	40	90	4,580

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.
Source: U.S. Bureau of Labor Statistics, Survey of Occupational Injuries and Illnesses, in cooperation with participating state agencies.