

TABLE S79. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and hours on the job before event occurred, state government, 2014

Part of body	Part of body code ²	State government ³	Hours on the job before event occurred										Not reported
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	
Total		67,400	1,300	6,380	6,870	12,410	10,870	10,070	4,140	1,180	690	150	13,340
Head	1	4,620	90	450	490	960	770	810	300	130	100	—	520
Head, unspecified	10	1,060	40	80	90	170	150	220	80	—	40	—	190
Cranial region, including skull	11	1,130	20	150	120	270	190	240	50	—	—	—	90
Brain	111	1,000	—	140	100	230	160	230	50	—	—	—	80
Scalp	112	110	—	—	—	40	30	—	—	—	—	—	—
Ear(s)	12	80	—	—	—	—	30	30	—	—	—	—	—
Face	13	2,230	30	190	270	480	380	300	160	120	60	—	230
Face, unspecified	130	360	—	20	40	130	40	50	30	—	—	—	30
Forehead	131	160	—	—	—	110	—	30	—	—	—	—	—
Eye(s)	132	930	—	90	140	110	270	130	30	30	40	—	90
Nose, nasal cavity	133	120	—	—	20	—	20	—	40	—	—	—	20
Nose, except internal location of diseases or disorders	1330	120	—	—	20	—	20	—	40	—	—	—	20
Cheek(s)	134	50	—	—	—	—	—	30	—	—	—	—	—
Jaw, chin	135	120	—	—	—	30	20	—	—	—	—	—	—
Mouth	136	170	—	—	50	30	20	30	—	—	—	—	30
Mouth, unspecified	1360	20	—	—	—	—	—	—	—	—	—	—	—
Lip(s)	1361	60	—	—	—	—	20	—	—	—	—	—	—
Tooth (teeth)	1363	90	—	—	50	—	—	—	—	—	—	—	—
Multiple face locations	138	240	—	50	—	30	—	20	—	50	—	—	50
Face, n.e.c.	139	70	—	—	—	30	—	—	—	—	—	—	—
Multiple head locations	18	120	—	20	—	40	20	20	—	—	—	—	20
Neck, including throat	2	1,390	—	140	70	360	430	160	60	40	20	—	100
Neck, except internal location of diseases or disorders	20	1,380	—	140	70	350	430	160	60	40	20	—	90
Trunk	3	12,670	160	1,160	1,500	2,770	2,150	1,790	720	160	70	—	2,190
Trunk, unspecified	30	170	—	20	—	20	—	70	—	—	—	—	40
Chest, including ribs, internal organs	31	1,040	—	140	110	230	170	120	40	—	—	—	200
Chest, except internal location of diseases or disorders	310	880	—	130	110	190	160	120	40	—	—	—	100
Internal chest location, unspecified	311	30	—	—	—	—	—	—	—	—	—	—	—
Heart	313	100	—	—	—	40	—	—	—	—	—	—	40
Lung(s), pleura	315	40	—	—	—	—	—	—	—	—	—	—	30
Back, including spine, spinal cord	32	9,440	120	820	1,140	2,130	1,650	1,340	590	110	50	—	1,470
Back, including spine, spinal cord, unspecified	320	4,160	50	340	530	910	800	610	180	40	40	—	650
Thoracic region	321	310	—	20	70	60	50	70	—	—	—	—	40
Lumbar region	322	4,470	50	400	450	1,050	710	620	400	60	—	—	720
Sacral region	323	90	—	—	—	—	70	—	—	—	—	—	—
Coccygeal region	324	130	—	30	50	—	—	—	—	—	—	—	—
Multiple back regions	328	250	20	—	30	80	20	30	—	—	—	—	40
Back, including spine, spinal cord, n.e.c.	329	20	—	—	—	20	—	—	—	—	—	—	—
Abdomen	33	630	—	20	100	150	80	110	20	—	—	—	130

See footnotes at end of table.

TABLE S79. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and hours on the job before event occurred, state government, 2014 — Continued

Part of body	Part of body code ²	State government ³	Hours on the job before event occurred										Not reported
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	
Abdomen, except internal location of diseases or disorders	330	610	—	20	100	140	80	110	20	—	—	—	120
Intestines, peritoneum	335	20	—	—	—	—	—	—	—	—	—	—	—
Pelvic region	34	1,040	30	50	100	170	190	110	60	—	—	—	330
Hip(s)	341	690	20	20	60	70	160	40	50	—	—	—	270
Pelvis	342	40	—	—	—	—	—	—	—	—	—	—	—
Buttock(s)	343	20	—	—	—	—	—	—	—	—	—	—	—
Groin	344	260	—	20	20	70	30	70	—	—	—	—	40
External reproductive tract structures ..	345	20	—	—	—	—	—	—	—	—	—	—	—
Multiple trunk locations	38	350	—	110	50	80	60	30	—	—	—	—	20
Upper extremities	4	15,360	260	1,730	1,460	3,260	2,620	2,420	1,080	270	170	20	2,080
Upper extremities, unspecified	40	60	—	—	—	—	—	—	30	—	—	—	20
Shoulder(s), including clavicle(s), scapula(e)	41	4,500	70	520	480	1,040	670	750	310	40	30	—	590
Arm(s)	42	2,480	50	270	160	570	480	320	180	60	30	—	350
Arm(s), unspecified	420	780	30	30	20	250	220	80	50	—	—	—	90
Upper arm(s)	421	260	—	70	—	30	—	40	—	50	—	—	40
Elbow(s)	422	960	20	150	70	200	160	120	50	—	20	—	170
Forearm(s)	423	260	—	—	30	40	40	40	70	—	—	—	30
Multiple arm locations	428	190	—	—	30	50	30	50	—	—	—	—	20
Multiple arm locations, unspecified ..	4280	30	—	—	—	—	—	—	—	—	—	—	—
Elbow(s) and arm(s)	4281	60	—	—	—	40	—	—	—	—	—	—	—
Multiple arm locations, n.e.c.	4289	100	—	—	—	—	30	40	—	—	—	—	—
Arm(s), n.e.c.	429	30	—	—	—	—	20	—	—	—	—	—	—
Wrist(s)	43	1,590	20	250	170	400	250	110	90	30	—	—	260
Hand(s)	44	5,050	100	560	470	890	1,030	820	360	40	50	20	710
Hand(s), unspecified	440	1,420	60	200	120	270	180	230	90	—	20	—	270
Hand(s), except finger(s)	441	130	—	—	—	20	50	40	—	—	—	—	—
Finger(s), fingernail(s)	442	3,220	—	340	310	550	740	500	260	30	30	20	430
Finger(s), fingernail(s), unspecified ..	4420	2,280	—	240	190	460	540	290	100	30	20	—	380
Fingertip(s)	4422	220	—	—	20	—	90	90	—	—	—	—	—
Finger(s), fingernail(s), n.e.c.	4429	710	—	100	90	80	100	120	160	—	—	—	50
Hand(s) and finger(s)	448	200	—	—	30	50	—	40	—	—	—	—	—
Hand(s), n.e.c.	449	70	—	—	—	—	50	—	—	—	—	—	—
Multiple upper extremities locations	48	1,670	—	130	180	360	200	410	100	90	40	—	150
Multiple upper extremities locations, unspecified	480	40	—	—	—	—	—	20	—	—	—	—	—
Hand(s) and arms(s)	481	250	—	—	—	40	60	30	30	—	—	—	40
Hand(s) and arm(s), unspecified	4810	80	—	—	—	30	—	—	30	—	—	—	—
Hand(s) and elbow(s)	4811	40	—	—	—	—	—	—	—	—	—	—	—
Hand(s) and arm(s), n.e.c.	4819	130	—	—	—	—	40	30	—	—	—	—	40
Hand(s) and wrist(s)	482	380	—	40	20	70	20	150	40	—	—	—	30
Wrist(s) and arm(s)	483	100	—	—	—	30	40	—	—	—	—	—	—
Wrist(s) and arm(s), unspecified	4830	50	—	—	—	30	20	—	—	—	—	—	—
Wrist(s) and elbow(s)	4831	20	—	—	—	—	—	—	—	—	—	—	—
Wrist(s) and arm(s), n.e.c.	4839	30	—	—	—	—	20	—	—	—	—	—	—
Shoulder(s) and arm(s)	484	560	—	60	90	130	20	130	—	80	—	—	40

See footnotes at end of table.

TABLE S79. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and hours on the job before event occurred, state government, 2014 — Continued

Part of body	Part of body code ²	State government ³	Hours on the job before event occurred										Not reported
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	
Multiple upper extremities locations, n.e.c.	489	340	—	30	50	80	50	70	—	—	—	—	30
Lower extremities	5	14,290	480	1,470	1,560	2,480	2,370	2,550	830	200	140	100	2,110
Lower extremities, unspecified	50	20	—	—	—	—	—	—	—	—	—	—	—
Leg(s)	51	8,010	270	810	830	1,580	1,270	1,380	510	140	120	20	1,080
Leg(s), unspecified	510	680	20	50	30	120	110	140	110	—	—	—	90
Thigh(s)	511	260	30	20	20	50	50	60	—	—	—	—	30
Knee(s)	512	6,170	210	660	700	1,180	960	980	350	140	100	20	870
Lower leg(s)	513	600	—	50	70	180	100	140	20	—	—	—	30
Multiple leg locations	518	240	—	—	—	50	40	50	20	—	—	—	70
Multiple leg locations, unspecified	5180	20	—	—	—	—	—	—	—	—	—	—	—
Knee(s) and leg(s)	5181	200	—	—	—	30	40	50	—	—	—	—	60
Multiple leg locations, n.e.c.	5189	30	—	—	—	—	—	—	—	—	—	—	—
Leg(s), n.e.c.	519	50	—	20	—	—	—	—	—	—	—	—	—
Ankle(s)	52	3,050	150	290	450	500	530	460	180	20	—	50	410
Foot (feet)	53	2,580	—	270	220	320	480	620	80	30	—	—	550
Foot (feet), unspecified	530	1,480	—	200	120	190	200	430	70	20	—	—	230
Sole(s)	531	260	—	30	20	30	50	110	—	—	—	—	20
Heel(s)	5313	230	—	30	—	20	40	100	—	—	—	—	20
Toes(s), toenail(s)	532	560	—	30	60	60	80	80	—	—	—	—	240
Multiple foot (feet) locations	538	30	—	—	—	—	—	—	—	—	—	—	—
Foot (feet), n.e.c.	539	250	—	—	20	30	150	—	—	—	—	—	50
Multiple lower extremities locations	58	630	50	100	60	80	100	80	50	20	20	20	70
Foot (feet) and leg(s)	581	120	—	20	—	—	—	—	30	—	—	—	40
Foot (feet) and leg(s), unspecified	5810	30	—	—	—	—	—	—	—	—	—	—	—
Foot (feet) and knee(s)	5811	80	—	20	—	—	—	—	—	—	—	—	—
Foot (feet) and ankle(s)	582	120	—	—	—	30	30	—	—	—	—	—	—
Ankle(s) and leg(s)	583	280	30	30	20	30	60	60	—	—	—	—	—
Ankle(s) and leg(s), unspecified	5830	90	—	—	—	—	40	40	—	—	—	—	—
Ankle(s) and knee(s)	5831	170	30	20	20	20	—	20	—	—	—	—	—
Ankle(s) and leg(s), n.e.c.	5839	30	—	—	—	—	—	—	—	—	—	—	—
Multiple lower extremities locations, n.e.c.	589	110	—	40	20	—	—	—	—	—	—	—	—
Body systems	6	1,760	30	150	150	340	260	270	90	—	20	—	420
Multiple body parts	8	12,300	280	1,230	1,620	2,160	2,220	2,060	1,000	360	160	20	1,190
Multiple body parts, unspecified	80	770	—	80	60	90	100	90	90	30	—	—	220
Head and neck	81	420	—	30	20	100	120	80	—	—	—	—	40
Head, neck, and trunk	82	200	—	—	—	50	30	40	—	—	—	—	60
Head and trunk	83	140	—	—	20	—	60	—	—	—	—	—	—
Neck and back	84	930	—	80	170	190	150	190	90	—	—	—	30
Shoulder(s) and back	85	560	—	20	90	180	30	100	120	—	—	—	—
Hip(s) and leg(s)	86	170	—	—	20	30	—	60	—	—	—	—	20
Upper and lower limb(s)	87	1,030	20	90	90	200	180	240	40	20	40	—	110
Other multiple body parts	89	8,070	230	880	1,160	1,300	1,520	1,250	640	300	90	20	680
Whole body	891	30	—	—	—	—	—	—	—	—	—	—	20

See footnotes at end of table.

TABLE S79. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and hours on the job before event occurred, state government, 2014 — Continued

Part of body	Part of body code ²	State government ³	Hours on the job before event occurred										Not reported
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	
Multiple body parts, n.e.c.	899	8,040	230	880	1,160	1,300	1,520	1,250	640	300	90	20	660
Nonclassifiable	9999	5,010	—	40	20	90	30	20	70	—	—	—	4,720

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.
 Source: U.S. Bureau of Labor Statistics, Survey of Occupational Injuries and Illnesses, in cooperation with participating state agencies.