

American Time Use Survey (ATUS) Data Dictionary:

2017 ATUS-CPS File

Variables collected in the Current Population Survey (CPS)

June 2018

Important Information about the ATUS Data Dictionary (ATUS-CPS)

Introduction

The American Time Use Survey (ATUS) is sponsored by the Bureau of Labor Statistics and conducted by the U.S. Census Bureau. The purpose of this document is to provide information about the variables available on one of the 2017 ATUS data files, the ATUS-CPS file. Some of these variables also appear on the Activity Summary file.

The ATUS-CPS file contains information collected in the Current Population Survey (CPS) interviews about persons selected to participate in ATUS and members of their households. The file has one record for each household member. **The CPS interviews were conducted two to five months prior to the ATUS interview. For this reason, some of the information on the ATUS-CPS file was out of date at the time of the ATUS interview. When possible, it is best to use variables collected in ATUS rather than their CPS counterparts. The ATUS-CPS file contains information about persons who were members of the household during the last CPS interview and were still members of the household at the time of the ATUS interview. For those cases that did not complete the ATUS interview, all members of the household during the last CPS interview are included on the ATUS-CPS file.**

This data dictionary lists all the variables available on the ATUS-CPS file and their valid values. It also provides directions on how to read the data dictionary.

Two additional data dictionaries describe other 2017 ATUS files:

- ATUS Interview Data Dictionary: Describes the variables that were collected and assigned in the ATUS interview. The variables described are available on the Roster file, Activity file, Activity Summary file, Who file, Respondent file, and Eldercare Roster file.
- Survey Methodology Data Dictionary: Describes the variables available on the Case History file and the Call History file.

These additional data dictionaries are available on the ATUS Web site at www.bls.gov/tus/dictionaries.htm.

Naming Conventions and Definitions

Variables on the ATUS-CPS file are named according to ATUS and CPS rules (the only two exceptions to these rules are the variables OCCURNUM and QSTNUM):

- The first character of the variable name identifies the level of the variable (whether it refers to a person, a household, a household location, or an ATUS variable)
- The second character of the variable name identifies the variable type (whether it is unedited, edited, a recode, an allocation flag, or topcoded)
- The remaining characters consist of a descriptive name

The table below lists the meaning of the first character in more detail.

First Character	Level of Variable	Definition
G	CPS Geography variable	<p>Geography variables are collected in CPS and identify a household location. For example, GESTFIPS gives the FIPS state code for the location of the household.</p> <p>Geography variables have separate values for each household in the ATUS-CPS file. Thus, they are the same for each member of the household. They are only found in the ATUS-CPS file and not in any of the other ATUS files (except GTMETSTA, which is also found on the Activity Summary file).</p>
H	CPS Household variable	<p>Household variables are collected in CPS and describe a household characteristic. For example, HRNUMHOU gives the total number of persons living in the household.</p> <p>Household variables have separate values for each household in the ATUS-CPS file. Thus, they are the same for each member of the household. They are only found in the ATUS-CPS file and not in any of the other ATUS files.</p>
P	CPS Person variable	<p>Person variables are collected in CPS and describe a characteristic of a person. For example, PRTAGE gives the age of an individual.</p> <p>Person variables have separate values for each person in the ATUS-CPS file. They are only found in the ATUS-CPS file and not in any of the other ATUS files (except PEEDUCA, PTDTRACE, and PEHSPNON, which are also found on the Activity Summary file).</p>
T	ATUS variable	<p>ATUS variables ("T" for time use) are collected through ATUS interviews.</p> <p>There are only three ATUS variables in the ATUS-CPS file. Two of these are the ATUS case ID (TUCASEID) and ATUS person line number (TULINENO); these variables are used for linking the ATUS-CPS file to other ATUS files. The third variable is TRATUSR, which identifies those persons who responded to the ATUS interview.</p>

The following table gives more information regarding the second character of the variable name (note that the variables on the Activity Summary file that start with a lowercase “t” do not follow these rules).

Second character	Variable Type	Definition
U	Unedited Variable	<p>An unedited variable generally is produced by the Computer Assisted Telephone Interview (CATI) or Computer Assisted Personal Interview (CAPI) instrument and is either collected or assigned during the interview.</p> <p>“U” variables on ATUS-CPS file are either person (“P”), household (“H”), or ATUS (“T”) variables.</p>
E	Edited Variable	<p>An edited variable is one that has gone through an editing process (a process checking for consistency). Values of edited variables are almost always equal to values of the corresponding unedited variables. Data differ when a value is allocated or imputed by the processing system based on CPS allocation rules. Allocations are typically performed when the unedited variable contains a missing value or a value of "don't know" or "refused."</p> <p>An edited version of a variable exists only if that variable goes through an editing process. If there are no edits for a variable, then only an unedited version of the variable exists.</p> <p>“E” variables on the ATUS-CPS file can be either person (“P”), household (“H”), or geography (“G”) variables.</p>
R	Recode	<p>A recode is a variable calculated by the processing system from a combination of other items on the file. For example, PRMJOCC1 is the major occupation code for the respondent’s main job; this is not a response to a question but rather a variable that summarizes (or “groups”) the more finely detailed occupation variable PEIO1OCD.</p> <p>Recodes on the ATUS-CPS file are either person (“P”), household (“H”), or ATUS (“T”) variables.</p>
X	Allocation Flag	<p>Each edited person or household variable has a corresponding allocation flag indicating the nature of the allocation. For example, if PUSEX is blank, PESEX would be allocated and have the corresponding allocation flag of PXSEX = 41 (blank to allocated value). See the section on allocation flags for the complete list of values. There are three “X” variables that do not have corresponding “E” variables but rather correspond to “R” or “T” variables (PXAGE, PXRACE1, and PXINUSYR).</p> <p>“X” variables on the ATUS-CPS file can be either person (“P”) or household (“H”) variables.</p>
T	Topcode Indicator	<p>These variables indicate topcoding, or the assigning of maximum values. Three topcode variables on the ATUS-CPS file are indicator flags that relate to earnings, and the others are variables that have been topcoded.</p> <p>Topcode Indicator variables on the ATUS-CPS file can be either person (“P”) variables or geography variables (“G”).</p>

Using these rules, variables can be more readily understood based on their names. For example, the variable PESEX can be broken down as follows:

- The first character “P” indicates that this is a person-level variable that was collected or created through the CPS interviews
- The second character “E” indicates that this variable went through an editing process; it also means that there will be a corresponding allocation flag, PXSEX, to indicate the nature of the allocation
- The final part of the variable name, “SEX,” is descriptive

Some questions asked in the CPS interviews allow for more than one response. For such multiple entry questions, there is a separate variable for each possible response. Each variable has the same descriptive name but a different (sequential) number. For example, respondents can provide up to six answers to the question “You said you have been trying to find work – how did you go about looking?” The variable names are PULKDK1, PULKDK2, PULKDK3, etc.

Not all CPS variables are on the ATUS-CPS file. When there is an edited variable, the corresponding unedited variable is usually omitted from the files. This is typically done to protect the confidentiality of CPS or ATUS respondents as required by law. If an unedited variable is included on the files, it generally means that an edited version does not exist and that the unedited version cannot be used to identify individual respondents.

ATUS Data Files

1) ATUS-CPS File

This file contains most of the variables on the CPS files for households selected to participate in ATUS, whether or not there was a completed ATUS interview.

There is a record for each person in the households from which an individual was selected to participate in ATUS. However, the ATUS-CPS file represents households as they were at the time of the CPS interview (also referred to as CPS Month-In-Sample 8 data or CPS MIS-8 data). **The information on the ATUS-CPS file was collected two to five months before the ATUS interview and in some cases was out of date at the time of the ATUS survey.** Because household composition can change, the ATUS Roster file may contain more individuals for the same household. If an individual moved into the household after the CPS interview, CPS information will not be available for that person. Those persons who are no longer living in the household at the time of the ATUS interview are not included on the ATUS-CPS file.

In addition to updating the household roster, many of the CPS questions related to employment, earnings, and school enrollment are re-asked in the ATUS interview. **When possible, it is better to use a more up-to-date variable from the ATUS interview than a variable from the ATUS-CPS file.** However, some information is not re-asked in the ATUS interview, such as race and educational attainment, and is available only on the ATUS-CPS file.

A simplified example is shown below (the actual ATUS-CPS file contains many more variables). The TUCASEID identifies each ATUS case, and the TULINENO identifies each individual in the household. In the example below, TUCASEID 20170100234567 has three persons residing in the household, while TUCASEID 20170100234570 and TUCASEID 20170100234585 have one person. Each household member has the same TUCASEID and a different TULINENO.

The example includes a household variable (HEFAMINC), a geography variable (GEREG), and two person variables (PEMARITL and PRTAGE). All members of the same household have the same value for HEFAMINC (family income) and GEREG (region) because the variables describe a given household. Each household member has an individual value for PEMARITL (marital status) and PRTAGE (age). Some household members do not have information for all person variables. For example, TULINENO 3 of TUCASEID 20170100234567 is missing (value = -1) marital status (PEMARITL). This is because PRMARITL is not defined for individuals younger than 15.

TUCASEID	TULINENO	HEFAMINC	GEREG	PEMARITL	PRTAGE
20170100234567	1	12	1	1	45
20170100234567	2	12	1	1	44
20170100234567	3	12	1	-1	12
20170100234570	1	7	3	3	70
20170100234585	1	13	2	4	57

2.) ATUS Activity Summary File

The ATUS Activity Summary file contains information about the total number of minutes each respondent spent doing each activity. The file also includes selected variables from the ATUS Respondent, ATUS Roster, and ATUS-CPS files. **The Activity Summary file contains variables not described in this data dictionary. Variables beginning with a lower-case "t" correspond to specific activity codes; definitions for each activity code can be found in the 2017 Activity Lexicon (www.bls.gov/tus/lexiconwex2017.pdf).**

There is one record for each ATUS respondent.

A simplified example of the ATUS Activity Summary file appears below. The variable TUCASEID is the unique identifier for each respondent and the variable TEAGE, which also appears on the ATUS Roster file, shows each respondent's age. The variable t010101 contains the total number of minutes each respondent spent doing activity 010101, "sleeping"; the variable t010102 contains the total number of minutes each respondent spent doing activity 010102, "sleeplessness."

The ATUS Activity Summary file contains more variables describing each activity as well as many more lines than the example below.

TUCASEID	TEAGE	t010101	t010102
20170101020210	26	480	0
20170101020211	53	430	30
20170101020212	76	457	0
20170101020213	16	600	0

Differences between ATUS-CPS File and CPS File

Most of the variables available on the CPS file also are available on the ATUS-CPS file, but there are some variables that appear on one file and not on the other. Some of these variables do not exist on one of the files, and others correspond to variables with different names.

The table below lists the variables that are missing from either the 2017 ATUS-CPS file or the August 2016 to October 2017 CPS files and shows whether there is a corresponding variable.

CPS Variable	Definition of Variable	ATUS Variable
Variables on CPS Files that have no corresponding variable on the 2017 ATUS-CPS File		
GTCSA	Consolidated Statistical Area	No corresponding variable
GTCBSAST	Principle City/Balance Status	
GTINDVPC	Individual Principle City	
GTCBSASZ	Metropolitan Area (CBSA) Size	
HWHHWGT	Household weight	
PWCMPWGT	Composite weight	
PWFMWGT	Family weight	
PWLGWGT	Longitudinal weight	
PWORWGT	Outgoing rotation weight	
PWSSWGT	Second stage weight	
PWVETWGT	Veteran weight	
PRCHLD	Presence of own children by selected age group	
Variables on CPS Files that have corresponding variables on the 2017 ATUS-CPS File		
PRINUSYR	Immigrant's year of entry	PRINUYER
Variables on the 2017 ATUS-CPS File that have no corresponding variable on CPS Files		
No corresponding variable	ATUS case ID	TUCASEID
	ATUS person line number	TULINENO
	ATUS respondent	TRATUSR

CPS variable information found in this document is based on the CPS data dictionaries and data files found at thedataweb.rm.census.gov/ftp/cps_ftp.html. It is important to note that CPS data from other sources can have different names, different formats, or different default values for the same variables.

Valid Values

Each variable has a number of valid values or a range of valid values. For example, the variable PESEX has two valid values: 1 for male and 2 for female. The variable PRTAGE, on the other hand, has a range of valid values—any entry between 0 and 85 (except 81 through 84) is considered valid. Individual valid values or a range of valid values are listed under each variable in the data dictionary. A few variables have so many valid values that they are not included in the data dictionary; instead, they are provided in an appendix or a separate document. (References to these are included as a "Note" under the relevant variables in the data dictionary.) One example of such a variable is PEIO1ICD, which identifies the industry code of the respondent's main job.

Many variables have the following possible valid values:

Value	Description
-1	Blank
-2	Don't know
-3	Refused

Since so many variables have these possible values, they are not shown as valid entries for each item.

Two variables on the ATUS-CPS file do not list either valid values or a range of valid values. These are identifying variables: the primary identifier for ATUS cases (TUCASEID) and the primary identifier for CPS cases (HRHHID).

Allocation Flags

For every person-level or household-level edited item (or all “PE” and “HE” variables), there is a corresponding allocation flag whose second character is “X.” All remaining characters of the two variables’ names are the same. For example, PXSEX is the allocation flag for PESEX.

All allocation flags have the following list of possible values:

- 0 Value – no change
- 1 Blank – no change
- 2 Don’t know – no change
- 3 Refused – no change
- 10 Value to value
- 11 Blank to value
- 12 Don’t know to value
- 13 Refused to value
- 20 Value to longitudinal value
- 21 Blank to longitudinal value
- 22 Don’t know to longitudinal value
- 23 Refused to longitudinal value
- 30 Value to allocated longitudinal value (unused)
- 31 Blank to allocated longitudinal value (unused)
- 32 Don’t know to allocated longitudinal value (unused)
- 33 Refused to allocated longitudinal value (unused)
- 40 Value to allocated value
- 41 Blank to allocated value
- 42 Don’t know to allocated value
- 43 Refused to allocated value
- 50 Value to blank
- 52 Don’t know to blank
- 53 Refused to blank

Each digit of these valid values identifies how and why edited variables were allocated.

The first digit indicates how the allocation was made to the “E” (or edited) variable.

First Digit	
0 or Blank	No change between “U” variable and “E” variable
1	“E” variable changed to a value
2	“E” variable changed to a longitudinal value (the corresponding value from a prior CPS interview)
3	“E” variable changed to an allocated longitudinal value (the corresponding allocated value from a prior CPS interview) - unused
4	“E” variable changed to allocated value
5	“E” variable changed to a blank

The second digit indicates why the “U” variable was allocated, whether the value was changed, missing, don’t know, or refused.

Second Digit	
0	“U” variable was equal to some value
1	“U” variable was blank (or -1)
2	“U” variable was don’t know (or -2)
3	“U” variable was refused (or -3)

All “X” variables follow this standard format. One ATUS-CPS variable (PRCITFLG) is an allocation flag with the standard list of 53 variables and yet does not follow the standard naming convention. PRCITFLG is an allocation flag for PRCITSHP (citizenship status).

Two other variables (PRWERNAL and PRHERNAL) indicate allocation and do not follow the “X” variable values; these variables have values of either 0 or 1, with 1 indicating that other variables (PRERNWA and PRERNHLY respectively) have been allocated.

All “PE” and “HE” variables have a corresponding “X” variable. However, there are three “X” variables that correspond to an “R” variable rather than an “E” variable. These are:

PXRACE1	PRDTRACE: allocation flag
PXAGE	PRTAGE: allocation flag
PXINUSYR	PRINUYSYR: allocation flag

Edited Universe

Edited variables and recodes are defined for certain universes, and these are listed in the data dictionary. For example, PEMJNUM (number of jobs) is only defined for those who have indicated that they have more than one job. Therefore, the universe for PEMJNUM is PEMJOT = 1 (PEMJOT is the multiple job status of the individual, and a value of 1 indicates that the individual has more than one job).

Certain variables might initially appear to be the same because their descriptions are very similar. These variables are different in that they were asked of different groups of survey respondents. For example, the variables PEERNH1O and PEERNH2 both have the same question text of “Excluding overtime pay, tips, and commissions, what is your hourly rate of pay on your main job?” The difference between these two variables has to do with which group of respondents was asked each question, and this can be determined by looking at the edited universe. PEERNH1O was asked of respondents with PEERNPER = 1, or those who said it was easiest to report their earnings hourly. PEERNH2, on the other hand, was asked of respondents who said it was easiest to report their earnings some other way than hourly even though they were paid hourly.


CPS Design and Methodology

More information on CPS design and methodology can be found in CPS Technical Paper 66 at www.census.gov/prod/2006pubs/tp-66.pdf.

Organization of the Data Dictionary

Variables are listed in the data dictionary in alphabetical order.

Below is a sample entry from the ATUS-CPS data dictionary:



Frequently Used Variables

The ATUS files have many variables and users may sometimes have difficulty determining which ones to use. A list of the most commonly used ATUS variables is available at www.bls.gov/tus/freqvariables.pdf.

Linking ATUS Files

Each of the ATUS files contains useful information, but in order to produce most estimates, the files need to be linked. All of the files contain the variable TUCASEID, which is the ATUS identification number. Two other variables that can be used for linking in conjunction with TUCASEID are TULINENO (person line number) and TUACTIONITY_N (activity line number). For more information on linking ATUS files, please see www.bls.gov/tus/howto.htm/#linking.

Linking ATUS Files to the Final CPS Interview

The ATUS files can also be linked to the CPS files using information on the ATUS-CPS file. Cases on the ATUS-CPS file can be linked to their final CPS interview. Because the last CPS interview occurs two to five months before the ATUS interview, CPS files from August 2016 to October 2017 link to the 2017 ATUS-CPS file. More detailed information about linking ATUS files to CPS files is available in Appendix K of the ATUS User's Guide (www.bls.gov/tus/atususersguide.pdf).

CPS files can be downloaded from the CPS Web site at thedataweb.rm.census.gov/ftp/cps_ftp.html. CPS variable information found in this document is based on the CPS microdata files found on this Web site. It is important to note that CPS data from other sources can have different names, different formats, or different default values for the same variables.

Changes between ATUS 2003 to 2017 Data Files

Those wishing to use multiple years of ATUS data should be aware of changes to ATUS survey methods between years. From 2003 to 2017, there are a number of new, discontinued, and changed variables. For a list of these changes, see the ATUS changes document (www.bls.gov/tus/changes.pdf). Additionally, there are some differences from the 2003 to 2017 Activity Coding Lexicons. A document detailing these differences can found at www.bls.gov/tus/lexiconchanges.pdf.

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description	File
GEDIV	Division	ATUS-CPS File
	Edited Universe:	All households in sample
	Valid Entries:	1 New England
		2 Middle Atlantic
		3 East North Central
		4 West North Central
		5 South Atlantic
		6 East South Central
		7 West South Central
		8 Mountain
		9 Pacific
	*Note	Division definitions are listed in Appendix A.
Name	Description	File
GEREG	Region	ATUS-CPS File
	Edited Universe:	All households in sample
	Valid Entries:	1 Northeast
		2 Midwest (formerly North Central)
		3 South
		4 West
	*Note	Region definitions are listed in Appendix A
Name	Description	File
GESTFIPS	Federal Processing Information Standards (FIPS) state code	ATUS-CPS File
	Edited Universe:	All households in sample
	Valid Entries:	01 Min Value 56 Max Value
	*Note	FIPS state codes are listed in Appendix A
Name	Description	File
GTCBSA	Specific metropolitan core based statistical area (CBSA) code	ATUS-CPS File
	Edited Universe:	All households
	Valid Entries:	00000 Min Value 49740 Max Value
	*Note	Not all CBSAs are identified. Values of 00000 are assigned for cases whose CBSA is not identified. GTCBSA codes are listed in Appendix A.

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description		File
GTCO	Federal Processing Standards (FIPS) county code		ATUS-CPS File
	Edited Universe:	All households	
	Valid Entries:	000 810	Min Value Max Value
	*Note	<p>This code must be used in combination with a state code (GESTFIPS) in order to uniquely identify a county.</p> <p>GTCO codes are listed in Appendix A.</p> <p>Also, most counties are not identified. Values of 000 are assigned for cases whose county code is not identified.</p>	
Name	Description		File
GTMETSTA	Metropolitan status		ATUS-CPS File, Activity Summary File
	Edited Universe:	All households in sample	
	Valid Entries:	1	Metropolitan
		2	Non-metropolitan
		3	Not identified
	*Note	Starting in August 2015, all cases on the ATUS files have GTMETSTA based on MSA definitions from the 2010 Decennial Census.	

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description		File
HEFAMINC	Edited: Family Income		ATUS-CPS File
	Edited Universe:	All households in sample	
	Valid Entries:	1	Less than \$5,000
		2	\$5,000 to \$7,499
		3	\$7,500 to \$9,999
		4	\$10,000 to \$12,499
		5	\$12,500 to \$14,999
		6	\$15,000 to \$19,999
		7	\$20,000 to \$24,999
		8	\$25,000 to \$29,999
		9	\$30,000 to \$34,999
		10	\$35,000 to \$39,999
		11	\$40,000 to \$49,999
		12	\$50,000 to \$59,999
		13	\$60,000 to \$74,999
		14	\$75,000 to \$99,999
		15	\$100,000 to \$149,999
		16	\$150,000 and over
	*Note	<p>The combined income of all family members during the last 12 months. Includes money from jobs; net income from business, farm or rent; pensions; dividends; interest; Social Security payments; and any other money income received by family members who are 15 years of age or older.</p> <p>Caution should be used when using this variable since it has an allocation rate up to 20 percent.</p>	

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description	File
HEHOUSUT	Edited: type of housing unit	ATUS-CPS File
	Edited Universe: All households in sample	
	Valid Entries: 1 House, apartment, flat	
	2 Housing unit in nontransient hotel, motel, etc.	
	3 Housing unit permanent in transient hotel, motel	
	4 Housing unit in rooming house	
	5 Mobile home or trailer with no permanent room added	
	6 Mobile home or trailer with 1 or more rooms added	
	7 Housing unit not specified above	
	8 Quarters not housing unit in rooming/boarding house	
	9 Unit not permanent in transient hotel/motel	
	10 Unoccupied tent site or trailer site	
	11 Student quarters in college dorm	
	12 Other unit not specified above	
Name	Description	File
HEPHONEO	Edited: is a telephone interview acceptable?	ATUS-CPS File
	Edited Universe: HETELHHD = 1 or HETELAVL = 1	
	Valid Entries: 0 Unknown	
	1 Yes	
	2 No	
Name	Description	File
HETELAVL	Edited: is there a telephone elsewhere on which people in this household can be contacted?	ATUS-CPS File
	Edited Universe: HETELHHD = 2	
	Valid Entries: 1 Yes	
	2 No	
Name	Description	File
HETELHHD	Edited: is there a telephone in this house/apartment?	ATUS-CPS File
	Edited Universe: HRINTSTA = 1	
	Valid Entries: 1 Yes	
	2 No	

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description	File
HETENURE	Edited: are your living quarters owned, rented for cash, or occupied without payment of cash rent?	ATUS-CPS File
	Edited Universe: HRINTSTA = 1	
	Valid Entries: 1	Owned or being bought by a household member
	2	Rented for cash
	3	Occupied without payment of cash rent
Name	Description	File
HRHHID	Household ID (15-digit identifier)	ATUS-CPS File
	Edited Universe: All households in sample	
Name	Description	File
HRHHID2	Household ID part 2 (5-digit identifier)	ATUS-CPS File
	Edited Universe: All households in sample	
	Valid Entries: 1	Min Value
	99999	Max Value
Name	Description	File
HRHTYPE	Household type	ATUS-CPS File
	Edited Universe: All households in sample	
	Valid Entries: 1	Husband/wife primary family (neither Armed Forces)
	2	Husband/wife primary family (either/both Armed Forces)
	3	Unmarried civilian male - primary family householder
	4	Unmarried civilian female - primary family householder
	5	Primary family householder - respondent in Armed Forces, unmarried
	6	Civilian male primary individual
	7	Civilian female primary individual
	8	Primary individual householder - respondent in Armed Forces
	9	Group quarters with family
	10	Group quarters without family
Name	Description	File
HRINTSTA	Interview status	ATUS-CPS File
	Edited Universe: All households in sample	
	Valid Entries: 1	Interview

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description	File
HLONGLK	Longitudinal link indicator	ATUS-CPS File
	Edited Universe: All households in sample	
	Valid Entries: 0 Replacement household - no link to prior month	
	2 Link to previous month	
Name	Description	File
HRMIS	Month in sample	ATUS-CPS File
	Edited Universe: All households in sample	
	Valid Entries: 8 Month in sample 8 (MIS-8)	
Name	Description	File
HRMONTH	Month of interview	ATUS-CPS File
	Edited Universe: All households in sample	
	Valid Entries: 1 Min Value 12 Max Value	
Name	Description	File
HRNUMHOU	Total number of persons in the household (household members)	ATUS-CPS File
	Edited Universe: All households in sample	
	Valid Entries: 0 Min Value 16 Max Value	
	*Note This number reflects the number of people who were living in the household at the time of the final CPS interview (MIS-8) and may not match the total number of persons listed for each TUCASEID on the ATUS-CPS file. Those persons who are no longer living in the household at the time of the ATUS interview are eliminated from the ATUS-CPS file.	
Name	Description	File
HRYEAR4	Year of interview	ATUS-CPS File
	Edited Universe: All households in sample	
	Valid Entries: 2016 Min Value 2017 Max Value	
Name	Description	File
HUBUS	Does anyone in this household have a business or a farm?	ATUS-CPS File
	Valid Entries: 1 Yes	
	2 No	
Name	Description	File
HUBUSL1	PULINENO of farm or business owner (first owner)	ATUS-CPS File
	Valid Entries: 1 Min Value 99 Max Value	

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description	File
HUBUSL2	PULINENO of farm or business owner (second owner)	ATUS-CPS File
	Valid Entries: 1 99	Min Value Max Value
Name	Description	File
HUBUSL3	PULINENO of farm or business owner (third owner)	ATUS-CPS File
	Valid Entries: 1 99	Min Value Max Value
Name	Description	File
HUBUSL4	PULINENO of farm or business owner (fourth owner)	ATUS-CPS File
	Valid Entries: 1 99	Min Value Max Value
Name	Description	File
HUFINAL	Final outcome code	ATUS-CPS File
	Valid Entries: 001	Fully complete CATI
	002	Partially complete CATI
	004	Partial CATI - not complete at closeout
	005	Labor force complete, supplement incomplete, CATI
	006	Fully completed labor force interview with supplement complete, Don't Know items incomplete at closeout, ASEC only
	201	Fully complete CAPI
	203	Sufficient partial CAPI - pre-closeout
	204	Sufficient partial CAPI - at closeout
	205	Labor force complete, supplement incomplete, CAPI
	*Note	CATI = computer assisted telephone interview, CAPI = computer assisted personal interview, and ASEC = CPS Annual Social and Economic Supplement
Name	Description	File
HUINTTYP	Type of interview	ATUS-CPS File
	Valid Entries: 1	Personal
	2	Telephone
Name	Description	File
HUPRSCNT	Number of actual and attempted personal contacts	ATUS-CPS File
	Valid Entries: 0 9	Min Value Max Value
Name	Description	File
HURESPLI	PULINENO of the current respondent	ATUS-CPS File
	Valid Entries: 0 99	Min Value Max Value

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description	File
HUTYPB	Type B non-interview categories	ATUS-CPS File
	Valid Entries: 1	Vacant regular
	2	Temporarily occupied by persons with usual residence elsewhere
	3	Vacant storage of household furniture
	4	Unfit or to be demolished
	9	Other type B
Name	Description	File
HUTYPC	Type C non-interview categories	ATUS-CPS File
	Valid Entries: 1	Min Value
	9	Max Value
	*Note	HUTYPC is missing for all ATUS cases
Name	Description	File
HUTYPEA	Type A non-interview categories	ATUS-CPS File
	Valid Entries: 1	Min Value
	4	Max Value
	*Note	HUTYPEA is missing for all ATUS cases
Name	Description	File
HXFAMINC	HEFAMINC: family income	ATUS-CPS File
	Valid Entries: 0	Min Value
	53	Max Value
	*Note	See Introduction for allocation flag values
Name	Description	File
HXHOUSUT	HEHOUSUT: allocation flag	ATUS-CPS File
	Valid Entries: 0	Min Value
	53	Max Value
	*Note	See Introduction for allocation flag values
Name	Description	File
HXPHONEO	HEPHONEO: allocation flag	ATUS-CPS File
	Valid Entries: 0	Min Value
	53	Max Value
	*Note	See Introduction for allocation flag values
Name	Description	File
HXTELAVL	HETELAVL: allocation flag	ATUS-CPS File
	Valid Entries: 0	Min Value
	53	Max Value
	*Note	See Introduction for allocation flag values
Name	Description	File
HXTELHHD	HETELHHD: allocation flag	ATUS-CPS File
	Valid Entries: 0	Min Value
	53	Max Value
	*Note	See Introduction for allocation flag values

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description	File
HXTENURE	HETENURE: allocation flag	ATUS-CPS File
	Valid Entries: 0 53	Min Value Max Value
	*Note See Introduction for allocation flag values	
Name	Description	File
OCCURNUM	Unique person identifier	ATUS-CPS File
	Valid Entries: 1 16	Min Value Max Value
	*Note Valid only within any specific month	
Name	Description	File
PEABSPDO	Edited: are you being paid by your employer for any of the time off last week?	ATUS-CPS File
	Edited Universe: PEABSRSN = 4-12 or 14	
	Valid Entries: 1	Yes
	2	No
Name	Description	File
PEABSRSN	Edited: what was the main reason you were absent from work last week?	ATUS-CPS File
	Edited Universe: PEMLR = 2	
	Valid Entries: 1	On layoff
	2	Slack work/business conditions
	3	Waiting for a new job to begin
	4	Vacation/personal days
	5	Own illness/injury/medical problems
	6	Childcare problems
	7	Other family/personal obligation
	8	Maternity/paternity leave
	9	Labor dispute
	10	Weather affected job
	11	School/training
	12	Civic/military duty
	13	Does not work in the business
	14	Other

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description	File
PEAFEVER	Edited: did you ever serve on active duty in the U.S. Armed Forces?	ATUS-CPS File
	Edited Universe: PRTAGE >= 17	
	Valid Entries: 1 Yes	
	2 No	
Name	Description	File
PEAFNOW	Edited: are you now in the Armed Forces?	ATUS-CPS File
	Edited Universe: PRPERTYP = 2 or 3	
	Valid Entries: 1 Yes	
	2 No	
Name	Description	File
PEAFWHN1	Edited: when did you serve in the Armed Forces? (first period)	ATUS-CPS File
	Edited Universe: PEAFEVER = 1	
	Valid Entries: 1 September 2001 or later	
	2 August 1990 to August 2001	
	3 May 1975 to July 1990	
	4 Vietnam Era (August 1964 to April 1975)	
	5 February 1955 to July 1964	
	6 Korean War (July 1950 to January 1955)	
	7 January 1947 to June 1950	
	8 World War II (December 1941 to December 1946)	
	9 November 1941 or earlier	
Name	Description	File
PEAFWHN2	Edited: when did you serve in the Armed Forces? (second period)	ATUS-CPS File
	Edited Universe: PEAFEVER = 1	
	Valid Entries: 1 September 2001 or later	
	2 August 1990 to August 2001	
	3 May 1975 to July 1990	
	4 Vietnam Era (August 1964 to April 1975)	
	5 February 1955 to July 1964	
	6 Korean War (July 1950 to January 1955)	
	7 January 1947 to June 1950	
	8 World War II (December 1941 to December 1946)	
	9 November 1941 or earlier	

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description	File
PEAFWHN3	Edited: when did you serve in the Armed Forces? (third period)	ATUS-CPS File
	Edited Universe: PEAFEVER = 1	
	Valid Entries: 1 September 2001 or later	
	2 August 1990 to August 2001	
	3 May 1975 to July 1990	
	4 Vietnam Era (August 1964 to April 1975)	
	5 February 1955 to July 1964	
	6 Korean War (July 1950 to January 1955)	
	7 January 1947 to June 1950	
	8 World War II (December 1941 to December 1946)	
	9 November 1941 or earlier	

Name	Description	File
PEAFWHN4	Edited: when did you serve in the Armed Forces? (fourth period)	ATUS-CPS File
	Edited Universe: PEAFEVER = 1	
	Valid Entries: 1 September 2001 or later	
	2 August 1990 to August 2001	
	3 May 1975 to July 1990	
	4 Vietnam Era (August 1964 to April 1975)	
	5 February 1955 to July 1964	
	6 Korean War (July 1950 to January 1955)	
	7 January 1947 to June 1950	
	8 World War II (December 1941 to December 1946)	
	9 November 1941 or earlier	

Name	Description	File
PECERT1	Edited: Does this person have a currently active professional certification or a state or industry license?	ATUS-CPS File
	Edited Universe: PRPERTYP = 2	
	Valid Entries: 1 Yes	
	2 No	
	*Note Beginning in January 2015, CPS added this question to MIS-1 and MIS-5. This variable was added to the CPS monthly public use files in January 2017. Therefore cases with HRYEAR4=2016 and HRMONTH < 12, will have missing values for PECERT1. Does not include business licenses, such as a liquor license or vending license.	

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description	File
PECERT2	Edited: Were any of this person's certifications or licenses issued by the federal, state, or local government?	ATUS-CPS File
	Edited Universe: PECERT1 = 1	
	Valid Entries: 1 Yes	
	2 No	
	*Note Beginning in January 2015, CPS added this question to MIS-1 and MIS-5. This variable was added to the CPS monthly public use files in January 2017. Therefore cases with HRYEAR4=2016 and HRMONTH < 12, will have missing values for PECERT2.	
Name	Description	File
PECERT3	Edited: Earlier you told me that this person had a currently active professional certification or license. Is this certification or license required for the [job, main job, job from which person was on layoff, job from which person last worked]?	ATUS-CPS File
	Edited Universe: PECERT1 = 1 and entry to CPS Industry and Occupation questions.	
	Valid Entries: 1 Yes	
	2 No	
	*Note Beginning in January 2015, CPS added this question to MIS-1 and MIS-5. This variable was added to the CPS monthly public use files in January 2017. Therefore cases with HRYEAR4=2016 and HRMONTH < 12, will have missing values for PECERT3.	
Name	Description	File
PECOHAB	Edited: PULINENO of cohabiting partner	ATUS-CPS File
	Edited Universe: All respondents	
	Valid Entries: 1 Min Value 16 Max Value	
Name	Description	File
PECYC	Edited: how many years of college credit have you completed?	ATUS-CPS File
	Edited Universe: PEEDUCA = 40 - 42	
	Valid Entries: 1 Less than 1 year (includes 0 years completed)	
	2 The first or freshman year	
	3 The second or sophomore year	
	4 The third or junior year	
	5 Four or more years	

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description	File
PEDADTYP	Edited: Is household child a biological, step or adopted child?	ATUS-CPS File
	Edited Universe: PERRP=4	
	Valid Entries: 1 Biological	
	2 Step	
	3 Adopted	
Name	Description	File
PEDIPGED	Edited: how did you get your high school diploma?	ATUS-CPS File
	Edited Universe: PEEDUCA = 39	
	Valid Entries: 1 Graduation from high school	
	2 GED or other equivalent	
Name	Description	File
PEDISDRS	Edited: Does this person have difficulty dressing or bathing?	ATUS-CPS File
	Edited Universe: PRPERTYP=2	
	Valid Entries: 1 Yes	
	2 No	
Name	Description	File
PEDISEAR	Edited: Is this person deaf or does this person have serious difficulty hearing?	ATUS-CPS File
	Edited Universe: PRPERTYP=2	
	Valid Entries: 1 Yes	
	2 No	
Name	Description	File
PEDISEYE	Edited: Is this person blind or does this person have serious difficulty seeing even when wearing glasses?	ATUS-CPS File
	Edited Universe: PRPERTYP=2	
	Valid Entries: 1 Yes	
	2 No	

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description	File
PEDISOUT	Edited: Because of a physical, mental, or emotional condition does this person have difficulty doing errands alone such as visiting a doctor's office or shopping?	ATUS-CPS File
	Edited Universe: Edited: PRPERTYP=2	
	Valid Entries: 1 Yes	
	2 No	
Name	Description	File
PEDISPHY	Edited: Do you have serious difficulty walking or climbing stairs?	ATUS-CPS File
	Edited Universe: Edited: PRPERTYP=2	
	Valid Entries: 1 Yes	
	2 No	
Name	Description	File
PEDISREM	Edited: Because of a physical, mental, or emotional condition, does this person have serious difficulty concentrating, remembering, or making decisions?	ATUS-CPS File
	Edited Universe: PRPERTYP=2	
	Valid Entries: 1 Yes	
	2 No	
Name	Description	File
PEDW4WK	Edited: did you do any of this work during the last 4 weeks?	ATUS-CPS File
	Edited Universe: PEDWWK = 1	
	Valid Entries: 1 Yes	
	2 No	
Name	Description	File
PEDWAVL	Edited: last week, could you have started a job if one had been offered?	ATUS-CPS File
	Edited Universe: PEDWWK = 2 or PEDWLKWK = 1	
	Valid Entries: 1 Yes	
	2 No	

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description	File
PEDWAVR	Edited: why could you not have started a job if one had been offered last week?	ATUS-CPS File
	Edited Universe: PEDWAVL = 2	
	Valid Entries: 1 Own temporary illness	
	2 Going to school	
	3 Other	
Name	Description	File
PEDWLKO	Edited: did you look for work any time in the last 12 months?	ATUS-CPS File
	Edited Universe: PUDWCK4 = 1 - 3 or PEDWRSN = 1 - 11	
	Valid Entries: 1 Yes	
	2 No	
Name	Description	File
PEDWLKWK	Edited: and since you left that job or business have you looked for work?	ATUS-CPS File
	Edited Universe: PEDW4WK = 2	
	Valid Entries: 1 Yes	
	2 No	
Name	Description	File
PEDWRSN	Edited: what is the main reason you were not looking for work during the last 4 weeks?	ATUS-CPS File
	Edited Universe: PUDWCK4 = 4 or -1	
	Valid Entries: 1 Believes no work available in area of expertise	
	2 Couldn` t find any work	
	3 Lacks necessary schooling/training	
	4 Employers think too young or too old	
	5 Other types of discrimination	
	6 Can` t arrange childcare	
	7 Family responsibilities	
	8 In school or other training	
	9 Ill-health, physical disability	
	10 Transportation problems	
	11 Other	

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description	File
PEDWWK	Edited: did you actually work at a job or business during the last 12 months?	ATUS-CPS File
	Edited Universe: PEDWLKO = 1	
	Valid Entries: 1 Yes	
	2 No	
Name	Description	File
PEDWWNTO	Edited: do you currently want a job, either full or part time?	ATUS-CPS File
	Edited Universe: PUDWCK1 = 3, 4, or -1	
	Valid Entries: 1 Yes, or maybe/it depends	
	2 No	
	3 Retired	
	4 Disabled	
	5 Unable to work	
Name	Description	File
PEEDUCA	Edited: what is the highest level of school you have completed or the highest degree you have received?	ATUS-CPS File, Activity Summary File
	Edited Universe: PRPERTYP = 2 or 3	
	Valid Entries: 31 Less than 1st grade	
	32 1st, 2nd, 3rd, or 4th grade	
	33 5th or 6th grade	
	34 7th or 8th grade	
	35 9th grade	
	36 10th grade	
	37 11th grade	
	38 12th grade - no diploma	
	39 High school graduate - diploma or equivalent (GED)	
	40 Some college but no degree	
	41 Associate degree - occupational/vocational	
	42 Associate degree - academic program	
	43 Bachelor's degree (BA, AB, BS, etc.)	
	44 Master's degree (MA, MS, MEng, MEd, MSW, etc.)	
	45 Professional school degree (MD, DDS, DVM, etc.)	
	46 Doctoral degree (PhD, EdD, etc.)	

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description	File
PEERN	Edited: total weekly earnings from overtime pay, tips, and commissions (2 implied decimals)	ATUS-CPS File
	Edited Universe: PEERNUOT = 1 and PEERNPER = 1	
	Valid Entries: 0 288461	Min Value Max Value
Name	Description	File
PEERNCOV	Edited: on this job, are you covered by a union or employee association contract?	ATUS-CPS File
	Edited Universe: PEIO1COW = 1 - 5 and PEMLR = 1 - 2	
	Valid Entries: 1	Yes
	2	No
Name	Description	File
PEERNH10	Edited: excluding overtime pay, tips, and commissions, what is your hourly rate of pay on your main job? (2 implied decimals)	ATUS-CPS File
	Edited Universe: PEERNPER = 1	
	Valid Entries: 0 9999	Min Value Max Value
Name	Description	File
PEERNH2	Edited: excluding overtime pay, tips, and commissions, what is your hourly rate of pay on your main job? (2 implied decimals)	ATUS-CPS File
	Edited Universe: PEERNRT = 1	
	Valid Entries: 0 9999	Min Value Max Value
	*Note Subject to topcoding such that PEERNHRO x PEERNH2 < or = 2884.61	
Name	Description	File
PEERNHRO	Edited: how many hours do you usually work per week at this rate?	ATUS-CPS File
	Edited Universe: PEERNH10 >= 0	
	Valid Entries: 0 99	Min Value Max Value
Name	Description	File
PEERNHRY	Edited: hourly/non-hourly status	ATUS-CPS File
	Edited Universe: PRERELG = 1	
	Valid Entries: 1	Hourly worker
	2	Non-hourly worker

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description	File
PEERNLAB	Edited: on this job, are you a member of a labor union or of an employee association similar to a union?	ATUS-CPS File
	Edited Universe: PEIO1COW = 1 - 5 and PEMLR = 1 - 2	
	Valid Entries: 1 Yes	
	2 No	
Name	Description	File
PEERNPER	Edited: for your main job, what is the easiest way for you to report your total earnings before taxes or other deductions: hourly, weekly, annually, or some other way?	ATUS-CPS File
	Edited Universe: PRERELG = 1	
	Valid Entries: 1 Hourly	
	2 Weekly	
	3 Bi-weekly	
	4 Twice monthly	
	5 Monthly	
	6 Annually	
	7 Other	
Name	Description	File
PEERNRT	Edited: even though you told me it is easier to report your earnings another way, are you paid at an hourly rate on your main job?	ATUS-CPS File
	Edited Universe: PEERNPER = 2 - 7	
	Valid Entries: 1 Yes	
	2 No	
Name	Description	File
PEERNUOT	Edited: do you usually receive overtime pay, tips, or commissions at your job?	ATUS-CPS File
	Edited Universe: PRERELG = 1	
	Valid Entries: 1 Yes	
	2 No	
Name	Description	File
PEERNWKP	Edited: how many weeks a year do you get paid?	ATUS-CPS File
	Edited Universe: PEERNPER = 6	
	Valid Entries: 1 Min Value 52 Max Value	

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description	File
PEFNTVTY	Edited: in what country was your father born?	ATUS-CPS File
	Edited Universe: PRPERTYP = 1 - 3	
	Valid Entries: 57 United States	
	66 Guam	
	73 Puerto Rico	
	78 U.S. Virgin Islands	
	96 U.S. Outlying Area	
	100-554 Foreign country or at sea	
	555 Abroad, country not known	
	*Note Nativity country codes are listed in Appendix A.	
Name	Description	File
PEHGCOMP	Edited: what was the highest grade of regular school you completed before receiving your GED?	ATUS-CPS File
	Edited Universe: PEDIPGED = 2	
	Valid Entries: 1 Less than 1st grade	
	2 1st, 2nd, 3rd, or 4th grade	
	3 5th or 6th grade	
	4 7th or 8th grade	
	5 9th grade	
	6 10th grade	
	7 11th grade	
	8 12th grade - no diploma	
Name	Description	File
PEHRACT1	Edited: last week, how many hours did you actually work at your main job?	ATUS-CPS File
	Edited Universe: PEMLR = 1	
	Valid Entries: 0 Min Value 99 Max Value	
Name	Description	File
PEHRACT2	Edited: last week, how many hours did you actually work at your other job(s)?	ATUS-CPS File
	Edited Universe: PEMLR = 1 and PEMJOT = 1	
	Valid Entries: 0 Min Value 99 Max Value	

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description	File
PEHRACTT	Edited: total hours actually worked last week (sum of PEHRACT1 and PEHRACT2)	ATUS-CPS File
	Edited Universe: PEMLR = 1	
	Valid Entries: 0 198	Min Value Max Value
Name	Description	File
PEHRAVL	Edited: last week, could you have worked full time if the hours had been available?	ATUS-CPS File
	Edited Universe: PEHRACTT = 1 - 34 and PEMLR = 1 and PEHRUSLT < 35 and PEHRRSN1 = 1 - 3	
	Valid Entries: 1	Yes
	2	No
Name	Description	File
PEHRFTPT	Edited: do you usually work more than 35 hours per week at your job(s)/family business?	ATUS-CPS File
	Edited Universe: PEHRUSL1 = -4 or PEHRUSL2 = -4	
	Valid Entries: 1	Full time
	2	Part time
	3	Hours vary
Name	Description	File
PEHRRSN1	Edited: what is your main reason for working part time?	ATUS-CPS File
	Edited Universe: PEHRWANT = 1	
	Valid Entries: 1	Slack work/business conditions
	2	Could only find part time work
	3	Seasonal work
	4	Childcare problems
	5	Other family/personal obligations
	6	Health/medical limitations
	7	School/training
	8	Retired/Social Security limit on earnings
	9	Full time work week is less than 35 hours
	10	Other

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description	File
PEHRRSN2	Edited: what is the main reason you do not want to work full time?	ATUS-CPS File
	Edited Universe: PEHRWANT = 2	
	Valid Entries: 1 Childcare problems	
	2 Other family/personal obligations	
	3 Health/medical limitations	
	4 School/training	
	5 Retired/Social Security limit on earnings	
	6 Full time work week is less than 35 hours	
	7 Other	

Name	Description	File
PEHRRSN3	Edited: what is the main reason you worked less than 35 hours last week?	ATUS-CPS File
	Edited Universe: PEHRACTT = 1 - 34 and PUHRCK7 <> 1 or 2 and PEMLR = 1 and (PEHRUSLT >= 35 or PEHRUSLT = -4)	
	Valid Entries: 1 Slack work/business conditions	
	2 Seasonal work	
	3 Job started or ended during week	
	4 Vacation/personal day	
	5 Own illness/injury/medical appointment	
	6 Holiday (legal or religious)	
	7 Childcare problems	
	8 Other family/personal obligations	
	9 Labor dispute	
	10 Weather affected job	
	11 School/training	
	12 Civic/military duty	
	13 Other reason	

Name	Description	File
PEHRUSL1	Edited: how many hours per week do you usually work at your main job?	ATUS-CPS File
	Edited Universe: PEMLR = 1 or 2	
	Valid Entries: 0 Min Value 99 Max Value	
	*Note -4 (Hours vary) is also valid for PEHRUSL1	

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description	File
PEHRUSL2	Edited: how many hours per week do you usually work at your other job(s)?	ATUS-CPS File
	Edited Universe: PEMJOT = 1 and PEMLR = 1 or 2	
	Valid Entries: 0 99	Min Value Max Value
	*Note -4 (Hours vary) is also valid for PEHRUSL2	
Name	Description	File
PEHRUSLT	Edited: total hours usually worked per week (sum of PEHRUSL1 and PEHRUSL2)	ATUS-CPS File
	Edited Universe: PEMLR = 1 or 2	
	Valid Entries: 0 198	Min Value Max Value
	*Note -4 (Hours vary) is also valid for PEHRUSLT	
Name	Description	File
PEHRWANT	Edited: do you want to work a full time work week of 35 hours or more per week?	ATUS-CPS File
	Edited Universe: PEMLR = 1 and (PEHRUSLT = 0 - 34 or PEHRFTPT = 2)	
	Valid Entries: 1	Yes
	2	No
	3	Regular hours are full time
Name	Description	File
PEHSPNON	Edited: are you Spanish, Hispanic, or Latino?	ATUS-CPS File, Activity Summary File
	Edited Universe: PRPERTYP = 1 - 3	
	Valid Entries: 1	Hispanic
	2	Non-Hispanic

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description	File
PEIO1COW	Edited: individual class of worker (main job)	ATUS-CPS File
	Edited Universe: (PEMLR = 1-3) or (PEMLR = 4 and PELKLWO = 1-2) or (PEMLR = 5 and (PENLFJH = 1 or PEJHWKO = 1)) or (PEMLR = 6 and PENLFJH = 1) or (PEMLR = 7 and (PEJHWKO = 1 or PENLFJH = 1))	
	Valid Entries:	
	1	Government, federal
	2	Government, state
	3	Government, local
	4	Private, for profit
	5	Private, nonprofit
	6	Self-employed, incorporated
	7	Self-employed, unincorporated
	8	Without pay
	*Note	A PEIO1COW code can be assigned even if the individual is not currently employed

Name	Description	File
PEIO1ICD	Edited: industry code (main job)	ATUS-CPS File
	Edited Universe: (PEMLR = 1-3) or (PEMLR = 4 and PELKLWO = 1-2) or (PEMLR = 5 and (PENLFJH = 1 or PEJHWKO = 1)) or (PEMLR = 6 and PENLFJH = 1) or (PEMLR = 7 and (PEJHWKO=1 or PENLFJH=1))	
	Valid Entries:	
	0	Min Value
	9999	Max Value
	*Note	Beginning in the January 2014 CPS, industry data were classified using the 2012 Census Industry classification system. This system replaced the 2007 Census Industry classification system. Refer to Appendix B for a list of industry codes using the 2012 Census Industry classification system.

Name	Description	File
PEIO1OCD	Edited: occupation code (main job)	ATUS-CPS File
	Edited Universe: (PEMLR = 1-3) or (PEMLR = 4 and PELKLWO = 1-2) or (PEMLR = 5 and (PENLFJH = 1 or PEJHWKO = 1)) or (PEMLR = 6 and PENLFJH = 1) or (PEMLR = 7 and (PEJHWKO = 1 or PENLFJH = 1))	
	Valid Entries:	
	0	Min Value
	9999	Max Value
	*Note	Beginning in the January 2011 CPS, occupation data were classified using the 2010 Census Occupation Classification system. This system replaced the 2002 Census Occupation Classification system. Occupation data for 2011 and later are not strictly comparable with earlier years. Refer to Appendix B for a list of occupation codes using 2010 Census Occupation Classification systems.

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description	File
PEIO2COW	Edited: individual class of worker (second job)	ATUS-CPS File
	Edited Universe: PEMJOT = 1	
	Valid Entries: 1 Government, federal	
	2 Government, state	
	3 Government, local	
	4 Private, for profit	
	5 Private, nonprofit	
	6 Self-employed, incorporated	
	7 Self-employed, unincorporated	
	8 Without pay	
Name	Description	File
PEIO2ICD	Edited: industry code (second job)	ATUS-CPS File
	Edited Universe: PEMJOT = 1	
	Valid Entries: 0 Min Value 9999 Max Value	
	*Note Beginning in the January 2014 CPS, industry data were classified using the 2012 Census Industry classification system. This system replaced the 2007 Census Industry classification system. Refer to Appendix B for a list of industry codes using the 2012 Census Industry classification system.	
Name	Description	File
PEIO2OCD	Edited: occupation code (second job)	ATUS-CPS File
	Edited Universe: PEMJOT = 1	
	Valid Entries: 0 Min Value 9999 Max Value	
	*Note Beginning in the January 2011 CPS, occupation data were classified using the 2010 Census Occupation Classification system. This system replaced the 2002 Census Occupation classification system. Occupation data for 2011 and later are not strictly comparable with earlier years. Refer to Appendix B for a list of occupation codes using 2010 Census Occupation Classification systems.	

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description	File
PEJHRSN	Edited: what is the main reason you left your last job?	ATUS-CPS File
	Edited Universe: PEJHWKO = 1	
	Valid Entries: 1 Personal/family (including pregnancy)	
	2 Return to school	
	3 Health	
	4 Retirement or old age	
	5 Temporary, seasonal, or intermittent job completed	
	6 Slack work/business conditions	
	7 Unsatisfactory work arrangements (hours, pay, etc.)	
	8 Other	
Name	Description	File
PEJHWANT	Edited: do you intend to look for work during the next 12 months?	ATUS-CPS File
	Edited Universe: PEJHWKO = 2 or PEJHRSN = 1 - 8	
	Valid Entries: 1 Yes, or it depends	
	2 No	
Name	Description	File
PEJHWKO	Edited: have you worked at a job or business at any time in the last 12 months?	ATUS-CPS File
	Edited Universe: PEMLR = 5 or 7	
	Valid Entries: 1 Yes	
	2 No	
Name	Description	File
PELAYAVL	Edited: could you have returned to work during the last seven days if you had been recalled?	ATUS-CPS File
	Edited Universe: PEMLR = 3	
	Valid Entries: 1 Yes	
	2 No	
Name	Description	File
PELAYDUR	Edited: duration of layoff (number of weeks)	ATUS-CPS File
	Edited Universe: PELAYLK = 1 or 2	
	Valid Entries: 1 Min Value 52 Max Value	
	*Note Beginning in April 2011, data were topcoded at 52 weeks. Values of 52 = 52 weeks or more.	

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description	File
PELAYFTO	Edited: is the job from which you are on layoff a full time job of 35 hours or more per week?	ATUS-CPS File
	Edited Universe: PELAYDUR = 1 - 120	
	Valid Entries: 1 Yes	
	2 No	
Name	Description	File
PELAYLK	Edited: even though you are to be called back to work, have you been looking for work during the last 4 weeks?	ATUS-CPS File
	Edited Universe: PELAYAVL = 1 or 2	
	Valid Entries: 1 Yes	
	2 No	
Name	Description	File
PELKA VL	Edited: could you have started a job in the last seven days if one had been offered?	ATUS-CPS File
	Edited Universe: PELKM1 = 1 - 13	
	Valid Entries: 1 Yes	
	2 No	
Name	Description	File
PELKDUR	Edited: duration of job seeking (number of weeks)	ATUS-CPS File
	Edited Universe: PELKLWO = 1 - 3	
	Valid Entries: 0 Min Value 119 Max Value	
	*Note Beginning in April 2011, data were topcoded at 119 weeks. Values of 119 = 119 weeks or more.	
Name	Description	File
PELKFTO	Edited: are you seeking a full time or part time job?	ATUS-CPS File
	Edited Universe: PELKDUR = 0 - 120	
	Valid Entries: 1 Yes	
	2 No	
	3 Doesn't matter	

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description	File
PELKLL10	Edited: before you started looking for work, what were you doing: working, going to school, or something else?	ATUS-CPS File
	Edited Universe: PELKAVL = 1 or 2	
	Valid Entries: 1 Working	
	2 School	
	3 Left military service	
	4 Something else	
Name	Description	File
PELKLL20	Edited: did you lose or quit that job, or was it a temporary job that ended?	ATUS-CPS File
	Edited Universe: PELKLL10 = 1 or 3	
	Valid Entries: 1 Lost job	
	2 Quit job	
	3 Temporary job ended	
Name	Description	File
PELKLWO	Edited: when did you last work?	ATUS-CPS File
	Edited Universe: PELKLL10 = 1 - 4	
	Valid Entries: 1 Within the last 12 months	
	2 More than 12 months ago	
	3 Never worked	

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description	File
PELKM1	Edited: what are all of the things you have done to find work during the last 4 weeks? (first method)	ATUS-CPS File
	Edited Universe: PEMLR = 4	
	Valid Entries: 1 Contacted employer directly/interview	
	2 Contacted public employment agency	
	3 Contacted private employment agency	
	4 Contacted friends or relatives	
	5 Contacted school/university employment center	
	6 Sent out resumes/filled out applications	
	7 Checked union/professional registers	
	8 Placed or answered ads	
	9 Other active	
	10 Looked at ads	
	11 Attended job training programs/courses	
	12 Nothing	
	13 Other passive	
	*Note In order to research job search methods, users must combine all fields PELKM1, PULKM2 - PULKM6, PULKDK1 - PULKDK6, and PULKPS1 - PULKPS6	
Name	Description	File
PELNAD	Edited: PULINENO of father	ATUS-CPS File
	Edited Universe: PERRP=4	
	Valid Entries: 1 Min Value 16 Max Value	
Name	Description	File
PELNMOM	Edited: PULINENO of mother	ATUS-CPS File
	Edited Universe: PERRP=4	
	Valid Entries: 1 Min Value 16 Max Value	

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description	File
PEMARITL	Edited: are you now married, widowed, divorced, separated, or never married?	ATUS-CPS File
	Edited Universe: PRTAGE >= 15	
	Valid Entries: 1 Married - spouse present	
	2 Married - spouse absent	
	3 Widowed	
	4 Divorced	
	5 Separated	
	6 Never married	
Name	Description	File
PEMJNUM	Edited: altogether, how many jobs did you have?	ATUS-CPS File
	Edited Universe: PEMJOT = 1	
	Valid Entries: 2 Two jobs	
	3 Three jobs	
	4 Four or more jobs	
Name	Description	File
PEMJOT	Edited: in the last seven days, did you have more than one job?	ATUS-CPS File
	Edited Universe: PEMLR = 1 or 2	
	Valid Entries: 1 Yes	
	2 No	
Name	Description	File
PEMLR	Edited: monthly labor force recode	ATUS-CPS File
	Edited Universe: PRPERTYP = 2	
	Valid Entries: 1 Employed - at work	
	2 Employed - absent	
	3 Unemployed - on layoff	
	4 Unemployed - looking	
	5 Not in labor force - retired	
	6 Not in labor force - disabled	
	7 Not in labor force - other	

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description	File
PEMNTVTY	Edited: in what country was your mother born?	ATUS-CPS File
	Edited Universe: PRPERTYP = 1 - 3	
	Valid Entries: 57 United States	
	66 Guam	
	73 Puerto Rico	
	78 U.S. Virgin Islands	
	96 U.S. Outlying Area	
	100-554 Foreign country or at sea	
	555 Abroad, country not known	
	*Note Nativity country codes are listed in Appendix A.	
Name	Description	File
PEMOMTYP	Edited: Is household child a biological, step, or adopted child?	ATUS-CPS File
	Edited Universe: PERRP=4	
	Valid Entries: 1 Biological	
	2 Step	
	3 Adopted	
Name	Description	File
PENATVTY	Edited: in what country were you born?	ATUS-CPS File
	Edited Universe: PRPERTYP = 1 - 3	
	Valid Entries: 57 United States	
	66 Guam	
	73 Puerto Rico	
	78 U.S. Virgin Islands	
	96 U.S. Outlying Area	
	100-554 Foreign country or at sea	
	555 Abroad, country not known	
	*Note Nativity country codes are listed in Appendix A.	

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description	File
PENLFACT	Edited: what best describes your situation at this time? For example, are you disabled, ill, in school, taking care of house or family, or something else?	ATUS-CPS File
	Edited Universe: PRTAGE = 14 - 49 or PENLFRET = 2	
	Valid Entries: 1 Disabled	
	2 Ill	
	3 In school	
	4 Taking care of house or family	
	5 In retirement	
	6 Something else/other	
Name	Description	File
PENLFJH	Edited: when did you last work at a job or business?	ATUS-CPS File
	Edited Universe: PEMLR = 3 - 7	
	Valid Entries: 1 Within the last 12 months	
	2 More than 12 months ago	
	3 Never worked	
Name	Description	File
PENLFRET	Edited: are you retired from a job or business?	ATUS-CPS File
	Edited Universe: PRTAGE >= 50 and PEMLR = 3 - 7	
	Valid Entries: 1 Yes	
	2 No	
Name	Description	File
PEPARENT	Edited: PULINENO of parent	ATUS-CPS File
	Edited Universe: Every person	
	Valid Entries: 0 Min Value 99 Max Value	
Name	Description	File
PEPDEMP1	Does this person usually have any paid employees?	ATUS-CPS File
	Edited Universe: PEIO1COW = 6 or 7	
	Valid Entries: 1 Yes	
	2 No	
	*Note This variable was added to CPS in January 2014.	

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description	File
PEPDEMP2	Does this person usually have any paid employees?	ATUS-CPS File
	Edited Universe: PEIO2COW = 6 OR 7	
	Valid Entries: 1 Yes	
	2 No	
	*Note This variable was added to CPS in January 2014.	
Name	Description	File
PERET1	Edited: do you currently want a job, either full or part time?	ATUS-CPS File
	Edited Universe: PEMLR = 5 or 7 and (PURETOT = 1 or (PUWK = 3 and PRTAGE >= 50) or (PUABSOT = 3 and PRTAGE >= 50) or (PULAY = 3 and PRTAGE >= 50))	
	Valid Entries: 1 Yes	
	2 No	
	3 Has a job	
Name	Description	File
PERRP	Edited: how is this person related to you?	ATUS-CPS File
	Edited Universe: PRPERTYP = 1 - 3	
	Valid Entries: 1 Reference person living with relatives	
	2 Reference person living without relatives	
	3 Spouse	
	4 Own child	
	5 Grandchild	
	6 Parent	
	7 Brother/sister	
	8 Other relative of reference person	
	9 Foster child	
	10 Nonrelative of reference person living with relatives	
	12 Nonrelative of reference person living without relatives	
	13 Unmarried partner living with relatives	
	14 Unmarried partner living without relatives	
	15 Housemate/roommate living with relatives	
	16 Housemate/roommate living without relatives	
	17 Roomer/boarder living with relatives	
	18 Roomer/boarder living without relatives	

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description	File
PESCHENR	Edited: last week, were you enrolled in a high school, college, or university?	ATUS-CPS File
	Edited Universe: PRPERTYP = 2 and PRTAGE = 16 - 54	
	Valid Entries: 1 Yes	
	2 No	
	*Note Beginning in January 2013 CPS, the universe for PESCHENR changed from PRTAGE = 16-24 to 16-54.	
Name	Description	File
PESCHFT	Edited: are you enrolled in school as a full-time or part-time student?	ATUS-CPS File
	Edited Universe: PESCHLVL = 1 or 2	
	Valid Entries: 1 Full time	
	2 Part time	
Name	Description	File
PESCHLVL	Edited: would that be high school, college, or university?	ATUS-CPS File
	Edited Universe: PESCHENR = 1	
	Valid Entries: 1 High school	
	2 College or university	
Name	Description	File
PESEX	Edited: sex	ATUS-CPS File
	Edited Universe: PRPERTYP = 1 - 3	
	Valid Entries: 1 Male	
	2 Female	
Name	Description	File
PESPOUSE	Edited: PULINENO of spouse	ATUS-CPS File
	Edited Universe: PEMARITL = 1	
	Valid Entries: 1 Min Value 99 Max Value	
Name	Description	File
PRABSREA	Reason not at work by pay status	ATUS-CPS File
	Edited Universe: PEMPLR = 2	
	Valid Entries: 1 Full time paid - vacation	
	2 Full time paid - own illness	
	3 Full time paid - childcare problems	
	4 Full time paid - other family/personal obligation	

2017 ATUS Data Dictionary: Public ATUS-CPS Data

	Valid Entries:	5	Full time paid - maternity/paternity leave
		6	Full time paid - labor dispute
		7	Full time paid - weather affected job
		8	Full time paid - school/training
		9	Full time paid - civic/military duty
		10	Full time paid - other
		11	Full time unpaid - vacation
		12	Full time unpaid - own illness
		13	Full time unpaid - childcare problems
		14	Full time unpaid - other family/personal obligation
		15	Full time unpaid - maternity/paternity leave
		16	Full time unpaid - labor dispute
		17	Full time unpaid - weather affected job
		18	Full time unpaid - school/training
		19	Full time unpaid - civic/military duty
		20	Full time unpaid - other
		21	Part time paid - vacation
		22	Part time paid - own illness
		23	Part time paid - childcare problems
		24	Part time paid - other family/personal obligation
		25	Part time paid - maternity/paternity leave
		26	Part time paid - labor dispute
		27	Part time paid - weather affected job
		28	Part time paid - school/training
		29	Part time paid - civic/military duty
		30	Part time paid - other
		31	Part time unpaid - vacation
		32	Part time unpaid - own illness
		33	Part time unpaid - childcare problems
		34	Part time unpaid - other family/personal obligation
		35	Part time unpaid - maternity/paternity leave
		36	Part time unpaid - labor dispute
		37	Part time unpaid - weather affected job
		38	Part time unpaid - school/training
		39	Part time unpaid - civic/military duty
		40	Part time unpaid - other

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description	File
PRAGNA	Agricultural/non-agricultural industry	ATUS-CPS File
	Edited Universe: PRIOELG = 1	
	Valid Entries: 1 Agricultural	
	2 Non-agricultural	
Name	Description	File
PRCITFLG	PRCITSHP: allocation flag	ATUS-CPS File
	Edited Universe: PRPERTYP = 1 - 3	
	Valid Entries: 00 Min Value 53 Max Value	
	*Note See Introduction for allocation flag values	
Name	Description	File
PRCITSHP	Citizenship status	ATUS-CPS File
	Edited Universe: PRPERTYP = 1 - 3	
	Valid Entries: 1 Native, born in United States	
	2 Native, born in Puerto Rico or U.S. Outlying Area	
	3 Native, born abroad of American parent or parents	
	4 Foreign born, U.S. citizen by naturalization	
	5 Foreign born, not a U.S. citizen	
	*Note PRCITFLG is the allocation flag for PRCITSHP	
Name	Description	File
PRCIVLF	Civilian labor force	ATUS-CPS File
	Edited Universe: PEMLR = 1 - 7	
	Valid Entries: 1 In civilian labor force	
	2 Not in civilian labor force	
Name	Description	File
PRCOW1	Class of worker recode (main job)	ATUS-CPS File
	Edited Universe: PRIOELG = 1	
	Valid Entries: 1 Federal government	
	2 State government	
	3 Local government	
	4 Private (including incorporated self-employed)	
	5 Self-employed, unincorporated	
	6 Without pay	

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description	File
PRCOW2	Class of worker recode (second job)	ATUS-CPS File
	Edited Universe: PRIOELG = 1 and PEMJOT = 1	
	Valid Entries: 1 Federal government	
	2 State government	
	3 Local government	
	4 Private (including incorporated self-employed)	
	5 Self-employed, unincorporated	
	6 Without pay	
Name	Description	File
PRCOWPG	Class of worker - private or government	ATUS-CPS File
	Edited Universe: PEIO1COW = 1 - 5	
	Valid Entries: 1 Private	
	2 Government	
Name	Description	File
PRDASIAN	Detailed Asian race recode	ATUS-CPS File
	Edited Universe: PTDTRACE=4	
	Valid Entries: 1 Asian Indian	
	2 Chinese	
	3 Filipino	
	4 Japanese	
	5 Korean	
	6 Vietnamese	
	7 Other	
	*Note PRDASIAN was added to January 2013 CPS.	
Name	Description	File
PRDISC	Discouraged worker recode	ATUS-CPS File
	Edited Universe: PRJOBSEA = 1 - 4	
	Valid Entries: 1 Discouraged worker	
	2 Conditionally interested	
	3 Not available	

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description	File
PRDISFLG	Does this person have any of these disability conditions?	ATUS-CPS File
	Edited Universe: Edited universe: PEDISEAR or PEDISEYE or PEDISREM=1; or PEDISPHY or PEDISDRS or PEDISOUT=1.	
	Valid Entries: 1 Yes	
	2 No	
Name	Description	File
PRDTCOW1	Detailed class of worker recode (main job)	ATUS-CPS File
	Edited Universe: PRIOELG = 1	
	Valid Entries: 1 Agricultural, wage/salary, private	
	2 Agricultural, wage/salary, government	
	3 Agricultural, self-employed	
	4 Agricultural, unpaid	
	5 Non-agricultural, wage/salary, private households	
	6 Non-agricultural, wage/salary, other private	
	7 Non-agricultural, wage/salary, federal government	
	8 Non-agricultural, wage/salary, state government	
	9 Non-agricultural, wage/salary, local government	
	10 Non-agricultural, self-employed	
	11 Non-agricultural, unpaid	
Name	Description	File
PRDTCOW2	Detailed class of worker recode (second job)	ATUS-CPS File
	Edited Universe: PRIOELG = 1 and PEMJOT = 1	
	Valid Entries: 1 Agricultural, wage/salary, private	
	2 Agricultural, wage/salary, government	
	3 Agricultural, self-employed	
	4 Agricultural, unpaid	
	5 Non-agricultural, wage/salary, private households	
	6 Non-agricultural, wage/salary, other private	
	7 Non-agricultural, wage/salary, federal government	
	8 Non-agricultural, wage/salary, state government	
	9 Non-agricultural, wage/salary, local government	
	10 Non-agricultural, self-employed	
	11 Non-agricultural, unpaid	

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description	File
PRDTHSP	Detailed Hispanic origin group	ATUS-CPS File
	Edited Universe: PEHSPNON = 1	
	Valid Entries: 1 Mexican	
	2 Puerto Rican	
	3 Cuban	
	4 Dominican	
	5 Salvadoran	
	6 Other Central American, excluding Salvadoran	
	7 South American	
	8 Other Spanish	
	*Note Beginning in the January 2014 CPS, PRDTHSP added and changed the definition for some values.	

Name	Description	File
PRDTIND1	Detailed industry recode (main job)	ATUS-CPS File
	Edited Universe: PRIOELG = 1	
	Valid Entries: 1 Min Value 52 Max Value	
	*Note Beginning in the January 2014 CPS, industry data were classified using the 2012 Census Industry Classification system. This system replaced the 2007 Census Industry Classification system. Detailed industry recode definitions are listed in Appendix A.	

Name	Description	File
PRDTIND2	Detailed industry recode (second job)	ATUS-CPS File
	Edited Universe: PRIOELG = 1 and PEMJOT = 1	
	Valid Entries: 1 Min Value 52 Max Value	
	*Note Beginning in the January 2014 CPS, industry data were classified using the 2012 Census Industry Classification system. This system replaced the 2007 Census Industry Classification system. . Detailed industry recode definitions are listed in Appendix A.	

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description		File
PRDTOCC1	Detailed occupation recode (main job)		ATUS-CPS File
	Edited Universe:	PRIOELG = 1	
	Valid Entries:	1	Management occupations
		2	Business and financial operations occupations
		3	Computer and mathematical science occupations
		4	Architecture and engineering occupations
		5	Life, physical, and social science occupations
		6	Community and social service occupations
		7	Legal occupations
		8	Education, training, and library occupations
		9	Arts, design, entertainment, sports, and media occupations
		10	Healthcare practitioner and technical occupations
		11	Healthcare support occupations
		12	Protective service occupations
		13	Food preparation and serving related occupations
		14	Building and grounds cleaning and maintenance occupations
		15	Personal care and service occupations
		16	Sales and related occupations
		17	Office and administrative support occupations
		18	Farming, fishing, and forestry occupations
		19	Construction and extraction occupations
		20	Installation, maintenance, and repair occupations
		21	Production occupations
		22	Transportation and material moving occupations
		23	Armed Forces
	*Note	<p>Beginning in the January 2011 CPS, occupation data were classified using the 2010 Census Occupation Classification system. This system replaced the 2002 Census Occupation Classification system. Occupation data for 2011 and later are not strictly comparable with earlier years.</p> <p>Detailed occupation recode definitions are listed in Appendix A.</p>	

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description		File
PRDTOCC2	Detailed occupation recode (second job)		ATUS-CPS File
	Edited Universe:	PRIOELG = 1 and PEMJOT = 1	
	Valid Entries:	1	Management occupations
		2	Business and financial operations occupations
		3	Computer and mathematical science occupations
		4	Architecture and engineering occupations
		5	Life, physical, and social science occupations
		6	Community and social service occupations
		7	Legal occupations
		8	Education, training, and library occupations
		9	Arts, design, entertainment, sports, and media occupations
		10	Healthcare practitioner and technical occupations
		11	Healthcare support occupations
		12	Protective service occupations
		13	Food preparation and serving related occupations
		14	Building and grounds cleaning and maintenance occupations
		15	Personal care and service occupations
		16	Sales and related occupations
		17	Office and administrative support occupations
		18	Farming, fishing, and forestry occupations
		19	Construction and extraction occupations
		20	Installation, maintenance, and repair occupations
		21	Production occupations
		22	Transportation and material moving occupations
		23	Armed Forces
	*Note	<p>Beginning in the January 2011 CPS, occupation data were classified using the 2010 Census Occupation Classification system. This system replaced the 2002 Census Occupation Classification system. Occupation data for 2011 and later are not strictly comparable with earlier years.</p> <p>Detailed occupation recode definitions are listed in Appendix A.</p>	
Name	Description		File
PREMP	Employed persons recode		ATUS-CPS File
	Edited Universe:	PEMLR = 1 or 2 and PEIO1OCD <> 403-407, 473-484	
	Valid Entries:	1	Employed persons (excluding agriculture and private households)

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description	File
PREMPHRS	Reason not at work or hours at work	ATUS-CPS File
	Edited Universe: PEMLR = 1 - 7	
	Valid Entries: 0	Unemployed and not in the labor force
	1	With job, not at work - illness
	2	With job, not at work - vacation
	3	With job, not at work - weather affected job
	4	With job, not at work - labor dispute
	5	With job, not at work - childcare problems
	6	With job, not at work - family/personal obligation
	7	With job, not at work - maternity/paternity
	8	With job, not at work - school/training
	9	With job, not at work - civic/military duty
	10	With job, not at work - does not work in business
	11	With job, not at work - other
	12	At work, 1-4 hours
	13	At work, 5-14 hours
	14	At work, 15-21 hours
	15	At work, 22-29 hours
	16	At work, 30-34 hours
	17	At work, 35-39 hours
	18	At work, 40 hours
	19	At work, 41-47 hours
	20	At work, 48 hours
	21	At work, 49-59 hours
	22	At work, 60 hours or more

Name	Description	File
PREMPNOT	Employed, unemployed, or not in the labor force	ATUS-CPS File
	Edited Universe: PEMLR = 1 - 7	
	Valid Entries: 1	Employed
	2	Unemployed
	3	Not in labor force - discouraged
	4	Not in labor force - other

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description	File
PRERELG	Earnings edit eligibility flag	ATUS-CPS File
	Edited Universe: PEMLR = 1 - 2	
	Valid Entries: 0 Not eligible for edit	
	1 Eligible for edit	
Name	Description	File
PRERNHLY	Hourly earnings at main job (2 implied decimals)	ATUS-CPS File
	Edited Universe: PEERNPER = 1 or PEERNRT = 1	
	Valid Entries: 0 Min Value 9999 Max Value	
	*Note The allocation flag for this variable is PRHERNAL. Subject to topcoding (the maximum value of PEERNHRO x PEERNHLY cannot be greater than 2884.61); topcoding is indicated in PTHR.	
Name	Description	File
PRERNWA	Weekly earnings at main job (2 implied decimals)	ATUS-CPS File
	Edited Universe: PRERELG = 1	
	Valid Entries: 0 Min Value 288461 Max Value	
	*Note The allocation flag for this variable is PRWERNAL. Subject to topcoding (the maximum value cannot be greater than 2884.61); topcoding is indicated in PTOT, PTWK, and PTHR.	
Name	Description	File
PREXPLF	Experienced labor force employment	ATUS-CPS File
	Edited Universe: PEMLR = 1 - 4 and PELKLWO <> 3	
	Valid Entries: 1 Employed	
	2 Unemployed	

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description		File
PRFAMNUM	Family number recode		ATUS-CPS File
	Edited Universe:	PRPERTYP = 1 - 3	
	Valid Entries:	0	Not a family member
		1	Primary family member only
		2	Subfamily no. 2 member
		3	Subfamily no. 3 member
		4	Subfamily no. 4 member
		5	Subfamily no. 5 member
		6	Subfamily no. 6 member
		7	Subfamily no. 7 member
		8	Subfamily no. 8 member
		9	Subfamily no. 9 member
		10	Subfamily no. 10 member
		11	Subfamily no. 11 member
		12	Subfamily no. 12 member
		13	Subfamily no. 13 member
		14	Subfamily no. 14 member
		15	Subfamily no. 15 member
		16	Subfamily no. 16 member
		17	Subfamily no. 17 member
		18	Subfamily no. 18 member
		19	Subfamily no. 19 member
Name	Description		File
PRFAMREL	Family relationship code		ATUS-CPS File
	Edited Universe:	PRPERTYP = 1 - 3	
	Valid Entries:	0	Not a family member
		1	Reference person
		2	Spouse
		3	Child
		4	Other relative (primary family only)

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description		File
PRFAMTYP	Family type recode		ATUS-CPS File
	Edited Universe:	PRPERTYP = 1 - 3	
	Valid Entries:	1	Primary family
		2	Primary individual
		3	Related subfamily
		4	Unrelated subfamily
		5	Secondary individual
Name	Description		File
PRFTLF	Full time labor force		ATUS-CPS File
	Edited Universe:	PEMLR = 1 - 4	
	Valid Entries:	1	Full time labor force
		2	Part time labor force
Name	Description		File
PRHERNAL	PRERNHLY: allocation flag		ATUS-CPS File
	Edited Universe:	PEERNHRY = 1	
	Valid Entries:	0	PRERNHLY does not contain allocated information
		1	PRERNHLY contains allocated information
Name	Description		File
PRHRUSL	Usual hours worked weekly		ATUS-CPS File
	Edited Universe:	PEMLR = 1 - 2	
	Valid Entries:	1	0-20 hours
		2	21-34 hours
		3	35-39 hours
		4	40 hours
		5	41-49 hours
		6	50 or more hours
		7	Varies - full time
		8	Varies - part time

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description		File
PRIMIND1	Intermediate industry recode (main job)		ATUS-CPS File
	Edited Universe:	PRIOELG = 1	
	Valid Entries:	1	Agriculture, forestry, fishing, and hunting
		2	Mining, quarrying, and oil and gas extraction
		3	Construction
		4	Manufacturing - durable goods
		5	Manufacturing - non-durable goods
		6	Wholesale trade
		7	Retail trade
		8	Transportation and warehousing
		9	Utilities
		10	Information
		11	Finance and insurance
		12	Real estate and rental and leasing
		13	Professional and technical services
		14	Management, administrative and waste management services
		15	Educational services
		16	Health care and social services
		17	Arts, entertainment, and recreation
		18	Accommodation and food services
		19	Private households
		20	Other services, except private households
		21	Public administration
		22	Armed Forces
	*Note	Beginning in the January 2014 CPS, industry data were classified using the 2012 Census Industry classification system. This system replaced the 2007 Census Industry classification system.	

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description		File
PRIMIND2	Intermediate industry recode (second job)		ATUS-CPS File
	Edited Universe:	PRIOELG = 1 and PEMJOT = 1	
	Valid Entries:	1	Agriculture, forestry, fishing, and hunting
		2	Mining, quarrying, and oil and gas extraction
		3	Construction
		4	Manufacturing - durable goods
		5	Manufacturing - non-durable goods
		6	Wholesale trade
		7	Retail trade
		8	Transportation and warehousing
		9	Utilities
		10	Information
		11	Finance and insurance
		12	Real estate and rental and leasing
		13	Professional and technical services
		14	Management, administrative and waste management services
		15	Educational services
		16	Health care and social services
		17	Arts, entertainment, and recreation
		18	Accommodation and food services
		19	Private households
		20	Other services, except private households
		21	Public administration
		22	Armed Forces
	*Note	Beginning in the January 2014 CPS, industry data were classified using the 2012 Census Industry classification system. This system replaced the 2007 Census Industry classification system.	

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description	File
PRINUYER	Immigrant's year of entry into the U.S.	ATUS-CPS File
	Edited Universe: PRCITSHP = 1 - 5	
	Valid Entries: 0 Not foreign born	
	1 Before 1950	
	2 1950-1959	
	3 1960-1964	
	4 1965-1969	
	5 1970-1974	
	6 1975-1979	
	7 1980-1981	
	8 1982-1983	
	9 1984-1985	
	10 1986-1987	
	11 1988-1989	
	12 1990-1991	
	13 1992-1993	
	14 1994-1995	
	15 1996-1997	
	16 1998-1999	
	17 2000-2001	
	18 2002-2003	
	19 2004-2005	
	20 2006-2007	
	21 2008-2009	
	22 2010-2011	
	23 2012-2013	
	24 2014-2016 or 2014-2017 (see note)	
	*Note PXINUSYR is the allocation flag for PRINUYER. A new value for 24 was introduced in the January 2016 CPS. For cases with HRYEAR4=2016, the value of 24 is 2014-2016. For cases with HRYEAR4=2017, the value of 24 is 2014-2017.	
Name	Description	File
PRIOELG	Industry and occupation edit eligibility flag	ATUS-CPS File
	Edited Universe: PEMLR = 1-3 or (PEMLR = 4 and PELKLWO = 1 or 2) or (PEMLR = 5 and (PEJHWKO = 1 or PENLFJH=1)) or (PEMLR = 6 and PENLFJH = 1) or (PEMLR = 7 and (PEJHWKO = 1 or PENLFJH = 1))	
	Valid Entries: 0 Not eligible for edit	
	1 Eligible for edit	

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description		File
PRJOBSEA	Job search recode		ATUS-CPS File
	Edited Universe:	PRWNTJOB = 1	
	Valid Entries:	1	Looked last 4 weeks - not worked
		2	Looked last 4 weeks - worked
		3	Looked last 4 weeks - layoff
		4	Unavailable job seekers
		5	No recent job search
Name	Description		File
PRMARSTA	Marital status based on Armed Forces participation		ATUS-CPS File
	Edited Universe:	PRPERTYP = 2 or 3	
	Valid Entries:	1	Married, civilian spouse present
		2	Married, Armed Forces spouse present
		3	Married, spouse absent (except separated)
		4	Widowed
		5	Divorced
		6	Separated
		7	Never married

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description		File
PRMJIND1	Major industry recode (main job)		ATUS-CPS File
	Edited Universe:	PRDTIND1 = 1 - 52	
	Valid Entries:	1	Agriculture, forestry, fishing, and hunting
		2	Mining, quarrying, and oil and gas extraction
		3	Construction
		4	Manufacturing
		5	Wholesale and retail trade
		6	Transportation and utilities
		7	Information
		8	Financial activities
		9	Professional and business services
		10	Educational and health services
		11	Leisure and hospitality
		12	Other services
		13	Public administration
		14	Armed Forces
	*Note	Beginning in the January 2014 CPS, industry data were classified using the 2012 Census Industry classification system. This system replaced the 2007 Census Industry classification system.	

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description	File
PRMJIND2	Major industry recode (second job)	ATUS-CPS File
	Edited Universe:	PRDTIND2 = 1 - 52
	Valid Entries:	1 Agriculture, forestry, fishing, and hunting
		2 Mining, quarrying, and oil and gas extraction
		3 Construction
		4 Manufacturing
		5 Wholesale and retail trade
		6 Transportation and utilities
		7 Information
		8 Financial activities
		9 Professional and business services
		10 Educational and health services
		11 Leisure and hospitality
		12 Other services
		13 Public administration
		14 Armed Forces
	*Note	Beginning in the January 2014 CPS, industry data were classified using the 2012 Census Industry classification system. This system replaced the 2007 Census Industry classification system.
Name	Description	File
PRMJOCC1	Major occupation recode (main job)	ATUS-CPS File
	Edited Universe:	PRDTOCC1 = 1 - 23
	Valid Entries:	1 Management, business, and financial occupations
		2 Professional and related occupations
		3 Service occupations
		4 Sales and related occupations
		5 Office and administrative support occupations
		6 Farming, fishing, and forestry occupations
		7 Construction and extraction occupations
		8 Installation, maintenance, and repair occupations
		9 Production occupations
		10 Transportation and material moving occupations
		11 Armed Forces
	*Note	Beginning in the January 2011 CPS, occupation data were classified using the 2010 Census Occupation Classification system. This system replaced the 2002 Census Occupation Classification system. Occupation data for 2011 and later are not strictly comparable with earlier years.

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description	File
PRMJOC2	Major occupation recode (second job)	ATUS-CPS File
	Edited Universe: PRDTOCC2 = 1 - 23	
	Valid Entries: 1	Management, business, and financial occupations
	2	Professional and related occupations
	3	Service occupations
	4	Sales and related occupations
	5	Office and administrative support occupations
	6	Farming, fishing, and forestry occupations
	7	Construction and extraction occupations
	8	Installation, maintenance, and repair occupations
	9	Production occupations
	10	Transportation and material moving occupations
	11	Armed Forces
	*Note	Beginning in the January 2011 CPS, occupation data were classified using the 2010 Census Occupation Classification system. This system replaced the 2002 Census Occupation Classification system. Occupation data for 2011 and later are not strictly comparable with earlier years.

Name	Description	File
PRMJOCGR	Major occupation categories (main job)	ATUS-CPS File
	Edited Universe: PRMJOC1 = 1 - 11	
	Valid Entries: 1	Management, professional, and related occupations
	2	Service occupations
	3	Sales and office occupations
	4	Farming, fishing, and forestry occupations
	5	Construction and maintenance occupations
	6	Production, transportation, and material moving occupations
	7	Armed Forces
	*Note	Beginning in the January 2011 CPS, occupation data were classified using the 2010 Census Occupation Classification system. This system replaced the 2002 Census Occupation Classification system. Occupation data for 2011 and later are not strictly comparable with earlier years.

Name	Description	File
PRNAGPWS	Non-agricultural private wage and salary workers recode	ATUS-CPS File
	Edited Universe: PRCOW1 = 4 and PEIO1ICD <> 0170 - 0890	
	Valid Entries: 1	Non-agricultural private wage and salary

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description	File
PRNAGWS	Non-agricultural wage and salary workers recode	ATUS-CPS File
	Edited Universe: PEMLR = 1 - 4 and PRCOW1 = 1 - 4 and PEIO1ICD <> 0170 - 0290	
	Valid Entries: 1 Non-agricultural wage and salary workers	
	2 Not in school	
Name	Description	File
PRNLFSCH	Not in labor force activity - in school or not in school	ATUS-CPS File
	Edited Universe: (PENLFACT = 1 - 6 or PENLFACT = -1) and PRTAGE = 16 - 24	
	Valid Entries: 1 In school	
	2 Not in school	
Name	Description	File
PRNMCHLD	Number of own children < 18 years of age	ATUS-CPS File
	Edited Universe: PRFAMREL = 1 or 2	
	Valid Entries: 0 Min Value 99 Max Value	
Name	Description	File
PRPERTYP	Type of person recode	ATUS-CPS File
	Edited Universe: All household members	
	Valid Entries: 1 Child household member	
	2 Adult civilian household member (15+ years old)	
	3 Adult Armed Forces household member	

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description		File
PRPTHRS	At work 1-34 hours by hours at work		ATUS-CPS File
	Edited Universe:	PEMLR = 1 and PEHRACTT = 1 - 34	
	Valid Entries:	0	Usually full time, part time for non-economic reasons
		1	Usually full time, part time for economic reasons, 1-4 hours
		2	Usually full time, part time for economic reasons, 5-14 hours
		3	Usually full time, part time for economic reasons, 15-29 hours
		4	Usually full time, part time for economic reasons, 30-34 hours
		5	Usually part time for economic reasons, 1-4 hours
		6	Usually part time for economic reasons, 5-14 hours
		7	Usually part time for economic reasons, 15-29 hours
		8	Usually part time for economic reasons, 30-34 hours
		9	Usually part time for non-economic reasons, 1-4 hours
		10	Usually part time for non-economic reasons, 5-14 hours
		11	Usually part time for non-economic reasons, 15-29 hours
		12	Usually part time for non-economic reasons, 30-34 hours

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description	File
PRPTREA	Detailed reason for part time work	ATUS-CPS File
	Edited Universe: PEMLR = 1 and (PEHRUSLT = 0 - 34 or PEHRACTT = 1 - 34)	
	Valid Entries: 1 Usually full time - slack work/business conditions	
	2 Usually full time - seasonal work	
	3 Usually full time - job started/ended during week	
	4 Usually full time - vacation/personal day	
	5 Usually full time - own illness/injury/medical appointment	
	6 Usually full time - holiday (religious or legal)	
	7 Usually full time - childcare problems	
	8 Usually full time - other family/personal obligation	
	9 Usually full time - labor dispute	
	10 Usually full time - weather affected job	
	11 Usually full time - school/training	
	12 Usually full time - civic/military duty	
	13 Usually full time - other reason	
	14 Usually part time - slack work/business conditions	
	15 Usually part time - could only find part time work	
	16 Usually part time - seasonal work	
	17 Usually part time - childcare problems	
	18 Usually part time - other family/personal obligation	
	19 Usually part time - health/medical limitations	
	20 Usually part time - school/training	
	21 Usually part time - retired/Social Security limit on earnings	
	22 Usually part time - work week less than 35 hours	
	23 Usually part time - other reason	
Name	Description	File
PRMJ	Single/multiple jobholder	ATUS-CPS File
	Edited Universe: PEMLR = 1 or 2	
	Valid Entries: 1 Single jobholder	
	2 Multiple jobholder	
Name	Description	File
PRTAGE	Age	ATUS-CPS File
	Edited Universe: Every person	
	Valid Entries: 0 Min Value 85 Max Value	

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description	File
PRTFAGE	Topcode for age (PRTAGE)	ATUS-CPS File
	Edited Universe: Every person	
	Valid Entries: 0 Age not topcoded	
	1 Age topcoded	
Name	Description	File
PRUNEDUR	Duration of unemployment (number of weeks)	ATUS-CPS File
	Edited Universe: PEMLR = 3 or 4	
	Valid Entries: 0 Min Value 119 Max Value	
	*Note Beginning in April 2011, data were topcoded consistent with PELAYDUR or PELKDUR, as appropriate.	
Name	Description	File
PRUNTYPE	Reason for unemployment	ATUS-CPS File
	Edited Universe: PEMLR = 3 or 4	
	Valid Entries: 1 Job loser/on layoff	
	2 Other job loser	
	3 Temporary job ended	
	4 Job leaver	
	5 Re-entrant	
	6 New entrant	
Name	Description	File
PRWERNAL	PRERNWA: allocation flag	ATUS-CPS File
	Edited Universe: PRERELG = 1	
	Valid Entries: 0 PRERNWA does not contain allocated information	
	1 PRERNWA contains allocated information	
Name	Description	File
PRWKSCH	Labor force by time worked or lost	ATUS-CPS File
	Edited Universe: PEMLR = 1 - 7	
	Valid Entries: 0 Not in labor force	
	1 At work	
	2 With job, not at work	
	3 Unemployed, seeks full time	
	4 Unemployed, seeks part time	

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description		File
PRWKSTAT	Full time or part time work status		ATUS-CPS File
	Edited Universe:	PEMLR = 1 - 7	
	Valid Entries:	1	Not in labor force
		2	Full time hours (35+), usually full time
		3	Part time for economic reasons, usually full time
		4	Part time for non-economic reasons, usually full time
		5	Not at work, usually full time
		6	Part time hours, usually part time for economic reasons
		7	Part time hours, usually part time for non-economic reasons
		8	Full time hours, usually part time for economic reasons
		9	Full time hours, usually part time for non-economic reasons
		10	Not at work, usually part time
		11	Unemployed full time
		12	Unemployed part time
Name	Description		File
PRWNTJOB	Not in labor force recode - want a job or other not in labor force		ATUS-CPS File
	Edited Universe:	PEMLR = 5 - 7	
	Valid Entries:	1	Want a job
		2	Other not in labor force

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description		File
PTDTRACE	Race (topcoded)		ATUS-CPS File, Activity Summary File
	Valid Entries:		
	1	White only	
	2	Black only	
	3	American Indian, Alaskan Native only	
	4	Asian only	
	5	Hawaiian/Pacific Islander only	
	6	White-Black	
	7	White-American Indian	
	8	White-Asian	
	9	White-Hawaiian	
	10	Black-American Indian	
	11	Black-Asian	
	12	Black-Hawaiian	
	13	American Indian-Asian	
	14	American Indian-Hawaiian	
	15	Asian-Hawaiian	
	16	White-Black-American Indian	
	17	White-Black-Asian	
	18	White-Black-Hawaiian	
	19	White-American Indian-Asian	
	20	White-American Indian-Hawaiian	
	21	White-Asian-Hawaiian	
	22	Black-American Indian-Asian	
	23	White-Black-American Indian-Asian	
	24	White-American Indian-Asian-Hawaiian	
	25	Other 3 race combinations	
	26	Other 4 and 5 race combinations	
	*Note	Beginning in May 2012, CPS expanded the number of valid values for PTDTRACE to 26, and changed the definitions for some values. PX RACE1 is the allocation flag for PTDTRACE	
Name	Description		File
PTHR	Hourly pay topcode flag		ATUS-CPS File
	Valid Entries:		
	0	Not topcoded	
	1	Topcoded	
	*Note	Indicates topcoding of hourly pay in earnings variables	

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description	File
PTNMEMP1	Excluding all owners, how many paid employees does this person usually have?	ATUS-CPS File
	Edited Universe: PEPDEMP1 = 1	
	Valid Entries: 0 Min Value 75 Max Value	
	*Note PTNMEMP1 is topcoded at 75 employees. This variable was added to CPS in January 2014.	
Name	Description	File
PTNMEMP2	Excluding all owners, how many paid employee does this person usually have?	ATUS-CPS File
	Edited Universe: PEPDEMP2 = 1	
	Valid Entries: 1 Min Value 10 Max Value	
	*Note PTNMEMP2 is topcoded at 10 employees. This variable was added to CPS in January 2014.	
Name	Description	File
PTOT	Weekly overtime amount topcode flag	ATUS-CPS File
	Valid Entries: 0 Not topcoded	
	1 Topcoded	
	*Note Indicates topcoding of overtime pay in earnings variables	
Name	Description	File
PTWK	Weekly earnings topcode flag	ATUS-CPS File
	Valid Entries: 0 Not topcoded	
	1 Topcoded	
	*Note Indicates topcoding of weekly pay in earnings variables	
Name	Description	File
PUABSOT	In the last seven days, did you have a job either full or part time?	ATUS-CPS File
	Valid Entries: 1 Yes	
	2 No	
	3 Retired	
	4 Disabled	
	5 Unable to work	
Name	Description	File
PUBUS1	Last week, did you do any unpaid work in the family business or farm?	ATUS-CPS File
	Valid Entries: 1 Yes	
	2 No	

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description		File
PUBUS2OT	Do you receive any payments or profits from the business?		ATUS-CPS File
	Valid Entries:	1 Yes	
		2 No	
Name	Description		File
PUBUSCK1	Business check item 1: filter for questions on unpaid work		ATUS-CPS File
	Valid Entries:	1 Go to PUBUS1	
		2 Go to PURETCK1	
Name	Description		File
PUBUSCK2	Business check item 2: skips owners of family business who did not work last week		ATUS-CPS File
	Valid Entries:	1 Go to PUHRUSL1	
		2 Go to PUBUS2	
Name	Description		File
PUBUSCK3	Business check item 3: filter for disabled		ATUS-CPS File
	Valid Entries:	1 Go to PUABSRSN	
		2 Go to PULAY	
Name	Description		File
PUBUSCK4	Business check item 4: filter for retired		ATUS-CPS File
	Valid Entries:	1 Go to PUHRUSL1	
		2 Go to PUABSPD	
Name	Description		File
PUCHINHH	Change in household composition		ATUS-CPS File
	Valid Entries:	1 Person added	
		2 Person added - usually resides elsewhere	
		3 Person undeleted	
		4 Person died	
		5 Deleted for reason other than death	
		6 Person joined Armed Forces	
		7 Person no longer in Armed Forces	
		9 Change in demographic information	

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description	File
PUDIS	Last time we spoke to someone in this household, you were reported to have a disability. Does your disability continue to prevent you from accepting any kind of work during the next six months?	ATUS-CPS File
	Valid Entries:	
	1	Yes
	2	No
	3	Did not have disability last month
Name	Description	File
PUDIS1	Does your disability prevent you from accepting any kind of work during the next six months?	ATUS-CPS File
	Valid Entries:	
	1	Yes
	2	No
Name	Description	File
PUDIS2	Do you have a disability that prevents you from accepting any kind of work during the next six months?	ATUS-CPS File
	Valid Entries:	
	1	Yes
	2	No
Name	Description	File
PUDWCK1	Discouraged worker check item 1: filter for discouraged worker	ATUS-CPS File
	Valid Entries:	
	1	Go to PUSCHCK
	2	Go to PUNLFCK1
	3	Go to PUDWCK4
	4	Go to PUDWWANT
Name	Description	File
PUDWCK2	Discouraged worker check item 2: filter for disabled	ATUS-CPS File
	Valid Entries:	
	1	Go to PUJHCK1
	2	Go to PUDIS1
	3	Go to PUDIS2
	4	Go to PUDWCK4
Name	Description	File
PUDWCK3	Discouraged worker check item 3: filter for retired	ATUS-CPS File
	Valid Entries:	
	1	Go to PUDWCK4
	2	Go to PUNLFCK2

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description	File
PUDWCK4	Discouraged worker check item 4: filter for passive job seekers	ATUS-CPS File
	Valid Entries: 1	Go to PUDWCK5
	2	Go to PUDWCK5
	3	Go to PUDWCK5
	4	Go to PUDWRSN
Name	Description	File
PUDWCK5	Discouraged worker check item 5: filter for passive job seekers	ATUS-CPS File
	Valid Entries: 1	Go to PUDWWK
	2	Go to PUDWLK
Name	Description	File
PUERN2	Weekly overtime earnings (2 implied decimals)	ATUS-CPS File
	Valid Entries: 0	Min Value
	288461	Max Value
Name	Description	File
PUERNH1C	What is your hourly rate of pay on this job, excluding overtime pay, tips, or commissions? (2 implied decimals)	ATUS-CPS File
	Valid Entries: 0	Min Value
	9999	Max Value
Name	Description	File
PUHRCK1	Hours respondent check item 1: labor force - remove groups from actual hours series	ATUS-CPS File
	Valid Entries: 1	Go to PUHRUSL2
	2	Go to PUHRUSLT
Name	Description	File
PUHRCK12	Hours respondent check item 12: filter for < 15 hours to go to looking series	ATUS-CPS File
	Valid Entries: 1	Go to PULK
	2	Go to PUIOCK1
Name	Description	File
PUHRCK2	Hours respondent check item 2: labor force - skips persons responding yes to PUHRFTPT out of PT series	ATUS-CPS File
	Valid Entries: 1	Go to PUHRFTPT
	2	Go to PUHRFTPT
	3	Go to PUHRFTPT
	4	Go to PUHRFTPT
	5	Go to PUHRCK3

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description	File
PUHRCK3	Hours respondent check item 3: labor force - filter for persons going through industry and occupation series	ATUS-CPS File
	Valid Entries:	
	1	Go to PUHRCK8
	2	Go to PUHRCK8
	3	Go to PUHRACT1
	4	Go to PUHRCK4
	5	Go to PUHROFF1
	6	Go to PUHRCK4
Name	Description	File
PUHRCK4	Hours respondent check item 4: labor force - skips persons	ATUS-CPS File
	Valid Entries:	
	1	Go to PUHRACT1
	2	Go to PUHROFF1
	3	Go to PUHRWANT
	4	Go to PUHRWANT
	5	Go to PUHRACT1
Name	Description	File
PUHRCK5	Hours respondent check item 5: labor force - filter for multiple jobholders for second job hours	ATUS-CPS File
	Valid Entries:	
	1	Go to PUHRACT2
	2	Go to PUHRCK6
Name	Description	File
PUHRCK6	Hours respondent check item 6: labor force - filter for actual job hours, jobs 1 and 2	ATUS-CPS File
	Valid Entries:	
	1	Go to PULK
	2	Go to PUABSRSN
	3	Go to PUHRACTT
Name	Description	File
PUHRCK7	Hours respondent check item 7: labor force - filter for hours worked paths	ATUS-CPS File
	Valid Entries:	
	1	If PUBUS2=2,D,R and PUHRACT1 < 15 go to PUHRCK8
	2	If PUBUS2=2,D,R and PUHRACT1 >= 15 go to PUHRCK8
	3	If PUHRUSLT >= 35 and PUHRACT1 <> D,R and PUHRACT2 <> D,R go to PUHRRSN3
	4	If PUHRWANT=1 and PUHRACTT < 35 and PUHRRSN1=1-3 go to PUHRAVL
	5	Go to PUHRCK8

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description	File
PUHROFF1	Last week, did you lose or take off any hours from your job for any reason such as illness, slack work, vacation, or holiday?	ATUS-CPS File
	Valid Entries: 1 Yes	
	2 No	
Name	Description	File
PUHROFF2	How many hours did you take off?	ATUS-CPS File
	Valid Entries: 0 Min Value 99 Max Value	
Name	Description	File
PUHROT1	Last week, did you work any overtime or extra hours? (main job)	ATUS-CPS File
	Valid Entries: 1 Yes	
	2 No	
Name	Description	File
PUHROT2	How many additional hours did you work?	ATUS-CPS File
	Valid Entries: 0 Min Value 99 Max Value	
Name	Description	File
PUIO1MFG	Is this business or organization mainly manufacturing, retail trade, wholesale trade, or something else? (main job)	ATUS-CPS File
	Valid Entries: 1 Manufacturing	
	2 Retail trade	
	3 Wholesale trade	
	4 Something else	
Name	Description	File
PUIO2MFG	Is this business or organization mainly manufacturing, retail trade, wholesale trade, or something else? (second job)	ATUS-CPS File
	Valid Entries: 1 Manufacturing	
	2 Retail trade	
	3 Wholesale trade	
	4 Something else	
Name	Description	File
PUIOCK1	Industry and occupation check item 1: filter for dependent industry and occupation	ATUS-CPS File
	Valid Entries: 1 Go to PUIO1INT	
	2 Go to PUIO1INT	
	3 Go to PUIO1INT	
	4 Go to PUIODP1	
	5 Go to PUIO1INT	

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description	File
PUIOCK2	Industry and occupation check item 2: filter for previous month's industry and occupation cases	ATUS-CPS File
	Valid Entries: 1	Go to PUIO1IND
	2	Go to PUIO1OCC
	3	Go to PUIODP2
Name	Description	File
PUIOCK3	Industry and occupation check item 3: filter for previous month's unknown occupation	ATUS-CPS File
	Valid Entries: 1	Go to PUIO1OCC
	2	Go to PUIO1OCC
	3	Go to PUIODP3
Name	Description	File
PUIODP1	Last month you were reported to work for (employer's name). Do you still work for (employer's name)?	ATUS-CPS File
	Valid Entries: 1	Yes
	2	No
Name	Description	File
PUIODP2	Have the usual activities and duties of your job changed since last month?	ATUS-CPS File
	Valid Entries: 1	Yes
	2	No
Name	Description	File
PUIODP3	Last time you were reported as (occupation) and your usual duties were (activities). Is this an accurate description of your current job?	ATUS-CPS File
	Valid Entries: 1	Yes
	2	No
Name	Description	File
PUJHCK1	Job history check item 1: filter for outgoing rotations	ATUS-CPS File
	Valid Entries: 1	Go to PUNLFCK2
	2	Go to PUJHCK2
	3	Go to PUNLFCK1
Name	Description	File
PUJHCK2	Job history check item 2: filter for persons going through industry and occupation series	ATUS-CPS File
	Valid Entries: 1	Go to PUJHRSN
	2	Go to PUJHWANT
	3	Go to PUJHWK

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description	File
PUJHCK3	Job history check item 3: filter for unemployed job history	ATUS-CPS File
	Valid Entries: 1	Go to PUJHDP1
	2	Go to PUJHRSN
Name	Description	File
PUJHCK4	Job history check item 4: filter for dependent not in the labor force	ATUS-CPS File
	Valid Entries: 1	Go to PUJHCK5
	2	Go to PUIO1INT
	3	Go to PUJHCK5
	4	Go to PUIO1INT
	5	Go to PUNLFCK1
Name	Description	File
PUJHCK5	Job history check item 5: filter/carryover for dependent not in the labor force	ATUS-CPS File
	Valid Entries: 1	Go to PUIO1INT
	2	Go to PUIOCK5
Name	Description	File
PUJHDP10	Did you do any of this work in the last 4 weeks?	ATUS-CPS File
	Valid Entries: 1	Yes
	2	No
Name	Description	File
PULAY	During the last seven days, were you on layoff from a job?	ATUS-CPS File
	Valid Entries: 1	Yes
	2	No
	3	Retired
	4	Disabled
	5	Unable to work
Name	Description	File
PULAY6M	Have you been given any indication that you will be recalled to work within the next 6 months?	ATUS-CPS File
	Valid Entries: 1	Yes
	2	No

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description	File
PULAYAVR	Why could you not have started a job in the last week?	ATUS-CPS File
	Valid Entries: 1 Own temporary illness	
	2 Going to school	
	3 Other	
Name	Description	File
PULAYCK1	Layoff check item 1: filter for previous month layoff status	ATUS-CPS File
	Valid Entries: 1 Go to PULAYCK3	
	2 Go to PULAYFT	
	3 Go to PULAYDR	
Name	Description	File
PULAYCK2	Layoff check item 2: filter for dependent layoff	ATUS-CPS File
	Valid Entries: 1 Go to PULAYDR3	
	2 Go to PULAYFT	
Name	Description	File
PULAYCK3	Layoff check item 3: dependent industry and occupation filter/carryover	ATUS-CPS File
	Valid Entries: 1 Go to PUIO1INT	
	2 Go to PUIO1INT	
	3 Go to PUSCHCK	
Name	Description	File
PULAYDT	Has your employer given you a date to return to work? (to layoff job)	ATUS-CPS File
	Valid Entries: 1 Yes	
	2 No	
Name	Description	File
PULINENO	Person line number	ATUS-CPS File
	Valid Entries: 1 Min Value 99 Max Value	
Name	Description	File
PULK	Have you been doing anything to find work during the last 4 weeks?	ATUS-CPS File
	Valid Entries: 1 Yes	
	2 No	
	3 Retired	
	4 Disabled	
	5 Unable to work	

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description			File
PULKA VR	Why could you not have started a job last week?			ATUS-CPS File
	Valid Entries:	1	Waiting for new job to begin	
		2	Own temporary illness	
		3	Going to school	
		4	Other	
Name	Description			File
PULKDK1	You said you have been trying to find work. How did you go about looking? (first method)			ATUS-CPS File
	Valid Entries:	1	Contacted employer directly/interview	
		2	Contacted public employment agency	
		3	Contacted private employment agency	
		4	Contacted friends or relatives	
		5	Contacted school/university employment center	
		6	Sent out resumes/filled out applications	
		7	Checked union/professional registers	
		8	Placed or answered ads	
		9	Other active	
		10	Looked at ads	
		11	Attended job training programs/courses	
		12	Nothing	
		13	Other passive	
	*Note	In order to research job search methods, users must combine all fields PELKM1, PULKM2 - PULKM6, PULKDK1 - PULKDK6, and PULKPS1 - PULKPS6		

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description	File
PULKDK2	PULKDK1 text: (second method)	ATUS-CPS File
	Valid Entries:	
	1	Contacted employer directly/interview
	2	Contacted public employment agency
	3	Contacted private employment agency
	4	Contacted friends or relatives
	5	Contacted school/university employment center
	6	Sent out resumes/filled out applications
	7	Checked union/professional registers
	8	Placed or answered ads
	9	Other active
	10	Looked at ads
	11	Attended job training programs/courses
	13	Other passive
	*Note	In order to research job search methods, users must combine all fields PELKM1, PULKM2 - PULKM6, PULKDK1 - PULKDK6, and PULKPS1 - PULKPS6
Name	Description	File
PULKDK3	PULKDK1 text: (third method)	ATUS-CPS File
	Valid Entries:	
	1	Min Value
	13	Max Value
	*Note	See valid for values for PULKDK2
Name	Description	File
PULKDK4	PULKDK1 text: (fourth method)	ATUS-CPS File
	Valid Entries:	
	1	Min Value
	13	Max Value
	*Note	See valid for values for PULKDK2
Name	Description	File
PULKDK5	PULKDK1 text: (fifth method)	ATUS-CPS File
	Valid Entries:	
	1	Min Value
	13	Max Value
	*Note	See valid for values for PULKDK2
Name	Description	File
PULKDK6	PULKDK1 text: (sixth method)	ATUS-CPS File
	Valid Entries:	
	1	Min Value
	13	Max Value
	*Note	See valid for values for PULKDK2

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description	File
PULKM2	What are all of the things you have been doing to find work during the last 4 weeks? (second method)	ATUS-CPS File
	Valid Entries:	
	1	Contacted employer directly/interview
	2	Contacted public employment agency
	3	Contacted private employment agency
	4	Contacted friends or relatives
	5	Contacted school/university employment center
	6	Sent out resumes/filled out applications
	7	Checked union/professional registers
	8	Placed or answered ads
	9	Other active
	10	Looked at ads
	11	Attended job training programs/courses
	13	Other passive
	*Note	In order to research job search methods, users must combine all fields PELKM1, PULKM2 - PULKM6, PULKDK1 - PULKDK6, and PULKPS1 - PULKPS6
Name	Description	File
PULKM3	PULKM2 text: (third method)	ATUS-CPS File
	Valid Entries:	
	1	Min Value
	13	Max Value
	*Note	See valid for values for PULKM2
Name	Description	File
PULKM4	PULKM2 text: (fourth method)	ATUS-CPS File
	Valid Entries:	
	1	Min Value
	13	Max Value
	*Note	See valid for values for PULKM2
Name	Description	File
PULKM5	PULKM2 text: (fifth method)	ATUS-CPS File
	Valid Entries:	
	1	Min Value
	13	Max Value
	*Note	See valid for values for PULKM2
Name	Description	File
PULKM6	PULKM2 text: (sixth method)	ATUS-CPS File
	Valid Entries:	
	1	Min Value
	13	Max Value
	*Note	See valid for values for PULKM2

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description	File
PULKPS1	Can you tell me more about what you did to search for work? (first method)	ATUS-CPS File
	Valid Entries:	
	1	Contacted employer directly/interview
	2	Contacted public employment agency
	3	Contacted private employment agency
	4	Contacted friends or relatives
	5	Contacted school/university employment center
	6	Sent out resumes/filled out applications
	7	Checked union/professional registers
	8	Placed or answered ads
	9	Other active
	10	Looked at ads
	11	Attended job training programs/courses
	12	Nothing
	13	Other passive
	*Note	In order to research job search methods, users must combine all fields PELKM1, PULKM2 - PULKM6, PULKDK1 - PULKDK6, and PULKPS1 - PULKPS6
Name	Description	File
PULKPS2	PULKPS1 text: (second method)	ATUS-CPS File
	Valid Entries:	
	1	Contacted employer directly/interview
	2	Contacted public employment agency
	3	Contacted private employment agency
	4	Contacted friends or relatives
	5	Contacted school/university employment center
	6	Sent out resumes/filled out applications
	7	Checked union/professional registers
	8	Placed or answered ads
	9	Other active
	10	Looked at ads
	11	Attended job training programs/courses
	13	Other passive
	*Note	In order to research job search methods, users must combine all fields PELKM1, PULKM2 - PULKM6, PULKDK1 - PULKDK6, and PULKPS1 - PULKPS6
Name	Description	File
PULKPS3	PULKPS1 text: (third method)	ATUS-CPS File
	Valid Entries:	
	1	Min Value
	13	Max Value
	*Note	See valid for values for PULKPS2

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description	File
PULKPS4	PULKPS1 text: (fourth method)	ATUS-CPS File
	Valid Entries: 1 13	Min Value Max Value
	*Note	See valid for values for PULKPS2
Name	Description	File
PULKPS5	PULKPS1 text: (fifth method)	ATUS-CPS File
	Valid Entries: 1 13	Min Value Max Value
	*Note	See valid for values for PULKPS2
Name	Description	File
PULKPS6	PULKPS1 text: (sixth method)	ATUS-CPS File
	Valid Entries: 1 13	Min Value Max Value
	*Note	See valid for values for PULKPS2
Name	Description	File
PUNLFCK1	Not in labor force check item 1: age filter for retirement question	ATUS-CPS File
	Valid Entries: 1	Go to PUNLFACT
	2	Go to PUNLFRET
Name	Description	File
PUNLFCK2	Not in labor force check item 2: outgoing rotation filter	ATUS-CPS File
	Valid Entries: 1	Go to PUNLFJH
	2	End questions
Name	Description	File
PURETOT	Last month you were reported to be retired. Are you still retired?	ATUS-CPS File
	Valid Entries: 1	Yes
	2	No
	3	Was not retired last month
Name	Description	File
PUSLFPRX	Labor force information collected by self or proxy response	ATUS-CPS File
	Valid Entries: 1	Self
	2	Proxy
	3	Both self and proxy

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description	File
PUWK	Last week, did you do any work for either pay or profit?	ATUS-CPS File
	Valid Entries:	
	1	Yes
	2	No
	3	Retired
	4	Disabled
	5	Unable to work
Name	Description	File
PXABSPDO	PEABSPDO: allocation flag	ATUS-CPS File
	Valid Entries:	
	0	Min Value
	53	Max Value
	*Note	See Introduction for allocation flag values
Name	Description	File
PXABSRSN	PEABSRSN: allocation flag	ATUS-CPS File
	Valid Entries:	
	0	Min Value
	53	Max Value
	*Note	See Introduction for allocation flag values
Name	Description	File
PXAFEVER	PEAFEVER: allocation flag	ATUS-CPS File
	Valid Entries:	
	0	Min Value
	53	Max Value
	*Note	See Introduction for allocation flag values
Name	Description	File
PXAFNOW	PEAFNOW: allocation flag	ATUS-CPS File
	Valid Entries:	
	0	Min Value
	53	Max Value
	*Note	See Introduction for allocation flag values
Name	Description	File
PXAFWHN1	PEAFWHN1: allocation flag	ATUS-CPS File
	Valid Entries:	
	0	Min Value
	53	Max Value
	*Note	See Introduction for allocation flag values
Name	Description	File
PXAGE	PRTAGE: allocation flag	ATUS-CPS File
	Valid Entries:	
	0	Min Value
	53	Max Value
	*Note	See Introduction for allocation flag values

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description	File
PXCERT1	PECERT1: allocation flag	ATUS-CPS File
	Valid Entries: 0 53	Min Value Max Value
	*Note	See Introduction for list of allocation flag values
Name	Description	File
PXCERT2	PECERT2: allocation flag	ATUS-CPS File
	Valid Entries: 0 53	Min Value Max Value
	*Note	See Introduction for list of allocation flag values
Name	Description	File
PXCERT3	PECERT3: allocation flag	ATUS-CPS File
	Valid Entries: 0 53	Min Value Max Value
	*Note	See Introduction for list of allocation flag values
Name	Description	File
PXCOHAB	PECOHAB: allocation flag	ATUS-CPS File
	Valid Entries: 01 53	Min Value Max Value
	*Note	See Introduction for list of allocation flag values
Name	Description	File
PXCYC	PECYC: allocation flag	ATUS-CPS File
	Valid Entries: 0 53	Min Value Max Value
	*Note	See Introduction for allocation flag values
Name	Description	File
PXDADTYP	PEDADTYP: allocation flag	ATUS-CPS File
	Valid Entries: 01 53	Min Value Max Value
	*Note	See Introduction for allocation flag values
Name	Description	File
PXDIPGED	PEDIPGED: allocation flag	ATUS-CPS File
	Valid Entries: 0 53	Min Value Max Value
	*Note	See Introduction for allocation flag values

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description		File
PXDISDRS	PEDISDRS: allocation flag		ATUS-CPS File
	Valid Entries:	0 53	Min Value Max Value
	*Note	See Introduction for allocation flag values	
Name	Description		File
PXDISEAR	PEDISEAR: allocation flag		ATUS-CPS File
	Valid Entries:	0 53	Min Value Max Value
	*Note	See Introduction for allocation flag values	
Name	Description		File
PXDISEYE	PEDISEYE: allocation flag		ATUS-CPS File
	Valid Entries:	0 53	Min Value Max Value
	*Note	See Introduction for allocation flag values	
Name	Description		File
PXDISOUT	PEDISOUT: allocation flag		ATUS-CPS File
	Valid Entries:	0 53	Min Value Max Value
	*Note	See Introduction for allocation flag values	
Name	Description		File
PXDISPHY	PEDISPHY: allocation flag		ATUS-CPS File
	Valid Entries:	0 53	Min Value Max Value
	*Note	See Introduction for allocation flag values	
Name	Description		File
PXDISREM	PEDISREM: allocation flag		ATUS-CPS File
	Valid Entries:	0 53	Min Value Max Value
	*Note	See Introduction for allocation flag values	

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description		File
PXDW4WK	PEDW4WK: allocation flag		ATUS-CPS File
	Valid Entries:	0 53	Min Value Max Value
	*Note	See Introduction for allocation flag values	
Name	Description		File
PXDWAVL	PEDWAVL: allocation flag		ATUS-CPS File
	Valid Entries:	0 53	Min Value Max Value
	*Note	See Introduction for allocation flag values	
Name	Description		File
PXDWAVR	PEDWAVR: allocation flag		ATUS-CPS File
	Valid Entries:	0 53	Min Value Max Value
	*Note	See Introduction for allocation flag values	
Name	Description		File
PXDWLKO	PEDWLKO: allocation flag		ATUS-CPS File
	Valid Entries:	0 53	Min Value Max Value
	*Note	See Introduction for allocation flag values	
Name	Description		File
PXDWLKWK	PEDWLKWK: allocation flag		ATUS-CPS File
	Valid Entries:	0 53	Min Value Max Value
	*Note	See Introduction for allocation flag values	
Name	Description		File
PXDWRSN	PEDWRSN: allocation flag		ATUS-CPS File
	Valid Entries:	0 53	Min Value Max Value
	*Note	See Introduction for allocation flag values	
Name	Description		File
PXDWWK	PEDWWK: allocation flag		ATUS-CPS File
	Valid Entries:	0 53	Min Value Max Value
	*Note	See Introduction for allocation flag values	
Name	Description		File
PXDWWNTO	PEDWWNTO: allocation flag		ATUS-CPS File
	Valid Entries:	0 53	Min Value Max Value
	*Note	See Introduction for allocation flag values	

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description	File
PXEDUCA	PEEDUCA: allocation flag	ATUS-CPS File
	Valid Entries: 0 53	Min Value Max Value
	*Note See Introduction for allocation flag values	
Name	Description	File
PXERN	PEERN: allocation flag	ATUS-CPS File
	Valid Entries: 0 53	Min Value Max Value
	*Note See Introduction for allocation flag values	
Name	Description	File
PXERNCOV	PEERNCOV: allocation flag	ATUS-CPS File
	Valid Entries: 0 53	Min Value Max Value
	*Note See Introduction for allocation flag values	
Name	Description	File
PXERNH1O	PEERNH1O: allocation flag	ATUS-CPS File
	Valid Entries: 0 53	Min Value Max Value
	*Note See Introduction for allocation flag values	
Name	Description	File
PXERNH2	PEERNH2: allocation flag	ATUS-CPS File
	Valid Entries: 0 53	Min Value Max Value
	*Note See Introduction for allocation flag values	
Name	Description	File
PXERNHRO	PEERNHRO: allocation flag	ATUS-CPS File
	Valid Entries: 0 53	Min Value Max Value
	*Note See Introduction for allocation flag values	
Name	Description	File
PXERNHRY	PEERNHRY: allocation flag	ATUS-CPS File
	Valid Entries: 0 53	Min Value Max Value
	*Note See Introduction for allocation flag values	
Name	Description	File
PXERNLAB	PEERNLAB: allocation flag	ATUS-CPS File
	Valid Entries: 0 53	Min Value Max Value
	*Note See Introduction for allocation flag values	

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description	File
PXERNPER	PEERNPER: allocation flag	ATUS-CPS File
	Valid Entries: 0 53	Min Value Max Value
	*Note See Introduction for allocation flag values	
PXERNRT	PEERNRT: allocation flag	ATUS-CPS File
	Valid Entries: 0 53	Min Value Max Value
	*Note See Introduction for allocation flag values	
PXERNUOT	PEERNUOT: allocation flag	ATUS-CPS File
	Valid Entries: 0 53	Min Value Max Value
	*Note See Introduction for allocation flag values	
PXERNWKP	PEERNWKP: allocation flag	ATUS-CPS File
	Valid Entries: 0 53	Min Value Max Value
	*Note See Introduction for allocation flag values	
PXFNTVTY	PEFNTVTY: allocation flag	ATUS-CPS File
	Valid Entries: 0 53	Min Value Max Value
	*Note See Introduction for allocation flag values	
PXHGCCOMP	PEHGCOMP: allocation flag	ATUS-CPS File
	Valid Entries: 0 53	Min Value Max Value
	*Note See Introduction for allocation flag values	
PXHRACT1	PEHRACT1: allocation flag	ATUS-CPS File
	Valid Entries: 0 53	Min Value Max Value
	*Note See Introduction for allocation flag values	
PXHRACT2	PEHRACT2: allocation flag	ATUS-CPS File
	Valid Entries: 0 53	Min Value Max Value
	*Note See Introduction for allocation flag values	

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description	File
PXHRACTT	PEHRACTT: allocation flag	ATUS-CPS File
	Valid Entries: 0 53	Min Value Max Value
	*Note See Introduction for allocation flag values	
PXHRAVL	PEHRAVL: allocation flag	ATUS-CPS File
	Valid Entries: 0 53	Min Value Max Value
	*Note See Introduction for allocation flag values	
PXHRFTPT	PEHRFTPT: allocation flag	ATUS-CPS File
	Valid Entries: 0 53	Min Value Max Value
	*Note See Introduction for allocation flag values	
PXHRRSN1	PEHRRSN1: allocation flag	ATUS-CPS File
	Valid Entries: 0 53	Min Value Max Value
	*Note See Introduction for allocation flag values	
PXHRRSN2	PEHRRSN2: allocation flag	ATUS-CPS File
	Valid Entries: 0 53	Min Value Max Value
	*Note See Introduction for allocation flag values	
PXHRRSN3	PEHRRSN3: allocation flag	ATUS-CPS File
	Valid Entries: 0 53	Min Value Max Value
	*Note See Introduction for allocation flag values	
PXHRUSL1	PEHRUSL1: allocation flag	ATUS-CPS File
	Valid Entries: 0 53	Min Value Max Value
	*Note See Introduction for allocation flag values	
PXHRUSL2	PEHRUSL2: allocation flag	ATUS-CPS File
	Valid Entries: 0 53	Min Value Max Value
	*Note See Introduction for allocation flag values	

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description	File
PXHRUSLT	PEHRUSLT: allocation flag	ATUS-CPS File
	Valid Entries: 0 53	Min Value Max Value
	*Note See Introduction for allocation flag values	
Name	Description	File
PXHRWANT	PEHRWANT: allocation flag	ATUS-CPS File
	Valid Entries: 0 53	Min Value Max Value
	*Note See Introduction for allocation flag values	
Name	Description	File
PXHSPNON	PEHSPNON: allocation flag	ATUS-CPS File
	Valid Entries: 0 53	Min Value Max Value
	*Note See Introduction for allocation flag values	
Name	Description	File
PXINUSYR	PRINUYER: allocation flag	ATUS-CPS File
	Valid Entries: 0 53	Min Value Max Value
	*Note See Introduction for allocation flag values	
Name	Description	File
PXIO1COW	PEIO1COW: allocation flag	ATUS-CPS File
	Valid Entries: 0 53	Min Value Max Value
	*Note See Introduction for allocation flag values	
Name	Description	File
PXIO1ICD	PEIO1ICD: allocation flag	ATUS-CPS File
	Valid Entries: 0 53	Min Value Max Value
	*Note See Introduction for allocation flag values	
Name	Description	File
PXIO1OCD	PEIO1OCD: allocation flag	ATUS-CPS File
	Valid Entries: 0 53	Min Value Max Value
	*Note See Introduction for allocation flag values	
Name	Description	File
PXIO2COW	PEIO2COW: allocation flag	ATUS-CPS File
	Valid Entries: 0 53	Min Value Max Value
	*Note See Introduction for allocation flag values	

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description	File
PXIO2ICD	PEIO2ICD: allocation flag	ATUS-CPS File
	Valid Entries: 0 53	Min Value Max Value
	*Note See Introduction for allocation flag values	
Name	Description	File
PXIO2OCD	PEIO2OCD: allocation flag	ATUS-CPS File
	Valid Entries: 0 53	Min Value Max Value
	*Note See Introduction for allocation flag values	
Name	Description	File
PXJHRSN	PEJHRSN: allocation flag	ATUS-CPS File
	Valid Entries: 0 53	Min Value Max Value
	*Note See Introduction for allocation flag values	
Name	Description	File
PXJHWANT	PEJHWANT: allocation flag	ATUS-CPS File
	Valid Entries: 0 53	Min Value Max Value
	*Note See Introduction for allocation flag values	
Name	Description	File
PXJHWKO	PEJHWKO: allocation flag	ATUS-CPS File
	Valid Entries: 0 53	Min Value Max Value
	*Note See Introduction for allocation flag values	
Name	Description	File
PXLAYAVL	PELAYAVL: allocation flag	ATUS-CPS File
	Valid Entries: 0 53	Min Value Max Value
	*Note See Introduction for allocation flag values	
Name	Description	File
PXLAYDUR	PELAYDUR: allocation flag	ATUS-CPS File
	Valid Entries: 0 53	Min Value Max Value
	*Note See Introduction for allocation flag values	
Name	Description	File
PXLAYFTO	PELAYFTO: allocation flag	ATUS-CPS File
	Valid Entries: 0 53	Min Value Max Value
	*Note See Introduction for allocation flag values	

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description	File
PXLAYLK	PELAYLK: allocation flag	ATUS-CPS File
	Valid Entries: 0 53	Min Value Max Value
	*Note See Introduction for allocation flag values	
Name	Description	File
PXLKAVL	PELKAVL: allocation flag	ATUS-CPS File
	Valid Entries: 0 53	Min Value Max Value
	*Note See Introduction for allocation flag values	
Name	Description	File
PXLKDUR	PELKDUR: allocation flag	ATUS-CPS File
	Valid Entries: 0 53	Min Value Max Value
	*Note See Introduction for allocation flag values	
Name	Description	File
PXLKFTO	PELKFTO: allocation flag	ATUS-CPS File
	Valid Entries: 0 53	Min Value Max Value
	*Note See Introduction for allocation flag values	
Name	Description	File
PXLKLL10	PELKLL10: allocation flag	ATUS-CPS File
	Valid Entries: 0 53	Min Value Max Value
	*Note See Introduction for allocation flag values	
Name	Description	File
PXLKLL20	PELKLL20: allocation flag	ATUS-CPS File
	Valid Entries: 0 53	Min Value Max Value
	*Note See Introduction for allocation flag values	
Name	Description	File
PXLKLWO	PELKLWO: allocation flag	ATUS-CPS File
	Valid Entries: 0 53	Min Value Max Value
	*Note See Introduction for allocation flag values	
Name	Description	File
PXLKM1	PELKM1: allocation flag	ATUS-CPS File
	Valid Entries: 0 53	Min Value Max Value
	*Note See Introduction for allocation flag values	

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description	File			
PXLNDAD	PELNDAD: allocation flag	ATUS-CPS File			
	<table border="1"> <tr> <td>Valid Entries:</td> <td>01 53</td> <td>Min Value Max Value</td> </tr> </table>	Valid Entries:	01 53	Min Value Max Value	
Valid Entries:	01 53	Min Value Max Value			
	*Note See Introduction for list of allocation flag values				
Name	Description	File			
PXLNMOM	PELNMOM: allocation flag	ATUS-CPS File			
	<table border="1"> <tr> <td>Valid Entries:</td> <td>01 53</td> <td>Min Value Max Value</td> </tr> </table>	Valid Entries:	01 53	Min Value Max Value	
Valid Entries:	01 53	Min Value Max Value			
	*Note See Introduction for list of allocation flag values				
Name	Description	File			
PXMARITL	PEMARITL: allocation flag	ATUS-CPS File			
	<table border="1"> <tr> <td>Valid Entries:</td> <td>0 53</td> <td>Min Value Max Value</td> </tr> </table>	Valid Entries:	0 53	Min Value Max Value	
Valid Entries:	0 53	Min Value Max Value			
	*Note See Introduction for allocation flag values				
Name	Description	File			
PXMJNUM	PEMJNUM: allocation flag	ATUS-CPS File			
	<table border="1"> <tr> <td>Valid Entries:</td> <td>0 53</td> <td>Min Value Max Value</td> </tr> </table>	Valid Entries:	0 53	Min Value Max Value	
Valid Entries:	0 53	Min Value Max Value			
	*Note See Introduction for allocation flag values				
Name	Description	File			
PXMJOT	PEMJOT: allocation flag	ATUS-CPS File			
	<table border="1"> <tr> <td>Valid Entries:</td> <td>0 53</td> <td>Min Value Max Value</td> </tr> </table>	Valid Entries:	0 53	Min Value Max Value	
Valid Entries:	0 53	Min Value Max Value			
	*Note See Introduction for allocation flag values				
Name	Description	File			
PXMLR	PEMLR: allocation flag	ATUS-CPS File			
	<table border="1"> <tr> <td>Valid Entries:</td> <td>0 53</td> <td>Min Value Max Value</td> </tr> </table>	Valid Entries:	0 53	Min Value Max Value	
Valid Entries:	0 53	Min Value Max Value			
	*Note See Introduction for allocation flag values				
Name	Description	File			
PXMNTVTY	PEMNTVTY: allocation flag	ATUS-CPS File			
	<table border="1"> <tr> <td>Valid Entries:</td> <td>0 53</td> <td>Min Value Max Value</td> </tr> </table>	Valid Entries:	0 53	Min Value Max Value	
Valid Entries:	0 53	Min Value Max Value			
	*Note See Introduction for allocation flag values				

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description		File
PXMOMTYP	PEMOMTYP: allocation flag		ATUS-CPS File
	Valid Entries:	01 53	Min Value Max Value
	*Note	See Introduction for list of allocation flag values	
Name	Description		File
PXNATVTY	PENATVTY: allocation flag		ATUS-CPS File
	Valid Entries:	0 53	Min Value Max Value
	*Note	See Introduction for allocation flag values	
Name	Description		File
PXNLFACT	PENLFACT: allocation flag		ATUS-CPS File
	Valid Entries:	0 53	Min Value Max Value
	*Note	See Introduction for allocation flag values	
Name	Description		File
PXNLFJH	PENLFJH: allocation flag		ATUS-CPS File
	Valid Entries:	0 53	Min Value Max Value
	*Note	See Introduction for allocation flag values	
Name	Description		File
PXNLFRET	PENLFRET: allocation flag		ATUS-CPS File
	Valid Entries:	0 53	Min Value Max Value
	*Note	See Introduction for allocation flag values	
Name	Description		File
PXNMEMP1	PTNMEMP1: Allocation flag		ATUS-CPS File
	Valid Entries:	0 53	Min Value Max Value
	*Note	See Introduction for allocation flag values	
Name	Description		File
PXNMEMP2	PTNMEMP2: Allocation flag		ATUS-CPS File
	Valid Entries:	0 53	Min Value Max Value
	*Note	See Introduction for allocation flag values	

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description		File
PXPARENT	PEPARENT: allocation flag		ATUS-CPS File
	Valid Entries:	0 53	Min Value Max Value
	*Note	See Introduction for allocation flag values	
Name	Description		File
PXPDEMP1	PEPDEMP1: Allocation flag		ATUS-CPS File
	Valid Entries:	0 53	Min Value Max Value
	*Note	See Introduction for allocation flag values	
Name	Description		File
PXPDEMP2	PEPDEMP2: Allocation flag		ATUS-CPS File
	Valid Entries:	0 53	Min Value Max Value
	*Note	See Introduction for allocation flag values	
Name	Description		File
PXRACE1	PTDTRACE: allocation flag		ATUS-CPS File
	Valid Entries:	0 53	Min Value Max Value
	*Note	See Introduction for allocation flag values	
Name	Description		File
PXRET1	PERET1: allocation flag		ATUS-CPS File
	Valid Entries:	0 53	Min Value Max Value
	*Note	See Introduction for allocation flag values	
Name	Description		File
PXRRP	PERRP: allocation flag		ATUS-CPS File
	Valid Entries:	0 53	Min Value Max Value
	*Note	See Introduction for allocation flag values	
Name	Description		File
PXSCHENR	PESCHENR: allocation flag		ATUS-CPS File
	Valid Entries:	0 53	Min Value Max Value
	*Note	See Introduction for allocation flag values	
Name	Description		File
PXSCHFT	PESCHFT: allocation flag		ATUS-CPS File
	Valid Entries:	0 53	Min Value Max Value
	*Note	See Introduction for allocation flag values	

2017 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description	File
PXSCHLVL	PESCHLVL: allocation flag	ATUS-CPS File
	Valid Entries: 0 53	Min Value Max Value
	*Note	See Introduction for allocation flag values
Name	Description	File
PXSEX	PESEX: allocation flag	ATUS-CPS File
	Valid Entries: 0 53	Min Value Max Value
	*Note	See Introduction for allocation flag values
Name	Description	File
PXSPOUSE	PESPOUSE: allocation flag	ATUS-CPS File
	Valid Entries: 0 53	Min Value Max Value
	*Note	See Introduction for allocation flag values
Name	Description	File
OSTNUM	Unique household identifier	ATUS-CPS File
	Valid Entries: 0 99999	Min Value Max Value
	*Note	Valid only within any specific month
Name	Description	File
TRATUSR	ATUS respondent	ATUS-CPS File
	Edited Universe:	PRPERTYP = 1 - 3
	Valid Entries: 0	Did not respond to ATUS
	1	Responded to ATUS
	*Note	Only individuals with TULINENO = 1 were selected to be interviewed ATUS.
Name	Description	File
TUCASEID	ATUS Case ID (14-digit identifier)	All Files
Name	Description	File
TULINENO	ATUS person line number	ATUS-CPS File, Respondent File, Roster File, Who File, EH Respondent File, EC Roster File
	Valid Entries: 1 30	Min Value Max Value
	*Note	The person selected to be interviewed for ATUS is always TULINENO = 1

APPENDIX A – Geographic Codes

Federal Processing Information Processing Standards (FIPS) codes (GESTFIPS)

GESTFIPS	State	GESTFIPS	State	GESTFIPS	State	GESTFIPS	State
1	AL	17	IL	30	MT	44	RI
2	AK	18	IN	31	NE	45	SC
4	AZ	19	IA	32	NV	46	SD
5	AR	20	KS	33	NH	47	TN
6	CA	21	KY	34	NJ	48	TX
8	CO	22	LA	35	NM	49	UT
9	CT	23	ME	36	NY	50	VT
10	DE	24	MD	37	NC	51	VA
11	DC	25	MA	38	ND	53	WA
12	FL	26	MI	39	OH	54	WV
13	GA	27	MN	40	OK	55	WI
15	HI	28	MS	41	OR	56	WY
16	ID	29	MO	42	PA		

Census Division Codes (GEDIV)

GEDIV	States
1 – New England	CT, MA, ME, NH, RI, VT
2 – Middle Atlantic	NJ, NY, PA
3 – East North Central	IL, IN, MI, OH, WI
4 – West North Central	IA, KS, MN, MO, NE, ND, SD
5 – South Atlantic	DE, DC, FL, GA, MD, NC, SC, VA, WV
6 – East South Central	AL, KY, MS, TN
7 – West South Central	AR, LA, OK, TX
8 – Mountain	AZ, CO, ID, MT, NV, NM, UT, WY
9 – Pacific	AK, CA, HI, OR, WA

Census Region Codes (GEREG)

GEREG	States
1 – Northeast	CT, MA, ME, NH, NJ, NY, PA, RI, and VT
2 – Midwest	IA, IL, IN, KS, MI, MN, MO, ND, NE, OH, SD, and WI
3 – South	AL, AR, DC, DE, FL, GA, KY, LA, MD, MS, NC, OK, SC, TN, TX, VA, and WV
4 – West	AK, AZ, CA, CO, HI, ID, MT, NM, NV, OR, UT, WA, and WY

FIPS Metropolitan Area (CBSA) Codes

Metropolitan Areas are defined using February 28, 2013 OMB definitions.

FIPS Code	Metropolitan (CBSA) Title	
10180	Abilene	TX
10420	Akron	OH
10580	Albany-Schenectady-Troy	NY
10740	Albuquerque	NM
10900	Allentown-Bethlehem-Easton	PA-NJ
11100	Amarillo	TX
11460	Ann Arbor	MI
11540	Appleton	WI
11700	Asheville	NC
12020	Athens-Clarke County	GA
12060	Atlanta-Sandy Springs-Roswell	GA
12100	Atlantic City-Hammonton	NJ
12220	Auburn-Opelika	AL
12260	Augusta-Richmond County	GA-SC
12420	Austin-Round Rock	TX
12540	Bakersfield	CA
12580	Baltimore-Columbia-Towson	MD
12620	Bangor	ME
12700	Barnstable	MA
12940	Baton Rouge	LA
12980	Battle Creek	MI
13140	Beaumont-Port Arthur	TX
13460	Bend-Redmond	OR
13740	Billings	MT
13780	Binghamton	NY
13820	Birmingham-Hoover	AL
13980	Blacksburg—Christiansburg-Radford	VA
14010	Bloomington	IL
14020	Bloomington	IN
14260	Boise City	ID
14460	Boston-Cambridge-Newton	MA-NH
14500	Boulder	CO
14540	Bowling Green	KY
14860	Bridgeport-Stamford-Norwalk	CT
15180	Brownsville-Harlingen	TX
15380	Buffalo-Cheektowaga-Niagara Falls	NY
15500	Burlington	NC
15540	Burlington-South Burlington	VT
15680	California-Lexington Park	MD
15940	Canton-Massillon	OH
15980	Cape Coral-Fort Myers	FL

FIPS Code	Metropolitan (CBSA) Title	
16060	Carbondale-Marion	IL
16300	Cedar Rapids	IA
16540	Chambersburg-Waynesboro	PA
16580	Champaign-Urbana	IL
16620	Charleston	WV
16700	Charleston-North Charleston	SC
16740	Charlotte-Concord-Gastonia	NC-SC
16820	Charlottesville	VA
16860	Chattanooga	TN-GA
16980	Chicago-Naperville-Elgin	IL-IN-WI
17020	Chico	CA
17140	Cincinnati	OH-KY-IN
17300	Clarksville	TN-KY
17420	Cleveland	TN
17460	Cleveland-Elyria	OH
17660	Coeur d'Alene	ID
17780	College Station-Bryan	TX
17820	Colorado Springs	CO
17900	Columbia	SC
17980	Columbus	GA-AL
18140	Columbus	OH
18580	Corpus Christi	TX
19100	Dallas-Fort Worth-Arlington	TX
19300	Daphne-Fairhope-Foley	AL
19340	Davenport-Moline-Rock Island	IA-IL
19380	Dayton	OH
19660	Deltona-Daytona Beach-Ormond Beach	FL
19740	Denver-Aurora-Lakewood	CO
19780	Des Moines-West Des Moines	IA
19820	Detroit-Warren-Dearborn	MI
20100	Dover	DE
20500	Durham-Chapel Hill	NC
20700	East Stroudsburg	PA
21140	Elkhart-Goshen	IN
21340	El Paso	TX
21500	Erie	PA
21660	Eugene	OR
21780	Evansville	IN-KY
22020	Fargo	ND-MN
22140	Farmington	NM
22180	Fayetteville	NC
22220	Fayetteville-Springdale-Rogers	AR-MO
22420	Flint	MI
22500	Florence	SC

FIPS Code	Metropolitan (CBSA) Title	
22520	Florence-Muscle Shoals	AL
22660	Fort Collins	CO
22900	Fort Smith	AR-OK
23060	Fort Wayne	IN
23420	Fresno	CA
23540	Gainesville	FL
23580	Gainesville	GA
24020	Glen Falls	NY
24140	Goldsboro	NC
24340	Grand Rapids-Wyoming	MI
24540	Greeley	CO
24580	Green Bay	WI
24660	Greensboro-High Point	NC
24780	Greenville	NC
24860	Greenville-Anderson-Mauldin	SC
25180	Hagerstown-Martinsburg	MD-WV
25260	Hanford-Corcoran	CA
25420	Harrisburg-Carlisle	PA
25540	Hartford-West Hartford-East Hartford	CT
25860	Hickory-Morganton-Lenoir	NC
25940	Hilton Head Island-Bluffton-Beaufort	SC
26420	Houston-Baytown-Sugar Land	TX
26580	Huntington-Ashland	WV-KY-OH
26620	Huntsville	AL
26820	Idaho Falls	ID
26900	Indianapolis	IN
26980	Iowa City	IA
27100	Jackson	MI
27140	Jackson	MS
27260	Jacksonville	FL
27340	Jacksonville	NC
27500	Janesville-Beloit	WI
27740	Johnson City	TN
27780	Johnstown	PA
27980	Kahului-Wailuku-Lahaina	HI
28020	Kalamazoo-Portage	MI
28140	Kansas City	MO-KS
28420	Kennewick-Richland	WA
28660	Killeen-Temple-Fort Hood	TX
28700	Kingsport-Bristol	TN-VA
28940	Knoxville	TN
29180	Lafayette	LA
29200	Lafayette-West Lafayette	IN
29340	Lake Charles	LA

FIPS Code	Metropolitan (CBSA) Title	
29460	Lakeland-Winter Haven	FL
29540	Lancaster	PA
29620	Lansing-East Lansing	MI
29700	Laredo	TX
29740	Las Cruces	NM
29820	Las Vegas-Paradise	NV
30340	Lewiston-Auburn	ME
30460	Lexington-Fayette	KY
30780	Little Rock-North Little Rock	AR
30980	Longview	TX
31080	Los Angeles-Long Beach-Anaheim	CA
31140	Louisville	KY-IN
31180	Lubbock	TX
31420	Macon	GA
31540	Madison	WI
31700	Manchester-Nashua	NH
32580	McAllen-Edinburg-Mission	TX
32780	Medford	OR
32820	Memphis	TN-MS-AR
33100	Miami-Fort Lauderdale-West Palm Beach	FL
33340	Milwaukee-Waukesha-West Allis	WI
33460	Minneapolis-St Paul-Bloomington	MN-WI
33660	Mobile	AL
33700	Modesto	CA
33740	Monroe	LA
33780	Monroe	MI
33860	Montgomery	AL
34060	Morgantown	WV
34580	Mount Vernon-Anacortes	WA
34740	Muskegon-Norton Shores	MI
34820	Myrtle Beach-Conway-North Myrtle Beach	SC-NC
34940	Naples-Immokalee-Marco Island	FL
34980	Nashville-Davidson-Murfreesboro	TN
35300	New Haven-Milford	CT
35380	New Orleans-Metairie	LA
35620	New York-Newark- Jersey City	NY-NJ-PA (White Plains central city recoded to balance of metropolitan)
35660	Niles-Benton Harbor	MI
35840	North Port-Sarasota-Bradenton	FL
35980	Norwich-New London	CT
36100	Ocala	FL
36220	Odessa	TX
36260	Ogden-Clearfield	UT
36420	Oklahoma City	OK
36540	Omaha-Council Bluffs	NE-IA

FIPS Code	Metropolitan (CBSA) Title	
36740	Orlando	FL
36780	Oshkosh-Neenah	WI
37100	Oxnard-Thousand Oaks-Ventura	CA
37340	Palm Bay-Melbourne-Titusville	FL
37460	Panama City	FL
37860	Pensacola-Ferry Pass-Brent	FL
37900	Peoria	IL
37980	Philadelphia-Camden-Wilmington	PA-NJ-DE
38060	Phoenix-Mesa-Scottsdale	AZ
38220	Pine Bluff	AR
38300	Pittsburgh	PA
38860	Portland-South Portland	ME
38900	Portland-Vancouver-Hillsboro	OR-WA
38940	Port St. Lucie-Fort Pierce	FL
39140	Prescott	AZ
39300	Providence-Warwick	RI-MA
39340	Provo-Orem	UT
39540	Racine	WI
39580	Raleigh	NC
39740	Reading	PA
39820	Redding	CA
40060	Richmond	VA
40140	Riverside-San Bernardino-Ontario	CA
40220	Roanoke	VA
40380	Rochester	NY
40420	Rockford	IL
40900	Sacramento--Arden-Arcade--Roseville	CA
40980	Saginaw	MI
41100	St. George	UT
41180	St. Louis	MO-IL
41420	Salem	OR
41500	Salinas	CA
41540	Salisbury	MD
41620	Salt Lake City	UT
41700	San Antonio	TX
41740	San Diego-Carlsbad-San Marcos	CA
41860	San Francisco-Oakland-Fremont	CA
41940	San Jose-Sunnyvale-Santa Clara	CA
42020	San Luis Obispo-Paso Robles	CA
42100	Santa Cruz-Watsonville	CA
42140	Santa Fe	NM
42200	Santa Maria-Santa Barbara	CA
42220	Santa Rosa-Petaluma	CA
42340	Savannah	GA

FIPS Code	Metropolitan (CBSA) Title	
42540	Scranton--Wilkes-Barre	PA
42660	Seattle-Tacoma-Bellevue	WA
43300	Sherman-Dennison	TX
43340	Shreveport-Bossier City	LA
43620	Sioux Falls	SD
43780	South Bend-Mishawaka	IN-MI
43900	Spartanburg	SC
44060	Spokane-Spokane Valley	WA
44100	Springfield	IL
44140	Springfield	MA
44180	Springfield	MO
44700	Stockton-Lodi	CA
45060	Syracuse	NY
45220	Tallahassee	FL
45300	Tampa-St. Petersburg-Clearwater	FL
45460	Terre Haute	IN
45780	Toledo	OH
45820	Topeka	KS
45940	Trenton	NJ
46060	Tucson	AZ
46140	Tulsa	OK
46340	Tyler	TX
46520	Urban Honolulu	HI
46540	Utica-Rome	NY
46700	Vallejo-Fairfield	CA
47220	Vineland-Bridgeton	NJ
47260	Virginia Beach-Norfolk-Newport News	VA-NC
47300	Visalia-Porterville	CA
47380	Waco	TX
47580	Warner Robins	GA
47900	Washington-Arlington-Alexandria	DC-VA-MD-WV
47940	Waterloo-Cedar Falls	IA
48060	Watertown-Fort Drum	NY
48140	Wausau	WI
48620	Wichita	KS
48660	Wichita Falls	TX
48700	Williamsport	PA
49020	Winchester	VA-WV
49180	Winston-Salem	NC
49340	Worcester	MA-CT
49620	York-Hanover	PA
49660	Youngstown-Warren-Boardman	OH-PA
49740	Yuma	AZ

FIPS County Codes (GTCO)

Please note that these county codes must be used in conjunction with state codes to create unique county identifiers as county codes start with 001 in each state. Counties are only included on this list if the entire county is identified.

Alabama

003	Baldwin	097	Mobile
081	Lee		

Arizona

013	Maricopa	025	Yavapai
019	Pima	027	Yuma
021	Pinal		

California

001	Alameda	079	San Luis Obispo
007	Butte	081	San Mateo
019	Fresno	083	Santa Barbara
029	Kern	087	Santa Cruz
031	Kings	089	Shasta
037	Los Angeles	095	Solano
053	Monterey	097	Sonoma
059	Orange	099	Stanislaus
067	Sacramento	107	Tulare
073	San Diego	111	Ventura
075	San Francisco		

Colorado

013	Boulder	069	Larimer
031	Denver	123	Weld
059	Jefferson		

Connecticut

001	Fairfield	011	New London
005	Litchfield	015	Windham
009	New Haven		

Delaware

001	Kent	005	Sussex
003	New Castle		

District of Columbia

001	District of Columbia		
-----	-------------------------	--	--

Florida

005	Bay	085	Martin
009	Brevard	086	Miami-Dade
011	Broward	095	Orange
019	Clay	099	Palm Beach
021	Collier	101	Pasco
033	Escambia	103	Pinellas
053	Hernando	105	Polk
057	Hillsborough	109	St. Johns
069	Lake	111	St. Lucie
071	Lee	113	Santa Rosa
083	Marion		

Georgia

015	Bartow	113	Fayette
045	Carroll	117	Forsythe
057	Cherokee	135	Gwinnett
063	Clayton	139	Hall
077	Coweta	151	Henry
097	Douglas	223	Paulding

Hawaii

003	Honolulu		
-----	----------	--	--

Illinois

097	Lake	163	St. Clair
111	McHenry	179	Tazewell
119	Madison		

Indiana

019	Clark	089	Lake
039	Elkhart	105	Monroe
063	Hendricks	141	St. Joseph
081	Johnson	157	Tippecanoe

Iowa

103	Johnson	163	Scott
113	Linn		

Kansas

091	Johnson	173	Sedgwick
-----	---------	-----	----------

Kentucky

015	Boone	111	Jefferson
067	Fayette	117	Kenton

Louisiana

005	Ascension	071	Orleans
033	East Baton Rouge	073	Ouachita
051	Jefferson	103	St. Tammany
063	Livingston		

Maine

001	Androscoggin	011	Kennebec
005	Cumberland	019	Penobscot

Maryland

003	Anne Arundel	031	Montgomery
013	Carroll	033	Prince Georges
015	Cecil	037	St. Mary's
017	Charles	510	Baltimore City
025	Harford		

Massachusetts

001	Barnstable	017	Middlesex
005	Bristol	023	Plymouth
013	Hampden	025	Suffolk
015	Hampshire	027	Worcester

Michigan

005	Allegan	099	Macomb
021	Berrien	115	Monroe
025	Calhoun	121	Muskegon
049	Genesee	125	Oakland
075	Jackson	145	Saginaw
081	Kent	161	Washtenaw
093	Livingston	163	Wayne

Minnesota

003	Anoka	163	Washington
123	Ramsey	171	Wright
139	Scott		

Missouri

071	Franklin	189	St. Louis
099	Jefferson		

Montana

111	Yellowstone		
-----	-------------	--	--

Nebraska

055	Douglas		
-----	---------	--	--

Nevada

003	Clark		
-----	-------	--	--

New Hampshire

011	Hillsborough	015	Rockingham
013	Merrimack	017	Strafford

New Jersey

003	Bergen	021	Mercer
005	Burlington	023	Middlesex
007	Camden	027	Morris
011	Cumberland	031	Passaic
013	Essex	035	Somerset
017	Hudson	037	Sussex
019	Hunterdon	039	Union

New Mexico

001	Bernalillo	045	San Juan
013	Dona Ana	049	Santa Fe

New York

005	Bronx	071	Orange
045	Jefferson	081	Queens
047	Kings	085	Richmond
055	Monroe	087	Rockland
059	Nassau	091	Saratoga
061	New York	103	Suffolk
067	Onondaga	119	Westchester
069	Ontario		

North Carolina

001	Alamance	147	Pitt
021	Buncombe	155	Robeson
057	Davidson	159	Rowan
067	Forsyth	179	Union
119	Mecklenburg	191	Wayne
133	Onslow		

Ohio

025	Clermont	103	Medina
057	Greene	109	Miami
085	Lake	113	Montgomery
089	Licking	133	Portage
095	Lucas	153	Summit

Oregon

017	Deschutes	039	Lane
029	Jackson		

Pennsylvania

003	Allegheny	071	Lancaster
007	Beaver	081	Lycoming
011	Berks	085	Mercer
017	Bucks	089	Monroe
019	Butler	091	Montgomery
021	Cambria	101	Philadelphia
029	Chester	107	Schuylkill
043	Dauphin	125	Washington
045	Delaware	129	Westmoreland
049	Erie	133	York
055	Franklin		

South Carolina

041	Florence	083	Spartanburg
051	Horry	091	York

Tennessee

009	Blount	165	Sumner
093	Knox	189	Wilson
125	Montgomery		

Texas

041	Brazos	251	Johnson
061	Cameron	303	Lubbock
135	Ector	309	McLennan
139	Ellis	423	Smith
181	Grayson	441	Taylor
183	Gregg	479	Webb
215	Hidalgo	485	Wichita

Utah

053	Washington		
-----	------------	--	--

Virginia

013	Arlington	179	Stafford
041	Chesterfield	550	Chesapeake City Newport News City
087	Henrico	700	Norfolk City
107	Loudoun	710	Richmond City
153	Prince William	760	Virginia Beach City
177	Spotsylvania	810	

Washington

057	Skagit		
-----	--------	--	--

West Virginia

039	Kanawha		
-----	---------	--	--

Wisconsin

059	Kenosha	105	Rock
073	Marathon	139	Winnebago
101	Racine		

**Nativity Country Codes (PEFNTVTY, PEMNTVTY, and PENATVTY)
Starting May 2012**

Code	Country	Code	Country	Code	Country
57	United States	136	Sweden	202	Bangladesh
60	American Samoa	137	Switzerland	203	Bhutan
66	Guam	138	United Kingdom	205	Myanmar (Burma)
69	Northern Marianas	139	England	206	Cambodia
73	Puerto Rico	140	Scotland	207	China
78	U. S. Virgin Islands	142	Northern Ireland	209	Hong Kong
100	Albania	147	Yugoslavia	210	India
102	Austria	148	Czech Republic	211	Indonesia
103	Belgium	149	Slovakia	212	Iran
104	Bulgaria	150	Bosnia & Herzegovina	213	Iraq
105	Czechoslovakia	151	Croatia	214	Israel
106	Denmark	152	Macedonia	215	Japan
108	Finland	154	Serbia	216	Jordan
109	France	155	Estonia	217	Korea
110	Germany	156	Latvia	218	Kazakhstan
116	Greece	157	Lithuania	220	South Korea
117	Hungary	158	Armenia	222	Kuwait
118	Iceland	159	Azerbaijan	223	Laos
119	Ireland	160	Belarus	224	Lebanon
120	Italy	161	Georgia	226	Malaysia
126	Netherlands	162	Moldova	228	Mongolia
127	Norway	163	Russia	229	Nepal
128	Poland	164	Ukraine	231	Pakistan
129	Portugal	165	USSR	233	Philippines
130	Azores	166	Europe, not specified	235	Saudi Arabia
132	Romania	168	Montenegro	236	Singapore
134	Spain	200	Afghanistan	238	Sri Lanka

**Nativity Country Codes (PEFNTVTY, PEMNTVTY, and PENATVTY), continued
Starting May 2012**

Code	Country	Code	Country	Code	Country
239	Syria	333	Jamaica	423	Guinea
240	Taiwan	338	St. Kitts--Nevis	425	Ivory Coast
242	Thailand	339	St. Lucia	427	Kenya
243	Turkey	340	St. Vincent and the Grenadines	429	Liberia
245	United Arab Emirates	341	Trinidad and Tobago	430	Libya
246	Uzbekistan	343	West Indies, not specified	436	Morocco
247	Vietnam	360	Argentina	440	Nigeria
248	Yemen	361	Bolivia	444	Senegal
249	Asia, not specified	362	Brazil	447	Sierra Leone
300	Bermuda	363	Chile	448	Somalia
301	Canada	364	Columbia	449	South Africa
303	Mexico	365	Ecuador	451	Sudan
310	Belize	368	Guyana	453	Tanzania
311	Costa Rica	369	Paraguay	454	Togo
312	El Salvador	370	Peru	457	Uganda
313	Guatemala	372	Uruguay	459	Zaire
314	Honduras	373	Venezuela	460	Zambia
315	Nicaragua	374	South America, not specified	461	Zimbabwe
316	Panama	399	Americas, not specified	462	Africa, not specified
321	Antigua and Barbuda	400	Algeria	501	Australia
323	Bahamas	407	Cameroon	508	Fiji
324	Barbados	408	Cape Verde	511	Marshall Islands
327	Cuba	412	Congo	512	Micronesia
328	Dominica	414	Egypt	515	New Zealand
329	Dominican Republic	416	Ethiopia	523	Tonga
330	Grenada	417	Eritrea	527	Samoa
332	Haiti	421	Ghana	555	Elsewhere

APPENDIX B – Industry and Occupation Codes

Detailed Industry Codes using the 2012 Census Industry Classification system (PRDTIND1 and PRDTIND2)

Detailed Industry Code	2012 Industry Description	Census Industry Code (PEIO1ICD, PEIO2ICD)
1	Agriculture	0170-0180, 0290
2	Forestry, logging, fishing, hunting, and trapping	0190-0280
3	Mining	0370-0490
4	Construction	770
5	Nonmetallic mineral product manufacturing	2470-2590
6	Primary metals and fabricated metal products	2670-2990
7	Machinery manufacturing	3070-3290
8	Computer and electronic product manufacturing	3365-3390
9	Electrical equipment, appliance manufacturing	3470, 3490
10	Transportation equipment manufacturing	3570-3690
11	Wood products	3770-3875
12	Furniture and fixtures manufacturing	3895
13	Miscellaneous and not specified manufacturing	3960-3990
14	Food manufacturing	1070-1290
15	Beverage and tobacco products	1370, 1390
16	Textile, apparel, and leather manufacturing	1470-1790
17	Paper and printing	1870-1990
18	Petroleum and coal products	2070, 2090
19	Chemical manufacturing	2170-2290
20	Plastics and rubber products	2370-2390
21	Wholesale trade	4070-4590
22	Retail trade	4670-5790
23	Transportation and warehousing	6070-6390
24	Utilities	0570-0690
25	Publishing industries (except internet)	6470-6490
26	Motion picture and sound recording industries	6570, 6590
27	Broadcasting (except internet)	6670
28	Internet publishing and broadcasting	6672
29	Telecommunications	6680, 6690
30	Internet service providers and data processing services	6695
31	Other information services	6770, 6780
32	Finance	6870-6970
33	Insurance	6990
34	Real estate	7070
35	Rental and leasing services	7080-7190
36	Professional and technical services	7270-7490
37	Management of companies and enterprises	7570
38	Administrative and support services	7580-7780
39	Waste management and remediation services	7790
40	Educational services	7860-7890
41	Hospitals	8190
42	Health care services, except hospitals	7970-8180, 8270, 8290

Detailed Industry Code	2012 Industry Description	Census Industry Code (PEIO1ICD, PEIO2ICD)
43	Social assistance	8370-8470
44	Arts, entertainment, and recreation	8560-8590
45	Accommodation	8660, 8670
46	Food services and drinking places	8680, 8690
47	Repair and maintenance	8770-8890
48	Personal and laundry services	8970-9090
49	Membership associations and organizations	9160-9190
50	Private households	9290
51	Public administration	9370-9590
52	Armed Forces	9890

Detailed Occupation Codes using the 2010 Census Occupation Classification system (PRDTOCC1 and PRDTOCC2)

Detailed Occupation Code	Description	Census Occupation Code (PEIO1OCD and PEIO2OCD)
1	Management Occupations	0010–0430
2	Business and financial operations occupations	0500–0950
3	Computer and mathematical science occupations	1000–1240
4	Architecture and engineering occupations	1300–1560
5	Life, Physical, and social science occupations	1600–1965
6	Community and social service occupations	2000–2060
7	Legal occupations	2100–2160
8	Education, training, and library occupations	2200–2550
9	Arts, design, entertainment, sports, and media occupations	2600–2960
10	Healthcare practitioner and technical occupations	3000–3540
11	Healthcare support occupations	3600–3655
12	Protective service occupations	3700–3955
13	Food preparation and serving related occupations	4000–4160
14	Building and grounds cleaning and maintenance occupations	4200–4250
15	Personal care and service occupations	4300–4650
16	Sales and related occupations	4700–4965
17	Office and administrative support occupations	5000–5940
18	Farming, fishing, and forestry occupations	6000–6130
19	Construction and extraction occupations	6200–6940
20	Installation, maintenance, and repair occupations	7000–7630
21	Production occupations	7700–8965
22	Transportation and material moving occupations	9000–9750
23	Armed Forces	

Industry Codes (PEIO1ICD, PEIO2ICD)

2012 Census Industry Classification Codes available at www.bls.gov/tus/census12icodes.pdf

Occupation Codes (PEIO1OCD, PEIO2OCD)

2010 Census Occupation Classification Codes available at www.bls.gov/tus/census10ocodes.pdf