

TABLE 37. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, 2004

Part of body	Part of body code ²	Private industry ³	Nature of injury or illness ⁴						
			Sprains, strains	Fractures	Cuts, punctures	Bruises	Heat burns	Chemical burns	Amputations
Total		1,259,320	525,390	94,040	114,140	114,680	18,510	7,360	8,160
Head	0	81,530	360	3,210	14,740	12,110	1,630	4,080	—
Head, unspecified	00	16,300	50	70	4,440	5,710	—	—	—
Cranial region, including skull	01	9,600	—	300	1,520	1,130	—	—	—
Cranial region, unspecified	010	300	—	—	70	110	—	—	—
Brain	011	5,830	—	—	—	—	—	—	—
Scalp	012	2,650	—	—	1,380	750	—	—	—
Skull	013	600	—	300	—	190	—	—	—
Multiple cranial region locations	018	60	—	—	—	—	—	—	—
Cranial region, n.e.c.	019	160	—	—	60	—	—	—	—
Ear(s)	02	1,030	—	—	170	60	80	—	—
Face	03	52,780	270	2,790	8,180	4,810	1,510	4,040	—
Face, unspecified	030	4,070	—	260	1,110	850	670	200	—
Forehead	031	3,130	20	—	1,760	750	—	—	—
Eye(s)	032	36,680	130	—	3,100	2,000	680	3,680	—
Nose, nasal cavity	033	2,380	—	1,130	370	260	—	—	—
Nose, except internal location of diseases or disorders	0330	2,340	—	1,130	370	260	—	—	—
Cheek(s)	034	850	—	150	390	90	—	—	—
Jaw/chin	035	1,060	—	230	420	280	—	—	—
Mouth	036	1,950	—	880	500	130	—	—	—
Mouth, unspecified	0360	320	—	20	80	80	—	—	—
Lip(s)	0361	480	—	—	360	50	—	—	—
Tooth(teeth)	0363	900	—	830	—	—	—	—	—
Multiple mouth locations	0368	120	—	—	40	—	—	—	—
Mouth, n.e.c.	0369	110	—	—	—	—	—	—	—
Multiple face locations	038	2,490	—	100	470	420	100	130	—
Face, n.e.c.	039	180	—	—	80	—	—	—	—
Multiple head locations	08	1,690	—	50	340	360	20	—	—
Head, n.e.c.	09	130	—	—	80	40	—	—	—
Neck, including throat	1	21,130	15,560	340	150	520	—	—	—
Neck, except internal location of diseases or disorders	10	20,980	15,560	340	150	520	—	—	—
Multiple internal neck locations	18	70	—	—	—	—	—	—	—
Trunk	2	447,140	305,470	12,020	1,290	20,830	630	350	—
Trunk, unspecified	20	2,220	690	80	—	550	—	—	—
Shoulder, including clavicle, scapula	21	82,220	57,290	2,560	160	3,480	—	—	—
Chest, including ribs, internal organs	22	20,280	4,750	3,850	180	4,930	230	—	—

See footnotes at end of table.

TABLE 37. **Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, 2004** — Continued

Part of body	Nature of injury or illness ⁴							
	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Back pain and pain, except back		All other natures ⁵
			Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	
Total	18,710	6,930	50,350	9,960	19,720	104,560	37,930	196,480
Head	—	—	3,220	280	70	3,330	—	38,840
Head, unspecified	—	—	500	—	40	1,450	—	4,060
Cranial region, including skull	—	—	420	—	—	120	—	6,080
Cranial region, unspecified	—	—	—	—	—	20	—	90
Brain	—	—	—	—	—	—	—	5,820
Scalp	—	—	390	—	—	—	—	90
Skull	—	—	—	—	—	40	—	60
Multiple cranial region locations	—	—	—	—	—	—	—	—
Cranial region, n.e.c.	—	—	—	—	—	50	—	—
Ear(s)	—	—	—	—	—	50	—	620
Face	—	—	1,570	230	—	1,650	—	27,960
Face, unspecified	—	—	160	—	—	220	—	600
Forehead	—	—	150	—	—	230	—	170
Eye(s)	—	—	240	—	—	870	—	25,960
Nose, nasal cavity	—	—	130	—	—	80	—	340
Nose, except internal location of diseases or disorders	—	—	130	—	—	80	—	300
Cheek(s)	—	—	100	—	—	—	—	50
Jaw/chin	—	—	—	—	—	—	—	80
Mouth	—	—	110	60	—	120	—	180
Mouth, unspecified	—	—	—	—	—	—	—	80
Lip(s)	—	—	—	—	—	—	—	50
Tooth(teeth)	—	—	—	—	—	—	—	60
Multiple mouth locations	—	—	70	60	—	—	—	—
Mouth, n.e.c.	—	—	—	—	—	—	—	—
Multiple face locations	—	—	670	150	—	60	—	540
Face, n.e.c.	—	—	—	—	—	—	—	—
Multiple head locations	—	—	720	—	—	60	—	120
Head, n.e.c.	—	—	—	—	—	—	—	—
Neck, including throat	—	—	130	—	90	2,450	—	1,940
Neck, except internal location of diseases or disorders	—	—	130	—	90	2,450	—	1,780
Multiple internal neck locations	—	—	—	—	—	—	—	70
Trunk	—	1,720	3,860	570	2,320	53,600	37,930	47,360
Trunk, unspecified	—	—	40	—	—	440	—	370
Shoulder, including clavicle, scapula	—	1,710	570	40	420	8,650	—	7,750
Chest, including ribs, internal organs	—	—	240	100	80	2,050	—	4,040

See footnotes at end of table.

TABLE 37. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, 2004 — Continued

Part of body	Part of body code ²	Private industry ³	Nature of injury or illness ⁴						
			Sprains, strains	Fractures	Cuts, punctures	Bruises	Heat burns	Chemical burns	Amputations
Chest, except internal location of diseases or disorders	220	17,800	4,750	3,850	180	4,930	230	—	—
Internal chest location, unspecified	221	230	—	—	—	—	—	—	—
Heart	223	470	—	—	—	—	—	—	—
Bronchus	224	160	—	—	—	—	—	—	—
Lung(s), pleura	225	1,590	—	—	—	—	—	—	—
Internal chest location, n.e.c.	229	20	—	—	—	—	—	—	—
Back, including spine, spinal cord	23	282,240	223,100	2,560	360	6,190	110	40	—
Back, including spine, spinal cord, unspecified	230	123,200	95,140	1,440	110	3,080	80	40	—
Lumbar region	231	137,210	112,380	420	60	1,890	—	—	—
Thoracic region	232	10,350	8,550	70	60	190	—	—	—
Sacral region	233	860	590	—	—	90	—	—	—
Coccygeal region	234	2,130	320	550	120	590	—	—	—
Multiple back regions	238	7,790	5,670	50	—	320	—	—	—
Back, including spine, spinal cord, n.e.c.	239	700	430	—	—	—	—	—	—
Abdomen	24	29,010	4,280	—	360	800	120	20	—
Abdomen, except internal location of diseases or disorders	240	7,540	4,280	—	360	800	120	20	—
Internal abdominal location, unspecified	241	9,670	—	—	—	—	—	—	—
Stomach organ	242	710	—	—	—	—	—	—	—
Urinary organs	244	20	—	—	—	—	—	—	—
Intestines, peritoneum	245	10,990	—	—	—	—	—	—	—
Intestines, peritoneum, unspecified	2450	9,650	—	—	—	—	—	—	—
Peritoneum	2451	730	—	—	—	—	—	—	—
Small intestine	2452	210	—	—	—	—	—	—	—
Large intestine/colon, rectum	2453	330	—	—	—	—	—	—	—
Multiple intestinal locations	2458	20	—	—	—	—	—	—	—
Intestines, n.e.c.	2459	40	—	—	—	—	—	—	—
Internal abdominal location, n.e.c.	249	70	—	—	—	—	—	—	—
Pelvic region	25	22,390	10,890	2,780	190	3,800	50	260	—
Pelvic region, unspecified	250	290	60	150	—	—	—	—	—
Hip(s)	251	9,520	2,850	2,160	70	2,490	—	—	—
Pelvis	252	740	90	410	—	100	—	—	—
Buttock(s)	253	1,280	300	—	70	540	—	—	—
Groin	254	10,000	7,470	—	—	530	—	260	—
External reproductive tract structures	255	300	50	—	—	90	—	—	—

See footnotes at end of table.

TABLE 37. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, 2004 — Continued

Part of body	Nature of injury or illness ⁴							
	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Back pain and pain, except back		All other natures ⁵
			Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	
Chest, except internal location of diseases or disorders	—	—	240	100	80	2,050	—	1,560
Internal chest location, unspecified	—	—	—	—	—	—	—	230
Heart	—	—	—	—	—	—	—	470
Bronchus	—	—	—	—	—	—	—	160
Lung(s), pleura	—	—	—	—	—	—	—	1,590
Internal chest location, n.e.c.	—	—	—	—	—	—	—	20
Back, including spine, spinal cord	—	—	1,650	—	1,090	37,930	37,930	10,310
Back, including spine, spinal cord, unspecified	—	—	470	—	350	17,610	17,610	5,220
Lumbar region	—	—	690	—	410	17,690	17,690	4,050
Thoracic region	—	—	80	—	50	980	980	420
Sacral region	—	—	—	—	—	140	140	20
Coccygeal region	—	—	—	—	—	380	380	130
Multiple back regions	—	—	320	—	260	1,050	1,050	370
Back, including spine, spinal cord, n.e.c.	—	—	60	—	—	70	70	90
Abdomen	—	—	50	—	—	1,290	—	22,050
Abdomen, except internal location of diseases or disorders	—	—	50	—	—	1,290	—	580
Internal abdominal location, unspecified	—	—	—	—	—	—	—	9,670
Stomach organ	—	—	—	—	—	—	—	710
Urinary organs	—	—	—	—	—	—	—	20
Intestines, peritoneum	—	—	—	—	—	—	—	10,990
Intestines, peritoneum, unspecified	—	—	—	—	—	—	—	9,650
Peritoneum	—	—	—	—	—	—	—	730
Small intestine	—	—	—	—	—	—	—	210
Large intestine/colon, rectum	—	—	—	—	—	—	—	330
Multiple intestinal locations	—	—	—	—	—	—	—	20
Intestines, n.e.c.	—	—	—	—	—	—	—	40
Internal abdominal location, n.e.c.	—	—	—	—	—	—	—	70
Pelvic region	—	—	270	70	180	2,620	—	1,510
Pelvic region, unspecified	—	—	—	—	—	—	—	—
Hip(s)	—	—	120	20	100	930	—	900
Pelvis	—	—	—	—	—	90	—	—
Buttock(s)	—	—	40	—	—	210	—	100
Groin	—	—	—	—	—	1,290	—	370
External reproductive tract structures	—	—	—	—	—	60	—	60

See footnotes at end of table.

TABLE 37. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, 2004 — Continued

Part of body	Part of body code ²	Private industry ³	Nature of injury or illness ⁴						
			Sprains, strains	Fractures	Cuts, punctures	Bruises	Heat burns	Chemical burns	Amputations
External reproductive tract structures, unspecified	2550	50	—	—	—	—	—	—	—
Scrotum	2551	210	20	—	—	80	—	—	—
Multiple pelvic region locations	258	150	60	—	—	—	—	—	—
Pelvic region, n.e.c.	259	90	—	50	—	—	—	—	—
Multiple trunk locations	28	8,490	4,410	160	—	1,050	60	—	—
Trunk, n.e.c.	29	280	60	—	—	—	—	—	—
Upper extremities	3	290,460	45,610	35,820	81,590	22,810	9,540	860	7,990
Upper extremities, unspecified	30	480	40	—	—	—	—	—	—
Arm(s)	31	58,310	16,110	9,220	6,170	7,460	2,940	150	100
Arm(s), unspecified	310	21,290	5,550	3,670	2,400	2,640	1,350	80	60
Upper arm(s)	311	4,190	2,340	820	250	260	40	—	—
Elbow(s)	312	19,060	5,740	3,190	570	3,350	—	—	—
Forearm(s)	313	10,240	1,490	1,070	2,850	1,090	1,410	—	40
Multiple arm(s) locations	318	2,660	820	160	40	100	110	—	—
Arm(s), n.e.c.	319	870	170	310	60	—	—	—	—
Wrist(s)	32	58,510	16,820	8,870	2,380	1,900	340	—	—
Hand(s), except finger(s)	33	50,190	3,670	4,270	19,370	6,400	4,060	560	80
Finger(s), fingernail(s)	34	107,860	5,530	12,600	51,450	5,660	710	60	7,790
Multiple upper extremities locations ...	38	15,020	3,430	830	2,190	1,380	1,450	80	—
Multiple upper extremities locations, unspecified	380	250	70	—	—	20	—	—	—
Hand(s) and finger(s)	381	5,260	410	350	1,840	650	320	50	—
Hand(s) and wrist(s)	382	3,230	950	120	160	160	570	—	—
Hand(s) and arm(s)	383	1,680	290	90	90	150	320	—	—
Multiple upper extremities locations, n.e.c.	389	4,600	1,700	240	110	400	220	—	—
Upper extremities, n.e.c.	39	100	—	—	—	—	—	—	—
Lower extremities	4	269,490	119,930	39,820	14,420	40,550	3,580	750	180
Lower extremities, unspecified	40	250	40	—	20	70	—	—	—
Leg(s)	41	138,580	67,430	9,910	8,540	22,160	1,320	310	50
Leg(s), unspecified	410	18,890	4,560	2,730	2,920	3,450	870	210	—
Thigh(s)	411	4,820	1,500	700	1,040	800	60	—	—
Knee(s)	412	99,720	57,900	3,470	2,700	14,660	—	—	—
Lower leg(s)	413	10,840	2,090	2,350	1,660	2,470	280	70	40
Multiple leg(s) locations	418	3,450	1,200	340	140	720	70	—	—
Leg(s), n.e.c.	419	840	180	320	80	50	—	—	—
Ankle(s)	42	64,320	42,890	11,900	660	2,640	330	—	—
Foot(feet), except toe(s)	43	45,110	6,700	11,310	3,930	11,550	1,620	330	—
Foot(feet), except toe(s), unspecified	430	39,250	5,980	9,740	3,120	10,020	1,490	300	20
Instep(s)	431	990	160	220	—	450	—	—	—

See footnotes at end of table.

TABLE 37. **Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, 2004** — Continued

Part of body	Nature of injury or illness ⁴							
	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Back pain and pain, except back		All other natures ⁵
			Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	
External reproductive tract structures, unspecified	—	—	—	—	—	—	—	—
Scrotum	—	—	—	—	—	50	—	40
Multiple pelvic region locations	—	—	—	—	—	—	—	—
Pelvic region, n.e.c.	—	—	—	—	—	—	—	—
Multiple trunk locations	—	—	1,040	330	510	470	—	1,300
Trunk, n.e.c.	—	—	—	—	—	150	—	—
Upper extremities	18,710	4,360	7,250	2,610	1,330	15,740	—	40,200
Upper extremities, unspecified	—	—	—	—	—	40	—	340
Arm(s)	—	1,510	1,360	150	370	4,990	—	8,310
Arm(s), unspecified	—	350	510	—	80	1,610	—	3,080
Upper arm(s)	—	80	—	—	—	190	—	190
Elbow(s)	—	850	460	50	230	1,770	—	3,120
Forearm(s)	—	160	200	—	—	550	—	1,350
Multiple arm(s) locations	—	70	150	60	50	780	—	390
Arm(s), n.e.c.	—	—	—	—	—	90	—	190
Wrist(s)	18,710	1,860	460	80	250	3,680	—	3,470
Hand(s), except finger(s)	—	270	1,100	260	230	3,190	—	7,220
Finger(s), fingernail(s)	—	290	3,510	1,740	300	2,340	—	17,920
Multiple upper extremities locations ...	—	420	800	380	180	1,500	—	2,920
Multiple upper extremities locations, unspecified	—	—	—	—	—	50	—	60
Hand(s) and finger(s)	—	60	470	320	—	230	—	860
Hand(s) and wrist(s)	—	160	100	—	60	480	—	520
Hand(s) and arm(s)	—	—	—	20	—	140	—	520
Multiple upper extremities locations, n.e.c.	—	170	210	—	100	600	—	960
Upper extremities, n.e.c.	—	—	—	—	—	—	—	—
Lower extremities	—	680	6,350	1,270	3,100	17,840	—	25,380
Lower extremities, unspecified	—	—	—	—	—	—	—	100
Leg(s)	—	140	3,220	390	1,650	11,110	—	14,380
Leg(s), unspecified	—	—	490	—	140	1,220	—	2,420
Thigh(s)	—	—	50	—	20	190	—	460
Knee(s)	—	100	1,870	160	1,270	8,950	—	10,020
Lower leg(s)	—	—	260	—	50	550	—	1,030
Multiple leg(s) locations	—	—	490	170	150	110	—	380
Leg(s), n.e.c.	—	—	50	20	—	90	—	70
Ankle(s)	—	120	770	320	340	1,900	—	3,080
Foot(feet), except toe(s)	—	350	1,010	190	490	3,340	—	4,940
Foot(feet), except toe(s), unspecified	—	320	930	180	440	2,810	—	4,520
Instep(s)	—	—	—	—	—	—	—	60

See footnotes at end of table.

TABLE 37. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, 2004 — Continued

Part of body	Part of body code ²	Private industry ³	Nature of injury or illness ⁴						
			Sprains, strains	Fractures	Cuts, punctures	Bruises	Heat burns	Chemical burns	Amputations
Sole	432	3,830	380	1,130	670	820	—	—	—
Sole(s), unspecified	4320	680	—	—	490	—	—	—	—
Arch(es)	4322	180	20	—	—	130	—	—	—
Heel(s)	4323	2,900	330	1,120	160	630	—	—	—
Multiple foot(feet) locations	438	310	90	100	—	40	—	—	—
Foot(feet), n.e.c.	439	730	80	130	120	210	60	—	—
Toe(s), toenail(s)	44	12,840	290	6,040	1,150	2,530	—	—	100
Multiple lower extremities locations	48	8,350	2,570	650	120	1,570	300	—	—
Multiple lower extremities locations, unspecified	480	190	50	—	—	—	—	—	—
Foot(feet) and leg(s)	481	940	150	—	—	180	200	—	—
Foot(feet) and ankle(s)	482	2,630	1,190	160	20	400	50	—	—
Foot(feet) and toe(s)	483	1,260	60	280	—	390	—	—	—
Multiple lower extremities locations, n.e.c.	489	3,330	1,110	170	60	590	—	—	—
Lower extremities, n.e.c.	49	50	—	—	—	—	—	—	—
Body systems	5	14,300	—	—	—	—	—	—	—
Multiple body parts	8	126,530	37,260	2,630	1,750	17,260	3,000	1,240	—
Other body parts	9	110	—	—	—	—	—	—	—
Prosthetic devices	91	80	—	—	—	—	—	—	—
Nonclassifiable	9999	8,640	1,190	210	190	610	100	70	—

See footnotes at end of table.

TABLE 37. **Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, 2004** — Continued

Part of body	Nature of injury or illness ⁴							All other natures ⁵
	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Back pain and pain, except back		
			Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	
Sole	—	—	—	—	—	420	—	310
Sole(s), unspecified	—	—	—	—	—	—	—	80
Arch(es)	—	—	—	—	—	—	—	—
Heel(s)	—	—	—	—	—	390	—	200
Multiple foot(feet) locations	—	—	—	—	—	—	—	—
Foot(feet), n.e.c.	—	—	—	—	—	90	—	—
Toe(s), toenail(s)	—	—	250	140	—	440	—	1,980
Multiple lower extremities locations	—	60	1,100	240	600	1,040	—	910
Multiple lower extremities locations, unspecified	—	—	60	—	60	40	—	—
Foot(feet) and leg(s)	—	—	90	—	—	140	—	80
Foot(feet) and ankle(s)	—	—	230	50	150	370	—	190
Foot(feet) and toe(s)	—	—	100	70	—	130	—	240
Multiple lower extremities locations, n.e.c.	—	—	610	110	360	370	—	390
Lower extremities, n.e.c.	—	—	—	—	—	—	—	—
Body systems	—	—	—	—	—	—	—	14,300
Multiple body parts	—	120	29,450	5,200	12,770	11,400	—	22,430
Other body parts	—	—	—	—	—	—	—	90
Prosthetic devices	—	—	—	—	—	—	—	80
Nonclassifiable	—	—	90	—	—	200	—	5,950

¹ Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

² Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Data shown in columns correspond to the following Nature codes: Sprains, strains = 021; Fractures = 012; Cuts, punctures = 034, 037; Bruises = 043; Heat burns = 053; Chemical burns = 051; Amputations = 031; Carpal tunnel syndrome = 1241; Tendonitis = 1733; Multiple traumatic injuries and illnesses, Total = 080-089; With fractures, burns, and other injuries = 083, 084; With sprains and bruises = 082; Back pain and pain, except back, Total = 0972, 0973; Back pain, hurt back only = 0972; All other

natures = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁵ Includes nonclassifiable responses.

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies