

TABLE 39. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, 2004

Part of body	Part of body code ²	Private industry ³	Event or exposure leading to injury or illness ⁴						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Total		1,259,320	335,160	170,080	83,330	55,510	79,800	167,010	37,500
Head	0	81,530	50,000	26,690	9,260	440	2,530	8,610	—
Head, unspecified	00	16,300	8,700	5,070	3,450	50	820	4,070	—
Cranial region, including skull	01	9,600	5,250	3,030	2,170	50	1,100	1,830	—
Cranial region, unspecified	010	300	210	150	70	—	—	80	—
Brain	011	5,830	2,620	1,600	1,010	—	840	1,290	—
Scalp	012	2,650	1,970	1,040	880	—	110	340	—
Skull	013	600	310	170	140	—	150	50	—
Multiple cranial region locations	018	60	40	—	—	—	—	—	—
Cranial region, n.e.c.	019	160	100	50	50	—	—	50	—
Ear(s)	02	1,030	270	190	—	—	—	—	—
Face	03	52,780	35,330	18,130	3,470	310	490	2,450	—
Face, unspecified	030	4,070	1,430	1,080	290	50	140	440	—
Forehead	031	3,130	2,380	1,660	660	—	50	480	—
Eye(s)	032	36,680	26,500	11,440	1,680	—	—	220	—
Nose, nasal cavity	033	2,380	1,500	1,120	310	70	110	210	—
Nose, except internal location of diseases or disorders	0330	2,340	1,500	1,120	310	70	110	210	—
Cheek(s)	034	850	590	430	—	130	20	160	—
Jaw/chin	035	1,060	480	430	—	—	50	280	—
Mouth	036	1,950	1,270	1,020	230	—	50	250	—
Mouth, unspecified	0360	320	160	130	—	—	—	20	—
Lip(s)	0361	480	350	310	40	—	—	50	—
Tooth(teeth)	0363	900	630	460	150	—	—	140	—
Multiple mouth locations	0368	120	90	80	—	—	—	—	—
Mouth, n.e.c.	0369	110	—	—	—	—	—	—	—
Multiple face locations	038	2,490	1,080	850	230	—	—	410	—
Face, n.e.c.	039	180	110	100	—	—	—	—	—
Multiple head locations	08	1,690	380	260	90	40	50	250	—
Head, n.e.c.	09	130	70	—	60	—	50	—	—
Neck, including throat	1	21,130	4,090	2,540	1,310	60	400	1,400	390
Neck, except internal location of diseases or disorders	10	20,980	4,090	2,540	1,310	60	400	1,400	390
Multiple internal neck locations	18	70	—	—	—	—	—	—	—
Trunk	2	447,140	24,040	13,980	6,670	1,380	21,320	46,580	10,490
Trunk, unspecified	20	2,220	310	190	60	50	140	550	70
Shoulder, including clavicle, scapula	21	82,220	6,800	4,290	1,860	220	3,930	11,010	1,350
Chest, including ribs, internal organs	22	20,280	3,140	1,660	1,200	180	1,880	4,140	80

See footnotes at end of table.

TABLE 39. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, 2004 — Continued

Part of body	Event or exposure leading to injury or illness ⁴									
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			All other events ⁵
	Total	In lifting					Total	By person	All other assaults	
Total	316,670	173,400	48,710	52,830	62,860	2,420	24,880	17,670	7,220	131,480
Head	180	110	40	11,260	3,260	720	4,130	3,300	840	760
Head, unspecified	50	—	—	140	1,230	—	1,030	980	50	250
Cranial region, including skull	—	—	—	—	1,050	—	290	250	—	60
Cranial region, unspecified	—	—	—	—	—	—	—	—	—	—
Brain	—	—	—	—	800	—	230	210	—	40
Scalp	—	—	—	—	170	—	50	40	—	—
Skull	—	—	—	—	80	—	—	—	—	—
Multiple cranial region locations	—	—	—	—	—	—	—	—	—	—
Cranial region, n.e.c.	—	—	—	—	—	—	—	—	—	—
Ear(s)	—	—	—	570	—	—	70	—	60	40
Face	130	90	40	10,510	610	620	2,180	1,900	280	400
Face, unspecified	—	—	—	1,110	200	150	560	500	60	—
Forehead	—	—	—	20	60	80	20	—	—	—
Eye(s)	110	70	—	8,870	100	160	440	420	—	260
Nose, nasal cavity	—	—	—	50	—	—	430	400	—	40
Nose, except internal location of diseases or disorders	—	—	—	—	—	—	430	400	—	40
Cheek(s)	—	—	—	—	40	—	—	—	—	—
Jaw/chin	—	—	—	—	—	—	140	130	—	—
Mouth	—	—	—	50	50	—	280	240	40	20
Mouth, unspecified	—	—	—	—	—	—	90	70	—	—
Lip(s)	—	—	—	—	—	—	20	—	—	—
Tooth(teeth)	—	—	—	—	—	—	100	80	—	—
Multiple mouth locations	—	—	—	—	—	—	—	—	—	—
Mouth, n.e.c.	—	—	—	—	—	—	—	—	—	—
Multiple face locations	—	—	—	380	80	220	270	170	100	—
Face, n.e.c.	—	—	—	20	—	—	—	—	—	—
Multiple head locations	—	—	—	—	350	70	560	150	410	—
Head, n.e.c.	—	—	—	—	—	—	—	—	—	—
Neck, including throat	6,220	3,380	510	270	4,590	—	830	750	70	2,430
Neck, except internal location of diseases or disorders	6,220	3,380	480	150	4,590	—	830	750	70	2,420
Multiple internal neck locations	—	—	—	70	—	—	—	—	—	—
Trunk	250,630	144,160	10,180	3,340	15,740	100	5,050	4,370	680	59,680
Trunk, unspecified	560	310	70	50	140	—	150	50	90	200
Shoulder, including clavicle, scapula	42,650	20,460	4,650	180	2,270	—	1,320	970	340	8,050
Chest, including ribs, internal organs	4,280	2,060	50	1,890	1,860	—	670	590	80	2,240

See footnotes at end of table.

TABLE 39. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, 2004 — Continued

Part of body	Part of body code ²	Private industry ³	Event or exposure leading to injury or illness ⁴						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Chest, except internal location of diseases or disorders	220	17,800	3,140	1,660	1,200	180	1,870	4,140	80
Internal chest location, unspecified	221	230	—	—	—	—	—	—	—
Heart	223	470	—	—	—	—	—	—	—
Bronchus	224	160	—	—	—	—	—	—	—
Lung(s), pleura	225	1,590	—	—	—	—	—	—	—
Internal chest location, n.e.c.	229	20	—	—	—	—	—	—	—
Back, including spine, spinal cord	23	282,240	9,670	5,350	2,540	550	11,870	22,890	7,680
Back, including spine, spinal cord, unspecified	230	123,200	4,910	2,890	1,300	240	5,590	9,450	3,440
Lumbar region	231	137,210	3,590	1,730	920	280	5,150	10,440	3,870
Thoracic region	232	10,350	490	320	140	—	280	300	210
Sacral region	233	860	—	—	—	—	50	70	—
Coccygeal region	234	2,130	130	—	110	—	260	1,590	—
Multiple back regions	238	7,790	370	270	50	—	530	1,000	140
Back, including spine, spinal cord, n.e.c.	239	700	140	110	—	—	—	40	—
Abdomen	24	29,010	1,390	890	310	110	260	950	270
Abdomen, except internal location of diseases or disorders	240	7,540	1,080	750	180	90	180	310	100
Internal abdominal location, unspecified	241	9,670	160	50	110	—	20	440	90
Stomach organ	242	710	—	—	—	—	—	—	—
Urinary organs	244	20	—	—	—	—	—	—	—
Intestines, peritoneum	245	10,990	140	90	—	—	70	190	80
Intestines, peritoneum, unspecified	2450	9,650	140	90	—	—	70	190	60
Peritoneum	2451	730	—	—	—	—	—	—	—
Small intestine	2452	210	—	—	—	—	—	—	—
Large intestine/colon, rectum	2453	330	—	—	—	—	—	—	—
Multiple intestinal locations	2458	20	—	—	—	—	—	—	—
Intestines, n.e.c.	2459	40	—	—	—	—	—	—	—
Internal abdominal location, n.e.c.	249	70	—	—	—	—	—	—	—
Pelvic region	25	22,390	1,840	990	620	180	1,960	5,090	830
Pelvic region, unspecified	250	290	70	—	—	—	130	20	—
Hip(s)	251	9,520	720	400	240	60	1,170	3,630	280
Pelvis	252	740	100	—	—	50	240	180	—
Buttock(s)	253	1,280	90	40	—	—	260	680	—
Groin	254	10,000	800	430	330	—	120	420	530
External reproductive tract structures	255	300	60	60	—	—	—	70	—

See footnotes at end of table.

TABLE 39. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, 2004 — Continued

Part of body	Event or exposure leading to injury or illness ⁴									All other events ⁵
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			
	Total	In lifting					Total	By person	All other assaults	
Chest, except internal location of diseases or disorders	4,170	1,980	50	260	1,860	—	670	590	80	1,540
Internal chest location, unspecified	60	—	—	—	—	—	—	—	—	130
Heart	—	—	—	—	—	—	—	—	—	430
Bronchus	—	—	—	160	—	—	—	—	—	—
Lung(s), pleura	50	—	—	1,390	—	20	—	—	—	120
Internal chest location, n.e.c.	—	—	—	—	—	—	—	—	—	20
Back, including spine, spinal cord	169,580	101,080	4,560	260	9,740	40	2,180	2,120	60	43,760
Back, including spine, spinal cord, unspecified	71,600	44,500	1,810	220	5,650	—	1,270	1,230	—	19,230
Lumbar region	86,100	50,110	2,290	—	2,960	—	650	640	—	22,120
Thoracic region	7,000	3,920	250	—	340	—	130	130	—	1,340
Sacral region	500	290	—	—	—	—	—	—	—	170
Coccygeal region	60	40	—	—	40	—	—	—	—	40
Multiple back regions	3,930	1,970	200	—	680	—	100	90	—	840
Back, including spine, spinal cord, n.e.c.	400	250	—	—	70	—	—	—	—	20
Abdomen	22,270	14,330	620	530	210	20	400	380	—	2,090
Abdomen, except internal location of diseases or disorders	4,310	2,470	40	270	160	20	390	380	20	660
Internal abdominal location, unspecified	7,900	5,170	270	—	—	—	—	—	—	760
Stomach organ	470	250	—	150	—	—	—	—	—	50
Urinary organs	—	—	—	—	—	—	—	—	—	—
Intestines, peritoneum	9,520	6,400	270	90	—	—	—	—	—	610
Intestines, peritoneum, unspecified	8,360	5,480	260	70	—	—	—	—	—	500
Peritoneum	660	540	—	—	—	—	—	—	—	60
Small intestine	180	130	—	—	—	—	—	—	—	—
Large intestine/colon, rectum	290	210	—	—	—	—	—	—	—	—
Multiple intestinal locations	—	—	—	—	—	—	—	—	—	—
Intestines, n.e.c.	40	—	—	—	—	—	—	—	—	—
Internal abdominal location, n.e.c.	60	40	—	—	—	—	—	—	—	—
Pelvic region	8,350	4,680	170	370	1,030	—	230	170	70	2,510
Pelvic region, unspecified	50	—	—	—	—	—	—	—	—	—
Hip(s)	1,400	800	90	—	840	—	90	70	—	1,290
Pelvis	70	60	—	—	110	—	—	—	—	40
Buttock(s)	70	40	—	—	—	—	—	—	—	100
Groin	6,660	3,690	60	320	—	—	40	—	—	1,040
External reproductive tract structures	50	—	—	—	—	—	50	50	—	—

See footnotes at end of table.

TABLE 39. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, 2004 — Continued

Part of body	Part of body code ²	Private industry ³	Event or exposure leading to injury or illness ⁴						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
External reproductive tract structures, unspecified	2550	50	20	20	—	—	—	—	—
Scrotum	2551	210	—	—	—	—	—	60	—
Multiple pelvic region locations	258	150	—	—	—	—	—	50	—
Pelvic region, n.e.c.	259	90	—	—	—	—	—	50	—
Multiple trunk locations	28	8,490	870	610	70	90	1,270	1,890	180
Trunk, n.e.c.	29	280	20	—	—	—	—	60	—
Upper extremities	3	290,460	158,090	72,030	34,430	44,330	10,140	24,550	1,100
Upper extremities, unspecified	30	480	60	—	—	—	—	—	—
Arm(s)	31	58,310	16,400	7,590	6,140	1,970	3,530	9,630	290
Arm(s), unspecified	310	21,290	6,090	3,500	1,500	980	1,350	3,080	90
Upper arm(s)	311	4,190	550	360	140	—	140	760	—
Elbow(s)	312	19,060	4,660	980	3,370	180	1,560	4,340	100
Forearm(s)	313	10,240	4,370	2,460	970	520	320	910	40
Multiple arm(s) locations	318	2,660	550	210	120	210	110	250	—
Arm(s), n.e.c.	319	870	170	80	50	40	50	290	—
Wrist(s)	32	58,510	8,010	4,860	2,090	840	4,090	8,430	410
Hand(s), except finger(s)	33	50,190	32,570	16,150	7,610	7,080	990	3,260	340
Finger(s), fingernail(s)	34	107,860	95,060	40,400	17,610	32,730	850	2,110	20
Multiple upper extremities locations ...	38	15,020	5,970	3,020	950	1,680	660	1,100	40
Multiple upper extremities locations, unspecified	380	250	60	—	—	20	—	—	—
Hand(s) and finger(s)	381	5,260	3,970	1,960	650	1,120	—	60	—
Hand(s) and wrist(s)	382	3,230	720	340	80	260	200	270	—
Hand(s) and arm(s)	383	1,680	300	50	90	140	70	120	—
Multiple upper extremities locations, n.e.c.	389	4,600	920	630	120	140	340	640	—
Upper extremities, n.e.c.	39	100	20	—	—	—	—	—	—
Lower extremities	4	269,490	84,610	45,290	29,270	7,480	27,710	50,450	22,870
Lower extremities, unspecified	40	250	90	60	—	—	—	40	20
Leg(s)	41	138,580	32,760	14,250	14,380	2,160	12,180	32,410	10,230
Leg(s), unspecified	410	18,890	6,790	3,770	2,200	630	1,930	2,870	490
Thigh(s)	411	4,820	1,660	1,170	280	170	350	860	290
Knee(s)	412	99,720	18,800	6,350	9,900	930	7,860	25,950	9,160
Lower leg(s)	413	10,840	4,360	2,360	1,690	200	1,170	1,680	150
Multiple leg(s) locations	418	3,450	900	380	300	200	540	1,010	110
Leg(s), n.e.c.	419	840	250	210	—	—	330	50	40
Ankle(s)	42	64,320	12,200	3,940	6,750	1,430	10,210	12,420	10,510
Foot(feet), except toe(s)	43	45,110	25,800	16,640	6,350	2,510	3,620	3,310	1,480
Foot(feet), except toe(s), unspecified	430	39,250	22,710	15,300	4,880	2,250	2,450	3,050	1,380

See footnotes at end of table.

TABLE 39. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, 2004 — Continued

Part of body	Event or exposure leading to injury or illness ⁴									All other events ⁵
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			
	Total	In lifting					Total	By person	All other assaults	
External reproductive tract structures, unspecified	—	—	—	—	—	—	—	—	—	—
Scrotum	—	—	—	—	—	—	50	50	—	—
Multiple pelvic region locations	40	—	—	—	—	—	—	—	—	—
Pelvic region, n.e.c.	—	—	—	—	—	—	—	—	—	—
Multiple trunk locations	2,810	1,190	60	60	480	—	80	70	—	800
Trunk, n.e.c.	130	—	—	—	—	—	—	—	—	—
Upper extremities	28,800	12,770	33,800	14,750	3,820	510	7,230	3,470	3,750	7,680
Upper extremities, unspecified	—	—	70	290	—	—	—	—	—	—
Arm(s)	13,180	6,400	3,920	4,680	2,080	240	1,600	980	620	2,760
Arm(s), unspecified	4,250	2,010	840	2,710	940	180	850	520	320	900
Upper arm(s)	1,950	1,110	150	80	160	—	90	60	—	300
Elbow(s)	4,530	2,140	2,100	50	630	—	100	60	40	990
Forearm(s)	1,400	520	430	1,660	180	50	500	280	220	360
Multiple arm(s) locations	780	490	380	140	170	—	—	—	—	200
Arm(s), n.e.c.	260	130	20	—	—	—	40	40	—	—
Wrist(s)	9,800	4,590	24,000	410	430	20	780	700	80	2,140
Hand(s), except finger(s)	1,680	490	1,600	6,250	680	110	2,080	440	1,640	620
Finger(s), fingernail(s)	2,170	600	2,140	1,360	400	—	2,360	1,190	1,170	1,390
Multiple upper extremities locations ...	1,930	670	2,060	1,760	230	120	390	160	230	750
Multiple upper extremities locations, unspecified	90	—	40	20	—	—	—	—	—	—
Hand(s) and finger(s)	280	100	190	440	—	90	50	—	—	150
Hand(s) and wrist(s)	590	230	680	590	—	—	50	50	—	100
Hand(s) and arm(s)	250	70	230	450	60	—	70	—	40	110
Multiple upper extremities locations, n.e.c.	710	260	930	260	130	—	210	60	150	400
Upper extremities, n.e.c.	—	—	—	—	—	—	—	—	—	—
Lower extremities	13,690	4,610	1,560	5,480	11,270	170	2,990	1,810	1,180	48,680
Lower extremities, unspecified	—	—	—	—	—	—	—	—	—	—
Leg(s)	11,700	4,000	1,030	2,490	4,540	140	2,230	1,350	890	28,850
Leg(s), unspecified	1,260	560	60	1,400	1,340	80	570	230	330	2,090
Thigh(s)	470	130	—	270	270	—	180	80	100	460
Knee(s)	9,070	3,010	900	230	2,170	20	1,200	910	290	24,360
Lower leg(s)	660	240	40	480	530	—	250	100	150	1,490
Multiple leg(s) locations	210	50	—	70	210	—	—	—	—	370
Leg(s), n.e.c.	—	—	—	—	—	—	—	—	—	90
Ankle(s)	1,240	410	170	420	2,390	20	300	170	130	14,440
Foot(feet), except toe(s)	400	70	340	2,140	3,540	—	150	60	100	4,320
Foot(feet), except toe(s), unspecified	320	50	300	1,980	3,380	—	130	40	90	3,540

See footnotes at end of table.

TABLE 39. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, 2004 — Continued

Part of body	Part of body code ²	Private industry ³	Event or exposure leading to injury or illness ⁴						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Instep(s)	431	990	690	520	—	140	80	70	—
Sole	432	3,830	1,780	450	1,240	80	1,000	130	70
Sole(s), unspecified	4320	680	550	—	550	—	—	—	—
Arch(es)	4322	180	130	110	—	—	—	—	—
Heel(s)	4323	2,900	1,070	340	640	80	1,000	130	70
Multiple foot(feet) locations	438	310	150	70	40	—	—	—	—
Foot(feet), n.e.c.	439	730	470	300	150	—	50	—	—
Toe(s), toenail(s)	44	12,840	10,910	8,620	1,270	870	400	530	40
Multiple lower extremities locations	48	8,350	2,830	1,780	520	500	1,280	1,710	580
Multiple lower extremities locations, unspecified	480	190	60	—	—	—	—	70	—
Foot(feet) and leg(s)	481	940	240	210	—	20	100	160	90
Foot(feet) and ankle(s)	482	2,630	890	420	270	190	380	460	220
Foot(feet) and toe(s)	483	1,260	990	740	40	210	—	—	50
Multiple lower extremities locations, n.e.c.	489	3,330	650	390	170	80	780	980	190
Lower extremities, n.e.c.	49	50	—	—	—	—	—	—	—
Body systems	5	14,300	150	60	70	—	50	100	—
Multiple body parts	8	126,530	13,410	9,020	2,080	1,800	16,930	34,540	2,480
Other body parts	9	110	—	—	—	—	—	—	—
Prosthetic devices	91	80	—	—	—	—	—	—	—
Nonclassifiable	9999	8,640	730	420	230	—	700	760	140

See footnotes at end of table.

TABLE 39. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, 2004 — Continued

Part of body	Event or exposure leading to injury or illness ⁴								
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts		
	Total	In lifting					Total	By person	All other assaults
Instep(s)	—	—	—	40	70	—	—	—	—
Sole	50	—	—	—	50	—	—	—	680
Sole(s), unspecified	—	—	—	—	—	—	—	—	110
Arch(es)	—	—	—	—	—	—	—	—	40
Heel(s)	50	—	—	—	50	—	—	—	510
Multiple foot(feet) locations	—	—	—	—	—	—	—	—	—
Foot(feet), n.e.c.	—	—	—	70	—	—	—	—	40
Toe(s), toenail(s)	130	90	—	70	410	—	190	170	140
Multiple lower extremities locations	200	—	—	350	360	—	80	60	930
Multiple lower extremities locations, unspecified	—	—	—	—	—	—	—	—	—
Foot(feet) and leg(s)	—	—	—	210	80	—	—	—	—
Foot(feet) and ankle(s)	—	—	—	60	130	—	—	—	440
Foot(feet) and toe(s)	80	—	—	—	60	—	—	—	—
Multiple lower extremities locations, n.e.c.	90	—	—	40	90	—	40	—	450
Lower extremities, n.e.c.	—	—	—	—	—	—	—	—	—
Body systems	110	50	—	10,800	250	—	490	450	2,300
Multiple body parts	16,120	7,860	2,430	6,020	23,340	880	3,870	3,410	6,530
Other body parts	—	—	—	—	—	—	—	—	—
Prosthetic devices	—	—	—	—	—	—	—	—	—
Nonclassifiable	900	450	150	920	600	20	310	110	3,400

¹ Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

² Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Data shown in columns correspond to the following Event codes: Contact with objects, Total = 00-09; Struck by object = 020-029; Struck against object = 010-019; Caught in or compressed or crushed = 030-049; Fall to lower level = 110-119; Fall on same level = 130-139; Slips or trips without fall = 215; Overexertion, Total = 220-229; In lifting = 221; Repetitive motion = 230-239; Exposure to harmful substance or environment = 30-39; Transportation accidents = 40-49; Fires and explosions = 50-52; Assaults and violent acts, Total = 60-63; By person = 61; All other assaults = 60, 62,

and 63; All other events = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁵ Includes nonclassifiable responses.

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies