

**TABLE 79. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by the injury or illness, sex, and length of service with employer, 2004**

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Sex			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Total .....		1,259,320	829,300	425,470	4,550	162,410	258,500	446,820	383,050	8,550
<b>Head .....</b>	<b>0</b>	<b>81,530</b>	<b>58,840</b>	<b>22,380</b>	<b>310</b>	<b>14,230</b>	<b>17,350</b>	<b>29,060</b>	<b>20,380</b>	<b>510</b>
Head, unspecified .....	00	16,300	9,950	6,290	50	3,170	2,960	5,910	4,180	70
Cranial region, including skull .....	01	9,600	6,240	3,280	80	1,900	2,110	3,060	2,420	100
Cranial region, unspecified .....	010	300	200	100	—	—	20	120	130	—
Brain .....	011	5,830	3,600	2,210	—	900	1,340	2,010	1,560	—
Scalp .....	012	2,650	1,990	620	40	860	530	690	540	40
Skull .....	013	600	300	280	20	110	200	110	150	20
Multiple cranial region locations .....	018	60	20	40	—	—	—	—	—	—
Cranial region, n.e.c. ....	019	160	140	—	—	—	—	100	—	—
Ear(s) .....	02	1,030	670	340	20	160	220	310	320	—
Face .....	03	52,780	40,570	12,050	160	8,790	11,810	19,000	12,880	300
Face, unspecified .....	030	4,070	2,510	1,560	—	640	1,130	1,190	1,090	—
Forehead .....	031	3,130	2,240	870	20	420	650	1,200	770	80
Eye(s) .....	032	36,680	29,460	7,140	80	6,000	8,170	13,520	8,870	120
Nose, nasal cavity .....	033	2,380	1,720	630	—	520	550	690	590	—
Nose, except internal location of diseases or disorders .....	0330	2,340	1,700	620	—	510	550	680	570	—
Cheek(s) .....	034	850	750	100	—	240	230	160	210	—
Jaw/chin .....	035	1,060	720	340	—	280	190	340	240	—
Mouth .....	036	1,950	1,370	570	20	320	450	750	400	—
Mouth, unspecified .....	0360	320	230	80	—	—	140	60	90	—
Lip(s) .....	0361	480	370	110	—	50	120	170	140	—
Tooth(teeth) .....	0363	900	640	260	—	240	100	390	150	—
Multiple mouth locations .....	0368	120	80	50	—	—	50	50	20	—
Mouth, n.e.c. ....	0369	110	50	—	—	—	—	—	—	—
Multiple face locations .....	038	2,490	1,690	800	—	280	430	1,100	670	—
Face, n.e.c. ....	039	180	120	50	—	90	20	40	—	—
Multiple head locations .....	08	1,690	1,300	380	—	160	210	750	560	—
Head, n.e.c. ....	09	130	100	—	—	50	—	—	—	—
<b>Neck, including throat .....</b>	<b>1</b>	<b>21,130</b>	<b>12,360</b>	<b>8,590</b>	<b>190</b>	<b>2,810</b>	<b>4,730</b>	<b>7,250</b>	<b>6,090</b>	<b>260</b>
Neck, except internal location of diseases or disorders .....	10	20,980	12,330	8,460	190	2,800	4,720	7,170	6,020	260
Multiple internal neck locations .....	18	70	—	70	—	—	—	—	—	—
<b>Trunk .....</b>	<b>2</b>	<b>447,140</b>	<b>299,270</b>	<b>146,230</b>	<b>1,640</b>	<b>44,080</b>	<b>90,230</b>	<b>165,240</b>	<b>144,550</b>	<b>3,040</b>
Trunk, unspecified .....	20	2,220	1,420	750	60	290	450	710	730	50
Shoulder, including clavicle, scapula .....	21	82,220	52,210	29,610	400	7,450	13,600	28,100	32,390	680
Chest, including ribs, internal organs .....	22	20,280	14,500	5,700	90	2,460	3,400	7,260	6,990	170
Chest, except internal location of diseases or disorders .....	220	17,800	13,110	4,620	80	1,680	3,030	6,590	6,320	170
Internal chest location, unspecified .....	221	230	180	50	—	50	60	60	60	—
Heart .....	223	470	410	50	—	280	—	120	70	—

See footnotes at end of table.

TABLE 79. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by the injury or illness, sex, and length of service with employer, 2004 — Continued

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Sex			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Bronchus .....	224	160	90	70	—	—	—	—	—	—
Lung(s), pleura .....	225	1,590	690	900	—	360	270	460	500	—
Internal chest location, n.e.c. ....	229	20	20	—	—	—	—	—	—	—
Back, including spine, spinal cord .....	23	282,240	184,530	96,750	960	27,690	61,530	108,420	82,770	1,820
Back, including spine, spinal cord, unspecified .....	230	123,200	84,010	39,120	70	12,880	28,750	47,890	33,320	350
Lumbar region .....	231	137,210	88,420	48,070	730	12,500	27,570	52,930	42,990	1,210
Thoracic region .....	232	10,350	6,170	4,020	170	1,180	2,480	3,450	3,050	210
Sacral region .....	233	860	460	400	—	50	200	340	260	—
Coccygeal region .....	234	2,130	960	1,170	—	290	520	700	620	—
Multiple back regions .....	238	7,790	4,200	3,590	—	740	1,730	2,890	2,380	40
Back, including spine, spinal cord, n.e.c. ....	239	700	320	380	—	50	290	220	140	—
Abdomen .....	24	29,010	25,720	3,230	60	2,060	4,760	10,900	11,180	110
Abdomen, except internal location of diseases or disorders .....	240	7,540	5,430	2,100	—	740	1,570	3,210	1,970	50
Internal abdominal location, unspecified .....	241	9,670	9,080	530	50	660	1,680	3,180	4,090	60
Stomach organ .....	242	710	630	70	—	70	110	290	240	—
Urinary organs .....	244	20	—	—	—	—	—	—	—	—
Intestines, peritoneum .....	245	10,990	10,500	490	—	580	1,400	4,180	4,830	—
Intestines, peritoneum, unspecified .....	2450	9,650	9,190	460	—	520	1,130	3,800	4,200	—
Peritoneum .....	2451	730	730	—	—	—	170	160	380	—
Small intestine .....	2452	210	210	—	—	—	—	90	90	—
Large intestine/colon, rectum .....	2453	330	310	20	—	—	70	100	130	—
Multiple intestinal locations .....	2458	20	—	—	—	—	—	—	—	—
Intestines, n.e.c. ....	2459	40	40	—	—	—	—	—	—	—
Internal abdominal location, n.e.c. ....	249	70	60	—	—	—	—	—	—	—
Pelvic region .....	25	22,390	15,870	6,440	80	3,370	4,430	6,690	7,770	130
Pelvic region, unspecified .....	250	290	250	40	—	40	—	60	150	—
Hip(s) .....	251	9,520	4,880	4,600	40	1,370	1,650	2,840	3,590	70
Pelvis .....	252	740	530	210	—	130	80	350	190	—
Buttock(s) .....	253	1,280	510	760	—	180	250	480	350	—
Groin .....	254	10,000	9,240	760	—	1,550	2,290	2,740	3,400	—
External reproductive tract structures .....	255	300	260	—	—	70	50	110	40	—
External reproductive tract structures, unspecified .....	2550	50	20	—	—	—	—	—	—	—
Scrotum .....	2551	210	210	—	—	70	—	90	—	—
Multiple pelvic region locations .....	258	150	110	—	—	20	40	60	—	—
Pelvic region, n.e.c. ....	259	90	60	—	—	—	—	50	—	—
Multiple trunk locations .....	28	8,490	4,840	3,660	—	680	2,040	3,050	2,640	90
Trunk, n.e.c. ....	29	280	190	100	—	80	—	110	80	—
<b>Upper extremities .....</b>	<b>3</b>	<b>290,460</b>	<b>193,710</b>	<b>95,950</b>	<b>800</b>	<b>44,180</b>	<b>61,590</b>	<b>98,560</b>	<b>84,370</b>	<b>1,760</b>
Upper extremities, unspecified .....	30	480	360	110	—	280	40	60	90	—

See footnotes at end of table.

TABLE 79. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by the injury or illness, sex, and length of service with employer, 2004 — Continued

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Sex			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Arm(s) .....	31	58,310	38,810	19,230	260	8,020	11,320	19,910	18,580	480
Arm(s), unspecified .....	310	21,290	13,760	7,530	—	3,790	4,300	6,650	6,430	130
Upper arm(s) .....	311	4,190	2,730	1,390	70	360	450	1,550	1,760	60
Elbow(s) .....	312	19,060	13,120	5,800	140	1,790	3,320	7,370	6,400	170
Forearm(s) .....	313	10,240	7,150	3,030	50	1,490	2,770	3,420	2,480	80
Multiple arm(s) locations .....	318	2,660	1,590	1,070	—	350	290	760	1,240	—
Arm(s), n.e.c. ....	319	870	450	420	—	240	180	160	270	—
Wrist(s) .....	32	58,510	27,880	30,480	150	6,540	10,120	19,390	22,160	300
Hand(s), except finger(s) .....	33	50,190	35,640	14,440	110	8,220	12,340	17,650	11,580	400
Finger(s), fingernail(s) .....	34	107,860	82,320	25,270	270	19,140	25,230	35,470	27,450	580
Multiple upper extremities locations .....	38	15,020	8,620	6,390	—	1,970	2,520	6,040	4,490	—
Multiple upper extremities locations, unspecified .....	380	250	140	110	—	—	60	90	100	—
Hand(s) and finger(s) .....	381	5,260	3,790	1,470	—	810	880	2,290	1,280	—
Hand(s) and wrist(s) .....	382	3,230	1,490	1,740	—	450	480	1,240	1,050	—
Hand(s) and arm(s) .....	383	1,680	940	740	—	320	390	480	480	—
Multiple upper extremities locations, n.e.c. ....	389	4,600	2,260	2,340	—	380	700	1,940	1,570	—
Upper extremities, n.e.c. ....	39	100	70	—	—	—	—	50	—	—
<b>Lower extremities .....</b>	<b>4</b>	<b>269,490</b>	<b>183,470</b>	<b>84,670</b>	<b>1,350</b>	<b>39,330</b>	<b>55,370</b>	<b>92,410</b>	<b>80,190</b>	<b>2,200</b>
Lower extremities, unspecified .....	40	250	200	—	—	40	80	60	50	—
Leg(s) .....	41	138,580	94,440	43,330	800	18,520	26,420	45,960	46,490	1,190
Leg(s), unspecified .....	410	18,890	13,660	5,220	—	3,170	3,390	6,500	5,770	60
Thigh(s) .....	411	4,820	3,560	1,190	70	850	990	1,600	1,300	90
Knee(s) .....	412	99,720	65,640	33,490	590	12,750	18,480	33,320	34,300	880
Lower leg(s) .....	413	10,840	8,650	2,070	130	1,460	2,430	3,470	3,330	150
Multiple leg(s) locations .....	418	3,450	2,260	1,190	—	260	770	870	1,550	—
Leg(s), n.e.c. ....	419	840	680	160	—	—	370	190	240	—
Ankle(s) .....	42	64,320	42,840	21,190	300	10,250	14,580	22,570	16,340	580
Foot(feet), except toe(s) .....	43	45,110	31,320	13,620	160	6,930	9,660	16,220	11,980	310
Foot(feet), except toe(s), unspecified .....	430	39,250	26,760	12,350	140	6,320	8,330	14,090	10,220	290
Instep(s) .....	431	990	720	270	—	170	160	340	320	—
Sole .....	432	3,830	3,150	660	20	370	980	1,280	1,180	—
Sole(s), unspecified .....	4320	680	570	110	—	90	200	230	160	—
Arch(es) .....	4322	180	160	20	—	—	—	—	—	—
Heel(s) .....	4323	2,900	2,380	500	20	190	740	980	970	—
Sole(s), n.e.c. ....	4329	—	—	20	—	—	—	—	—	—
Multiple foot(feet) locations .....	438	310	250	60	—	—	80	110	90	—
Foot(feet), n.e.c. ....	439	730	440	290	—	60	100	400	180	—
Toe(s), toenail(s) .....	44	12,840	9,890	2,910	—	2,190	2,970	4,890	2,740	50
Multiple lower extremities locations .....	48	8,350	4,720	3,570	—	1,390	1,650	2,680	2,580	—
Multiple lower extremities locations, unspecified .....	480	190	70	120	—	—	—	80	90	—
Foot(feet) and leg(s) .....	481	940	380	560	—	260	190	170	320	—
Foot(feet) and ankle(s) .....	482	2,630	1,480	1,140	—	360	530	950	790	—
Foot(feet) and toe(s) .....	483	1,260	860	350	—	180	390	330	310	—

See footnotes at end of table.

TABLE 79. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by the injury or illness, sex, and length of service with employer, 2004 — Continued

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Sex			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Multiple lower extremities locations, n.e.c. ....	489	3,330	1,940	1,400	—	580	530	1,150	1,080	—
Lower extremities, n.e.c. ....	49	50	40	—	—	—	—	—	—	—
<b>Body systems</b> .....	5	14,300	7,010	7,250	40	1,880	2,980	5,180	4,110	150
<b>Multiple body parts</b> .....	8	126,530	69,070	57,390	70	14,960	24,250	46,050	40,820	460
<b>Other body parts</b> .....	9	110	90	—	—	—	—	60	—	—
Prosthetic devices .....	91	80	80	—	—	—	—	—	—	—
<b>Nonclassifiable</b> .....	9999	8,640	5,480	3,010	150	920	1,980	3,030	2,530	170

<sup>1</sup> Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

<sup>2</sup> Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

<sup>3</sup> Excludes farms with fewer than 11 employees.

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies