

TABLE 77. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, 2004

Part of body	Part of body code ²	Private industry ³	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Total		1,259,320	—	200	38,230	141,730	303,880	331,610	272,250	128,810	23,950	18,670
Head	0	81,530	—	80	2,790	11,660	21,750	20,610	14,500	6,950	1,820	1,370
Head, unspecified	00	16,300	—	70	570	2,160	3,890	3,650	3,590	1,750	490	110
Cranial region, including skull	01	9,600	—	—	440	1,380	2,250	2,700	1,620	840	230	120
Cranial region, unspecified	010	300	—	—	20	40	—	120	60	20	20	—
Brain	011	5,830	—	—	350	790	1,290	1,560	1,030	620	170	—
Scalp	012	2,650	—	—	—	360	850	760	400	150	—	70
Skull	013	600	—	—	—	150	80	200	90	40	20	—
Multiple cranial region locations	018	60	—	—	—	—	—	40	—	—	—	—
Cranial region, n.e.c.	019	160	—	—	—	50	—	—	—	—	—	—
Ear(s)	02	1,030	—	—	—	90	380	230	220	80	—	—
Face	03	52,780	—	—	1,770	7,900	14,560	13,400	8,780	4,220	1,060	1,080
Face, unspecified	030	4,070	—	—	220	370	1,110	990	800	460	80	—
Forehead	031	3,130	—	—	110	410	840	460	570	280	110	350
Eye(s)	032	36,680	—	—	1,100	5,860	10,400	9,660	5,760	2,730	540	620
Nose, nasal cavity	033	2,380	—	—	40	370	500	720	390	200	110	40
Nose, except internal location of diseases or disorders	0330	2,340	—	—	40	370	490	720	370	200	110	40
Cheek(s)	034	850	—	—	40	180	130	160	240	80	—	—
Jaw/chin	035	1,060	—	—	200	120	280	270	60	120	—	—
Mouth	036	1,950	—	—	50	200	710	450	400	100	—	—
Mouth, unspecified	0360	320	—	—	—	40	110	110	40	20	—	—
Lip(s)	0361	480	—	—	—	80	200	80	70	20	—	—
Tooth(teeth)	0363	900	—	—	40	50	250	220	270	60	20	—
Multiple mouth locations	0368	120	—	—	—	—	40	40	—	—	—	—
Mouth, n.e.c.	0369	110	—	—	—	—	100	—	—	—	—	—
Multiple face locations	038	2,490	—	—	20	390	550	630	530	240	140	—
Face, n.e.c.	039	180	—	—	—	—	60	60	40	—	—	—
Multiple head locations	08	1,690	—	—	—	70	650	600	250	50	—	20
Head, n.e.c.	09	130	—	—	—	50	—	—	40	—	—	—
Neck, including throat	1	21,130	—	—	370	2,090	5,690	6,010	4,850	1,400	180	540
Neck, except internal location of diseases or disorders	10	20,980	—	—	370	2,070	5,690	5,950	4,780	1,400	180	540
Multiple internal neck locations ...	18	70	—	—	—	—	—	—	—	—	—	—
Trunk	2	447,140	—	50	9,080	42,140	112,590	127,200	96,500	45,230	8,280	6,080
Trunk, unspecified	20	2,220	—	—	—	230	570	440	580	240	110	—
Shoulder, including clavicle, scapula	21	82,220	—	—	1,640	6,380	16,510	21,700	20,500	11,760	2,590	1,120
Chest, including ribs, internal organs	22	20,280	—	—	350	1,600	4,270	5,240	5,020	2,820	820	150
Chest, except internal location of diseases or disorders	220	17,800	—	—	310	1,380	3,870	4,570	4,360	2,370	820	130
Internal chest location, unspecified	221	230	—	—	—	—	—	110	60	40	—	—

See footnotes at end of table.

TABLE 77. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, 2004 — Continued

Part of body	Part of body code ²	Private industry ³	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Heart	223	470	—	—	—	—	20	90	90	260	—	—
Bronchus	224	160	—	—	—	—	—	100	—	—	—	—
Lung(s), pleura	225	1,590	—	—	50	220	330	360	480	150	—	—
Internal chest location, n.e.c.	229	20	—	—	—	—	—	—	—	—	—	—
Back, including spine, spinal cord	23	282,240	—	—	5,920	28,730	78,050	83,470	56,560	22,770	2,700	3,980
Back, including spine, spinal cord, unspecified	230	123,200	—	—	3,000	12,980	34,140	36,500	24,280	9,110	1,450	1,700
Lumbar region	231	137,210	—	—	2,360	12,820	37,870	41,060	28,010	12,020	1,150	1,910
Thoracic region	232	10,350	—	—	270	1,630	3,010	2,420	2,110	700	50	170
Sacral region	233	860	—	—	—	130	210	310	130	60	—	—
Coccygeal region	234	2,130	—	—	90	270	560	650	380	130	—	—
Multiple back regions	238	7,790	—	—	190	870	2,080	2,160	1,580	720	—	160
Back, including spine, spinal cord, n.e.c.	239	700	—	—	—	—	180	370	70	40	—	—
Abdomen	24	29,010	—	—	470	2,900	6,270	7,630	7,220	3,550	620	340
Abdomen, except internal location of diseases or disorders	240	7,540	—	—	230	1,550	1,630	1,780	1,590	560	110	100
Internal abdominal location, unspecified	241	9,670	—	—	80	690	2,250	2,540	2,500	1,350	180	90
Stomach organ	242	710	—	—	20	—	160	250	120	120	—	—
Urinary organs	244	20	—	—	—	—	—	—	—	—	—	—
Intestines, peritoneum	245	10,990	—	—	150	640	2,210	3,040	2,960	1,520	330	140
Intestines, peritoneum, unspecified	2450	9,650	—	—	130	580	2,030	2,700	2,640	1,150	280	140
Peritoneum	2451	730	—	—	—	—	90	200	150	260	—	—
Small intestine	2452	210	—	—	—	—	20	—	80	80	—	—
Large intestine/colon, rectum	2453	330	—	—	20	—	50	100	70	40	—	—
Multiple intestinal locations	2458	20	—	—	—	—	—	—	—	—	—	—
Intestines, n.e.c.	2459	40	—	—	—	—	—	—	—	—	—	—
Internal abdominal location, n.e.c.	249	70	—	—	—	—	—	20	40	—	—	—
Pelvic region	25	22,390	—	—	530	1,770	5,110	5,950	4,470	2,990	1,300	280
Pelvic region, unspecified	250	290	—	—	—	20	70	100	60	40	—	—
Hip(s)	251	9,520	—	—	280	530	1,440	2,480	2,060	1,520	1,130	80
Pelvis	252	740	—	—	—	—	200	100	210	110	60	—
Buttock(s)	253	1,280	—	—	—	140	480	280	270	70	—	—
Groin	254	10,000	—	—	220	960	2,740	2,880	1,770	1,190	80	170
External reproductive tract structures	255	300	—	—	—	50	90	50	70	40	—	—
External reproductive tract structures, unspecified	2550	50	—	—	—	—	—	—	—	—	—	—
Scrotum	2551	210	—	—	—	—	60	40	60	—	—	—
Multiple pelvic region locations	258	150	—	—	—	—	50	—	20	—	—	—

See footnotes at end of table.

TABLE 77. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, 2004 — Continued

Part of body	Part of body code ²	Private industry ³	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Pelvic region, n.e.c.	259	90	—	—	—	—	20	—	—	—	—	—
Multiple trunk locations	28	8,490	—	—	130	520	1,790	2,580	2,090	1,090	140	160
Trunk, n.e.c.	29	280	—	—	—	—	—	180	50	—	—	—
Upper extremities	3	290,460	—	40	13,010	38,640	71,350	72,220	59,570	26,990	3,930	4,710
Upper extremities, unspecified	30	480	—	—	—	20	310	60	70	20	—	—
Arm(s)	31	58,310	—	—	2,470	5,900	12,660	15,850	13,860	5,420	1,140	1,030
Arm(s), unspecified	310	21,290	—	—	1,210	2,230	5,060	4,780	5,140	1,900	460	520
Upper arm(s)	311	4,190	—	—	50	320	660	1,030	1,030	820	170	110
Elbow(s)	312	19,060	—	—	570	1,550	3,830	6,060	4,780	1,590	360	300
Forearm(s)	313	10,240	—	—	410	1,360	2,560	3,000	2,030	690	120	70
Multiple arm(s) locations	318	2,660	—	—	220	370	410	810	550	250	—	20
Arm(s), n.e.c.	319	870	—	—	—	70	130	170	310	170	—	—
Wrist(s)	32	58,510	—	—	1,640	5,330	12,880	15,770	13,720	7,470	900	800
Hand(s), except finger(s)	33	50,190	—	—	2,570	8,740	13,030	12,150	8,500	3,510	470	1,200
Finger(s), fingernail(s)	34	107,860	—	—	5,540	17,110	28,100	25,070	20,430	8,840	1,210	1,560
Multiple upper extremities locations	38	15,020	—	—	780	1,540	4,350	3,300	2,970	1,740	210	120
Multiple upper extremities locations, unspecified	380	250	—	—	—	70	—	60	50	—	—	—
Hand(s) and finger(s)	381	5,260	—	—	200	510	1,780	1,110	1,070	490	50	70
Hand(s) and wrist(s)	382	3,230	—	—	140	350	1,000	780	620	280	40	—
Hand(s) and arm(s)	383	1,680	—	—	120	210	250	370	370	330	—	—
Multiple upper extremities locations, n.e.c.	389	4,600	—	—	320	410	1,290	980	860	620	100	—
Upper extremities, n.e.c.	39	100	—	—	—	—	—	—	—	—	—	—
Lower extremities	4	269,490	—	—	9,200	33,660	62,350	66,250	60,220	28,310	5,660	3,820
Lower extremities, unspecified	40	250	—	—	—	—	40	100	60	—	—	—
Leg(s)	41	138,580	—	—	4,130	14,220	28,220	35,050	34,060	17,680	3,520	1,690
Leg(s), unspecified	410	18,890	—	—	430	2,300	3,740	5,310	4,190	2,180	460	290
Thigh(s)	411	4,820	—	—	280	720	1,050	1,010	990	600	130	50
Knee(s)	412	99,720	—	—	3,090	9,950	19,770	25,340	24,720	13,030	2,560	1,260
Lower leg(s)	413	10,840	—	—	280	970	2,800	2,750	2,500	1,330	140	70
Multiple leg(s) locations	418	3,450	—	—	—	170	700	540	1,470	460	50	—
Leg(s), n.e.c.	419	840	—	—	—	120	170	100	180	90	170	—
Ankle(s)	42	64,320	—	—	2,570	9,510	18,760	15,130	11,730	4,690	1,010	920
Foot(foot), except toe(s)	43	45,110	—	—	1,930	6,340	10,260	11,220	9,900	3,910	660	880
Foot(foot), except toe(s), unspecified	430	39,250	—	—	1,790	5,730	9,130	9,490	8,250	3,420	580	850
Instep(s)	431	990	—	—	40	80	260	230	290	50	40	—
Sole	432	3,830	—	—	90	330	700	1,120	1,140	380	—	—
Sole(s), unspecified	4320	680	—	—	60	160	120	220	—	80	—	—
Arch(es)	4322	180	—	—	—	—	—	—	120	—	—	—
Heel(s)	4323	2,900	—	—	—	160	520	890	970	290	20	—
Sole(s), n.e.c.	4329	—	—	—	—	—	20	—	—	—	—	—
Multiple foot(foot) locations	438	310	—	—	—	60	60	100	70	—	—	—
Foot(foot), n.e.c.	439	730	—	—	—	130	110	270	150	60	—	—
Toe(s), toenail(s)	44	12,840	—	—	430	2,750	3,150	2,450	2,760	990	200	100

See footnotes at end of table.

TABLE 77. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, 2004 — Continued

Part of body	Part of body code ²	Private industry ³	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Multiple lower extremities locations	48	8,350	—	—	130	820	1,920	2,310	1,720	1,010	230	220
Multiple lower extremities locations, unspecified	480	190	—	—	—	—	70	40	50	—	—	—
Foot(foot) and leg(s)	481	940	—	—	—	140	150	200	210	210	—	—
Foot(foot) and ankle(s)	482	2,630	—	—	20	200	650	670	660	250	170	20
Foot(foot) and toe(s)	483	1,260	—	—	—	210	260	460	60	70	—	150
Multiple lower extremities locations, n.e.c.	489	3,330	—	—	70	250	780	940	740	460	50	40
Lower extremities, n.e.c.	49	50	—	—	—	—	—	—	—	—	—	—
Body systems	5	14,300	—	—	610	1,330	3,630	3,970	2,870	1,470	190	220
Multiple body parts	8	126,530	—	—	2,880	10,890	24,720	33,240	31,840	17,580	3,810	1,550
Other body parts	9	110	—	—	—	—	—	—	50	—	—	—
Prosthetic devices	91	80	—	—	—	—	—	—	40	—	—	—
Nonclassifiable	9999	8,640	—	—	280	1,320	1,760	2,110	1,850	860	70	380

¹ Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

² Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies