

TABLE 73. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, 2004

Nature	Nature code ²	Private industry ³	Race or ethnic origin								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multirace	Not reported
Total		1,259,320	591,570	103,820	164,390	16,040	4,650	5,140	530	1,260	371,920
Traumatic injuries and disorders	0	1,167,100	544,240	97,190	154,180	14,610	4,380	4,790	470	1,200	346,040
Traumatic injuries and disorders, unspecified	00	37,510	15,960	2,140	5,700	940	170	70	—	—	12,520
Traumatic injuries to bones, nerves, spinal cord	01	103,660	57,210	6,380	12,800	950	260	430	—	100	25,510
Traumatic injuries to bones, nerves, spinal cord, unspecified ...	010	460	130	210	60	—	—	—	—	—	60
Dislocations	011	8,670	4,540	490	1,280	110	—	—	—	—	2,230
Fractures	012	94,040	52,310	5,640	11,400	830	230	420	—	100	23,110
Traumatic injuries to spinal cord	013	60	—	—	—	—	—	—	—	—	—
Traumatic injuries to nerves, except the spinal cord	014	130	60	—	—	—	—	—	—	—	40
Multiple traumatic injuries to bones, nerves, spinal cord	018	200	110	—	—	—	—	—	—	—	—
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	019	90	—	—	—	—	—	—	—	—	40
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	02	531,000	247,500	44,890	60,760	5,260	1,770	2,260	130	370	168,050
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	020	4,570	2,110	540	440	70	—	—	—	—	1,380
Sprains, strains, tears	021	525,390	244,650	44,300	60,290	5,170	1,730	2,260	130	370	166,480
Injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	029	1,040	740	50	—	—	—	—	—	—	190
Open wounds	03	129,630	58,980	9,290	25,370	2,460	580	630	180	460	31,660
Open wounds, unspecified	030	630	390	80	100	—	—	—	—	—	60
Amputations	031	8,160	3,790	550	2,160	120	160	—	—	—	1,350
Amputations, fingertip	0311	5,570	2,430	390	1,600	70	50	—	—	—	1,020
Amputations, except fingertip	0319	2,590	1,360	160	560	50	110	—	—	—	330
Animal or insect bites	032	4,020	1,940	330	370	—	—	—	—	—	1,300
Avulsions	033	1,990	770	110	310	—	—	—	—	—	720
Cuts, lacerations	034	98,660	43,480	7,370	19,410	2,040	310	500	100	420	25,040
Gunshot wounds	036	170	90	20	—	—	—	—	—	—	40
Punctures, except bites	037	15,470	8,150	820	2,960	210	90	70	50	—	3,090
Multiple open wounds	038	210	180	—	—	—	—	—	—	—	—
Open wounds, n.e.c.	039	310	200	—	40	—	—	—	—	—	60
Surface wounds and bruises	04	139,410	61,010	12,760	19,140	2,060	760	600	70	60	42,960
Surface wounds and bruises, unspecified	040	280	140	20	80	—	—	—	—	—	—
Abrasions, scratches	041	8,730	3,950	590	1,340	100	70	90	—	—	2,570
Blisters	042	220	140	—	—	—	—	—	—	—	50
Bruises, contusions	043	114,680	48,270	11,420	15,040	1,810	660	450	—	50	36,950

See footnotes at end of table.

TABLE 73. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, 2004 — Continued

Nature	Nature code ²	Private industry ³	Race or ethnic origin								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multirace	Not reported
Foreign bodies (superficial splinters, chips)	044	14,290	8,010	580	2,470	140	—	60	—	—	2,970
Friction burns	045	230	40	—	130	—	—	—	—	—	40
Multiple surface wounds and bruises	048	790	350	80	60	—	—	—	—	—	290
Surface wounds and bruises, n.e.c.	049	190	100	40	—	—	—	—	—	—	50
Burns	05	27,020	11,700	2,600	4,380	520	70	180	—	—	7,540
Burns, unspecified	050	60	—	—	—	—	—	—	—	—	—
Chemical burns	051	7,360	2,830	700	1,230	120	—	70	—	—	2,380
Electrical burns	052	1,050	630	70	120	—	—	—	—	—	210
Heat burns, scalds	053	18,510	8,210	1,840	3,020	400	—	110	—	—	4,890
Intracranial injuries	06	5,740	3,220	260	470	—	—	—	—	—	1,720
Intracranial injuries, unspecified	060	130	80	—	—	—	—	—	—	—	—
Cerebral hemorrhages	061	—	—	—	—	—	—	—	—	—	20
Concussions	062	5,570	3,110	260	460	—	—	—	—	—	1,670
Effects of environmental conditions ...	07	1,910	860	210	250	40	—	—	—	—	550
Effects of reduced temperature	071	220	60	80	—	—	—	—	—	—	—
Frostbite	0711	200	50	80	—	—	—	—	—	—	—
Effects of heat and light	072	1,520	780	120	190	—	—	—	—	—	410
Effects of heat and light, unspecified	0720	80	60	—	—	—	—	—	—	—	—
Heat stroke	0721	250	70	—	50	—	—	—	—	—	110
Heat syncope	0722	160	80	—	60	—	—	—	—	—	—
Heat fatigue	0723	200	90	20	—	—	—	—	—	—	80
Effects of heat and light, n.e.c. ...	0729	830	490	80	50	—	—	—	—	—	200
Effects of air pressure	073	160	—	—	—	—	—	—	—	—	100
Effects of air pressure, n.e.c.	0739	130	—	—	—	—	—	—	—	—	90
Multiple traumatic injuries and disorders	08	50,350	24,530	4,360	6,770	440	120	230	—	—	13,840
Multiple traumatic injuries and disorders, unspecified	080	1,740	790	50	90	—	—	—	—	—	800
Cuts, abrasions, bruises	081	8,990	4,220	630	1,290	60	—	—	—	—	2,730
Sprains and bruises	082	19,720	8,220	2,710	2,880	110	60	120	—	—	5,590
Fractures and burns	083	160	50	—	90	—	—	—	—	—	—
Fractures and other injuries	084	9,790	5,560	490	1,280	120	20	80	—	—	2,250
Burns and other injuries	085	390	130	—	40	—	—	—	—	—	210
Intracranial injuries and injuries to internal organs	086	50	—	—	—	—	—	—	—	—	—
Other combinations of traumatic injuries and disorders, n.e.c.	089	9,510	5,560	460	1,100	150	—	—	—	—	2,200
Other traumatic injuries and disorders	09	140,860	63,280	14,280	18,540	1,900	650	350	40	140	41,670
Other traumatic injuries and disorders, unspecified	090	310	220	—	80	—	—	—	—	—	—

See footnotes at end of table.

TABLE 73. **Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, 2004** — Continued

Nature	Nature code ²	Private industry ³	Race or ethnic origin								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multirace	Not reported
Asphyxiations/strangulations, suffocations	091	40	—	—	—	—	—	—	—	—	—
Electrocutions, electric shocks	093	1,670	1,000	100	140	20	—	—	—	—	400
Internal injuries to organs and blood vessels of the trunk	094	140	—	—	70	—	—	—	—	—	—
Other poisonings and toxic effects	095	5,810	2,270	820	1,280	50	—	—	—	—	1,340
Other poisonings and toxic effects, unspecified	0950	140	—	—	—	20	—	—	—	—	70
Animal or insect bites, venomous	0951	4,060	1,510	500	1,080	—	—	—	—	—	910
Other poisonings and toxic effects, n.e.c.	0959	1,610	730	310	180	—	—	—	—	—	360
Traumatic complications	096	110	20	50	—	—	—	—	—	—	—
Traumatic complications, n.e.c.	0969	80	—	50	—	—	—	—	—	—	—
Nonspecified injuries and disorders	097	131,190	59,180	13,130	16,630	1,790	620	340	40	130	39,340
Crushing injuries	0971	16,490	7,800	1,440	3,570	280	—	120	—	—	3,240
Back pain, hurt back	0972	37,930	17,020	3,690	3,390	340	180	70	—	—	13,220
Soreness, pain, hurt, except the back	0973	66,630	29,930	7,020	8,300	850	320	150	—	100	19,940
Multiple nonspecified injuries and disorders	0978	5,250	1,910	470	720	290	90	—	—	—	1,740
Nonspecified injuries and disorders, n.e.c.	0979	4,890	2,510	500	640	—	—	—	—	—	1,200
Other traumatic injuries and disorders, n.e.c.	099	1,580	540	160	330	—	—	—	—	—	510
Systemic diseases and disorders	1	69,350	38,120	4,710	7,410	860	130	270	40	50	17,760
Systemic diseases and disorders, unspecified	10	330	110	—	150	—	—	—	—	—	—
Nervous system and sense organs diseases	12	23,270	13,210	2,000	1,610	350	50	130	—	—	5,910
Nervous system and sense organs diseases, unspecified	120	60	50	—	—	—	—	—	—	—	—
Degenerative diseases of the central nervous system	122	150	150	—	—	—	—	—	—	—	—
Disorders of the peripheral nervous system	124	19,230	10,880	1,710	1,130	280	40	110	—	—	5,070
Disorders of the peripheral nervous system, unspecified	1240	120	40	—	—	—	—	—	—	—	60
Carpal tunnel syndrome	1241	18,710	10,690	1,700	980	280	40	80	—	—	4,930

See footnotes at end of table.

TABLE 73. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, 2004 — Continued

Nature	Nature code ²	Private industry ³	Race or ethnic origin								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multirace	Not reported
Inflammatory and toxic neuropathy, toxic polyneuropathy	1242	140	50	—	80	—	—	—	—	—	—
Other disorders of the peripheral nervous system, n.e.c.	1249	260	100	—	70	—	—	—	—	—	70
Disorders of the eye, adnexa, vision	125	3,530	2,000	280	440	50	—	—	—	—	720
Disorders of the eye, adnexa, vision, unspecified	1250	390	130	40	80	—	—	—	—	—	140
Conjunctivitis non-viral	1252	750	290	40	100	50	—	—	—	—	260
Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion)	1253	220	180	—	—	—	—	—	—	—	20
Welder's flash	1256	1,870	1,230	180	180	—	—	—	—	—	260
Visual disturbances	1258	110	70	—	—	—	—	—	—	—	—
Disorders of the eye, adnexa, vision, n.e.c.	1259	180	100	—	70	—	—	—	—	—	—
Disorders of the ear, mastoid process, hearing	126	260	110	—	—	—	—	—	—	—	110
Deafness, hearing loss or impairment	1261	110	—	—	—	—	—	—	—	—	40
Disorders of the ear, mastoid process, and hearing, n.e.c.	1269	80	60	—	—	—	—	—	—	—	20
Circulatory system diseases	13	850	250	—	—	—	—	—	—	—	540
Ischemic heart disease, including heart attack	133	460	190	—	—	—	—	—	—	—	250
Myocardial infarction (heart attack)	1331	420	150	—	—	—	—	—	—	—	250
Diseases of arteries, arterioles, capillaries	137	—	—	—	—	—	—	—	—	—	20
Aneurysm nontraumatic	1372	20	—	—	—	—	—	—	—	—	20
Diseases of the veins, lymphatics ..	138	300	50	—	—	—	—	—	—	—	230
Diseases of the veins, lymphatics, unspecified	1380	20	—	—	—	—	—	—	—	—	—
Hemorrhoids	1382	50	—	—	—	—	—	—	—	—	—
Phlebitis	1383	220	—	—	—	—	—	—	—	—	—
Respiratory system diseases	14	1,450	920	60	160	—	—	—	—	—	290
Respiratory system diseases, unspecified	140	440	320	—	40	—	—	—	—	—	60
Acute respiratory infections (including common cold)	141	90	—	—	—	—	—	—	—	—	50
Other diseases of upper respiratory tract	142	50	—	—	—	—	—	—	—	—	—
Other diseases of upper respiratory tract, unspecified	1420	20	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE 73. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, 2004 — Continued

Nature	Nature code ²	Private industry ³	Race or ethnic origin								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multirace	Not reported
Chronic obstructive pulmonary disease and allied conditions	144	670	410	20	90	—	—	—	—	—	140
Chronic obstructive pulmonary disease and allied conditions, unspecified	1440	—	20	—	—	—	—	—	—	—	—
Bronchitis	1441	100	—	—	90	—	—	—	—	—	—
Extrinsic asthma	1443	450	330	—	—	—	—	—	—	—	110
Extrinsic allergic alveolitis and pneumonitis (including farmer's lung, bagassosis)	1444	70	50	—	—	—	—	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions, n.e.c.	1449	—	20	—	—	—	—	—	—	—	—
Pneumoconioses	145	50	—	—	—	—	—	—	—	—	—
Pneumoconioses, unspecified ...	1450	40	—	—	—	—	—	—	—	—	—
Pneumonopathy	146	—	20	—	—	—	—	—	—	—	—
Byssinosis, Mill fever	1461	20	—	—	—	—	—	—	—	—	—
Other respiratory system diseases	149	120	70	20	—	—	—	—	—	—	—
Pneumonitis, n.e.c.	1492	—	20	—	—	—	—	—	—	—	—
Other respiratory system diseases, n.e.c.	1499	20	—	—	—	—	—	—	—	—	—
Digestive system diseases and disorders	15	21,110	12,770	640	2,880	20	—	60	—	—	4,710
Hernia	153	21,060	12,730	640	2,880	20	—	50	—	—	4,710
Hernia, unspecified	1530	8,920	5,240	260	1,510	—	—	—	—	—	1,880
Inguinal hernia	1531	8,350	5,230	260	1,050	—	—	20	—	—	1,780
Hiatal hernia	1532	360	110	—	40	—	—	—	—	—	160
Ventral hernia	1533	1,770	1,060	—	160	—	—	—	—	—	480
Hernia, n.e.c.	1539	1,650	1,070	50	110	—	—	—	—	—	410
Genitourinary system diseases and disorders	16	100	—	—	80	—	—	—	—	—	—
Diseases and disorders of the genital tract	163	90	—	—	70	—	—	—	—	—	—
Spontaneous abortion, miscarriage	1632	80	—	—	—	—	—	—	—	—	—
Musculoskeletal system and connective tissue diseases and disorders	17	17,090	8,570	1,530	1,940	350	40	40	—	—	4,590
Musculoskeletal system and connective tissue diseases and disorders, unspecified	170	450	40	—	170	—	—	—	—	—	220
Arthropathies and related disorders (arthritis)	171	270	70	—	—	—	—	—	—	—	140
Dorsopathies	172	1,860	1,070	80	150	—	—	—	—	—	520

See footnotes at end of table.

TABLE 73. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, 2004 — Continued

Nature	Nature code ²	Private industry ³	Race or ethnic origin								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multirace	Not reported
Dorsopathies, unspecified	1720	100	—	—	—	—	—	—	—	—	50
Sciatica	1721	380	230	—	40	—	—	—	—	—	90
Disc disorders, except dislocation	1723	250	100	—	80	—	—	—	—	—	40
Dorsopathies, n.e.c.	1729	1,120	700	50	—	—	—	—	—	—	330
Rheumatism, except the back	173	14,190	7,300	1,390	1,490	320	—	—	—	—	3,610
Rheumatism, except the back, unspecified	1730	1,740	730	450	90	80	—	—	—	—	390
Bursitis	1731	720	350	80	110	—	—	—	—	—	180
Synovitis	1732	50	—	—	—	—	—	—	—	—	—
Tendonitis	1733	6,930	3,650	380	870	180	20	—	—	—	1,810
Tenosynovitis	1734	770	340	90	70	—	—	—	—	—	240
Ganglion/cystic tumor	1735	550	230	120	90	20	—	—	—	—	80
Rheumatism, except the back, n.e.c.	1739	3,420	1,970	270	260	—	—	—	—	—	890
Osteopathies, chondropathies, acquired deformities	174	40	—	—	—	—	—	—	—	—	20
Osteopathies, chondropathies, acquired deformities, n.e.c.	1749	40	—	—	—	—	—	—	—	—	20
Musculoskeletal system and connective tissue diseases and disorders, n.e.c.	179	280	80	20	90	—	—	—	—	—	70
Disorders of the skin and subcutaneous tissue	18	4,800	2,160	410	480	120	—	40	—	—	1,550
Disorders of the skin and subcutaneous tissue, unspecified	180	280	140	—	—	—	—	—	—	—	90
Infections of the skin and subcutaneous tissue	181	1,080	520	140	90	—	—	—	—	—	290
Infections of the skin and subcutaneous tissue, unspecified	1810	370	190	—	50	—	—	—	—	—	90
Cellulitis and abscess	1812	470	210	130	40	—	—	—	—	—	90
Impetigo	1814	90	80	—	—	—	—	—	—	—	—
Pilonidal cyst	1815	—	20	—	—	—	—	—	—	—	—
Infections of the skin and subcutaneous tissue, n.e.c.	1819	120	—	—	—	—	—	—	—	—	90
Dermatitis	182	3,220	1,370	240	330	110	20	—	—	—	1,140
Dermatitis, unspecified	1820	700	180	—	100	90	—	—	—	—	330
Atopic dermatitis and related conditions	1821	20	—	—	—	—	—	—	—	—	—
Contact dermatitis and other eczema	1822	900	400	60	120	—	—	—	—	—	300
Allergic dermatitis	1823	1,060	450	120	70	—	—	—	—	—	400
Irritant dermatitis	1824	440	270	50	—	—	—	—	—	—	80

See footnotes at end of table.

TABLE 73. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, 2004 — Continued

Nature	Nature code ²	Private industry ³	Race or ethnic origin								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multirace	Not reported
Other contact dermatitis	1825	60	—	—	—	—	—	—	—	—	20
Dermatitis, n.e.c.	1829	40	—	—	—	—	—	—	—	—	—
Other inflammatory conditions of the skin	183	60	—	—	20	—	—	—	—	—	—
Other inflammatory conditions of the skin, unspecified	1830	—	20	—	—	—	—	—	—	—	—
Other diseases and disorders of the skin and subcutaneous tissue	189	140	90	—	—	—	—	—	—	—	—
Urticaria, hives	1898	120	90	—	—	—	—	—	—	—	—
Other systemic diseases and disorders	19	320	90	—	100	—	—	—	—	—	110
Endocrine, nutritional, metabolic, and immunity disorder	191	60	40	20	—	—	—	—	—	—	—
Endocrine, nutritional, metabolic, and immunity disorders, n.e.c.	1919	40	—	20	—	—	—	—	—	—	—
Systemic diseases and disorders, n.e.c.	199	260	50	—	100	—	—	—	—	—	110
Infectious and parasitic diseases	2	1,680	1,020	120	40	—	—	—	—	—	490
Infectious and parasitic diseases, unspecified	20	100	—	—	—	—	—	—	—	—	80
Bacterial diseases	21	390	250	—	—	—	—	—	—	—	130
Bacterial diseases, unspecified	210	140	130	—	—	—	—	—	—	—	—
Other bacterial diseases	219	250	120	—	—	—	—	—	—	—	130
Diphtheria, whooping cough	2192	160	60	—	—	—	—	—	—	—	100
Other bacterial diseases, n.e.c. ..	2199	60	—	—	—	—	—	—	—	—	—
Viral diseases	22	430	210	90	—	—	—	—	—	—	120
Viral diseases accompanied by exanthem (eruptive fever)	223	310	160	70	—	—	—	—	—	—	70
Chickenpox	2233	240	110	70	—	—	—	—	—	—	60
Viral diseases of the conjunctiva	226	80	40	—	—	—	—	—	—	—	—
Viral diseases of the conjunctiva, unspecified	2260	20	—	—	—	—	—	—	—	—	—
Viral conjunctivitis (ophthalmia) ..	2262	60	—	—	—	—	—	—	—	—	—
Other diseases due to viruses and Chlamydiae	229	20	—	—	—	—	—	—	—	—	—
Other arthropod-borne diseases	23	120	110	—	—	—	—	—	—	—	—
Lyme disease	237	110	110	—	—	—	—	—	—	—	—
Mycoses	24	100	90	—	—	—	—	—	—	—	—
Histoplasmosis	245	90	90	—	—	—	—	—	—	—	—
Infectious diseases peculiar to the intestines	26	190	100	—	—	—	—	—	—	—	80

See footnotes at end of table.

TABLE 73. **Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, 2004** — Continued

Nature	Nature code ²	Private industry ³	Race or ethnic origin								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multirace	Not reported
Infectious diseases peculiar to the intestines, unspecified	260	100	70	—	—	—	—	—	—	—	—
Shigellosis	264	40	—	—	—	—	—	—	—	—	—
Other infectious and parasitic diseases	29	350	230	—	20	—	—	—	—	—	70
Acariasis (including scabies, chiggers, mites)	294	330	230	—	20	—	—	—	—	—	60
Symptoms, signs, and ill-defined conditions	4	11,950	4,890	1,180	1,120	220	—	70	—	—	4,450
Symptoms, signs, and ill-defined conditions, unspecified	40	300	250	—	—	—	—	—	—	—	—
Symptoms	41	11,400	4,550	1,120	1,090	210	—	70	—	—	4,330
Symptoms, unspecified	410	510	230	—	80	—	—	—	—	—	150
General symptoms	411	4,350	1,950	540	320	70	—	—	—	—	1,440
General symptoms, unspecified	4110	200	60	60	—	—	—	—	—	—	40
Loss of consciousness not heat related	4111	840	460	190	—	—	—	—	—	—	160
Convulsions, seizures	4112	70	50	20	—	—	—	—	—	—	—
Dizziness	4114	540	260	70	50	—	—	—	—	—	150
Non-specified allergic reaction ...	4115	640	230	110	40	—	—	—	—	—	250
Multiple general symptoms	4118	220	70	—	20	—	—	—	—	—	120
General symptoms, n.e.c.	4119	1,840	830	70	150	70	—	—	—	—	710
Symptoms involving nervous and musculoskeletal systems	412	1,770	550	90	230	60	—	—	—	—	830
Symptoms involving nervous and musculoskeletal systems, unspecified	4120	130	60	—	—	—	—	—	—	—	40
Earache	4122	50	—	—	—	—	—	—	—	—	40
Symptoms involving nervous and musculoskeletal systems, n.e.c.	4129	1,560	460	70	220	60	—	—	—	—	750
Symptoms involving skin and other integumentary tissue	413	1,600	730	190	100	—	—	—	—	—	550
Symptoms involving skin and other integumentary tissue, unspecified	4130	—	20	—	—	—	—	—	—	—	—
Edema (including dropsy)	4131	1,290	500	180	80	—	—	—	—	—	510
Symptoms involving skin and other integumentary tissue, n.e.c.	4139	270	210	—	20	—	—	—	—	—	—
Symptoms involving head and neck	414	630	200	130	70	—	—	—	—	—	210
Headache, except migraine	4141	470	170	120	60	—	—	—	—	—	100

See footnotes at end of table.

TABLE 73. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, 2004 — Continued

Nature	Nature code ²	Private industry ³	Race or ethnic origin								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multirace	Not reported
Symptoms involving head and neck, n.e.c.	4149	150	—	—	—	—	—	—	—	—	110
Symptoms involving cardiovascular system	415	320	—	—	—	—	—	—	—	—	320
Symptoms involving cardiovascular system, n.e.c. ...	4159	320	—	—	—	—	—	—	—	—	320
Symptoms involving respiratory system and chest	416	1,530	650	100	190	—	—	—	—	—	580
Symptoms involving respiratory system and chest, unspecified	4160	630	250	40	40	—	—	—	—	—	290
Chest pain	4164	320	110	—	—	—	—	—	—	—	160
Multiple symptoms involving respiratory system and chest ...	4168	110	80	—	20	—	—	—	—	—	—
Symptoms involving respiratory system and chest, n.e.c.	4169	460	210	—	100	—	—	—	—	—	120
Symptoms involving digestive and urinary system	417	220	70	—	40	—	—	—	—	—	100
Nausea and vomiting	4171	130	—	—	—	—	—	—	—	—	70
Abdominal pain, unspecified	4175	40	20	—	—	—	—	—	—	—	—
Multiple symptoms	418	440	160	50	50	—	—	—	—	—	120
Abnormal findings	42	80	—	—	—	—	—	—	—	—	60
Abnormal findings from histological and immunological studies	426	80	—	—	—	—	—	—	—	—	60
Multiple symptoms, signs, and ill-defined conditions	48	150	80	—	—	—	—	—	—	—	—
Multiple chemical sensitivity	481	70	70	—	—	—	—	—	—	—	—
Multiple symptoms, signs, and ill-defined conditions, n.e.c.	489	70	—	—	—	—	—	—	—	—	20
Other diseases, conditions, and disorders	5	3,010	1,000	350	300	40	—	—	—	—	1,280
Damage to prosthetic devices	51	80	—	—	—	—	—	—	—	—	—
Mental disorders or syndromes	52	2,920	970	330	290	40	—	—	—	—	1,260
Mental disorder or syndrome, unspecified	520	170	40	50	40	—	—	—	—	—	40
Anxiety, stress, neurotic disorders	521	2,660	910	260	250	40	—	—	—	—	1,180
Anxiety, stress, neurotic disorders, unspecified	5210	1,070	350	120	70	—	—	—	—	—	510
Post-traumatic anxiety acute	5211	280	50	60	—	—	—	—	—	—	150
Post-traumatic anxiety chronic	5212	40	40	—	—	—	—	—	—	—	—
Panic disorder	5213	60	—	—	—	—	—	—	—	—	—
Neurotic reaction to stress	5214	1,040	420	80	100	—	—	—	—	—	410

See footnotes at end of table.

TABLE 73. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, 2004 — Continued

Nature	Nature code ²	Private industry ³	Race or ethnic origin								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multirace	Not reported
Multiple anxiety, stress, neurotic disorders	5218	120	—	—	40	—	—	—	—	—	60
Neurotic disorders, n.e.c.	5219	40	—	—	—	—	—	—	—	—	—
Mental disorders or syndromes, n.e.c.	529	90	—	—	—	—	—	—	—	—	40
Multiple diseases, conditions, and disorders	8	1,110	480	50	140	70	50	—	—	—	310
Nonclassifiable	9999	5,120	1,830	210	1,200	230	—	—	—	—	1,590

¹ Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

² Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies