

TABLE 29. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, 2004

Nature	Nature code ²	Private industry ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Total		1,259,320	17,880	161,370	44,790	82,160	127,790
Traumatic injuries and disorders	0	1,167,100	11,650	151,910	43,110	79,400	121,130
Traumatic injuries and disorders, unspecified	00	37,510	890	3,200	1,940	2,220	2,790
Traumatic injuries to bones, nerves, spinal cord	01	103,660	100	6,460	2,440	7,360	11,240
Traumatic injuries to bones, nerves, spinal cord, unspecified ...	010	460	—	—	—	—	—
Dislocations	011	8,670	—	1,030	230	300	680
Fractures	012	94,040	100	5,370	2,210	7,010	10,500
Traumatic injuries to spinal cord	013	60	—	—	—	—	—
Traumatic injuries to nerves, except the spinal cord	014	130	—	—	—	—	—
Multiple traumatic injuries to bones nerves, spinal cord	018	200	—	—	—	—	—
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	019	90	—	—	—	—	—
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	02	531,000	150	102,170	20,240	19,220	44,980
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	020	4,570	—	390	390	160	280
Sprains, strains, tears	021	525,390	150	101,720	19,740	18,960	44,640
Injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	029	1,040	—	60	110	110	60
Open wounds	03	129,630	110	8,360	4,180	24,540	26,960
Open wounds, unspecified	030	630	—	—	—	50	140
Amputations	031	8,160	—	250	80	4,720	1,180
Amputations, fingertip	0311	5,570	—	200	70	3,080	910
Amputations, except fingertip	0319	2,590	—	50	—	1,640	270
Animal or insect bites	032	4,020	—	—	—	—	—
Avulsions	033	1,990	—	90	100	970	210
Cuts, lacerations	034	98,660	70	7,650	3,870	18,150	17,850
Gunshot wounds	036	170	—	—	—	—	—
Punctures, except bites	037	15,470	—	320	120	490	7,470
Multiple open wounds	038	210	—	—	—	110	—
Open wounds, n.e.c.	039	310	—	—	—	50	60
Surface wounds and bruises	04	139,410	220	11,150	7,040	9,310	15,200
Surface wounds and bruises, unspecified	040	280	—	—	—	40	—
Abrasions, scratches	041	8,730	40	470	420	390	960
Blisters	042	220	—	—	—	—	—
Bruises, contusions	043	114,680	90	10,610	6,560	8,750	13,710
Foreign bodies (superficial splinters, chips)	044	14,290	90	—	—	—	280
Friction burns	045	230	—	—	—	40	150

See footnotes at end of table.

TABLE 29. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, 2004 — Continued

Nature	Source of injury or illness ⁴					
	Worker motion or position	Floors, walkways, or ground surfaces	Handtools	Vehicles	Health care patient	All other sources ⁵
Total	182,820	234,010	58,410	111,270	57,230	181,590
Traumatic injuries and disorders	148,780	231,010	55,470	108,120	55,810	160,710
Traumatic injuries and disorders, unspecified	3,730	10,520	990	5,410	1,030	4,800
Traumatic injuries to bones, nerves, spinal cord	2,340	47,000	3,010	11,840	980	10,880
Traumatic injuries to bones, nerves, spinal cord, unspecified ...	—	110	20	100	—	150
Dislocations	760	3,250	270	970	190	990
Fractures	1,570	43,430	2,710	10,710	750	9,680
Traumatic injuries to spinal cord	—	—	—	—	—	20
Traumatic injuries to nerves, except the spinal cord	—	—	—	—	—	40
Multiple traumatic injuries to bones, nerves, spinal cord	—	150	—	20	—	—
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	—	—	—	—	—	20
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	119,420	86,130	9,790	39,230	41,970	47,700
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	620	1,350	80	460	160	670
Sprains, strains, tears	118,680	84,630	9,670	38,570	41,690	46,940
Injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	120	160	—	200	120	80
Open wounds	—	4,480	32,240	5,780	250	22,730
Open wounds, unspecified	—	110	—	50	—	200
Amputations	—	—	920	650	—	340
Amputations, fingertip	—	20	670	370	—	250
Amputations, except fingertip	—	—	250	280	—	80
Animal or insect bites	—	—	—	—	110	3,910
Avulsions	—	—	220	170	—	220
Cuts, lacerations	—	4,140	29,200	4,570	130	13,020
Gunshot wounds	—	—	—	—	—	170
Punctures, except bites	—	180	1,770	310	—	4,770
Multiple open wounds	—	—	20	—	—	—
Open wounds, n.e.c.	—	—	70	20	—	80
Surface wounds and bruises	310	36,560	3,830	19,530	2,810	33,460
Surface wounds and bruises, unspecified	—	70	60	—	—	50
Abrasions, scratches	—	760	330	440	270	4,660
Blisters	—	40	20	—	—	70
Bruises, contusions	300	35,310	3,390	18,730	2,540	14,690
Foreign bodies (superficial splinters, chips)	—	—	—	—	—	13,890
Friction burns	—	—	—	—	—	—

See footnotes at end of table.

TABLE 29. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, 2004 — Continued

Nature	Nature code ²	Private industry ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Multiple surface wounds and bruises	048	790	—	—	40	40	—
Surface wounds and bruises, n.e.c.	049	190	—	—	—	—	40
Burns	05	27,020	8,310	530	90	2,540	2,520
Burns, unspecified	050	60	—	—	—	—	—
Chemical burns	051	7,360	7,340	—	—	—	—
Electrical burns	052	1,050	—	—	40	70	810
Heat burns, scalds	053	18,510	930	500	50	2,470	1,690
Intracranial injuries	06	5,740	—	420	460	300	390
Intracranial injuries, unspecified	060	130	—	—	—	—	—
Cerebral hemorrhages	061	—	—	—	—	—	20
Concussions	062	5,570	—	420	450	290	370
Effects of environmental conditions ...	07	1,910	—	—	—	—	—
Effects of reduced temperature	071	220	—	—	—	—	—
Frostbite	0711	200	—	—	—	—	—
Effects of heat and light	072	1,520	—	—	—	—	—
Effects of heat and light, unspecified	0720	80	—	—	—	—	—
Heat stroke	0721	250	—	—	—	—	—
Heat syncope	0722	160	—	—	—	—	—
Heat fatigue	0723	200	—	—	—	—	—
Effects of heat and light, n.e.c. ...	0729	830	—	—	—	—	—
Effects of air pressure	073	160	—	—	—	—	—
Effects of air pressure, n.e.c.	0739	130	—	—	—	—	—
Multiple traumatic injuries and disorders	08	50,350	40	2,290	1,620	3,520	3,970
Multiple traumatic injuries and disorders, unspecified	080	1,740	40	60	60	50	110
Cuts, abrasions, bruises	081	8,990	—	380	300	900	1,160
Sprains and bruises	082	19,720	—	1,100	590	770	680
Fractures and burns	083	160	—	—	—	50	—
Fractures and other injuries	084	9,790	—	380	130	1,190	1,390
Burns and other injuries	085	390	—	—	—	100	60
Intracranial injuries and injuries to internal organs	086	50	—	—	—	—	—
Other combinations of traumatic injuries and disorders, n.e.c.	089	9,510	—	280	540	470	570
Other traumatic injuries and disorders	09	140,860	1,820	17,330	5,090	10,390	13,060
Other traumatic injuries and disorders, unspecified	090	310	—	—	—	—	—
Asphyxiations/strangulations, suffocations	091	40	—	—	—	—	—
Electrocutions, electric shocks	093	1,670	—	—	70	450	820
Internal injuries to organs and blood vessels of the trunk	094	140	—	—	—	—	—

See footnotes at end of table.

TABLE 29. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, 2004 — Continued

Nature	Source of injury or illness ⁴					
	Worker motion or position	Floors, walkways, or ground surfaces	Handtools	Vehicles	Health care patient	All other sources ⁵
Multiple surface wounds and bruises	—	350	—	260	—	—
Surface wounds and bruises, n.e.c.	—	20	—	50	—	50
Burns	—	—	500	160	—	12,360
Burns, unspecified	—	—	—	20	—	—
Chemical burns	—	—	—	—	—	—
Electrical burns	—	—	80	—	—	—
Heat burns, scalds	—	—	410	140	—	12,310
Intracranial injuries	—	1,850	130	960	90	1,150
Intracranial injuries, unspecified	—	—	—	—	—	50
Cerebral hemorrhages	—	—	—	—	—	—
Concussions	—	1,810	130	920	80	1,090
Effects of environmental conditions ...	—	—	—	—	—	1,880
Effects of reduced temperature	—	—	—	—	—	190
Frostbite	—	—	—	—	—	170
Effects of heat and light	—	—	—	—	—	1,520
Effects of heat and light, unspecified	—	—	—	—	—	80
Heat stroke	—	—	—	—	—	250
Heat syncope	—	—	—	—	—	160
Heat fatigue	—	—	—	—	—	200
Effects of heat and light, n.e.c. ...	—	—	—	—	—	830
Effects of air pressure	—	—	—	—	—	160
Effects of air pressure, n.e.c.	—	—	—	—	—	130
Multiple traumatic injuries and disorders	130	21,090	1,260	9,890	920	5,620
Multiple traumatic injuries and disorders, unspecified	—	700	—	590	—	90
Cuts, abrasions, bruises	—	2,770	630	1,740	140	980
Sprains and bruises	—	10,630	60	3,660	590	1,630
Fractures and burns	—	—	—	20	—	—
Fractures and other injuries	70	3,450	450	1,510	70	1,150
Burns and other injuries	—	—	—	—	—	170
Intracranial injuries and injuries to internal organs	—	—	—	40	—	—
Other combinations of traumatic injuries and disorders, n.e.c.	60	3,520	80	2,290	100	1,590
Other traumatic injuries and disorders	22,850	23,390	3,720	15,320	7,750	20,130
Other traumatic injuries and disorders, unspecified	—	—	—	70	—	120
Asphyxiations/strangulations, suffocations	—	—	—	—	—	—
Electrocutions, electric shocks	—	—	70	70	—	180
Internal injuries to organs and blood vessels of the trunk	—	60	—	50	—	—

See footnotes at end of table.

TABLE 29. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, 2004 — Continued

Nature	Nature code ²	Private industry ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Other poisonings and toxic effects	095	5,810	1,420	—	—	—	—
Other poisonings and toxic effects, unspecified	0950	140	90	—	—	—	—
Animal or insect bites, venomous	0951	4,060	—	—	—	—	—
Other poisonings and toxic effects, n.e.c.	0959	1,610	1,330	—	—	—	—
Traumatic complications	096	110	—	—	—	—	—
Traumatic complications, n.e.c.	0969	80	—	—	—	—	—
Nonspecified injuries and disorders	097	131,190	340	17,240	4,980	9,840	12,190
Crushing injuries	0971	16,490	20	1,480	510	4,990	3,210
Back pain, hurt back	0972	37,930	—	7,520	1,150	1,150	3,220
Soreness, pain, hurt, except the back	0973	66,630	120	7,440	3,180	3,060	5,360
Multiple nonspecified injuries and disorders	0978	5,250	—	380	40	380	150
Nonspecified injuries and disorders, n.e.c.	0979	4,890	190	420	100	250	250
Other traumatic injuries and disorders, n.e.c.	099	1,580	—	50	40	60	—
Systemic diseases and disorders	1	69,350	3,510	8,710	1,310	2,330	6,170
Systemic diseases and disorders, unspecified	10	330	—	—	—	—	—
Nervous system and sense organs diseases	12	23,270	760	140	—	290	310
Nervous system and sense organs diseases, unspecified	120	60	—	—	—	—	—
Degenerative diseases of the central nervous system	122	150	—	—	—	—	—
Disorders of the peripheral nervous system	124	19,230	—	120	—	—	—
Disorders of the peripheral nervous system, unspecified	1240	120	—	—	—	—	—
Carpal tunnel syndrome	1241	18,710	—	—	—	—	—
Inflammatory and toxic neuropathy, toxic polyneuropathy	1242	140	—	80	—	—	—
Other disorders of the peripheral nervous system, n.e.c.	1249	260	—	—	—	—	—
Disorders of the eye, adnexa, vision	125	3,530	740	—	—	280	140
Disorders of the eye, adnexa, vision, unspecified	1250	390	190	—	—	—	—

See footnotes at end of table.

TABLE 29. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, 2004 — Continued

Nature	Source of injury or illness ⁴					
	Worker motion or position	Floors, walkways, or ground surfaces	Handtools	Vehicles	Health care patient	All other sources ⁵
Other poisonings and toxic effects	—	—	—	—	—	4,360
Other poisonings and toxic effects, unspecified	—	—	—	—	—	40
Animal or insect bites, venomous	—	—	—	—	—	4,060
Other poisonings and toxic effects, n.e.c.	—	—	—	—	—	260
Traumatic complications	—	—	—	—	—	—
Traumatic complications, n.e.c.	—	—	—	—	—	—
Nonspecified injuries and disorders	22,460	23,000	3,640	14,870	7,640	14,990
Crushing injuries	20	370	1,270	2,680	40	1,890
Back pain, hurt back	7,790	5,590	450	3,010	4,020	4,030
Soreness, pain, hurt, except the back	13,370	14,210	1,820	7,210	3,000	7,860
Multiple nonspecified injuries and disorders	530	1,800	40	1,030	250	650
Nonspecified injuries and disorders, n.e.c.	750	1,040	60	940	330	560
Other traumatic injuries and disorders, n.e.c.	370	290	—	250	50	450
Systemic diseases and disorders	31,120	1,280	2,840	2,070	1,160	8,860
Systemic diseases and disorders, unspecified	250	—	—	—	—	70
Nervous system and sense organs diseases	19,010	—	1,690	20	120	860
Nervous system and sense organs diseases, unspecified	—	—	—	—	—	50
Degenerative diseases of the central nervous system	—	—	—	—	—	—
Disorders of the peripheral nervous system	18,990	—	—	—	—	40
Disorders of the peripheral nervous system, unspecified	110	—	—	—	—	—
Carpal tunnel syndrome	18,640	—	—	—	—	—
Inflammatory and toxic neuropathy, toxic polyneuropathy	60	—	—	—	—	—
Other disorders of the peripheral nervous system, n.e.c.	180	—	—	—	—	—
Disorders of the eye, adnexa, vision	—	—	1,650	—	110	540
Disorders of the eye, adnexa, vision, unspecified	—	—	—	—	—	160

See footnotes at end of table.

TABLE 29. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, 2004 — Continued

Nature	Nature code ²	Private industry ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Conjunctivitis non-viral	1252	750	360	—	—	—	—
Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion)	1253	220	170	—	—	—	—
Welder's flash	1256	1,870	—	—	—	270	—
Visual disturbances	1258	110	—	—	—	—	60
Disorders of the eye, adnexa, vision, n.e.c.	1259	180	—	—	—	—	40
Disorders of the ear, mastoid process, hearing	126	260	—	—	—	—	—
Deafness, hearing loss or impairment	1261	110	—	—	—	—	—
Disorders of the ear, mastoid process, and hearing, n.e.c.	1269	80	—	—	—	—	—
Circulatory system diseases	13	850	—	—	—	220	—
Ischemic heart disease, including heart attack	133	460	—	—	—	—	—
Myocardial infarction (heart attack)	1331	420	—	—	—	—	—
Aneurysm nontraumatic	1372	20	—	—	—	—	—
Diseases of the veins, lymphatics ..	138	300	—	—	—	220	20
Diseases of the veins, lymphatics, unspecified	1380	20	—	—	—	—	—
Hemorrhoids	1382	50	—	—	—	—	—
Phlebitis	1383	220	—	—	—	—	—
Respiratory system diseases	14	1,450	780	—	—	—	50
Respiratory system diseases, unspecified	140	440	200	—	—	—	40
Acute respiratory infections (including common cold)	141	90	40	—	—	—	—
Other diseases of upper respiratory tract	142	50	—	—	—	—	—
Other diseases of upper respiratory tract, unspecified	1420	20	—	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions	144	670	350	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions, unspecified	1440	—	20	—	—	—	—
Bronchitis	1441	100	—	—	—	—	—
Extrinsic asthma	1443	450	270	—	—	—	—
Extrinsic allergic alveolitis and pneumonitis (including farmer's lung, bagassosis)	1444	70	40	—	—	—	—
Pneumoconioses	145	50	40	—	—	—	—
Pneumoconioses, unspecified ...	1450	40	—	—	—	—	—
Byssinosis, Mill fever	1461	20	20	—	—	—	—

See footnotes at end of table.

TABLE 29. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, 2004 — Continued

Nature	Source of injury or illness ⁴					
	Worker motion or position	Floors, walkways, or ground surfaces	Handtools	Vehicles	Health care patient	All other sources ⁵
Conjunctivitis non-viral	—	—	—	—	100	250
Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion)	—	—	—	—	—	—
Welder's flash	—	—	1,590	—	—	—
Visual disturbances	—	—	—	—	—	20
Disorders of the eye, adnexa, vision, n.e.c.	—	—	—	—	—	70
Disorders of the ear, mastoid process, hearing	—	—	—	—	—	230
Deafness, hearing loss or impairment	—	—	—	—	—	100
Disorders of the ear, mastoid process, and hearing, n.e.c.	—	—	—	—	—	80
Circulatory system diseases	40	—	—	—	—	530
Ischemic heart disease, including heart attack	—	—	—	—	—	450
Myocardial infarction (heart attack)	—	—	—	—	—	410
Aneurysm nontraumatic	—	—	—	—	—	20
Diseases of the veins, lymphatics ..	—	—	—	—	—	—
Diseases of the veins, lymphatics, unspecified	—	—	—	—	—	—
Hemorrhoids	—	—	—	—	—	—
Phlebitis	—	—	—	—	—	—
Respiratory system diseases	—	—	—	—	50	560
Respiratory system diseases, unspecified	—	—	—	—	—	200
Acute respiratory infections (including common cold)	—	—	—	—	—	—
Other diseases of upper respiratory tract	—	—	—	—	—	—
Other diseases of upper respiratory tract, unspecified	—	—	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions	—	—	—	—	—	300
Chronic obstructive pulmonary disease and allied conditions, unspecified	—	—	—	—	—	—
Bronchitis	—	—	—	—	—	90
Extrinsic asthma	—	—	—	—	—	170
Extrinsic allergic alveolitis and pneumonitis (including farmer's lung, bagassosis)	—	—	—	—	—	—
Pneumoconioses	—	—	—	—	—	—
Pneumoconioses, unspecified ...	—	—	—	—	—	—
Byssinosis, Mill fever	—	—	—	—	—	—

See footnotes at end of table.

TABLE 29. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, 2004 — Continued

Nature	Nature code ²	Private industry ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Other respiratory system diseases	149	120	80	—	—	—	—
Other respiratory system diseases, n.e.c.	1499	20	20	—	—	—	—
Digestive system diseases and disorders	15	21,110	—	6,830	940	1,410	4,770
Hernia	153	21,060	—	6,830	940	1,410	4,770
Hernia, unspecified	1530	8,920	—	2,750	270	570	2,080
Inguinal hernia	1531	8,350	—	2,780	490	520	1,840
Hiatal hernia	1532	360	—	100	—	—	110
Ventral hernia	1533	1,770	—	490	80	110	540
Hernia, n.e.c.	1539	1,650	—	720	100	120	190
Genitourinary system diseases and disorders	16	100	—	—	—	—	—
Diseases and disorders of the genital tract	163	90	—	—	—	—	—
Spontaneous abortion, miscarriage	1632	80	—	—	—	—	—
Musculoskeletal system and connective tissue diseases and disorders	17	17,090	100	1,650	290	340	890
Musculoskeletal system and connective tissue diseases and disorders, unspecified	170	450	—	—	—	—	—
Arthropathies and related disorders (arthritis)	171	270	—	—	—	—	—
Dorsopathies	172	1,860	—	480	20	90	140
Dorsopathies, unspecified	1720	100	—	—	—	—	—
Sciatica	1721	380	—	110	—	—	—
Disc disorders, except dislocation	1723	250	—	—	—	—	20
Dorsopathies, n.e.c.	1729	1,120	—	340	—	60	120
Rheumatism, except the back	173	14,190	100	1,140	260	220	730
Rheumatism, except the back, unspecified	1730	1,740	100	40	—	50	—
Bursitis	1731	720	—	100	—	—	—
Synovitis	1732	50	—	—	—	—	—
Tendonitis	1733	6,930	—	770	140	80	360
Tenosynovitis	1734	770	—	50	50	—	50
Ganglion/cystic tumor	1735	550	—	—	20	—	—
Rheumatism, except the back, n.e.c.	1739	3,420	—	140	—	60	260
Osteopathies, chondropathies, acquired deformities	174	40	—	—	—	—	—
Osteopathies, chondropathies, acquired deformities, n.e.c.	1749	40	—	—	—	—	—

See footnotes at end of table.

TABLE 29. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, 2004 — Continued

Nature	Source of injury or illness ⁴					
	Worker motion or position	Floors, walkways, or ground surfaces	Handtools	Vehicles	Health care patient	All other sources ⁵
Other respiratory system diseases	—	—	—	—	—	—
Other respiratory system diseases, n.e.c.	—	—	—	—	—	—
Digestive system diseases and disorders	1,630	600	660	1,380	370	2,530
Hernia	1,590	600	660	1,380	360	2,510
Hernia, unspecified	670	410	160	680	100	1,240
Inguinal hernia	730	160	210	550	90	980
Hiatal hernia	40	—	—	—	—	—
Ventral hernia	50	—	210	90	60	130
Hernia, n.e.c.	90	—	70	60	110	170
Genitourinary system diseases and disorders	—	—	—	—	—	80
Diseases and disorders of the genital tract	—	—	—	—	—	70
Spontaneous abortion, miscarriage	—	—	—	—	—	70
Musculoskeletal system and connective tissue diseases and disorders	9,910	570	470	470	490	1,910
Musculoskeletal system and connective tissue diseases and disorders, unspecified	290	—	—	—	—	90
Arthropathies and related disorders (arthritis)	90	60	—	—	20	70
Dorsopathies	540	80	—	170	130	170
Dorsopathies, unspecified	90	—	—	—	—	—
Sciatica	130	—	—	20	—	50
Disc disorders, except dislocation	50	—	—	—	—	90
Dorsopathies, n.e.c.	260	70	—	130	70	—
Rheumatism, except the back	8,740	410	430	280	340	1,550
Rheumatism, except the back, unspecified	770	180	—	70	—	450
Bursitis	340	70	20	80	—	—
Synovitis	40	—	—	—	—	—
Tendonitis	4,380	70	320	70	210	530
Tenosynovitis	560	—	—	—	20	—
Ganglion/cystic tumor	420	—	—	—	—	50
Rheumatism, except the back, n.e.c.	2,230	70	60	50	90	450
Osteopathies, chondropathies, acquired deformities	—	—	—	—	—	—
Osteopathies, chondropathies, acquired deformities, n.e.c.	—	—	—	—	—	—

See footnotes at end of table.

TABLE 29. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, 2004 — Continued

Nature	Nature code ²	Private industry ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Musculoskeletal system and connective tissue diseases and disorders, n.e.c.	179	280	—	20	—	—	—
Disorders of the skin and subcutaneous tissue	18	4,800	1,800	50	—	60	120
Disorders of the skin and subcutaneous tissue, unspecified	180	280	140	—	—	—	—
Infections of the skin and subcutaneous tissue	181	1,080	60	40	—	60	50
Infections of the skin and subcutaneous tissue, unspecified	1810	370	40	—	—	—	20
Cellulitis and abscess	1812	470	—	40	—	40	—
Impetigo	1814	90	—	—	—	—	—
Pilonidal cyst	1815	—	—	—	—	—	—
Infections of the skin and subcutaneous tissue, n.e.c.	1819	120	—	—	—	—	—
Dermatitis	182	3,220	1,570	—	—	—	50
Dermatitis, unspecified	1820	700	360	—	—	—	—
Atopic dermatitis and related conditions	1821	20	—	—	—	—	—
Contact dermatitis and other eczema	1822	900	350	—	—	—	—
Allergic dermatitis	1823	1,060	540	—	—	—	—
Irritant dermatitis	1824	440	300	—	—	—	—
Other contact dermatitis	1825	60	—	—	—	—	—
Dermatitis, n.e.c.	1829	40	20	—	—	—	—
Other inflammatory conditions of the skin	183	60	—	—	—	—	—
Other inflammatory conditions, n.e.c.	1839	—	—	—	—	—	—
Other diseases and disorders of the skin and subcutaneous tissue	189	140	—	—	—	—	—
Urticaria, hives	1898	120	—	—	—	—	—
Other systemic diseases and disorders	19	320	—	—	—	—	—
Endocrine, nutritional, metabolic, and immunity disorder	191	60	—	—	—	—	—
Endocrine, nutritional, metabolic, and immunity disorders, n.e.c.	1919	40	—	—	—	—	—
Systemic diseases and disorders, n.e.c.	199	260	—	—	—	—	—
Infectious and parasitic diseases	2	1,680	—	—	—	—	—

See footnotes at end of table.

TABLE 29. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, 2004 — Continued

Nature	Source of injury or illness ⁴					
	Worker motion or position	Floors, walkways, or ground surfaces	Handtools	Vehicles	Health care patient	All other sources ⁵
Musculoskeletal system and connective tissue diseases and disorders, n.e.c.	240	—	—	—	—	—
Disorders of the skin and subcutaneous tissue	80	70	—	190	130	2,270
Disorders of the skin and subcutaneous tissue, unspecified	—	—	—	—	—	110
Infections of the skin and subcutaneous tissue	70	50	—	190	80	440
Infections of the skin and subcutaneous tissue, unspecified	—	—	—	120	—	160
Cellulitis and abscess	—	50	—	70	—	160
Impetigo	—	—	—	—	—	—
Pilonidal cyst	20	—	—	—	—	—
Infections of the skin and subcutaneous tissue, n.e.c.	—	—	—	—	—	90
Dermatitis	—	—	—	—	—	1,560
Dermatitis, unspecified	—	—	—	—	—	290
Atopic dermatitis and related conditions	—	—	—	—	—	—
Contact dermatitis and other eczema	—	—	—	—	—	540
Allergic dermatitis	—	—	—	—	—	510
Irritant dermatitis	—	—	—	—	—	130
Other contact dermatitis	—	—	—	—	—	60
Dermatitis, n.e.c.	—	—	—	—	—	—
Other inflammatory conditions of the skin	—	—	—	—	20	—
Other inflammatory conditions, n.e.c.	—	—	—	—	—	20
Other diseases and disorders of the skin and subcutaneous tissue	—	—	—	—	—	110
Urticaria, hives	—	—	—	—	—	100
Other systemic diseases and disorders	190	—	—	—	—	50
Endocrine, nutritional, metabolic, and immunity disorder	—	—	—	—	—	50
Endocrine, nutritional, metabolic, and immunity disorders, n.e.c.	—	—	—	—	—	—
Systemic diseases and disorders, n.e.c.	180	—	—	—	—	—
Infectious and parasitic diseases	—	—	—	—	—	1,660

See footnotes at end of table.

TABLE 29. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, 2004 — Continued

Nature	Nature code ²	Private industry ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Infectious and parasitic diseases, unspecified	20	100	—	—	—	—	—
Bacterial diseases	21	390	—	—	—	—	—
Bacterial diseases, unspecified	210	140	—	—	—	—	—
Other bacterial diseases	219	250	—	—	—	—	—
Diphtheria, whooping cough	2192	160	—	—	—	—	—
Other bacterial diseases, n.e.c. ..	2199	60	—	—	—	—	—
Viral diseases	22	430	—	—	—	—	—
Viral diseases accompanied by exanthem (eruptive fever)	223	310	—	—	—	—	—
Chickenpox	2233	240	—	—	—	—	—
Viral diseases of the conjunctiva	226	80	—	—	—	—	—
Viral diseases of the conjunctiva, unspecified	2260	20	—	—	—	—	—
Viral conjunctivitis (ophthalmia) ..	2262	60	—	—	—	—	—
Other diseases due to viruses and Chlamydiae	229	20	—	—	—	—	—
Other arthropod-borne diseases	23	120	—	—	—	—	—
Lyme disease	237	110	—	—	—	—	—
Mycoses	24	100	—	—	—	—	—
Histoplasmosis	245	90	—	—	—	—	—
Infectious diseases peculiar to the intestines	26	190	—	—	—	—	—
Infectious diseases peculiar to the intestines, unspecified	260	100	—	—	—	—	—
Shigellosis	264	40	—	—	—	—	—
Other infectious and parasitic diseases	29	350	—	—	—	—	—
Acariasis (including scabies, chiggers, mites)	294	330	—	—	—	—	—
Symptoms, signs, and ill-defined conditions	4	11,950	2,610	440	330	270	370
Symptoms, signs, and ill-defined conditions, unspecified	40	300	90	—	—	—	—
Symptoms	41	11,400	2,400	440	280	270	370
Symptoms, unspecified	410	510	130	—	—	—	—
General symptoms	411	4,350	1,100	160	150	130	110
General symptoms, unspecified	4110	200	70	—	—	—	—
Loss of consciousness not heat related	4111	840	80	—	50	—	—
Convulsions, seizures	4112	70	—	—	—	—	—
Dizziness	4114	540	120	—	—	—	—
Non-specified allergic reaction ...	4115	640	380	—	—	—	20
Multiple general symptoms	4118	220	70	—	—	—	—
General symptoms, n.e.c.	4119	1,840	390	120	90	50	80

See footnotes at end of table.

TABLE 29. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, 2004 — Continued

Nature	Source of injury or illness ⁴					
	Worker motion or position	Floors, walkways, or ground surfaces	Handtools	Vehicles	Health care patient	All other sources ⁵
Infectious and parasitic diseases, unspecified	—	—	—	—	—	100
Bacterial diseases	—	—	—	—	—	390
Bacterial diseases, unspecified	—	—	—	—	—	140
Other bacterial diseases	—	—	—	—	—	240
Diphtheria, whooping cough	—	—	—	—	—	150
Other bacterial diseases, n.e.c. ..	—	—	—	—	—	60
Viral diseases	—	—	—	—	—	430
Viral diseases accompanied by exanthem (eruptive fever)	—	—	—	—	—	310
Chickenpox	—	—	—	—	—	240
Viral diseases of the conjunctiva	—	—	—	—	—	80
Viral diseases of the conjunctiva, unspecified	—	—	—	—	—	20
Viral conjunctivitis (ophthalmia) ..	—	—	—	—	—	60
Other diseases due to viruses and Chlamydiae	—	—	—	—	—	20
Other arthropod-borne diseases	—	—	—	—	—	120
Lyme disease	—	—	—	—	—	110
Mycoses	—	—	—	—	—	100
Histoplasmosis	—	—	—	—	—	90
Infectious diseases peculiar to the intestines	—	—	—	—	—	190
Infectious diseases peculiar to the intestines, unspecified	—	—	—	—	—	100
Shigellosis	—	—	—	—	—	40
Other infectious and parasitic diseases	—	—	—	—	—	340
Acariasis (including scabies, chiggers, mites)	—	—	—	—	—	330
Symptoms, signs, and ill-defined conditions	2,370	780	60	690	140	3,900
Symptoms, signs, and ill-defined conditions, unspecified	—	—	—	—	—	160
Symptoms	2,350	770	60	690	120	3,660
Symptoms, unspecified	140	—	—	—	—	200
General symptoms	720	220	—	210	90	1,440
General symptoms, unspecified	—	—	—	—	—	110
Loss of consciousness not heat related	—	90	—	60	—	530
Convulsions, seizures	—	—	—	—	—	70
Dizziness	70	40	—	—	—	230
Non-specified allergic reaction ...	—	—	—	—	—	200
Multiple general symptoms	—	—	—	—	—	—
General symptoms, n.e.c.	620	50	—	80	80	270

See footnotes at end of table.

TABLE 29. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, 2004 — Continued

Nature	Nature code ²	Private industry ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Symptoms involving nervous and musculoskeletal systems	412	1,770	—	40	20	40	—
Symptoms involving nervous and musculoskeletal systems, unspecified	4120	130	—	—	—	—	—
Earache	4122	50	—	—	—	—	—
Symptoms involving nervous and musculoskeletal systems, n.e.c.	4129	1,560	—	40	20	40	—
Symptoms involving skin and other integumentary tissue	413	1,600	90	80	90	—	150
Edema (including dropsy)	4131	1,290	—	60	90	—	120
Symptoms involving skin and other integumentary tissue, n.e.c.	4139	270	60	—	—	—	—
Symptoms involving head and neck	414	630	130	120	—	—	70
Headache, except migraine	4141	470	50	110	—	—	70
Symptoms involving head and neck, n.e.c.	4149	150	80	—	—	—	—
Symptoms involving cardiovascular system	415	320	—	—	—	—	—
Symptoms involving cardiovascular system, n.e.c. ..	4159	320	—	—	—	—	—
Symptoms involving respiratory system and chest	416	1,530	650	—	—	—	—
Symptoms involving respiratory system and chest, unspecified	4160	630	350	—	—	—	—
Chest pain	4164	320	—	—	—	—	—
Multiple symptoms involving respiratory system and chest ...	4168	110	60	—	—	—	—
Symptoms involving respiratory system and chest, n.e.c.	4169	460	230	—	—	—	—
Symptoms involving digestive and urinary system	417	220	110	—	—	—	—
Nausea and vomiting	4171	130	90	—	—	—	—
Abdominal pain, unspecified	4175	40	—	—	—	—	—
Multiple symptoms	418	440	180	—	—	—	—
Abnormal findings	42	80	—	—	—	—	—
Abnormal findings from histological and immunological studies	426	80	—	—	—	—	—
Multiple symptoms, signs, and ill-defined conditions	48	150	120	—	—	—	—
Multiple chemical sensitivity	481	70	70	—	—	—	—
Multiple symptoms, signs, and ill-defined conditions, n.e.c.	489	70	40	—	—	—	—

See footnotes at end of table.

TABLE 29. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, 2004 — Continued

Nature	Source of injury or illness ⁴					
	Worker motion or position	Floors, walkways, or ground surfaces	Handtools	Vehicles	Health care patient	All other sources ⁵
Symptoms involving nervous and musculoskeletal systems	1,250	90	—	70	—	210
Symptoms involving nervous and musculoskeletal systems, unspecified	110	—	—	—	—	—
Earache	—	—	—	—	—	—
Symptoms involving nervous and musculoskeletal systems, n.e.c.	1,130	70	—	60	—	170
Symptoms involving skin and other integumentary tissue	100	430	—	280	20	330
Edema (including dropsy)	100	430	—	270	—	170
Symptoms involving skin and other integumentary tissue, n.e.c.	—	—	—	—	—	160
Symptoms involving head and neck	—	—	—	100	—	160
Headache, except migraine	—	—	—	80	—	110
Symptoms involving head and neck, n.e.c.	—	—	—	—	—	—
Symptoms involving cardiovascular system	—	—	—	—	—	320
Symptoms involving cardiovascular system, n.e.c. ..	—	—	—	—	—	320
Symptoms involving respiratory system and chest	70	—	—	—	—	740
Symptoms involving respiratory system and chest, unspecified	—	—	—	—	—	270
Chest pain	—	—	—	—	—	260
Multiple symptoms involving respiratory system and chest ...	—	—	—	—	—	50
Symptoms involving respiratory system and chest, n.e.c.	50	—	—	—	—	170
Symptoms involving digestive and urinary system	—	—	—	—	—	60
Nausea and vomiting	—	—	—	—	—	—
Abdominal pain, unspecified	—	—	—	—	—	—
Multiple symptoms	50	—	—	—	—	160
Abnormal findings	—	—	—	—	20	60
Abnormal findings from histological and immunological studies	—	—	—	—	20	60
Multiple symptoms, signs, and ill-defined conditions	—	—	—	—	—	20
Multiple chemical sensitivity	—	—	—	—	—	—
Multiple symptoms, signs, and ill-defined conditions, n.e.c.	—	—	—	—	—	20

See footnotes at end of table.

TABLE 29. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, 2004 — Continued

Nature	Nature code ²	Private industry ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Other diseases, conditions, and disorders	5	3,010	—	60	—	—	—
Damage to prosthetic devices	51	80	—	50	—	—	—
Mental disorders or syndromes	52	2,920	—	—	—	—	—
Mental disorder or syndrome, unspecified	520	170	—	—	—	—	—
Anxiety, stress, neurotic disorders	521	2,660	—	—	—	—	—
Anxiety, stress, neurotic disorders, unspecified	5210	1,070	—	—	—	—	—
Post-traumatic anxiety acute	5211	280	—	—	—	—	—
Post-traumatic anxiety chronic	5212	40	—	—	—	—	—
Panic disorder	5213	60	—	—	—	—	—
Neurotic reaction to stress	5214	1,040	—	—	—	—	—
Multiple anxiety, stress, neurotic disorders	5218	120	—	—	—	—	—
Neurotic disorders, n.e.c.	5219	40	—	—	—	—	—
Mental disorders or syndromes, n.e.c.	529	90	—	—	—	—	—
Multiple diseases, conditions, and disorders	8	1,110	—	60	—	90	—
Nonclassifiable	9999	5,120	100	200	—	50	100

See footnotes at end of table.

TABLE 29. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, 2004 — Continued

Nature	Source of injury or illness ⁴					
	Worker motion or position	Floors, walkways, or ground surfaces	Handtools	Vehicles	Health care patient	All other sources ⁵
Other diseases, conditions, and disorders	—	—	—	60	40	2,800
Damage to prosthetic devices	—	—	—	—	—	—
Mental disorders or syndromes	—	—	—	50	—	2,800
Mental disorder or syndrome, unspecified	—	—	—	—	—	160
Anxiety, stress, neurotic disorders	—	—	—	50	—	2,550
Anxiety, stress, neurotic disorders, unspecified	—	—	—	—	—	1,020
Post-traumatic anxiety acute	—	—	—	20	—	230
Post-traumatic anxiety chronic	—	—	—	—	—	40
Panic disorder	—	—	—	—	—	50
Neurotic reaction to stress	—	—	—	—	—	1,040
Multiple anxiety, stress, neurotic disorders	—	—	—	—	—	120
Neurotic disorders, n.e.c.	—	—	—	—	—	40
Mental disorders or syndromes, n.e.c.	—	—	—	—	—	90
Multiple diseases, conditions, and disorders	260	350	—	60	—	230
Nonclassifiable	290	560	—	290	40	3,420

¹ Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

² Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Data shown in columns correspond to the following Source codes: Chemicals and chemical products = 00-09; Containers = 10-19; Furniture and fixtures = 20-29; Machinery = 30-39; Parts and materials = 40-49; Worker motion or position = 562; Floors, walkways or ground surfaces = 62; Handtools = 71-73; Vehicles = 80-89; Health care patient = 573; All other sources = all remaining codes, including 9999 (Nonclassifiable).

These codes are based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁵ Includes nonclassifiable responses.

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies