

TABLE 38. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, 2004

Part of body	Part of body code ²	Private industry ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Total		1,259,320	17,880	161,370	44,790	82,160	127,790
Head	0	81,530	6,410	4,530	4,100	3,580	8,260
Head, unspecified	00	16,300	100	1,240	1,610	1,010	2,320
Cranial region, including skull	01	9,600	—	660	1,100	850	900
Cranial region, unspecified	010	300	—	—	—	40	50
Brain	011	5,830	—	420	470	300	390
Scalp	012	2,650	—	120	530	490	320
Skull	013	600	—	50	80	—	120
Multiple cranial region locations	018	60	—	—	—	—	—
Cranial region, n.e.c.	019	160	—	—	—	—	—
Ear(s)	02	1,030	60	60	—	—	110
Face	03	52,780	6,230	2,540	1,310	1,520	4,800
Face, unspecified	030	4,070	270	310	190	200	610
Forehead	031	3,130	—	640	260	240	420
Eye(s)	032	36,680	5,600	1,020	370	560	2,470
Nose, nasal cavity	033	2,380	—	150	110	120	290
Nose, except internal location of diseases or disorders	0330	2,340	—	150	110	120	290
Cheek(s)	034	850	—	60	40	160	90
Jaw/chin	035	1,060	—	70	90	40	180
Mouth	036	1,950	—	130	90	120	350
Mouth, unspecified	0360	320	—	20	—	—	50
Lip(s)	0361	480	—	60	50	60	60
Tooth(teeth)	0363	900	—	40	—	60	200
Multiple mouth locations	0368	120	—	—	—	—	50
Mouth, n.e.c.	0369	110	—	—	—	—	—
Multiple face locations	038	2,490	300	160	150	70	360
Face, n.e.c.	039	180	—	—	—	—	—
Multiple head locations	08	1,690	20	—	40	180	100
Head, n.e.c.	09	130	—	—	—	—	—
Neck, including throat	1	21,130	120	2,870	820	750	1,420
Neck, except internal location of diseases or disorders	10	20,980	—	2,870	820	750	1,420
Multiple internal neck locations	18	70	70	—	—	—	—
Trunk	2	447,140	1,540	101,850	18,930	19,520	46,810
Trunk, unspecified	20	2,220	—	380	130	50	160
Shoulder, including clavicle, scapula	21	82,220	50	18,580	2,800	3,570	8,170
Chest, including ribs, internal organs	22	20,280	850	2,120	930	1,210	1,610
Chest, except internal location of diseases or disorders	220	17,800	—	2,040	930	1,200	1,570
Internal chest location, unspecified	221	230	—	—	—	—	—

See footnotes at end of table.

TABLE 38. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, 2004 — Continued

Part of body	Source of injury or illness ⁴					
	Worker motion or position	Floors, walkways, or ground surfaces	Handtools	Vehicles	Health care patient	All other sources ⁵
Total	182,820	234,010	58,410	111,270	57,230	181,590
Head	100	8,510	4,110	5,540	1,550	34,840
Head, unspecified	—	3,430	340	2,070	280	3,900
Cranial region, including skull	—	2,580	200	1,590	100	1,620
Cranial region, unspecified	—	80	—	—	—	60
Brain	—	1,870	140	970	90	1,190
Scalp	—	410	40	500	—	230
Skull	—	160	—	80	—	80
Multiple cranial region locations	—	20	—	—	—	—
Cranial region, n.e.c.	—	40	—	—	—	40
Ear(s)	—	—	—	—	—	690
Face	80	2,250	3,530	1,450	1,060	28,010
Face, unspecified	—	460	140	270	110	1,480
Forehead	—	370	260	240	—	680
Eye(s)	—	200	2,160	250	540	23,500
Nose, nasal cavity	—	260	310	170	50	890
Nose, except internal location of diseases or disorders	—	260	310	170	50	860
Cheek(s)	—	170	160	60	—	100
Jaw/chin	—	240	90	90	100	130
Mouth	—	190	300	190	160	390
Mouth, unspecified	—	20	50	—	80	50
Lip(s)	—	50	80	—	20	90
Tooth(teeth)	—	100	140	120	60	170
Multiple mouth locations	—	—	—	—	—	—
Mouth, n.e.c.	—	—	—	—	—	—
Multiple face locations	—	340	110	160	70	750
Face, n.e.c.	—	—	—	—	—	80
Multiple head locations	—	240	—	390	110	560
Head, n.e.c.	—	—	—	—	—	70
Neck, including throat	3,070	1,530	550	5,810	1,820	2,360
Neck, except internal location of diseases or disorders	3,040	1,530	550	5,810	1,820	2,330
Multiple internal neck locations	—	—	—	—	—	—
Trunk	69,530	60,700	9,030	32,400	38,880	47,940
Trunk, unspecified	270	550	—	260	120	300
Shoulder, including clavicle, scapula	12,370	13,240	2,190	5,350	5,980	9,920
Chest, including ribs, internal organs	920	3,900	380	3,060	980	4,330
Chest, except internal location of diseases or disorders	910	3,890	380	3,050	930	2,860
Internal chest location, unspecified	—	—	—	—	—	170

See footnotes at end of table.

TABLE 38. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, 2004 — Continued

Part of body	Part of body code ²	Private industry ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Heart	223	470	—	—	—	—	—
Bronchus	224	160	—	—	—	—	—
Lung(s), pleura	225	1,590	760	—	—	—	—
Internal chest location, n.e.c.	229	20	—	—	—	—	—
Back, including spine, spinal cord	23	282,240	120	67,210	12,500	11,630	28,170
Back, including spine, spinal cord, unspecified	230	123,200	80	27,250	4,860	6,160	13,050
Lumbar region	231	137,210	40	35,330	6,440	4,790	13,140
Thoracic region	232	10,350	—	2,830	730	240	1,130
Sacral region	233	860	—	200	—	—	110
Coccygeal region	234	2,130	—	—	80	—	120
Multiple back regions	238	7,790	—	1,300	310	340	560
Back, including spine, spinal cord, n.e.c.	239	700	—	280	50	50	50
Abdomen	24	29,010	230	8,470	1,210	1,870	6,180
Abdomen, except internal location of diseases or disorders	240	7,540	110	1,610	270	450	1,400
Internal abdominal location, unspecified	241	9,670	—	3,130	340	580	2,170
Stomach organ	242	710	110	170	—	110	130
Urinary organs	244	20	—	—	—	—	—
Intestines, peritoneum	245	10,990	—	3,520	590	730	2,480
Intestines, peritoneum, unspecified	2450	9,650	—	2,940	510	680	2,250
Peritoneum	2451	730	—	380	50	—	100
Small intestine	2452	210	—	60	—	20	—
Large intestine/colon, rectum	2453	330	—	120	—	—	90
Multiple intestinal locations	2458	20	—	—	—	—	—
Intestines, n.e.c.	2459	40	—	—	—	—	—
Internal abdominal location, n.e.c.	249	70	—	—	—	—	—
Pelvic region	25	22,390	270	3,770	740	780	2,070
Pelvic region, unspecified	250	290	—	40	—	—	—
Hip(s)	251	9,520	—	790	300	250	340
Pelvis	252	740	—	40	—	100	40
Buttock(s)	253	1,280	—	—	—	20	50
Groin	254	10,000	260	2,810	400	350	1,560
External reproductive tract structures	255	300	—	—	—	—	50
External reproductive tract structures, unspecified	2550	50	—	—	—	—	—
Scrotum	2551	210	—	—	—	—	40
Multiple pelvic region locations	258	150	—	—	—	—	—
Pelvic region, n.e.c.	259	90	—	—	—	—	—
Multiple trunk locations	28	8,490	—	1,200	620	400	440
Trunk, n.e.c.	29	280	—	130	—	—	—

See footnotes at end of table.

TABLE 38. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, 2004 — Continued

Part of body	Source of injury or illness ⁴					
	Worker motion or position	Floors, walkways, or ground surfaces	Handtools	Vehicles	Health care patient	All other sources ⁵
Heart	—	—	—	—	—	450
Bronchus	—	—	—	—	—	110
Lung(s), pleura	—	—	—	—	—	720
Internal chest location, n.e.c.	—	—	—	—	—	20
Back, including spine, spinal cord	50,200	32,540	4,970	19,240	29,230	26,440
Back, including spine, spinal cord, unspecified	21,740	14,190	2,280	9,800	10,560	13,240
Lumbar region	25,560	14,750	2,550	7,650	15,630	11,330
Thoracic region	1,630	560	100	680	1,580	880
Sacral region	150	140	—	40	80	70
Coccygeal region	—	1,550	—	200	—	100
Multiple back regions	1,080	1,310	—	800	1,300	770
Back, including spine, spinal cord, n.e.c.	—	40	—	70	80	50
Abdomen	2,120	970	1,000	1,840	1,130	3,990
Abdomen, except internal location of diseases or disorders	500	370	340	450	760	1,280
Internal abdominal location, unspecified	730	430	190	600	180	1,330
Stomach organ	70	—	—	—	—	80
Urinary organs	—	—	—	—	—	—
Intestines, peritoneum	810	170	440	780	190	1,270
Intestines, peritoneum, unspecified	680	170	420	690	190	1,140
Peritoneum	60	—	—	70	—	50
Small intestine	—	—	—	—	—	40
Large intestine/colon, rectum	40	—	—	—	—	—
Multiple intestinal locations	—	—	—	—	—	—
Intestines, n.e.c.	—	—	—	—	—	—
Internal abdominal location, n.e.c.	—	—	—	—	—	—
Pelvic region	2,780	6,590	410	1,920	780	2,280
Pelvic region, unspecified	—	120	—	—	—	50
Hip(s)	1,240	4,400	290	1,010	330	550
Pelvis	—	360	—	90	—	80
Buttock(s)	20	870	—	40	—	200
Groin	1,450	700	100	690	350	1,340
External reproductive tract structures	—	50	—	40	70	50
External reproductive tract structures, unspecified	—	—	—	—	—	—
Scrotum	—	40	—	40	50	20
Multiple pelvic region locations	—	50	—	20	—	—
Pelvic region, n.e.c.	—	50	—	—	—	—
Multiple trunk locations	840	2,850	70	730	660	670
Trunk, n.e.c.	—	70	—	—	—	—

See footnotes at end of table.

TABLE 38. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, 2004 — Continued

Part of body	Part of body code ²	Private industry ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Upper extremities	3	290,460	2,470	24,160	8,570	42,780	39,340
Upper extremities, unspecified	30	480	—	—	—	—	20
Arm(s)	31	58,310	490	6,690	1,810	4,400	7,720
Arm(s), unspecified	310	21,290	310	2,540	500	1,790	2,760
Upper arm(s)	311	4,190	—	850	260	220	580
Elbow(s)	312	19,060	—	2,110	560	900	2,110
Forearm(s)	313	10,240	80	650	390	1,130	1,960
Multiple arm(s) locations	318	2,660	—	510	40	240	210
Arm(s), n.e.c.	319	870	—	40	60	110	90
Wrist(s)	32	58,510	60	4,890	1,300	1,490	3,040
Hand(s), except finger(s)	33	50,190	1,390	3,790	2,070	7,060	8,740
Finger(s), fingernail(s)	34	107,860	300	7,570	2,950	28,160	18,100
Multiple upper extremities locations ...	38	15,020	220	1,190	440	1,660	1,680
Multiple upper extremities locations, unspecified	380	250	—	—	—	—	—
Hand(s) and finger(s)	381	5,260	100	520	200	860	770
Hand(s) and wrist(s)	382	3,230	—	210	60	440	260
Hand(s) and arm(s)	383	1,680	60	70	—	180	150
Multiple upper extremities locations, n.e.c.	389	4,600	—	370	140	160	490
Upper extremities, n.e.c.	39	100	—	—	—	—	—
Lower extremities	4	269,490	1,280	19,330	8,700	11,320	24,940
Lower extremities, unspecified	40	250	—	40	—	—	—
Leg(s)	41	138,580	480	8,430	4,230	4,920	9,930
Leg(s), unspecified	410	18,890	240	1,550	680	1,100	2,280
Thigh(s)	411	4,820	—	350	190	220	510
Knee(s)	412	99,720	70	5,260	2,950	2,520	5,390
Lower leg(s)	413	10,840	90	1,050	240	770	1,540
Multiple leg(s) locations	418	3,450	20	210	170	270	170
Leg(s), n.e.c.	419	840	—	—	—	—	40
Ankle(s)	42	64,320	60	3,080	960	1,310	1,780
Foot(feet), except toe(s)	43	45,110	650	4,140	2,120	3,620	9,470
Foot(feet), except toe(s), unspecified	430	39,250	600	3,750	1,980	3,430	8,080
Instep(s)	431	990	—	150	40	40	300
Sole	432	3,830	—	120	90	90	820
Sole(s), unspecified	4320	680	—	—	—	—	530
Arch(es)	4322	180	—	—	—	—	100
Heel(s)	4323	2,900	—	120	80	90	190
Sole(s), n.e.c.	4329	—	—	—	—	—	—
Multiple foot(feet) locations	438	310	—	—	—	—	40
Foot(feet), n.e.c.	439	730	40	90	20	20	230
Toe(s), toenail(s)	44	12,840	40	2,990	1,100	1,010	3,100
Multiple lower extremities locations	48	8,350	60	670	290	450	650

See footnotes at end of table.

TABLE 38. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, 2004 — Continued

Part of body	Source of injury or illness ⁴					
	Worker motion or position	Floors, walkways, or ground surfaces	Handtools	Vehicles	Health care patient	All other sources ⁵
Upper extremities	39,530	30,580	38,910	16,300	5,540	42,280
Upper extremities, unspecified	90	—	—	—	—	310
Arm(s)	5,950	11,760	2,840	4,890	1,450	10,310
Arm(s), unspecified	1,540	4,060	870	1,900	520	4,520
Upper arm(s)	390	770	80	320	220	480
Elbow(s)	2,700	5,320	610	2,070	310	2,360
Forearm(s)	760	1,030	1,160	360	280	2,430
Multiple arm(s) locations	530	320	60	230	50	420
Arm(s), n.e.c.	20	260	60	—	70	100
Wrist(s)	25,750	11,600	2,290	1,810	2,040	4,250
Hand(s), except finger(s)	2,260	3,110	8,060	3,160	470	10,080
Finger(s), fingernail(s)	2,760	2,460	24,080	5,440	1,210	14,840
Multiple upper extremities locations ...	2,720	1,620	1,640	980	380	2,490
Multiple upper extremities locations, unspecified	40	—	—	20	50	40
Hand(s) and finger(s)	280	70	1,180	560	50	670
Hand(s) and wrist(s)	770	450	250	110	100	560
Hand(s) and arm(s)	320	160	—	70	60	540
Multiple upper extremities locations, n.e.c.	1,310	910	150	230	120	680
Upper extremities, n.e.c.	—	—	—	—	—	—
Lower extremities	60,790	83,900	4,700	24,320	3,020	27,170
Lower extremities, unspecified	—	80	—	—	—	40
Leg(s)	34,080	45,790	2,880	11,300	2,250	14,290
Leg(s), unspecified	1,700	4,850	880	2,490	310	2,800
Thigh(s)	700	1,090	490	440	80	720
Knee(s)	30,160	35,050	1,090	6,590	1,790	8,850
Lower leg(s)	1,160	2,680	250	1,440	50	1,590
Multiple leg(s) locations	240	1,790	140	250	—	190
Leg(s), n.e.c.	120	340	—	90	—	150
Ankle(s)	20,760	25,840	360	4,820	300	5,070
Foot(feet), except toe(s)	4,540	8,080	760	6,020	190	5,520
Foot(feet), except toe(s), unspecified	3,930	6,250	670	5,550	160	4,850
Instep(s)	—	150	—	140	—	100
Sole	490	1,550	50	230	—	370
Sole(s), unspecified	90	—	—	—	—	—
Arch(es)	—	—	—	—	—	—
Heel(s)	350	1,490	—	230	—	330
Sole(s), n.e.c.	20	—	—	—	—	—
Multiple foot(feet) locations	—	60	—	50	—	70
Foot(feet), n.e.c.	60	70	20	60	—	120
Toe(s), toenail(s)	100	1,010	590	1,320	160	1,430
Multiple lower extremities locations	1,310	3,050	90	850	110	820

See footnotes at end of table.

TABLE 38. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, 2004 — Continued

Part of body	Part of body code ²	Private industry ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Multiple lower extremities locations, unspecified	480	190	—	—	—	—	—
Foot(feet) and leg(s)	481	940	20	—	70	—	70
Foot(feet) and ankle(s)	482	2,630	—	160	—	160	130
Foot(feet) and toe(s)	483	1,260	—	370	110	180	220
Multiple lower extremities locations, n.e.c.	489	3,330	—	100	80	80	230
Lower extremities, n.e.c.	49	50	—	—	—	—	—
Body systems	5	14,300	3,590	50	210	530	890
Multiple body parts	8	126,530	2,340	8,030	3,370	3,540	5,880
Other body parts	9	110	—	50	—	—	—
Prosthetic devices	91	80	—	50	—	—	—
Nonclassifiable	9999	8,640	120	490	90	130	260

See footnotes at end of table.

TABLE 38. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, 2004 — Continued

Part of body	Source of injury or illness ⁴					
	Worker motion or position	Floors, walkways, or ground surfaces	Handtools	Vehicles	Health care patient	All other sources ⁵
Multiple lower extremities locations, unspecified	—	80	—	—	—	—
Foot(foot) and leg(s)	110	280	—	140	—	200
Foot(foot) and ankle(s)	580	990	40	370	—	160
Foot(foot) and toe(s)	50	—	—	140	—	130
Multiple lower extremities locations, n.e.c.	550	1,660	50	190	100	290
Lower extremities, n.e.c.	—	40	—	—	—	—
Body systems	130	130	70	350	180	8,170
Multiple body parts	9,160	47,320	950	25,980	6,070	13,880
Other body parts	—	40	—	—	—	—
Prosthetic devices	—	—	—	—	—	—
Nonclassifiable	500	1,300	100	560	150	4,940

¹ Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

² Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Data shown in columns correspond to the following Source codes: Chemicals and chemical products = 00-09; Containers = 10-19; Furniture and fixtures = 20-29; Machinery = 30-39; Parts and materials = 40-49; Worker motion or position = 562; Floors, walkways or ground surfaces = 62; Handtools = 71-73; Vehicles = 80-89; Health care patient = 573; All other sources = all remaining codes, including 9999 (Nonclassifiable).

These codes are based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁵ Includes nonclassifiable responses.

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies