

TABLE 78. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and race or ethnic origin of worker, 2004

Part of body	Part of body code ²	Private industry ³	Race or ethnic origin								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multirace	Not reported
Total		1,259,320	591,570	103,820	164,390	16,040	4,650	5,140	530	1,260	371,920
Head	0	81,530	38,180	6,830	11,720	1,560	210	540	—	—	22,430
Head, unspecified	00	16,300	6,090	2,100	1,960	770	—	90	—	—	5,250
Cranial region, including skull	01	9,600	4,550	420	1,410	80	—	40	—	—	3,100
Cranial region, unspecified	010	300	150	—	—	—	—	—	—	—	90
Brain	011	5,830	3,280	260	470	—	—	—	—	—	1,740
Scalp	012	2,650	670	120	770	—	—	—	—	—	1,060
Skull	013	600	310	—	110	20	—	—	—	—	150
Multiple cranial region locations	018	60	20	—	—	—	—	—	—	—	—
Cranial region, n.e.c.	019	160	110	—	—	—	—	—	—	—	—
Ear(s)	02	1,030	310	150	200	—	—	—	—	—	340
Face	03	52,780	26,100	4,070	8,030	650	160	410	—	20	13,310
Face, unspecified	030	4,070	1,820	410	520	50	—	50	—	—	1,220
Forehead	031	3,130	1,640	390	350	—	—	—	—	—	680
Eye(s)	032	36,680	18,290	2,570	6,000	520	90	320	—	—	8,840
Nose, nasal cavity	033	2,380	1,350	80	410	—	20	—	—	—	500
Nose, except internal location of diseases or disorders	0330	2,340	1,350	80	400	—	20	—	—	—	490
Cheek(s)	034	850	320	200	100	—	—	—	—	—	230
Jaw/chin	035	1,060	510	110	110	—	—	—	—	—	320
Mouth	036	1,950	890	150	250	—	—	—	—	—	630
Mouth, unspecified	0360	320	200	—	50	—	—	—	—	—	60
Lip(s)	0361	480	150	50	100	—	—	—	—	—	170
Tooth(teeth)	0363	900	420	100	90	—	—	—	—	—	290
Multiple mouth locations	0368	120	90	—	—	—	—	—	—	—	—
Mouth, n.e.c.	0369	110	—	—	—	—	—	—	—	—	90
Multiple face locations	038	2,490	1,190	140	280	—	—	—	—	—	830
Face, n.e.c.	039	180	80	—	—	—	—	—	—	—	80
Multiple head locations	08	1,690	1,080	80	130	—	—	—	—	—	370
Head, n.e.c.	09	130	60	—	—	—	—	—	—	—	50
Neck, including throat	1	21,130	10,150	1,750	1,630	210	40	—	—	—	7,310
Neck, except internal location of diseases or disorders	10	20,980	10,090	1,750	1,600	210	40	—	—	—	7,240
Multiple internal neck locations	18	70	—	—	—	—	—	—	—	—	—
Trunk	2	447,140	214,770	36,130	51,280	4,390	1,490	1,690	120	360	136,920
Trunk, unspecified	20	2,220	840	410	200	40	—	—	—	—	680
Shoulder, including clavicle, scapula	21	82,220	39,970	6,030	8,290	990	300	490	—	40	26,110
Chest, including ribs, internal organs	22	20,280	10,420	1,280	2,280	310	150	—	—	20	5,800
Chest, except internal location of diseases or disorders	220	17,800	9,210	1,160	1,980	300	150	—	—	—	4,970

See footnotes at end of table.

TABLE 78. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and race or ethnic origin of worker, 2004 — Continued

Part of body	Part of body code ²	Private industry ³	Race or ethnic origin								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multirace	Not reported
Internal chest location, unspecified	221	230	100	—	—	—	—	—	—	—	90
Heart	223	470	190	—	—	—	—	—	—	—	270
Bronchus	224	160	—	—	90	—	—	—	—	—	50
Lung(s), pleura	225	1,590	870	100	190	—	—	—	—	—	420
Internal chest location, n.e.c.	229	20	—	—	—	—	—	—	—	—	—
Back, including spine, spinal cord	23	282,240	132,240	24,260	32,900	2,730	900	960	40	230	87,980
Back, including spine, spinal cord, unspecified	230	123,200	60,990	11,240	15,170	1,180	430	480	—	90	33,610
Lumbar region	231	137,210	62,070	11,220	15,620	1,390	440	440	—	120	45,860
Thoracic region	232	10,350	3,950	920	890	40	—	—	—	—	4,530
Sacral region	233	860	380	40	40	—	—	—	—	—	380
Coccygeal region	234	2,130	1,070	110	150	—	—	—	—	—	760
Multiple back regions	238	7,790	3,440	690	1,030	90	20	—	—	—	2,520
Back, including spine, spinal cord, n.e.c.	239	700	330	40	—	—	—	—	—	—	320
Abdomen	24	29,010	16,310	1,170	3,990	100	50	70	40	—	7,240
Abdomen, except internal location of diseases or disorders	240	7,540	3,440	510	1,070	90	—	—	—	—	2,340
Internal abdominal location, unspecified	241	9,670	5,840	280	1,520	—	—	—	—	—	2,010
Stomach organ	242	710	260	—	60	—	—	—	—	—	330
Urinary organs	244	20	—	—	—	—	—	—	—	—	—
Intestines, peritoneum	245	10,990	6,770	310	1,330	—	—	20	—	—	2,520
Intestines, peritoneum, unspecified	2450	9,650	5,890	260	1,240	—	—	20	—	—	2,210
Peritoneum	2451	730	520	—	40	—	—	—	—	—	140
Small intestine	2452	210	100	—	—	—	—	—	—	—	90
Large intestine/colon, rectum	2453	330	240	—	—	—	—	—	—	—	60
Multiple intestinal locations	2458	20	—	—	—	—	—	—	—	—	—
Intestines, n.e.c.	2459	40	20	—	—	—	—	—	—	—	—
Internal abdominal location, n.e.c.	249	70	—	—	—	—	—	—	—	—	—
Pelvic region	25	22,390	10,940	2,290	2,120	160	—	100	—	—	6,730
Pelvic region, unspecified	250	290	150	—	—	—	—	—	—	—	100
Hip(s)	251	9,520	5,010	1,350	540	90	—	60	—	—	2,460
Pelvis	252	740	410	40	140	—	—	—	—	—	140
Buttock(s)	253	1,280	650	190	90	50	—	—	—	—	280
Groin	254	10,000	4,510	630	1,230	—	—	—	—	—	3,600
External reproductive tract structures	255	300	90	60	50	—	—	—	—	—	100
External reproductive tract structures, unspecified	2550	50	20	—	—	—	—	—	—	—	—
Scrotum	2551	210	50	60	—	—	—	—	—	—	70
Multiple pelvic region locations	258	150	60	—	50	—	—	—	—	—	—

See footnotes at end of table.

TABLE 78. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and race or ethnic origin of worker, 2004 — Continued

Part of body	Part of body code ²	Private industry ³	Race or ethnic origin								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multirace	Not reported
Pelvic region, n.e.c.	259	90	50	—	—	—	—	—	—	—	—
Multiple trunk locations	28	8,490	3,980	660	1,390	50	—	50	—	—	2,310
Trunk, n.e.c.	29	280	60	—	100	—	—	—	—	—	80
Upper extremities	3	290,460	135,880	22,220	47,170	4,680	1,000	1,270	170	500	77,590
Upper extremities, unspecified	30	480	60	—	300	—	—	—	—	—	110
Arm(s)	31	58,310	28,480	4,540	7,300	910	110	140	—	—	16,810
Arm(s), unspecified	310	21,290	9,280	1,880	3,230	260	70	—	—	—	6,560
Upper arm(s)	311	4,190	2,460	150	330	—	—	—	—	—	1,220
Elbow(s)	312	19,060	10,100	980	2,020	200	20	70	—	—	5,680
Forearm(s)	313	10,240	4,900	1,190	1,320	420	—	40	—	—	2,340
Multiple arm(s) locations	318	2,660	1,500	300	260	—	—	—	—	—	560
Arm(s), n.e.c.	319	870	240	40	140	—	—	—	—	—	450
Wrist(s)	32	58,510	30,100	4,680	5,650	810	150	240	—	—	16,830
Hand(s), except finger(s)	33	50,190	22,060	3,410	9,590	550	140	240	—	110	14,080
Finger(s), fingernail(s)	34	107,860	48,380	8,550	21,720	2,180	520	540	140	360	25,480
Multiple upper extremities locations ...	38	15,020	6,720	1,020	2,610	220	70	100	—	—	4,270
Multiple upper extremities locations, unspecified	380	250	130	—	—	—	—	—	—	—	70
Hand(s) and finger(s)	381	5,260	2,460	320	1,200	—	40	40	—	—	1,180
Hand(s) and wrist(s)	382	3,230	1,110	200	650	—	—	—	—	—	1,200
Hand(s) and arm(s)	383	1,680	870	120	210	—	—	—	—	—	430
Multiple upper extremities locations, n.e.c.	389	4,600	2,150	360	530	130	—	—	—	—	1,380
Upper extremities, n.e.c.	39	100	70	—	—	—	—	—	—	—	—
Lower extremities	4	269,490	125,500	22,980	34,200	2,600	1,120	1,230	110	270	81,470
Lower extremities, unspecified	40	250	50	—	—	—	—	—	—	—	160
Leg(s)	41	138,580	65,770	11,020	17,110	1,160	400	660	80	140	42,230
Leg(s), unspecified	410	18,890	8,140	1,570	3,440	200	60	120	—	70	5,300
Thigh(s)	411	4,820	2,070	490	580	70	—	—	—	—	1,600
Knee(s)	412	99,720	48,610	7,470	10,980	830	310	460	40	70	30,940
Lower leg(s)	413	10,840	4,850	820	1,630	50	20	70	—	—	3,380
Multiple leg(s) locations	418	3,450	1,680	610	400	—	—	—	—	—	730
Leg(s), n.e.c.	419	840	410	60	80	—	—	—	—	—	280
Ankle(s)	42	64,320	29,480	6,000	8,550	530	500	340	—	—	18,870
Foot(feet), except toe(s)	43	45,110	19,690	4,220	5,460	640	170	160	—	50	14,700
Foot(feet), except toe(s), unspecified	430	39,250	16,990	3,810	4,600	600	120	150	—	50	12,910
Instep(s)	431	990	280	70	200	20	—	—	—	—	410
Sole	432	3,830	2,000	310	460	—	—	—	—	—	1,000
Sole(s), unspecified	4320	680	200	—	260	—	—	—	—	—	160
Arch(es)	4322	180	140	—	—	—	—	—	—	—	—
Heel(s)	4323	2,900	1,630	280	170	—	20	—	—	—	790
Multiple foot(feet) locations	438	310	170	—	50	—	—	—	—	—	80

See footnotes at end of table.

TABLE 78. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and race or ethnic origin of worker, 2004 — Continued

Part of body	Part of body code ²	Private industry ³	Race or ethnic origin								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multirace	Not reported
Foot(feet), n.e.c.	439	730	250	20	160	—	—	—	—	—	290
Toe(s), toenail(s)	44	12,840	6,650	830	1,820	210	—	60	—	—	3,220
Multiple lower extremities locations	48	8,350	3,810	910	1,220	60	—	—	—	—	2,290
Multiple lower extremities locations, unspecified	480	190	60	—	—	—	—	—	—	—	110
Foot(feet) and leg(s)	481	940	370	210	80	—	—	—	—	—	270
Foot(feet) and ankle(s)	482	2,630	1,360	270	310	—	—	—	—	—	650
Foot(feet) and toe(s)	483	1,260	390	130	350	—	—	—	—	—	370
Multiple lower extremities locations, n.e.c.	489	3,330	1,630	290	480	—	—	—	—	—	890
Lower extremities, n.e.c.	49	50	—	—	—	—	—	—	—	—	—
Body systems	5	14,300	6,950	1,520	1,270	200	50	40	—	—	4,250
Multiple body parts	8	126,530	56,840	11,770	15,260	2,020	690	320	50	100	39,490
Other body parts	9	110	40	—	—	—	—	—	—	—	—
Prosthetic devices	91	80	—	—	—	—	—	—	—	—	—
Nonclassifiable	9999	8,640	3,280	600	1,860	370	50	—	—	—	2,420

¹ Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

² Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies