

TABLE 80. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, 2004

Part of body	Part of body code ²	Private industry ³	Summary occupational groups										
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, Maintenance, and repair occupations	Production occupations	Transportation and material moving occupations	Military specific occupations
Total		1,259,320	29,410	85,660	257,580	82,000	89,540	17,510	144,050	107,940	186,600	257,210	—
Head	0	81,530	1,830	5,420	15,560	4,200	4,330	1,470	10,650	10,290	13,730	14,000	—
Head, unspecified	00	16,300	390	1,360	3,710	1,320	1,350	240	1,260	1,320	1,720	3,590	—
Cranial region, including skull	01	9,600	330	700	1,720	660	680	280	1,090	560	960	2,600	—
Cranial region, unspecified	010	300	—	—	—	—	60	—	—	—	60	70	—
Brain	011	5,830	260	550	1,080	510	400	—	600	310	590	1,500	—
Scalp	012	2,650	—	80	450	110	120	250	340	190	250	830	—
Skull	013	600	—	—	140	—	70	—	110	—	40	160	—
Multiple cranial region locations	018	60	—	—	—	—	—	—	—	—	—	—	—
Cranial region, n.e.c.	019	160	—	40	—	—	—	—	—	—	—	20	—
Ear(s)	02	1,030	—	40	350	—	170	—	130	90	50	160	—
Face	03	52,780	640	2,950	9,360	2,170	2,080	920	7,980	8,220	10,900	7,540	—
Face, unspecified	030	4,070	150	350	970	280	310	—	400	540	460	590	—
Forehead	031	3,130	—	120	670	220	90	—	210	260	550	940	—
Eye(s)	032	36,680	240	1,360	6,080	1,250	1,130	700	6,120	6,420	8,800	4,580	—
Nose, nasal cavity	033	2,380	90	450	270	180	140	—	450	150	330	320	—
Nose, except internal location of diseases or disorders	0330	2,340	90	440	250	180	140	—	450	150	320	320	—
Cheek(s)	034	850	40	—	140	—	—	50	90	220	170	90	—
Jaw/chin	035	1,060	—	60	340	—	90	—	110	160	150	110	—
Mouth	036	1,950	50	240	320	60	120	40	280	290	170	380	—
Mouth, unspecified	0360	320	—	—	80	—	20	—	70	50	—	—	—
Lip(s)	0361	480	—	50	100	20	20	—	70	60	—	120	—
Tooth(teeth)	0363	900	20	90	120	—	80	—	120	160	90	160	—
Multiple mouth locations	0368	120	—	—	—	—	—	—	20	—	—	40	—
Mouth, n.e.c.	0369	110	—	—	—	—	—	—	—	—	—	—	—
Multiple face locations	038	2,490	20	340	570	150	160	50	290	180	250	500	—
Face, n.e.c.	039	180	—	—	20	—	40	—	—	—	—	40	—
Multiple head locations	08	1,690	450	320	410	—	—	—	170	60	90	110	—
Head, n.e.c.	09	130	—	60	—	—	—	—	—	—	—	—	—
Neck, including throat	1	21,130	500	2,360	4,000	1,660	1,560	60	2,240	1,360	2,310	5,080	—
Neck, except internal location of diseases or disorders	10	20,980	500	2,360	3,920	1,660	1,560	60	2,240	1,350	2,270	5,060	—
Multiple internal neck locations	18	70	—	—	—	—	—	—	—	—	—	—	—
Trunk	2	447,140	8,270	33,530	93,150	31,700	30,180	5,150	48,060	37,490	57,220	102,100	—
Trunk, unspecified	20	2,220	—	70	730	160	150	80	250	110	260	380	—
Shoulder, including clavicle, scapula	21	82,220	1,740	6,660	15,650	6,090	5,010	1,010	8,370	6,270	12,350	19,020	—
Chest, including ribs, internal organs	22	20,280	320	1,630	3,790	1,190	1,110	260	2,150	2,040	2,640	5,120	—

See footnotes at end of table.

TABLE 80. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, 2004 — Continued

Part of body	Part of body code ²	Private industry ³	Summary occupational groups										
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, Maintenance, and repair occupations	Production occupations	Transportation and material moving occupations	Military specific occupations
Chest, except internal location of diseases or disorders	220	17,800	290	1,280	3,150	1,030	940	210	2,000	1,970	2,240	4,690	—
Internal chest location, unspecified	221	230	—	—	50	—	20	—	—	20	40	70	—
Heart	223	470	—	—	120	—	—	—	—	—	50	270	—
Bronchus	224	160	—	20	110	—	20	—	—	—	—	—	—
Lung(s), pleura	225	1,590	20	320	360	130	130	50	120	50	310	90	—
Internal chest location, n.e.c.	229	20	—	—	—	—	—	—	—	—	—	—	—
Back, including spine, spinal cord ..	23	282,240	5,280	22,210	61,290	20,180	20,350	2,620	30,260	23,950	32,080	63,870	—
Back, including spine, spinal cord, unspecified	230	123,200	2,190	8,670	25,680	8,250	8,810	1,460	15,920	11,590	13,890	26,690	—
Lumbar region	231	137,210	2,640	11,340	30,320	10,440	9,810	990	12,680	11,010	15,660	32,240	—
Thoracic region	232	10,350	140	1,060	2,150	890	760	80	640	510	1,320	2,770	—
Sacral region	233	860	—	80	130	100	60	—	80	—	180	150	—
Coccygeal region	234	2,130	20	110	530	110	350	—	120	220	180	460	—
Multiple back regions	238	7,790	250	900	2,080	380	520	40	800	520	780	1,520	—
Back, including spine, spinal cord, n.e.c.	239	700	—	50	380	—	40	—	—	60	70	40	—
Abdomen	24	29,010	340	1,070	3,810	1,490	1,500	540	3,790	3,090	6,330	7,030	—
Abdomen, except internal location of diseases or disorders	240	7,540	60	460	1,290	370	460	130	960	540	1,540	1,730	—
Internal abdominal location, unspecified	241	9,670	100	270	1,240	410	520	—	1,570	1,130	1,750	2,630	—
Stomach organ	242	710	—	—	180	—	50	—	100	90	90	150	—
Urinary organs	244	20	—	—	—	—	—	—	—	—	—	—	—
Intestines, peritoneum	245	10,990	170	300	1,100	680	460	370	1,140	1,330	2,910	2,520	—
Intestines, peritoneum, unspecified	2450	9,650	150	280	860	570	380	360	1,020	1,120	2,700	2,200	—
Peritoneum	2451	730	—	—	210	60	50	—	60	100	60	160	—
Small intestine	2452	210	—	—	—	—	—	—	40	60	—	80	—
Large intestine/colon, rectum	2453	330	—	—	—	—	—	—	20	40	110	60	—
Multiple intestinal locations	2458	20	—	—	—	—	—	—	—	—	—	—	—
Intestines, n.e.c.	2459	40	—	—	—	—	—	—	—	—	—	—	—
Internal abdominal location, n.e.c.	249	70	—	—	—	—	—	—	—	—	40	—	—
Pelvic region	25	22,390	390	1,120	5,810	1,900	1,390	200	2,410	1,420	2,590	5,140	—
Pelvic region, unspecified	250	290	—	—	—	—	—	—	190	20	—	—	—
Hip(s)	251	9,520	270	690	2,900	1,070	590	80	890	420	900	1,690	—
Pelvis	252	740	—	—	150	90	90	—	150	70	70	90	—
Buttock(s)	253	1,280	—	70	550	90	140	—	—	60	110	220	—
Groin	254	10,000	100	320	2,100	630	510	90	1,070	830	1,390	2,960	—

See footnotes at end of table.

TABLE 80. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, 2004 — Continued

Part of body	Part of body code ²	Private industry ³	Summary occupational groups										
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, Maintenance, and repair occupations	Production occupations	Transportation and material moving occupations	Military specific occupations
External reproductive tract structures	255	300	—	20	70	—	—	—	40	—	40	90	—
External reproductive tract structures, unspecified	2550	50	—	—	20	—	—	—	—	—	—	—	—
Scrotum	2551	210	—	20	40	—	—	—	—	—	—	70	—
Multiple pelvic region locations ..	258	150	—	—	—	—	—	—	—	—	—	—	—
Pelvic region, n.e.c.	259	90	—	—	—	—	—	—	—	—	—	—	—
Multiple trunk locations	28	8,490	180	760	1,980	690	590	410	810	610	960	1,490	—
Trunk, n.e.c.	29	280	—	—	100	—	90	—	20	—	—	50	—
Upper extremities	3	290,460	4,900	13,440	62,310	13,240	18,960	4,600	36,210	26,190	66,380	43,910	—
Upper extremities, unspecified	30	480	—	—	290	—	20	—	—	—	90	—	—
Arm(s)	31	58,310	1,350	2,960	12,130	2,770	4,010	880	6,960	5,650	10,400	11,170	—
Arm(s), unspecified	310	21,290	510	1,120	5,450	1,150	1,350	230	2,490	2,040	3,330	3,610	—
Upper arm(s)	311	4,190	180	360	460	320	370	40	420	210	920	910	—
Elbow(s)	312	19,060	410	950	3,210	860	1,460	130	2,160	2,140	3,420	4,310	—
Forearm(s)	313	10,240	120	260	2,160	330	590	460	1,610	1,040	2,100	1,560	—
Multiple arm(s) locations	318	2,660	130	130	610	60	210	—	130	150	530	700	—
Arm(s), n.e.c.	319	870	—	150	250	60	—	—	150	60	100	80	—
Wrist(s)	32	58,510	1,650	4,120	11,770	3,730	7,360	390	5,200	3,590	11,970	8,570	—
Hand(s), except finger(s)	33	50,190	920	2,020	11,690	2,090	2,080	1,410	6,930	5,700	9,850	7,480	—
Finger(s), fingernail(s)	34	107,860	810	3,600	22,800	3,760	4,450	1,600	15,660	9,810	30,710	14,540	—
Multiple upper extremities locations	38	15,020	170	710	3,620	880	1,030	320	1,420	1,410	3,350	2,100	—
Multiple upper extremities locations, unspecified	380	250	—	—	50	—	20	—	60	—	—	60	—
Hand(s) and finger(s)	381	5,260	—	240	1,250	260	110	210	560	530	1,190	870	—
Hand(s) and wrist(s)	382	3,230	40	120	890	150	230	60	330	270	800	350	—
Hand(s) and arm(s)	383	1,680	—	70	570	80	160	—	80	100	400	180	—
Multiple upper extremities locations, n.e.c.	389	4,600	70	260	860	380	520	50	380	510	920	650	—
Upper extremities, n.e.c.	39	100	—	—	—	—	—	—	—	—	20	—	—
Lower extremities	4	269,490	7,930	17,440	48,900	19,180	21,250	4,120	33,920	21,980	32,170	62,410	—
Lower extremities, unspecified	40	250	—	—	—	—	—	—	—	—	—	120	—
Leg(s)	41	138,580	3,950	9,570	26,800	9,690	9,230	1,980	17,470	12,090	16,700	31,000	—
Leg(s), unspecified	410	18,890	420	1,060	3,860	1,000	1,080	210	2,320	1,450	2,420	5,040	—
Thigh(s)	411	4,820	140	230	620	290	300	70	860	490	790	1,030	—
Knee(s)	412	99,720	2,970	7,390	20,210	7,560	6,890	1,240	11,880	9,040	11,500	20,980	—
Lower leg(s)	413	10,840	280	450	1,420	650	670	410	1,810	810	1,520	2,820	—
Multiple leg(s) locations	418	3,450	120	410	470	150	270	40	320	250	390	1,020	—
Leg(s), n.e.c.	419	840	—	—	220	40	—	—	280	50	80	110	—
Ankle(s)	42	64,320	2,360	4,550	11,520	3,920	5,630	1,090	8,180	5,200	6,140	15,670	—
Foot(feet), except toe(s)	43	45,110	870	1,780	7,320	3,910	4,160	620	5,810	3,260	6,390	10,990	—

See footnotes at end of table.

TABLE 80. **Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, 2004** — Continued

Part of body	Part of body code ²	Private industry ³	Summary occupational groups										
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, Maintenance, and repair occupations	Production occupations	Transportation and material moving occupations	Military specific occupations
Foot(feet), except toe(s), unspecified	430	39,250	740	1,550	6,430	3,530	3,840	560	4,750	2,570	5,680	9,600	—
Instep(s)	431	990	—	40	80	140	100	—	70	150	170	210	—
Sole	432	3,830	90	110	550	200	170	50	850	470	400	940	—
Sole(s), unspecified	4320	680	—	—	200	—	—	—	180	80	80	80	—
Arch(es)	4322	180	—	—	—	—	—	—	—	—	50	100	—
Heel(s)	4323	2,900	90	90	320	190	150	—	650	380	270	750	—
Sole(s), n.e.c.	4329	—	—	—	20	—	—	—	—	—	—	—	—
Multiple foot(feet) locations	438	310	—	—	60	—	—	—	40	—	60	80	—
Foot(feet), n.e.c.	439	730	—	80	200	—	40	—	110	40	80	150	—
Toe(s), toenail(s)	44	12,840	510	960	1,270	1,010	1,340	360	1,280	1,020	1,980	3,090	—
Multiple lower extremities locations	48	8,350	230	570	1,970	600	880	80	1,160	380	930	1,550	—
Multiple lower extremities locations, unspecified	480	190	—	20	—	40	40	—	—	—	—	—	—
Foot(feet) and leg(s)	481	940	—	60	280	160	60	—	110	—	130	100	—
Foot(feet) and ankle(s)	482	2,630	110	290	570	60	280	—	470	80	310	410	—
Foot(feet) and toe(s)	483	1,260	—	—	390	50	50	—	130	—	160	420	—
Multiple lower extremities locations, n.e.c.	489	3,330	100	190	710	280	440	40	420	220	310	610	—
Lower extremities, n.e.c.	49	50	—	—	—	—	—	—	—	—	—	—	—
Body systems	5	14,300	850	1,690	2,680	1,180	2,000	140	1,180	1,010	1,800	1,640	—
Multiple body parts	8	126,530	4,930	11,040	29,210	10,120	10,620	1,800	10,810	8,800	12,050	27,060	—
Other body parts	9	110	—	—	—	40	—	—	—	—	—	—	—
Prosthetic devices	91	80	—	—	—	40	—	—	—	—	—	—	—
Nonclassifiable	9999	8,640	180	730	1,740	690	630	170	990	830	940	1,000	—

¹ Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

² Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies