

TABLE 30. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected events or exposures leading to injury or illness, 2004

Nature	Nature code ²	Private industry ³	Event or exposure leading to injury or illness ⁴						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Total		1,259,320	335,160	170,080	83,330	55,510	79,800	167,010	37,500
Traumatic injuries and disorders	0	1,167,100	330,420	168,580	81,380	55,110	79,120	164,500	36,810
Traumatic injuries and disorders, unspecified	00	37,510	10,090	5,650	2,590	1,330	4,070	7,610	910
Traumatic injuries to bones, nerves, spinal cord	01	103,660	36,180	20,860	6,280	8,460	19,020	30,770	690
Traumatic injuries to bones, nerves, spinal cord, unspecified ...	010	460	190	160	—	20	—	80	—
Dislocations	011	8,670	1,170	490	320	180	980	2,380	120
Fractures	012	94,040	34,670	20,120	5,930	8,240	17,880	28,220	570
Traumatic injuries to spinal cord	013	60	20	20	—	—	—	—	—
Traumatic injuries to nerves, except the spinal cord	014	130	40	—	—	20	—	—	—
Multiple traumatic injuries to bones, nerves, spinal cord	018	200	—	—	—	—	110	50	—
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	019	90	60	40	—	—	—	—	—
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	02	531,000	37,620	15,420	15,730	4,240	27,170	56,060	30,430
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	020	4,570	1,140	310	730	50	370	900	170
Sprains, strains, tears	021	525,390	36,360	15,080	14,940	4,170	26,720	55,050	30,250
Injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	029	1,040	120	—	50	—	80	100	—
Open wounds	03	129,630	113,070	57,090	30,080	20,160	1,860	5,820	—
Open wounds, unspecified	030	630	460	230	150	80	110	—	—
Amputations	031	8,160	8,020	1,460	720	5,480	—	—	—
Amputations, fingertip	0311	5,570	5,500	1,160	530	3,540	—	—	—
Amputations, except fingertip	0319	2,590	2,520	290	190	1,950	—	—	—
Animal or insect bites	032	4,020	—	—	—	—	—	—	—
Avulsions	033	1,990	1,810	410	220	1,090	—	—	—
Cuts, lacerations	034	98,660	88,250	46,750	24,010	13,020	1,610	5,290	—
Gunshot wounds	036	170	—	—	—	—	—	—	—
Punctures, except bites	037	15,470	14,050	8,010	4,900	350	110	490	—
Multiple open wounds	038	210	200	70	—	110	—	—	—
Open wounds, n.e.c.	039	310	280	170	60	—	—	—	—
Surface wounds and bruises	04	139,410	81,390	42,790	16,620	7,360	10,380	30,490	290
Surface wounds and bruises, unspecified	040	280	170	80	—	—	—	60	—
Abrasions, scratches	041	8,730	7,360	3,610	840	580	180	570	—
Blisters	042	220	160	60	—	—	—	—	—

See footnotes at end of table.

TABLE 30. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected events or exposures leading to injury or illness, 2004 — Continued

Nature	Event or exposure leading to injury or illness ⁴									
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			All other events ⁵
	Total	In lifting					Total	By person	All other assaults	
Total	316,670	173,400	48,710	52,830	62,860	2,420	24,880	17,670	7,220	131,480
Traumatic injuries and disorders	293,150	159,300	19,170	36,660	62,170	2,360	24,140	17,000	7,140	118,600
Traumatic injuries and disorders, unspecified	3,980	2,020	1,060	1,240	4,050	40	990	960	—	3,470
Traumatic injuries to bones, nerves, spinal cord	2,760	1,180	60	—	7,990	150	1,780	1,570	210	4,260
Traumatic injuries to bones, nerves, spinal cord, unspecified ...	40	—	—	—	80	—	—	—	—	—
Dislocations	2,220	1,010	40	—	680	—	160	160	—	930
Fractures	490	150	—	—	7,180	150	1,580	1,370	210	3,290
Traumatic injuries to spinal cord	—	—	—	—	—	—	—	—	—	—
Traumatic injuries to nerves, except the spinal cord	—	—	—	—	—	—	—	—	—	—
Multiple traumatic injuries to bones, nerves, spinal cord	—	—	—	—	—	—	—	—	—	—
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	—	—	—	—	—	—	—	—	—	—
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	250,060	136,670	12,040	—	20,080	40	5,660	4,850	810	91,850
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	1,030	700	80	—	280	—	—	—	—	560
Sprains, strains, tears	248,750	135,860	11,950	—	19,650	—	5,500	4,700	810	91,120
Injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	280	100	20	—	150	—	120	110	—	160
Open wounds	—	—	—	160	1,550	170	6,310	1,170	5,140	670
Open wounds, unspecified	—	—	—	—	—	—	—	—	20	—
Amputations	—	—	—	—	70	—	—	—	—	40
Amputations, fingertip	—	—	—	—	—	—	—	—	—	—
Amputations, except fingertip	—	—	—	—	50	—	—	—	—	—
Animal or insect bites	—	—	—	—	—	—	4,020	210	3,810	—
Avulsions	—	—	—	—	—	—	—	—	—	—
Cuts, lacerations	—	—	—	—	1,380	140	1,420	690	730	530
Gunshot wounds	—	—	—	—	—	—	170	170	—	—
Punctures, except bites	—	—	—	140	70	—	530	100	430	60
Multiple open wounds	—	—	—	—	—	—	—	—	—	—
Open wounds, n.e.c.	—	—	—	—	20	—	—	—	—	—
Surface wounds and bruises	50	—	—	—	10,620	—	4,810	4,420	390	1,350
Surface wounds and bruises, unspecified	—	—	—	—	—	—	—	—	—	—
Abrasions, scratches	—	—	—	—	130	—	360	300	60	120
Blisters	—	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE 30. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected events or exposures leading to injury or illness, 2004 — Continued

Nature	Nature code ²	Private industry ³	Event or exposure leading to injury or illness ⁴						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Bruises, contusions	043	114,680	58,930	35,370	15,640	6,620	10,000	29,610	290
Foreign bodies (superficial splinters, chips)	044	14,290	14,250	3,560	20	—	—	—	—
Friction burns	045	230	220	—	—	—	—	—	—
Multiple surface wounds and bruises	048	790	170	40	60	40	160	210	—
Surface wounds and bruises, n.e.c.	049	190	120	60	—	—	—	—	—
Burns	05	27,020	—	—	—	—	—	—	—
Burns, unspecified	050	60	—	—	—	—	—	—	—
Chemical burns	051	7,360	—	—	—	—	—	—	—
Electrical burns	052	1,050	—	—	—	—	—	—	—
Heat burns, scalds	053	18,510	—	—	—	—	—	—	—
Intracranial injuries	06	5,740	2,610	1,590	1,010	—	830	1,250	—
Intracranial injuries, unspecified	060	130	40	—	—	—	—	20	—
Concussions	062	5,570	2,550	1,540	1,000	—	800	1,230	—
Effects of environmental conditions	07	1,910	—	—	—	—	—	—	—
Effects of reduced temperature	071	220	—	—	—	—	—	—	—
Frostbite	0711	200	—	—	—	—	—	—	—
Effects of heat and light	072	1,520	—	—	—	—	—	—	—
Effects of heat and light, unspecified	0720	80	—	—	—	—	—	—	—
Heat stroke	0721	250	—	—	—	—	—	—	—
Heat syncope	0722	160	—	—	—	—	—	—	—
Heat fatigue	0723	200	—	—	—	—	—	—	—
Effects of heat and light, n.e.c.	0729	830	—	—	—	—	—	—	—
Effects of air pressure	073	160	—	—	—	—	—	—	—
Effects of air pressure, n.e.c.	0739	130	—	—	—	—	—	—	—
Multiple traumatic injuries and disorders	08	50,350	15,510	8,860	3,210	3,260	8,900	14,420	90
Multiple traumatic injuries and disorders, unspecified	080	1,740	400	300	60	40	270	470	—
Cuts, abrasions, bruises	081	8,990	3,950	2,610	600	660	1,400	1,800	—
Sprains and bruises	082	19,720	4,190	2,370	1,290	510	3,690	7,660	—
Fractures and burns	083	160	130	—	120	—	—	—	—
Fractures and other injuries	084	9,790	4,110	2,190	420	1,460	1,870	1,950	50
Burns and other injuries	085	390	110	—	—	70	—	—	—
Intracranial injuries and injuries to internal organs	086	50	—	—	—	—	—	—	—
Other combinations of traumatic injuries and disorders, n.e.c.	089	9,510	2,630	1,370	690	510	1,670	2,490	—
Other traumatic injuries and disorders	09	140,860	33,930	16,320	5,870	10,290	6,880	18,080	4,380

See footnotes at end of table.

TABLE 30. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected events or exposures leading to injury or illness, 2004 — Continued

Nature	Event or exposure leading to injury or illness ⁴									All other events ⁵
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			
	Total	In lifting					Total	By person	All other assaults	
Bruises, contusions	50	—	—	—	10,190	—	4,400	4,080	320	1,190
Foreign bodies (superficial splinters, chips)	—	—	—	—	—	—	—	—	—	—
Friction burns	—	—	—	—	—	—	—	—	—	—
Multiple surface wounds and bruises	—	—	—	—	240	—	—	—	—	—
Surface wounds and bruises, n.e.c.	—	—	—	—	—	—	—	—	—	—
Burns	—	—	—	25,370	70	1,560	20	20	—	—
Burns, unspecified	—	—	—	—	20	40	—	—	—	—
Chemical burns	—	—	—	7,270	—	80	—	—	—	—
Electrical burns	—	—	—	980	—	60	—	—	—	—
Heat burns, scalds	—	—	—	17,080	50	1,360	20	20	—	—
Intracranial injuries	—	—	—	—	790	—	220	200	—	—
Intracranial injuries, unspecified	—	—	—	—	—	—	—	—	—	—
Concussions	—	—	—	—	760	—	200	180	—	—
Effects of environmental conditions ..	—	—	—	1,910	—	—	—	—	—	—
Effects of reduced temperature	—	—	—	220	—	—	—	—	—	—
Frostbite	—	—	—	200	—	—	—	—	—	—
Effects of heat and light	—	—	—	1,520	—	—	—	—	—	—
Effects of heat and light, unspecified	—	—	—	80	—	—	—	—	—	—
Heat stroke	—	—	—	250	—	—	—	—	—	—
Heat syncope	—	—	—	160	—	—	—	—	—	—
Heat fatigue	—	—	—	200	—	—	—	—	—	—
Effects of heat and light, n.e.c. ..	—	—	—	830	—	—	—	—	—	—
Effects of air pressure	—	—	—	160	—	—	—	—	—	—
Effects of air pressure, n.e.c.	—	—	—	130	—	—	—	—	—	—
Multiple traumatic injuries and disorders	100	60	—	—	8,250	340	1,840	1,560	280	880
Multiple traumatic injuries and disorders, unspecified	—	—	—	—	540	20	20	20	—	20
Cuts, abrasions, bruises	—	—	—	—	1,370	60	330	300	—	80
Sprains and bruises	80	50	—	—	3,110	20	770	740	—	210
Fractures and burns	—	—	—	—	20	—	—	—	—	—
Fractures and other injuries	—	—	—	—	1,210	50	130	130	—	420
Burns and other injuries	—	—	—	—	20	170	—	—	—	60
Intracranial injuries and injuries to internal organs	—	—	—	—	40	—	—	—	—	—
Other combinations of traumatic injuries and disorders, n.e.c.	—	—	—	—	1,950	—	590	380	210	100
Other traumatic injuries and disorders	36,200	19,360	5,990	7,990	8,760	—	2,520	2,260	260	16,100

See footnotes at end of table.

TABLE 30. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected events or exposures leading to injury or illness, 2004 — Continued

Nature	Nature code ²	Private industry ³	Event or exposure leading to injury or illness ⁴						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Other traumatic injuries and disorders, unspecified	090	310	150	120	—	—	40	—	—
Asphyxiations/strangulations, suffocations	091	40	—	—	—	—	—	—	—
Electrocutions, electric shocks	093	1,670	—	—	—	—	—	—	—
Internal injuries to organs and blood vessels of the trunk	094	140	50	50	—	—	60	—	—
Other poisonings and toxic effects	095	5,810	—	—	—	—	—	—	—
Other poisonings and toxic effects, unspecified	0950	140	—	—	—	—	—	—	—
Animal or insect bites, venomous	0951	4,060	—	—	—	—	—	—	—
Other poisonings and toxic effects, n.e.c.	0959	1,610	—	—	—	—	—	—	—
Traumatic complications	096	110	—	—	—	—	—	—	—
Traumatic complications, n.e.c.	0969	80	—	—	—	—	—	—	—
Nonspecified injuries and disorders	097	131,190	33,350	15,950	5,780	10,200	6,730	17,800	4,340
Crushing injuries	0971	16,490	14,790	6,220	460	7,850	90	260	—
Back pain, hurt back	0972	37,930	1,620	850	410	50	2,210	3,750	1,360
Soreness, pain, hurt, except the back	0973	66,630	15,570	8,210	4,650	1,920	3,610	11,270	2,740
Multiple nonspecified injuries and disorders	0978	5,250	430	220	60	120	430	1,720	90
Nonspecified injuries and disorders, n.e.c.	0979	4,890	950	450	200	260	380	800	150
Other traumatic injuries and disorders, n.e.c.	099	1,580	370	210	80	50	50	250	40
Systemic diseases and disorders	1	69,350	2,770	810	1,110	130	240	1,250	310
Systemic diseases and disorders, unspecified	10	330	—	—	—	—	—	—	—
Nervous system and sense organs diseases	12	23,270	590	260	20	—	—	—	—
Nervous system and sense organs diseases, unspecified	120	60	—	—	—	—	—	—	—
Degenerative diseases of the central nervous system	122	150	—	—	—	—	—	—	—
Disorders of the peripheral nervous system	124	19,230	20	—	—	—	—	—	—

See footnotes at end of table.

TABLE 30. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected events or exposures leading to injury or illness, 2004 — Continued

Nature	Event or exposure leading to injury or illness ⁴									
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			All other events ⁵
	Total	In lifting					Total	By person	All other assaults	
Other traumatic injuries and disorders, unspecified	—	—	—	—	70	—	—	—	—	—
Asphyxiations/strangulations, suffocations	—	—	—	40	—	—	—	—	—	—
Electrocutions, electric shocks	—	—	—	1,670	—	—	—	—	—	—
Internal injuries to organs and blood vessels of the trunk	—	—	—	—	—	—	—	—	—	—
Other poisonings and toxic effects	—	—	—	5,680	—	—	120	—	120	—
Other poisonings and toxic effects, unspecified	—	—	—	130	—	—	—	—	—	—
Animal or insect bites, venomous	—	—	—	3,940	—	—	120	—	120	—
Other poisonings and toxic effects, n.e.c.	—	—	—	1,610	—	—	—	—	—	—
Traumatic complications	—	—	—	—	—	—	50	50	—	—
Traumatic complications, n.e.c.	—	—	—	20	—	—	—	—	—	—
Nonspecified injuries and disorders	36,010	19,350	5,970	560	8,500	—	2,210	2,080	130	15,720
Crushing injuries	—	—	—	—	1,060	—	110	90	—	130
Back pain, hurt back	19,420	11,750	920	—	1,580	—	480	470	—	6,600
Soreness, pain, hurt, except the back	15,060	6,930	4,850	280	4,190	—	1,380	1,290	90	7,660
Multiple nonspecified injuries and disorders	780	280	110	—	840	—	200	200	—	640
Nonspecified injuries and disorders, n.e.c.	710	380	90	260	830	—	40	40	—	680
Other traumatic injuries and disorders, n.e.c.	180	—	—	—	170	—	130	120	—	360
Systemic diseases and disorders	22,530	13,620	28,390	8,720	140	—	170	150	—	4,800
Systemic diseases and disorders, unspecified	—	—	250	—	—	—	—	—	—	—
Nervous system and sense organs diseases	350	40	18,940	3,140	—	—	—	—	—	150
Nervous system and sense organs diseases, unspecified	—	—	—	—	—	—	—	—	—	—
Degenerative diseases of the central nervous system	—	—	—	—	—	—	—	—	—	—
Disorders of the peripheral nervous system	160	—	18,930	—	—	—	—	—	—	80

See footnotes at end of table.

TABLE 30. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected events or exposures leading to injury or illness, 2004 — Continued

Nature	Nature code ²	Private industry ³	Event or exposure leading to injury or illness ⁴						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Disorders of the peripheral nervous system, unspecified	1240	120	—	—	—	—	—	—	—
Carpal tunnel syndrome	1241	18,710	—	—	—	—	—	—	—
Inflammatory and toxic neuropathy, toxic polyneuropathy	1242	140	—	—	—	—	—	—	—
Other disorders of the peripheral nervous system, n.e.c.	1249	260	—	—	—	—	—	—	—
Disorders of the eye, adnexa, vision	125	3,530	530	240	—	—	—	—	—
Disorders of the eye, adnexa, vision, unspecified	1250	390	110	40	—	—	—	—	—
Conjunctivitis non-viral	1252	750	240	60	—	—	—	—	—
Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion)	1253	220	—	—	—	—	—	—	—
Welder's flash	1256	1,870	—	—	—	—	—	—	—
Visual disturbances	1258	110	80	70	—	—	—	—	—
Disorders of the eye, adnexa, vision, n.e.c.	1259	180	70	60	—	—	—	—	—
Disorders of the ear, mastoid process, hearing	126	260	—	—	—	—	—	—	—
Deafness, hearing loss or impairment	1261	110	—	—	—	—	—	—	—
Disorders of the ear, mastoid process, and hearing, n.e.c.	1269	80	—	—	—	—	—	—	—
Circulatory system diseases	13	850	—	—	—	—	—	—	—
Ischemic heart disease, including heart attack	133	460	—	—	—	—	—	—	—
Myocardial infarction (heart attack)	1331	420	—	—	—	—	—	—	—
Aneurysm nontraumatic	1372	20	—	—	—	—	—	—	—
Diseases of the veins, lymphatics ..	138	300	—	—	—	—	—	—	—
Diseases of the veins, lymphatics, unspecified	1380	20	—	—	—	—	—	—	—
Hemorrhoids	1382	50	—	—	—	—	—	—	—
Phlebitis	1383	220	—	—	—	—	—	—	—
Respiratory system diseases	14	1,450	—	—	—	—	—	—	—
Respiratory system diseases, unspecified	140	440	—	—	—	—	—	—	—
Acute respiratory infections (including common cold)	141	90	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE 30. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected events or exposures leading to injury or illness, 2004 — Continued

Nature	Event or exposure leading to injury or illness ⁴									
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			All other events ⁵
	Total	In lifting					Total	By person	All other assaults	
Disorders of the peripheral nervous system, unspecified	—	—	100	—	—	—	—	—	—	—
Carpal tunnel syndrome	—	—	18,640	—	—	—	—	—	—	20
Inflammatory and toxic neuropathy, toxic polyneuropathy	80	—	60	—	—	—	—	—	—	—
Other disorders of the peripheral nervous system, n.e.c.	50	—	120	—	—	—	—	—	—	60
Disorders of the eye, adnexa, vision	—	—	—	2,930	—	—	20	20	—	40
Disorders of the eye, adnexa, vision, unspecified	—	—	—	260	—	—	—	—	—	—
Conjunctivitis non-viral	—	—	—	480	—	—	—	—	—	—
Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion)	—	—	—	190	—	—	—	—	—	—
Welder's flash	—	—	—	1,870	—	—	—	—	—	—
Visual disturbances	—	—	—	—	—	—	—	—	—	—
Disorders of the eye, adnexa, vision, n.e.c.	—	—	—	110	—	—	—	—	—	—
Disorders of the ear, mastoid process, hearing	—	—	—	190	—	20	—	—	—	—
Deafness, hearing loss or impairment	—	—	—	90	—	—	—	—	—	—
Disorders of the ear, mastoid process, and hearing, n.e.c.	—	—	—	70	—	—	—	—	—	—
Circulatory system diseases	270	50	—	—	—	—	—	—	—	510
Ischemic heart disease, including heart attack	—	—	—	—	—	—	—	—	—	420
Myocardial infarction (heart attack)	—	—	—	—	—	—	—	—	—	420
Aneurysm nontraumatic	—	—	—	—	—	—	—	—	—	—
Diseases of the veins, lymphatics ..	260	—	—	—	—	—	—	—	—	—
Diseases of the veins, lymphatics, unspecified	—	—	—	—	—	—	—	—	—	—
Hemorrhoids	40	—	—	—	—	—	—	—	—	—
Phlebitis	210	—	—	—	—	—	—	—	—	—
Respiratory system diseases	—	—	—	1,440	—	—	—	—	—	—
Respiratory system diseases, unspecified	—	—	—	440	—	—	—	—	—	—
Acute respiratory infections (including common cold)	—	—	—	90	—	—	—	—	—	—

See footnotes at end of table.

TABLE 30. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected events or exposures leading to injury or illness, 2004 — Continued

Nature	Nature code ²	Private industry ³	Event or exposure leading to injury or illness ⁴						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Other diseases of upper respiratory tract	142	50	—	—	—	—	—	—	—
Other diseases of upper respiratory tract, unspecified	1420	20	—	—	—	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions	144	670	—	—	—	—	—	—	—
Bronchitis	1441	100	—	—	—	—	—	—	—
Extrinsic asthma	1443	450	—	—	—	—	—	—	—
Extrinsic allergic alveolitis and pneumonitis (including farmer's lung, bagassosis)	1444	70	—	—	—	—	—	—	—
Pneumoconioses	145	50	—	—	—	—	—	—	—
Pneumoconioses, unspecified ...	1450	40	—	—	—	—	—	—	—
Byssinosis, Mill fever	1461	20	—	—	—	—	—	—	—
Other respiratory system diseases	149	120	—	—	—	—	—	—	—
Other respiratory system diseases, n.e.c.	1499	20	—	—	—	—	—	—	—
Digestive system diseases and disorders	15	21,110	310	130	130	—	80	630	150
Hernia	153	21,060	300	130	130	—	80	630	150
Hernia, unspecified	1530	8,920	150	—	110	—	—	420	70
Inguinal hernia	1531	8,350	60	40	—	—	70	180	70
Hiatal hernia	1532	360	—	—	—	—	—	—	—
Ventral hernia	1533	1,770	—	—	—	—	—	—	—
Hernia, n.e.c.	1539	1,650	70	60	—	—	—	—	—
Genitourinary system diseases and disorders	16	100	—	—	—	—	—	—	—
Diseases and disorders of the genital tract	163	90	—	—	—	—	—	—	—
Spontaneous abortion, miscarriage	1632	80	—	—	—	—	—	—	—
Musculoskeletal system and connective tissue diseases and disorders	17	17,090	1,410	320	800	—	140	450	150
Musculoskeletal system and connective tissue diseases and disorders, unspecified	170	450	—	—	—	—	—	—	—
Arthropathies and related disorders (arthritis)	171	270	—	—	—	—	—	—	—
Dorsopathies	172	1,860	130	60	70	—	50	40	90
Dorsopathies, unspecified	1720	100	—	—	—	—	—	—	—
Sciatica	1721	380	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE 30. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected events or exposures leading to injury or illness, 2004 — Continued

Nature	Event or exposure leading to injury or illness ⁴									All other events ⁵
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			
	Total	In lifting					Total	By person	All other assaults	
Other diseases of upper respiratory tract	—	—	—	50	—	—	—	—	—	—
Other diseases of upper respiratory tract, unspecified	—	—	—	20	—	—	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions	—	—	—	670	—	—	—	—	—	—
Bronchitis	—	—	—	100	—	—	—	—	—	—
Extrinsic asthma	—	—	—	440	—	—	—	—	—	—
Extrinsic allergic alveolitis and pneumonitis (including farmer's lung, bagassosis)	—	—	—	70	—	—	—	—	—	—
Pneumoconioses	—	—	—	50	—	—	—	—	—	—
Pneumoconioses, unspecified ...	—	—	—	40	—	—	—	—	—	—
Byssinosis, Mill fever	—	—	—	20	—	—	—	—	—	—
Other respiratory system diseases	—	—	—	110	—	—	—	—	—	—
Other respiratory system diseases, n.e.c.	—	—	—	20	—	—	—	—	—	—
Digestive system diseases and disorders	17,900	11,820	610	—	40	—	—	—	—	1,370
Hernia	17,900	11,820	570	—	40	—	—	—	—	1,370
Hernia, unspecified	7,280	4,770	240	—	—	—	—	—	—	720
Inguinal hernia	7,220	4,940	260	—	—	—	—	—	—	480
Hiatal hernia	320	140	—	—	—	—	—	—	—	—
Ventral hernia	1,660	1,030	—	—	—	—	—	—	—	90
Hernia, n.e.c.	1,410	940	50	—	—	—	—	—	—	60
Genitourinary system diseases and disorders	—	—	—	—	—	—	—	—	—	80
Diseases and disorders of the genital tract	—	—	—	—	—	—	—	—	—	70
Spontaneous abortion, miscarriage	—	—	—	—	—	—	—	—	—	70
Musculoskeletal system and connective tissue diseases and disorders	3,940	1,690	8,350	130	90	—	110	100	—	2,340
Musculoskeletal system and connective tissue diseases and disorders, unspecified	120	—	280	—	—	—	—	—	—	—
Arthropathies and related disorders (arthritis)	40	—	40	—	—	—	—	—	—	110
Dorsopathies	950	350	230	—	50	—	—	—	—	300
Dorsopathies, unspecified	—	—	70	—	—	—	—	—	—	—
Sciatica	180	90	40	—	—	—	—	—	—	80

See footnotes at end of table.

TABLE 30. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected events or exposures leading to injury or illness, 2004 — Continued

Nature	Nature code ²	Private industry ³	Event or exposure leading to injury or illness ⁴						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Disc disorders, except dislocation	1723	250	—	—	—	—	—	—	—
Dorsopathies, n.e.c.	1729	1,120	120	50	70	—	40	—	50
Rheumatism, except the back	173	14,190	1,210	230	720	20	60	380	60
Rheumatism, except the back, unspecified	1730	1,740	540	50	370	—	—	180	—
Bursitis	1731	720	200	—	120	—	—	60	—
Synovitis	1732	50	—	—	—	—	—	—	—
Tendonitis	1733	6,930	130	100	—	—	40	60	50
Tenosynovitis	1734	770	60	—	50	—	—	—	—
Ganglion/cystic tumor	1735	550	40	—	—	—	—	—	—
Rheumatism, except the back, n.e.c.	1739	3,420	230	—	130	—	—	60	—
Osteopathies, chondropathies, acquired deformities	174	40	—	—	—	—	—	—	—
Osteopathies, chondropathies, acquired deformities, n.e.c.	1749	40	—	—	—	—	—	—	—
Musculoskeletal system and connective tissue diseases and disorders, n.e.c.	179	280	—	—	—	—	—	—	—
Disorders of the skin and subcutaneous tissue	18	4,800	440	80	150	80	—	140	—
Disorders of the skin and subcutaneous tissue, unspecified	180	280	—	—	—	—	—	—	—
Infections of the skin and subcutaneous tissue	181	1,080	400	50	150	80	—	120	—
Infections of the skin and subcutaneous tissue, unspecified	1810	370	140	—	—	50	—	—	—
Cellulitis and abscess	1812	470	230	—	130	40	—	40	—
Impetigo	1814	90	—	—	—	—	—	—	—
Pilonidal cyst	1815	—	—	—	—	—	—	—	—
Infections of the skin and subcutaneous tissue, n.e.c.	1819	120	—	—	—	—	—	—	—
Dermatitis	182	3,220	—	—	—	—	—	—	—
Dermatitis, unspecified	1820	700	—	—	—	—	—	—	—
Atopic dermatitis and related conditions	1821	20	—	—	—	—	—	—	—
Contact dermatitis and other eczema	1822	900	—	—	—	—	—	—	—
Allergic dermatitis	1823	1,060	—	—	—	—	—	—	—
Irritant dermatitis	1824	440	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE 30. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected events or exposures leading to injury or illness, 2004 — Continued

Nature	Event or exposure leading to injury or illness ⁴									All other events ⁵
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			
	Total	In lifting					Total	By person	All other assaults	
Disc disorders, except dislocation	150	—	—	—	—	—	—	—	—	60
Dorsopathies, n.e.c.	600	220	90	—	40	—	—	—	—	140
Rheumatism, except the back	2,810	1,310	7,550	120	20	—	90	90	—	1,900
Rheumatism, except the back, unspecified	90	40	650	120	—	—	—	—	—	150
Bursitis	110	80	230	—	—	—	—	—	—	120
Synovitis	—	—	40	—	—	—	—	—	—	—
Tendonitis	1,910	900	3,880	—	—	—	80	80	—	790
Tenosynovitis	140	50	530	—	—	—	—	—	—	40
Ganglion/cystic tumor	—	—	400	—	—	—	—	—	—	—
Rheumatism, except the back, n.e.c.	530	230	1,810	—	—	—	—	—	—	760
Osteopathies, chondropathies, acquired deformities	—	—	—	—	—	—	—	—	—	—
Osteopathies, chondropathies, acquired deformities, n.e.c.	—	—	—	—	—	—	—	—	—	—
Musculoskeletal system and connective tissue diseases and disorders, n.e.c.	—	—	230	—	—	—	—	—	—	—
Disorders of the skin and subcutaneous tissue	—	—	70	3,890	—	—	—	—	20	230
Disorders of the skin and subcutaneous tissue, unspecified	—	—	—	200	—	—	—	—	—	60
Infections of the skin and subcutaneous tissue	—	—	50	320	—	—	—	—	20	150
Infections of the skin and subcutaneous tissue, unspecified	—	—	—	120	—	—	—	—	—	—
Cellulitis and abscess	—	—	—	100	—	—	—	—	20	—
Impetigo	—	—	—	90	—	—	—	—	—	—
Pilonidal cyst	—	—	20	—	—	—	—	—	—	—
Infections of the skin and subcutaneous tissue, n.e.c.	—	—	—	—	—	—	—	—	—	90
Dermatitis	—	—	—	3,210	—	—	—	—	—	—
Dermatitis, unspecified	—	—	—	700	—	—	—	—	—	—
Atopic dermatitis and related conditions	—	—	—	20	—	—	—	—	—	—
Contact dermatitis and other eczema	—	—	—	890	—	—	—	—	—	—
Allergic dermatitis	—	—	—	1,060	—	—	—	—	—	—
Irritant dermatitis	—	—	—	440	—	—	—	—	—	—

See footnotes at end of table.

TABLE 30. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected events or exposures leading to injury or illness, 2004 — Continued

Nature	Nature code ²	Private industry ³	Event or exposure leading to injury or illness ⁴						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Other contact dermatitis	1825	60	—	—	—	—	—	—	—
Dermatitis, n.e.c.	1829	40	—	—	—	—	—	—	—
Other inflammatory conditions of the skin	183	60	—	—	—	—	—	—	—
Other diseases and disorders of the skin and subcutaneous tissue	189	140	—	—	—	—	—	—	—
Urticaria, hives	1898	120	—	—	—	—	—	—	—
Other systemic diseases and disorders	19	320	—	—	—	—	—	—	—
Endocrine, nutritional, metabolic, and immunity disorder	191	60	—	—	—	—	—	—	—
Endocrine, nutritional, metabolic, and immunity disorders, n.e.c.	1919	40	—	—	—	—	—	—	—
Systemic diseases and disorders, n.e.c.	199	260	—	—	—	—	—	—	—
Infectious and parasitic diseases	2	1,680	—	—	—	—	—	—	—
Infectious and parasitic diseases, unspecified	20	100	—	—	—	—	—	—	—
Bacterial diseases	21	390	—	—	—	—	—	—	—
Bacterial diseases, unspecified	210	140	—	—	—	—	—	—	—
Other bacterial diseases	219	250	—	—	—	—	—	—	—
Diphtheria, whooping cough	2192	160	—	—	—	—	—	—	—
Other bacterial diseases, n.e.c. ..	2199	60	—	—	—	—	—	—	—
Viral diseases	22	430	—	—	—	—	—	—	—
Viral diseases accompanied by exanthem (eruptive fever)	223	310	—	—	—	—	—	—	—
Chickenpox	2233	240	—	—	—	—	—	—	—
Viral diseases of the conjunctiva	226	80	—	—	—	—	—	—	—
Viral diseases of the conjunctiva, unspecified	2260	20	—	—	—	—	—	—	—
Viral conjunctivitis (ophthalmia) ..	2262	60	—	—	—	—	—	—	—
Other diseases due to viruses and Chlamydiae	229	20	—	—	—	—	—	—	—
Other arthropod-borne diseases	23	120	—	—	—	—	—	—	—
Lyme disease	237	110	—	—	—	—	—	—	—
Mycoses	24	100	—	—	—	—	—	—	—
Histoplasmosis	245	90	—	—	—	—	—	—	—
Infectious diseases peculiar to the intestines	26	190	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE 30. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected events or exposures leading to injury or illness, 2004 — Continued

Nature	Event or exposure leading to injury or illness ⁴									
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			All other events ⁵
	Total	In lifting					Total	By person	All other assaults	
Other contact dermatitis	—	—	—	60	—	—	—	—	—	—
Dermatitis, n.e.c.	—	—	—	40	—	—	—	—	—	—
Other inflammatory conditions of the skin	—	—	—	50	—	—	—	—	—	—
Other diseases and disorders of the skin and subcutaneous tissue	—	—	—	110	—	—	—	—	—	—
Urticaria, hives	—	—	—	100	—	—	—	—	—	—
Other systemic diseases and disorders	—	—	170	70	—	—	—	—	—	70
Endocrine, nutritional, metabolic, and immunity disorder	—	—	—	—	—	—	—	—	—	60
Endocrine, nutritional, metabolic, and immunity disorders, n.e.c.	—	—	—	—	—	—	—	—	—	40
Systemic diseases and disorders, n.e.c.	—	—	170	70	—	—	—	—	—	—
Infectious and parasitic diseases	—	—	—	1,660	—	—	—	—	—	—
Infectious and parasitic diseases, unspecified	—	—	—	100	—	—	—	—	—	—
Bacterial diseases	—	—	—	390	—	—	—	—	—	—
Bacterial diseases, unspecified	—	—	—	140	—	—	—	—	—	—
Other bacterial diseases	—	—	—	250	—	—	—	—	—	—
Diphtheria, whooping cough	—	—	—	160	—	—	—	—	—	—
Other bacterial diseases, n.e.c. ..	—	—	—	60	—	—	—	—	—	—
Viral diseases	—	—	—	420	—	—	—	—	—	—
Viral diseases accompanied by exanthem (eruptive fever)	—	—	—	300	—	—	—	—	—	—
Chickenpox	—	—	—	240	—	—	—	—	—	—
Viral diseases of the conjunctiva	—	—	—	80	—	—	—	—	—	—
Viral diseases of the conjunctiva, unspecified	—	—	—	20	—	—	—	—	—	—
Viral conjunctivitis (ophthalmia) ..	—	—	—	60	—	—	—	—	—	—
Other diseases due to viruses and Chlamydiae	—	—	—	20	—	—	—	—	—	—
Other arthropod-borne diseases	—	—	—	120	—	—	—	—	—	—
Lyme disease	—	—	—	110	—	—	—	—	—	—
Mycoses	—	—	—	100	—	—	—	—	—	—
Histoplasmosis	—	—	—	90	—	—	—	—	—	—
Infectious diseases peculiar to the intestines	—	—	—	190	—	—	—	—	—	—

See footnotes at end of table.

TABLE 30. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected events or exposures leading to injury or illness, 2004 — Continued

Nature	Nature code ²	Private industry ³	Event or exposure leading to injury or illness ⁴						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Infectious diseases peculiar to the intestines, unspecified	260	100	—	—	—	—	—	—	—
Shigellosis	264	40	—	—	—	—	—	—	—
Other infectious and parasitic diseases	29	350	—	—	—	—	—	—	—
Acariasis (including scabies, chiggers, mites)	294	330	—	—	—	—	—	—	—
Symptoms, signs, and ill-defined conditions	4	11,950	1,420	450	700	200	140	580	300
Symptoms, signs, and ill-defined conditions, unspecified	40	300	—	—	—	—	—	—	—
Symptoms	41	11,400	1,410	450	690	200	140	580	300
Symptoms, unspecified	410	510	—	—	—	—	—	—	—
General symptoms	411	4,350	330	120	90	60	—	300	—
General symptoms, unspecified	4110	200	—	—	—	—	—	—	—
Loss of consciousness not heat related	4111	840	—	—	—	—	—	70	—
Convulsions, seizures	4112	70	—	—	—	—	—	—	—
Dizziness	4114	540	80	60	—	—	—	40	—
Non-specified allergic reaction ...	4115	640	—	—	—	—	—	—	—
Multiple general symptoms	4118	220	40	—	—	—	—	—	—
General symptoms, n.e.c.	4119	1,840	190	50	50	60	—	160	—
Symptoms involving nervous and musculoskeletal systems	412	1,770	170	70	70	—	—	70	—
Symptoms involving nervous and musculoskeletal systems, unspecified	4120	130	—	—	—	—	—	—	—
Earache	4122	50	—	—	—	—	—	—	—
Symptoms involving nervous and musculoskeletal systems, n.e.c.	4129	1,560	150	50	70	—	—	60	—
Symptoms involving skin and other integumentary tissue	413	1,600	570	100	360	110	80	190	270
Edema (including dropsy)	4131	1,290	560	90	360	110	80	190	270
Symptoms involving skin and other integumentary tissue, n.e.c.	4139	270	—	—	—	—	—	—	—
Symptoms involving head and neck	414	630	280	160	120	—	—	—	—
Headache, except migraine	4141	470	240	160	80	—	—	—	—

See footnotes at end of table.

TABLE 30. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected events or exposures leading to injury or illness, 2004 — Continued

Nature	Event or exposure leading to injury or illness ⁴									
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			All other events ⁵
	Total	In lifting					Total	By person	All other assaults	
Infectious diseases peculiar to the intestines, unspecified	—	—	—	100	—	—	—	—	—	—
Shigellosis	—	—	—	40	—	—	—	—	—	—
Other infectious and parasitic diseases	—	—	—	350	—	—	—	—	—	—
Acariasis (including scabies, chiggers, mites)	—	—	—	330	—	—	—	—	—	—
Symptoms, signs, and ill-defined conditions	600	330	900	4,120	270	—	50	—	—	3,540
Symptoms, signs, and ill-defined conditions, unspecified	—	—	—	250	—	—	—	—	—	—
Symptoms	590	330	900	3,660	270	—	50	—	—	3,470
Symptoms, unspecified	—	—	—	190	—	—	—	—	—	260
General symptoms	340	240	400	1,580	110	20	—	—	—	1,220
General symptoms, unspecified	—	—	—	150	—	—	—	—	—	—
Loss of consciousness not heat related	40	40	—	80	60	—	—	—	—	540
Convulsions, seizures	—	—	—	—	—	—	—	—	—	70
Dizziness	—	—	—	150	20	—	—	—	—	250
Non-specified allergic reaction ...	—	—	—	640	—	—	—	—	—	—
Multiple general symptoms	—	—	—	100	—	—	—	—	—	—
General symptoms, n.e.c.	290	200	390	450	—	—	—	—	—	330
Symptoms involving nervous and musculoskeletal systems	40	20	440	70	60	—	—	—	—	920
Symptoms involving nervous and musculoskeletal systems, unspecified	—	—	70	—	—	—	—	—	—	50
Earache	—	—	—	40	—	—	—	—	—	—
Symptoms involving nervous and musculoskeletal systems, n.e.c.	40	20	360	—	50	—	—	—	—	870
Symptoms involving skin and other integumentary tissue	110	20	20	300	—	—	—	—	—	40
Edema (including dropsy)	110	20	20	—	—	—	—	—	—	40
Symptoms involving skin and other integumentary tissue, n.e.c.	—	—	—	260	—	—	—	—	—	—
Symptoms involving head and neck	—	—	—	170	80	—	20	20	—	70
Headache, except migraine	—	—	—	60	80	—	—	—	—	60

See footnotes at end of table.

TABLE 30. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected events or exposures leading to injury or illness, 2004 — Continued

Nature	Nature code ²	Private industry ³	Event or exposure leading to injury or illness ⁴						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Symptoms involving head and neck, n.e.c.	4149	150	—	—	—	—	—	—	—
Symptoms involving cardiovascular system	415	320	—	—	—	—	—	—	—
Symptoms involving cardiovascular system, n.e.c. ...	4159	320	—	—	—	—	—	—	—
Symptoms involving respiratory system and chest	416	1,530	—	—	—	—	—	—	—
Symptoms involving respiratory system and chest, unspecified	4160	630	—	—	—	—	—	—	—
Chest pain	4164	320	—	—	—	—	—	—	—
Multiple symptoms involving respiratory system and chest ...	4168	110	—	—	—	—	—	—	—
Symptoms involving respiratory system and chest, n.e.c.	4169	460	—	—	—	—	—	—	—
Symptoms involving digestive and urinary system	417	220	—	—	—	—	—	—	—
Nausea and vomiting	4171	130	—	—	—	—	—	—	—
Abdominal pain, unspecified	4175	40	—	—	—	—	—	—	—
Multiple symptoms	418	440	—	—	—	—	—	—	—
Abnormal findings	42	80	—	—	—	—	—	—	—
Abnormal findings from histological and immunological studies	426	80	—	—	—	—	—	—	—
Multiple symptoms, signs, and ill-defined conditions	48	150	—	—	—	—	—	—	—
Multiple chemical sensitivity	481	70	—	—	—	—	—	—	—
Multiple symptoms, signs, and ill-defined conditions, n.e.c.	489	70	—	—	—	—	—	—	—
Other diseases, conditions, and disorders	5	3,010	—	—	—	—	—	—	—
Damage to prosthetic devices	51	80	—	—	—	—	—	—	—
Mental disorders or syndromes	52	2,920	—	—	—	—	—	—	—
Mental disorder or syndrome, unspecified	520	170	—	—	—	—	—	—	—
Anxiety, stress, neurotic disorders	521	2,660	—	—	—	—	—	—	—
Anxiety, stress, neurotic disorders, unspecified	5210	1,070	—	—	—	—	—	—	—
Post-traumatic anxiety acute	5211	280	—	—	—	—	—	—	—
Post-traumatic anxiety chronic	5212	40	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE 30. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected events or exposures leading to injury or illness, 2004 — Continued

Nature	Event or exposure leading to injury or illness ⁴									
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			All other events ⁵
	Total	In lifting					Total	By person	All other assaults	
Symptoms involving head and neck, n.e.c.	—	—	—	110	—	—	—	—	—	—
Symptoms involving cardiovascular system	—	—	—	—	—	—	—	—	—	320
Symptoms involving cardiovascular system, n.e.c. ...	—	—	—	—	—	—	—	—	—	320
Symptoms involving respiratory system and chest	70	—	—	950	—	—	—	—	—	480
Symptoms involving respiratory system and chest, unspecified	—	—	—	580	—	—	—	—	—	50
Chest pain	70	—	—	20	—	—	—	—	—	220
Multiple symptoms involving respiratory system and chest ...	—	—	—	70	—	—	—	—	—	40
Symptoms involving respiratory system and chest, n.e.c.	—	—	—	290	—	—	—	—	—	160
Symptoms involving digestive and urinary system	—	—	—	130	—	—	—	—	—	50
Nausea and vomiting	—	—	—	110	—	—	—	—	—	20
Abdominal pain, unspecified	—	—	—	—	—	—	—	—	—	—
Multiple symptoms	—	—	—	260	—	—	—	—	—	80
Abnormal findings	—	—	—	80	—	—	—	—	—	—
Abnormal findings from histological and immunological studies	—	—	—	80	—	—	—	—	—	—
Multiple symptoms, signs, and ill-defined conditions	—	—	—	120	—	—	—	—	—	—
Multiple chemical sensitivity	—	—	—	70	—	—	—	—	—	—
Multiple symptoms, signs, and ill-defined conditions, n.e.c.	—	—	—	40	—	—	—	—	—	—
Other diseases, conditions, and disorders	—	—	—	1,380	70	—	430	400	—	1,030
Damage to prosthetic devices	—	—	—	—	—	—	—	—	—	—
Mental disorders or syndromes	—	—	—	1,380	60	—	430	400	—	1,030
Mental disorder or syndrome, unspecified	—	—	—	—	—	—	50	50	—	70
Anxiety, stress, neurotic disorders	—	—	—	1,320	50	—	340	310	—	930
Anxiety, stress, neurotic disorders, unspecified	—	—	—	500	—	—	80	50	—	450
Post-traumatic anxiety acute	—	—	—	130	20	—	100	100	—	—
Post-traumatic anxiety chronic	—	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE 30. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected events or exposures leading to injury or illness, 2004 — Continued

Nature	Nature code ²	Private industry ³	Event or exposure leading to injury or illness ⁴						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Panic disorder	5213	60	—	—	—	—	—	—	—
Neurotic reaction to stress	5214	1,040	—	—	—	—	—	—	—
Multiple anxiety, stress, neurotic disorders	5218	120	—	—	—	—	—	—	—
Neurotic disorders, n.e.c.	5219	40	—	—	—	—	—	—	—
Mental disorders or syndromes, n.e.c.	529	90	—	—	—	—	—	—	—
Multiple diseases, conditions, and disorders	8	1,110	160	80	50	—	160	190	—
Nonclassifiable	9999	5,120	360	130	100	60	120	460	80

See footnotes at end of table.

TABLE 30. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected events or exposures leading to injury or illness, 2004 — Continued

Nature	Event or exposure leading to injury or illness ⁴								
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts		
	Total	In lifting					Total	By person	All other assaults
Panic disorder	—	—	—	—	—	—	—	—	—
Neurotic reaction to stress	—	—	—	560	—	—	130	130	—
Multiple anxiety, stress, neurotic disorders	—	—	—	60	—	—	—	—	—
Neurotic disorders, n.e.c.	—	—	—	—	—	—	—	—	—
Mental disorders or syndromes, n.e.c.	—	—	—	—	—	—	40	40	—
Multiple diseases, conditions, and disorders	130	60	170	40	—	—	70	70	—
Nonclassifiable	240	100	70	240	180	—	—	—	—
									3,350

¹ Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

² Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Data shown in columns correspond to the following Event codes: Contact with objects, Total = 00-09; Struck by object = 020-029; Struck against object = 010-019; Caught in or compressed or crushed = 030-049; Fall to lower level = 110-119; Fall on same level = 130-139; Slips or trips without fall = 215; Overexertion, Total = 220-229; In lifting = 221; Repetitive motion = 230-239; Exposure to harmful substance or environment = 30-39; Transportation accidents = 40-49; Fires and explosions = 50-52; Assaults and violent acts, Total = 60-63; By person = 61; All other assaults = 60, 62,

and 63; All other events = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁵ Includes nonclassifiable responses.

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies