

TABLE 94. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2004

Nature	Nature code ²	Private industry ³	Percent of days-away-from-work cases involving					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Total		1,259,320	180,500	14.3	144,480	11.5	231,350	18.4
Traumatic injuries and disorders	0	1,167,100	170,570	14.6	137,180	11.8	219,640	18.8
Traumatic injuries and disorders, unspecified	00	37,510	4,380	11.7	3,870	10.3	7,370	19.6
Traumatic injuries to bones, nerves, spinal cord	01	103,660	5,950	5.7	5,100	4.9	11,080	10.7
Traumatic injuries to bones, nerves, spinal cord, unspecified ...	010	460	—	—	—	—	150	32.6
Dislocations	011	8,670	380	4.4	420	4.8	990	11.4
Fractures	012	94,040	5,480	5.8	4,670	5.0	9,910	10.5
Traumatic injuries to spinal cord	013	60	—	—	—	—	—	—
Traumatic injuries to nerves, except the spinal cord	014	130	—	—	—	—	—	—
Multiple traumatic injuries to bones, nerves, spinal cord	018	200	—	—	—	—	—	—
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	019	90	—	—	—	—	—	—
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	02	531,000	61,160	11.5	56,780	10.7	104,370	19.7
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	020	4,570	710	15.5	280	6.1	730	16.0
Sprains, strains, tears	021	525,390	60,280	11.5	56,360	10.7	103,570	19.7
Injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	029	1,040	160	15.4	140	13.5	60	5.8
Open wounds	03	129,630	29,620	22.8	19,820	15.3	25,770	19.9
Open wounds, unspecified	030	630	290	46.0	120	19.0	90	14.3
Amputations	031	8,160	340	4.2	350	4.3	1,180	14.5
Amputations, fingertip	0311	5,570	290	5.2	320	5.7	1,060	19.0
Amputations, except fingertip	0319	2,590	50	1.9	—	—	110	4.2
Animal or insect bites	032	4,020	1,100	27.4	640	15.9	1,180	29.4
Avulsions	033	1,990	200	10.1	180	9.0	330	16.6
Cuts, lacerations	034	98,660	23,140	23.5	15,970	16.2	20,140	20.4
Gunshot wounds	036	170	—	—	—	—	—	—
Punctures, except bites	037	15,470	4,380	28.3	2,520	16.3	2,780	18.0
Multiple open wounds	038	210	70	33.3	—	—	—	—
Open wounds, n.e.c.	039	310	60	19.4	—	—	60	19.4
Surface wounds and bruises	04	139,410	34,650	24.9	24,230	17.4	30,500	21.9
Surface wounds and bruises, unspecified	040	280	70	25.0	—	—	—	—
Abrasions, scratches	041	8,730	3,420	39.2	1,780	20.4	1,940	22.2
Blisters	042	220	—	—	—	—	60	27.3
Bruises, contusions	043	114,680	23,850	20.8	18,770	16.4	25,940	22.6
Foreign bodies (superficial splinters, chips)	044	14,290	7,140	50.0	3,480	24.4	2,270	15.9
Friction burns	045	230	—	—	—	—	—	—
Multiple surface wounds and bruises	048	790	90	11.4	120	15.2	210	26.6

See footnotes at end of table.

TABLE 94. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2004 — Continued

Nature	Percent of days-away-from-work cases involving								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Total	159,250	12.6	143,560	11.4	85,620	6.8	314,570	25.0	7
Traumatic injuries and disorders	148,350	12.7	131,590	11.3	75,180	6.4	284,600	24.4	7
Traumatic injuries and disorders, unspecified	4,240	11.3	4,330	11.5	2,340	6.2	10,990	29.3	9
Traumatic injuries to bones, nerves, spinal cord	9,700	9.4	13,320	12.8	9,820	9.5	48,690	47.0	28
Traumatic injuries to bones, nerves, spinal cord, unspecified ...	40	8.7	—	—	—	—	190	41.3	12
Dislocations	590	6.8	1,060	12.2	660	7.6	4,570	52.7	34
Fractures	9,030	9.6	12,200	13.0	9,110	9.7	43,630	46.4	28
Traumatic injuries to spinal cord	—	—	—	—	—	—	—	—	93
Traumatic injuries to nerves, except the spinal cord	—	—	—	—	—	—	70	53.8	43
Multiple traumatic injuries to bones nerves, spinal cord	20	10.0	—	—	—	—	140	70.0	52
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	—	—	—	—	—	—	—	—	12
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	73,060	13.8	61,730	11.6	34,570	6.5	139,350	26.2	8
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	500	10.9	430	9.4	340	7.4	1,570	34.4	11
Sprains, strains, tears	72,350	13.8	61,160	11.6	34,130	6.5	137,540	26.2	8
Injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	200	19.2	130	12.5	100	9.6	240	23.1	10
Open wounds	17,530	13.5	13,970	10.8	6,640	5.1	16,290	12.6	4
Open wounds, unspecified	90	14.3	—	—	—	—	—	—	2
Amputations	860	10.5	1,020	12.5	870	10.7	3,550	43.5	25
Amputations, fingertip	640	11.5	740	13.3	710	12.7	1,820	32.7	15
Amputations, except fingertip	220	8.5	290	11.2	160	6.2	1,730	66.8	64
Animal or insect bites	470	11.7	280	7.0	90	2.2	250	6.2	3
Avulsions	410	20.6	280	14.1	340	17.1	240	12.1	7
Cuts, lacerations	13,230	13.4	10,500	10.6	4,690	4.8	10,980	11.1	4
Gunshot wounds	—	—	—	—	—	—	120	70.6	137
Punctures, except bites	2,320	15.0	1,750	11.3	620	4.0	1,090	7.0	3
Multiple open wounds	—	—	—	—	—	—	20	9.5	6
Open wounds, n.e.c.	—	—	100	32.3	—	—	20	6.5	6
Surface wounds and bruises	16,000	11.5	13,200	9.5	5,510	4.0	15,320	11.0	3
Surface wounds and bruises, unspecified	60	21.4	—	—	—	—	80	28.6	7
Abrasions, scratches	650	7.4	320	3.7	150	1.7	470	5.4	2
Blisters	—	—	20	9.1	—	—	—	—	6
Bruises, contusions	14,210	12.4	12,380	10.8	5,250	4.6	14,290	12.5	4
Foreign bodies (superficial splinters, chips)	710	5.0	330	2.3	60	.4	300	2.1	2
Friction burns	140	60.9	—	—	—	—	—	—	8
Multiple surface wounds and bruises	180	22.8	90	11.4	—	—	70	8.9	5

See footnotes at end of table.

TABLE 94. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2004 — Continued

Nature	Nature code ²	Private industry ³	Percent of days-away-from-work cases involving					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Surface wounds and bruises, n.e.c.	049	190	60	31.6	20	10.5	—	—
Burns	05	27,020	5,050	18.7	4,400	16.3	5,500	20.4
Burns, unspecified	050	60	—	—	—	—	—	—
Chemical burns	051	7,360	2,110	28.7	1,210	16.4	1,470	20.0
Electrical burns	052	1,050	170	16.2	120	11.4	50	4.8
Heat burns, scalds	053	18,510	2,740	14.8	3,060	16.5	3,960	21.4
Intracranial injuries	06	5,740	700	12.2	940	16.4	1,240	21.6
Intracranial injuries, unspecified	060	130	—	—	—	—	—	—
Concussions	062	5,570	690	12.4	940	16.9	1,210	21.7
Effects of environmental conditions ..	07	1,910	560	29.3	440	23.0	360	18.8
Effects of reduced temperature	071	220	—	—	—	—	50	22.7
Frostbite	0711	200	—	—	—	—	50	25.0
Effects of heat and light	072	1,520	510	33.6	430	28.3	270	17.8
Effects of heat and light, unspecified	0720	80	—	—	—	—	—	—
Heat stroke	0721	250	—	—	50	20.0	50	20.0
Heat syncope	0722	160	110	68.8	—	—	—	—
Heat fatigue	0723	200	50	25.0	80	40.0	60	30.0
Effects of heat and light, n.e.c. ..	0729	830	320	38.6	230	27.7	140	16.9
Effects of air pressure	073	160	—	—	—	—	—	—
Effects of air pressure, n.e.c.	0739	130	—	—	—	—	—	—
Multiple traumatic injuries and disorders	08	50,350	6,580	13.1	5,140	10.2	8,350	16.6
Multiple traumatic injuries and disorders, unspecified	080	1,740	100	5.7	90	5.2	220	12.6
Cuts, abrasions, bruises	081	8,990	1,650	18.4	1,370	15.2	1,610	17.9
Sprains and bruises	082	19,720	2,350	11.9	2,220	11.3	3,810	19.3
Fractures and burns	083	160	50	31.2	—	—	—	—
Fractures and other injuries	084	9,790	600	6.1	500	5.1	900	9.2
Burns and other injuries	085	390	90	23.1	—	—	150	38.5
Intracranial injuries and injuries to internal organs	086	50	—	—	—	—	—	—
Other combinations of traumatic injuries and disorders, n.e.c.	089	9,510	1,740	18.3	950	10.0	1,650	17.4
Other traumatic injuries and disorders	09	140,860	21,930	15.6	16,460	11.7	25,110	17.8
Other traumatic injuries and disorders, unspecified	090	310	40	12.9	100	32.3	—	—
Asphyxiations/strangulations, suffocations	091	40	—	—	—	—	—	—
Electrocutions, electric shocks	093	1,670	390	23.4	160	9.6	140	8.4
Internal injuries to organs and blood vessels of the trunk	094	140	—	—	—	—	—	—
Other poisonings and toxic effects	095	5,810	2,350	40.4	930	16.0	1,390	23.9
Other poisonings and toxic effects, unspecified	0950	140	—	—	—	—	—	—

See footnotes at end of table.

TABLE 94. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2004 — Continued

Nature	Percent of days-away-from-work cases involving								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Surface wounds and bruises, n.e.c.	—	—	—	—	—	—	—	—	4
Burns	3,810	14.1	3,300	12.2	1,940	7.2	3,030	11.2	5
Burns, unspecified	—	—	—	—	—	—	—	—	6
Chemical burns	1,240	16.8	570	7.7	300	4.1	450	6.1	3
Electrical burns	130	12.4	260	24.8	70	6.7	250	23.8	14
Heat burns, scalds	2,430	13.1	2,460	13.3	1,560	8.4	2,290	12.4	5
Intracranial injuries	610	10.6	690	12.0	430	7.5	1,130	19.7	5
Intracranial injuries, unspecified	—	—	—	—	—	—	60	46.2	30
Concussions	580	10.4	690	12.4	410	7.4	1,060	19.0	5
Effects of environmental conditions ...	290	15.2	100	5.2	100	5.2	60	3.1	2
Effects of reduced temperature	—	—	—	—	70	31.8	—	—	6
Frostbite	—	—	—	—	70	35.0	—	—	7
Effects of heat and light	230	15.1	50	3.3	20	1.3	—	—	2
Effects of heat and light, unspecified	—	—	—	—	—	—	—	—	2
Heat stroke	100	40.0	—	—	—	—	—	—	6
Heat syncope	—	—	—	—	—	—	—	—	1
Heat fatigue	—	—	—	—	—	—	—	—	2
Effects of heat and light, n.e.c. ...	90	10.8	40	4.8	—	—	—	—	2
Effects of air pressure	—	—	50	31.2	—	—	—	—	10
Effects of air pressure, n.e.c.	—	—	50	38.5	—	—	—	—	11
Multiple traumatic injuries and disorders	6,670	13.2	5,690	11.3	3,660	7.3	14,260	28.3	9
Multiple traumatic injuries and disorders, unspecified	270	15.5	160	9.2	210	12.1	680	39.1	21
Cuts, abrasions, bruises	1,610	17.9	1,230	13.7	550	6.1	960	10.7	5
Sprains and bruises	2,800	14.2	2,450	12.4	1,070	5.4	5,010	25.4	8
Fractures and burns	—	—	—	—	—	—	100	62.5	88
Fractures and other injuries	960	9.8	1,070	10.9	1,250	12.8	4,520	46.2	27
Burns and other injuries	—	—	50	12.8	—	—	70	17.9	5
Intracranial injuries and injuries to internal organs	—	—	—	—	—	—	—	—	180
Other combinations of traumatic injuries and disorders, n.e.c.	1,020	10.7	730	7.7	560	5.9	2,860	30.1	8
Other traumatic injuries and disorders	16,450	11.7	15,260	10.8	10,170	7.2	35,480	25.2	7
Other traumatic injuries and disorders, unspecified	20	6.5	80	25.8	—	—	70	22.6	10
Asphyxiations/strangulations, suffocations	—	—	—	—	—	—	—	—	4
Electrocutions, electric shocks	260	15.6	130	7.8	140	8.4	460	27.5	7
Internal injuries to organs and blood vessels of the trunk	—	—	—	—	20	14.3	60	42.9	26
Other poisonings and toxic effects	520	9.0	270	4.6	150	2.6	210	3.6	2
Other poisonings and toxic effects, unspecified	—	—	—	—	—	—	—	—	2

See footnotes at end of table.

TABLE 94. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2004 — Continued

Nature	Nature code ²	Private industry ³	Percent of days-away-from-work cases involving					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Animal or insect bites, venomous	0951	4,060	1,830	45.1	670	16.5	790	19.5
Other poisonings and toxic effects, n.e.c.	0959	1,610	470	29.2	230	14.3	570	35.4
Traumatic complications	096	110	—	—	—	—	60	54.5
Traumatic complications, n.e.c.	0969	80	—	—	—	—	—	—
Nonspecified injuries and disorders	097	131,190	19,030	14.5	14,960	11.4	23,280	17.7
Crushing injuries	0971	16,490	1,780	10.8	2,030	12.3	2,830	17.2
Back pain, hurt back	0972	37,930	5,200	13.7	4,370	11.5	7,310	19.3
Soreness, pain, hurt, except the back	0973	66,630	10,470	15.7	7,610	11.4	10,980	16.5
Multiple nonspecified injuries and disorders	0978	5,250	420	8.0	450	8.6	1,140	21.7
Nonspecified injuries and disorders, n.e.c.	0979	4,890	1,150	23.5	510	10.4	1,010	20.7
Other traumatic injuries and disorders, n.e.c.	099	1,580	110	7.0	240	15.2	220	13.9
Systemic diseases and disorders	1	69,350	6,180	8.9	4,020	5.8	7,470	10.8
Systemic diseases and disorders, unspecified	10	330	—	—	—	—	—	—
Nervous system and sense organs diseases	12	23,270	2,630	11.3	1,260	5.4	2,550	11.0
Nervous system and sense organs diseases, unspecified	120	60	—	—	—	—	—	—
Degenerative diseases of the central nervous system	122	150	—	—	—	—	—	—
Disorders of the peripheral nervous system	124	19,230	760	4.0	630	3.3	1,570	8.2
Disorders of the peripheral nervous system, unspecified	1240	120	—	—	—	—	—	—
Carpal tunnel syndrome	1241	18,710	710	3.8	620	3.3	1,500	8.0
Inflammatory and toxic neuropathy, toxic polyneuropathy	1242	140	—	—	—	—	—	—
Other disorders of the peripheral nervous system, n.e.c.	1249	260	—	—	—	—	—	—
Disorders of the eye, adnexa, vision	125	3,530	1,810	51.3	610	17.3	850	24.1
Disorders of the eye, adnexa, vision, unspecified	1250	390	240	61.5	—	—	80	20.5
Conjunctivitis non-viral	1252	750	250	33.3	70	9.3	340	45.3
Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion)	1253	220	160	72.7	—	—	—	—
Welder's flash	1256	1,870	1,030	55.1	430	23.0	370	19.8
Visual disturbances	1258	110	70	63.6	—	—	—	—

See footnotes at end of table.

TABLE 94. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2004 — Continued

Nature	Percent of days-away-from-work cases involving								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Animal or insect bites, venomous	390	9.6	150	3.7	130	3.2	90	2.2	2
Other poisonings and toxic effects, n.e.c.	110	6.8	110	6.8	—	—	110	6.8	3
Traumatic complications	—	—	—	—	—	—	—	—	4
Traumatic complications, n.e.c.	—	—	—	—	—	—	—	—	4
Nonspecified injuries and disorders	15,470	11.8	14,610	11.1	9,830	7.5	34,010	25.9	8
Crushing injuries	1,730	10.5	2,220	13.5	1,460	8.9	4,440	26.9	10
Back pain, hurt back	4,410	11.6	4,040	10.7	2,510	6.6	10,080	26.6	7
Soreness, pain, hurt, except the back	8,210	12.3	7,570	11.4	5,170	7.8	16,620	24.9	8
Multiple nonspecified injuries and disorders	490	9.3	430	8.2	410	7.8	1,910	36.4	13
Nonspecified injuries and disorders, n.e.c.	630	12.9	360	7.4	280	5.7	960	19.6	5
Other traumatic injuries and disorders, n.e.c.	180	11.4	140	8.9	—	—	660	41.8	15
Systemic diseases and disorders	8,290	12.0	9,980	14.4	8,690	12.5	24,730	35.7	20
Systemic diseases and disorders, unspecified	—	—	—	—	—	—	200	60.6	42
Nervous system and sense organs diseases	2,710	11.6	2,640	11.3	2,540	10.9	8,950	38.5	20
Nervous system and sense organs diseases, unspecified	—	—	—	—	—	—	—	—	5
Degenerative diseases of the central nervous system	—	—	—	—	—	—	—	—	60
Disorders of the peripheral nervous system	2,600	13.5	2,480	12.9	2,500	13.0	8,700	45.2	28
Disorders of the peripheral nervous system, unspecified	—	—	—	—	—	—	—	—	27
Carpal tunnel syndrome	2,540	13.6	2,420	12.9	2,400	12.8	8,530	45.6	28
Inflammatory and toxic neuropathy, toxic polyneuropathy	—	—	—	—	—	—	—	—	3
Other disorders of the peripheral nervous system, n.e.c.	—	—	—	—	60	23.1	110	42.3	25
Disorders of the eye, adnexa, vision	80	2.3	120	3.4	—	—	—	—	1
Disorders of the eye, adnexa, vision, unspecified	—	—	—	—	—	—	—	—	1
Conjunctivitis non-viral	—	—	70	9.3	—	—	—	—	3
Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion)	—	—	—	—	—	—	—	—	1
Welder's flash	—	—	—	—	—	—	20	1.1	1
Visual disturbances	—	—	—	—	—	—	—	—	1

See footnotes at end of table.

TABLE 94. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2004 — Continued

Nature	Nature code ²	Private industry ³	Percent of days-away-from-work cases involving					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Disorders of the eye, adnexa, vision, n.e.c.	1259	180	60	33.3	—	—	50	27.8
Disorders of the ear, mastoid process, hearing	126	260	40	15.4	20	7.7	80	30.8
Deafness, hearing loss or impairment	1261	110	—	—	—	—	—	—
Disorders of the ear, mastoid process, and hearing, n.e.c.	1269	80	—	—	—	—	—	—
Circulatory system diseases	13	850	130	15.3	—	—	50	5.9
Ischemic heart disease, including heart attack	133	460	110	23.9	—	—	—	—
Myocardial infarction (heart attack)	1331	420	110	26.2	—	—	—	—
Aneurysm nontraumatic	1372	20	—	—	—	—	—	—
Diseases of the veins, lymphatics ..	138	300	—	—	—	—	—	—
Diseases of the veins, lymphatics, unspecified	1380	20	—	—	—	—	—	—
Hemorrhoids	1382	50	—	—	—	—	—	—
Phlebitis	1383	220	—	—	—	—	—	—
Respiratory system diseases	14	1,450	210	14.5	320	22.1	280	19.3
Respiratory system diseases, unspecified	140	440	90	20.5	50	11.4	40	9.1
Acute respiratory infections (including common cold)	141	90	—	—	—	—	60	66.7
Other diseases of upper respiratory tract	142	50	—	—	—	—	—	—
Other diseases of upper respiratory tract, unspecified	1420	20	—	—	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions	144	670	100	14.9	220	32.8	110	16.4
Bronchitis	1441	100	—	—	—	—	—	—
Extrinsic asthma	1443	450	70	15.6	110	24.4	80	17.8
Extrinsic allergic alveolitis and pneumonitis (including farmer's lung, bagassosis)	1444	70	—	—	—	—	—	—
Pneumoconioses	145	50	—	—	—	—	—	—
Pneumoconioses, unspecified ...	1450	40	—	—	—	—	—	—
Byssinosis, Mill fever	1461	20	—	—	—	—	—	—
Other respiratory system diseases	149	120	—	—	—	—	—	—
Other respiratory system diseases, n.e.c.	1499	20	—	—	—	—	—	—
Digestive system diseases and disorders	15	21,110	270	1.3	400	1.9	1,160	5.5
Hernia	153	21,060	270	1.3	400	1.9	1,150	5.5
Hernia, unspecified	1530	8,920	120	1.3	270	3.0	430	4.8
Inguinal hernia	1531	8,350	90	1.1	90	1.1	540	6.5
Hiatal hernia	1532	360	—	—	—	—	—	—
Ventral hernia	1533	1,770	20	1.1	20	1.1	110	6.2

See footnotes at end of table.

TABLE 94. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2004 — Continued

Nature	Percent of days-away-from-work cases involving								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Disorders of the eye, adnexa, vision, n.e.c.	20	11.1	—	—	—	—	—	—	2
Disorders of the ear, mastoid process, hearing	—	—	—	—	—	—	40	15.4	4
Deafness, hearing loss or impairment	—	—	—	—	—	—	—	—	17
Disorders of the ear, mastoid process, and hearing, n.e.c.	—	—	—	—	—	—	—	—	4
Circulatory system diseases	40	4.7	60	7.1	—	—	510	60.0	55
Ischemic heart disease, including heart attack	—	—	50	10.9	—	—	260	56.5	180
Myocardial infarction (heart attack)	—	—	—	—	—	—	260	61.9	180
Aneurysm nontraumatic	—	—	—	—	—	—	—	—	1
Diseases of the veins, lymphatics ..	—	—	—	—	—	—	230	76.7	55
Diseases of the veins, lymphatics, unspecified	—	—	—	—	—	—	—	—	52
Hemorrhoids	—	—	—	—	—	—	—	—	10
Phlebitis	—	—	—	—	—	—	220	100.0	55
Respiratory system diseases	190	13.1	100	6.9	—	—	330	22.8	5
Respiratory system diseases, unspecified	130	29.5	—	—	—	—	100	22.7	6
Acute respiratory infections (including common cold)	—	—	—	—	—	—	—	—	5
Other diseases of upper respiratory tract	—	—	—	—	—	—	—	—	5
Other diseases of upper respiratory tract, unspecified	—	—	—	—	—	—	—	—	2
Chronic obstructive pulmonary disease and allied conditions	—	—	—	—	—	—	160	23.9	3
Bronchitis	—	—	—	—	—	—	—	—	2
Extrinsic asthma	—	—	20	4.4	—	—	140	31.1	3
Extrinsic allergic alveolitis and pneumonitis (including farmer's lung, bagassosis)	—	—	—	—	—	—	—	—	2
Pneumoconioses	—	—	—	—	—	—	—	—	4
Pneumoconioses, unspecified ...	—	—	—	—	—	—	—	—	4
Byssinosis, Mill fever	—	—	—	—	—	—	—	—	12
Other respiratory system diseases	—	—	—	—	—	—	—	—	15
Other respiratory system diseases, n.e.c.	—	—	—	—	—	—	—	—	3
Digestive system diseases and disorders	2,550	12.1	4,290	20.3	4,590	21.7	7,840	37.1	25
Hernia	2,510	11.9	4,290	20.4	4,590	21.8	7,840	37.2	25
Hernia, unspecified	980	11.0	1,860	20.9	2,120	23.8	3,140	35.2	24
Inguinal hernia	920	11.0	1,650	19.8	1,800	21.6	3,270	39.2	26
Hiatal hernia	80	22.2	—	—	20	5.6	240	66.7	31
Ventral hernia	340	19.2	410	23.2	290	16.4	590	33.3	20

See footnotes at end of table.

TABLE 94. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2004 — Continued

Nature	Nature code ²	Private industry ³	Percent of days-away-from-work cases involving					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Hernia, n.e.c.	1539	1,650	40	2.4	—	—	60	3.6
Genitourinary system diseases and disorders	16	100	—	—	70	70.0	—	—
Diseases and disorders of the genital tract	163	90	—	—	70	77.8	—	—
Spontaneous abortion, miscarriage	1632	80	—	—	—	—	—	—
Musculoskeletal system and connective tissue diseases and disorders	17	17,090	1,710	10.0	1,110	6.5	2,240	13.1
Musculoskeletal system and connective tissue diseases and disorders, unspecified	170	450	—	—	—	—	50	11.1
Arthropathies and related disorders (arthritis)	171	270	—	—	—	—	—	—
Dorsopathies	172	1,860	80	4.3	260	14.0	190	10.2
Dorsopathies, unspecified	1720	100	—	—	—	—	—	—
Sciatica	1721	380	—	—	80	21.1	40	10.5
Disc disorders, except dislocation	1723	250	—	—	—	—	—	—
Dorsopathies, n.e.c.	1729	1,120	50	4.5	180	16.1	110	9.8
Rheumatism, except the back	173	14,190	1,560	11.0	820	5.8	1,930	13.6
Rheumatism, except the back, unspecified	1730	1,740	390	22.4	80	4.6	130	7.5
Bursitis	1731	720	80	11.1	70	9.7	90	12.5
Synovitis	1732	50	—	—	—	—	—	—
Tendonitis	1733	6,930	660	9.5	480	6.9	1,150	16.6
Tenosynovitis	1734	770	—	—	90	11.7	80	10.4
Ganglion/cystic tumor	1735	550	60	10.9	—	—	80	14.5
Rheumatism, except the back, n.e.c.	1739	3,420	310	9.1	60	1.8	380	11.1
Osteopathies, chondropathies, acquired deformities	174	40	—	—	—	—	—	—
Osteopathies, chondropathies, acquired deformities, n.e.c.	1749	40	—	—	—	—	—	—
Musculoskeletal system and connective tissue diseases and disorders, n.e.c.	179	280	40	14.3	—	—	—	—
Disorders of the skin and subcutaneous tissue	18	4,800	1,110	23.1	740	15.4	1,100	22.9
Disorders of the skin and subcutaneous tissue, unspecified	180	280	50	17.9	110	39.3	—	—
Infections of the skin and subcutaneous tissue	181	1,080	150	13.9	80	7.4	330	30.6
Infections of the skin and subcutaneous tissue, unspecified	1810	370	—	—	—	—	200	54.1
Cellulitis and abscess	1812	470	60	12.8	—	—	100	21.3

See footnotes at end of table.

TABLE 94. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2004 — Continued

Nature	Percent of days-away-from-work cases involving								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Hernia, n.e.c.	190	11.5	360	21.8	370	22.4	600	36.4	25
Genitourinary system diseases and disorders	—	—	—	—	—	—	—	—	2
Diseases and disorders of the genital tract	—	—	—	—	—	—	—	—	2
Spontaneous abortion, miscarriage	—	—	—	—	—	—	—	—	2
Musculoskeletal system and connective tissue diseases and disorders	1,970	11.5	2,460	14.4	1,210	7.1	6,390	37.4	15
Musculoskeletal system and connective tissue diseases and disorders, unspecified	—	—	—	—	—	—	290	64.4	47
Arthropathies and related disorders (arthritis)	—	—	50	18.5	—	—	100	37.0	20
Dorsopathies	240	12.9	240	12.9	90	4.8	750	40.3	15
Dorsopathies, unspecified	—	—	—	—	—	—	—	—	12
Sciatica	—	—	90	23.7	—	—	120	31.6	14
Disc disorders, except dislocation	—	—	50	20.0	—	—	160	64.0	53
Dorsopathies, n.e.c.	210	18.8	80	7.1	60	5.4	440	39.3	13
Rheumatism, except the back	1,620	11.4	2,100	14.8	1,030	7.3	5,140	36.2	15
Rheumatism, except the back, unspecified	250	14.4	220	12.6	50	2.9	620	35.6	13
Bursitis	100	13.9	130	18.1	20	2.8	230	31.9	12
Synovitis	—	—	—	—	—	—	—	—	15
Tendonitis	770	11.1	950	13.7	600	8.7	2,310	33.3	13
Tenosynovitis	90	11.7	170	22.1	50	6.5	250	32.5	15
Ganglion/cystic tumor	80	14.5	150	27.3	40	7.3	110	20.0	11
Rheumatism, except the back, n.e.c.	330	9.6	480	14.0	260	7.6	1,600	46.8	25
Osteopathies, chondropathies, acquired deformities	—	—	—	—	—	—	—	—	27
Osteopathies, chondropathies, acquired deformities, n.e.c.	—	—	—	—	—	—	—	—	27
Musculoskeletal system and connective tissue diseases and disorders, n.e.c.	—	—	—	—	—	—	100	35.7	16
Disorders of the skin and subcutaneous tissue	780	16.2	410	8.5	260	5.4	390	8.1	4
Disorders of the skin and subcutaneous tissue, unspecified	—	—	50	17.9	—	—	—	—	2
Infections of the skin and subcutaneous tissue	180	16.7	180	16.7	60	5.6	110	10.2	5
Infections of the skin and subcutaneous tissue, unspecified	—	—	60	16.2	—	—	—	—	5
Cellulitis and abscess	150	31.9	50	10.6	—	—	50	10.6	8

See footnotes at end of table.

TABLE 94. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2004 — Continued

Nature	Nature code ²	Private industry ³	Percent of days-away-from-work cases involving					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Impetigo	1814	90	70	77.8	—	—	—	—
Infections of the skin and subcutaneous tissue, n.e.c.	1819	120	—	—	—	—	—	—
Dermatitis	182	3,220	840	26.1	510	15.8	700	21.7
Dermatitis, unspecified	1820	700	150	21.4	160	22.9	60	8.6
Atopic dermatitis and related conditions	1821	20	—	—	—	—	—	—
Contact dermatitis and other eczema	1822	900	220	24.4	60	6.7	290	32.2
Allergic dermatitis	1823	1,060	260	24.5	190	17.9	240	22.6
Irritant dermatitis	1824	440	150	34.1	80	18.2	80	18.2
Other contact dermatitis	1825	60	—	—	—	—	—	—
Dermatitis, n.e.c.	1829	40	—	—	—	—	—	—
Other inflammatory conditions of the skin	183	60	—	—	—	—	—	—
Other diseases and disorders of the skin and subcutaneous tissue	189	140	50	35.7	—	—	—	—
Urticaria, hives	1898	120	—	—	—	—	—	—
Other systemic diseases and disorders	19	320	100	31.2	—	—	70	21.9
Endocrine, nutritional, metabolic, and immunity disorder	191	60	—	—	—	—	—	—
Endocrine, nutritional, metabolic, and immunity disorders, n.e.c.	1919	40	—	—	—	—	—	—
Systemic diseases and disorders, n.e.c.	199	260	80	30.8	—	—	70	26.9
Infectious and parasitic diseases	2	1,680	250	14.9	310	18.5	480	28.6
Infectious and parasitic diseases, unspecified	20	100	—	—	—	—	—	—
Bacterial diseases	21	390	—	—	—	—	240	61.5
Bacterial diseases, unspecified	210	140	—	—	—	—	—	—
Other bacterial diseases	219	250	—	—	—	—	120	48.0
Diphtheria, whooping cough	2192	160	20	12.5	—	—	90	56.2
Other bacterial diseases, n.e.c. ..	2199	60	—	—	—	—	—	—
Viral diseases	22	430	—	—	40	9.3	120	27.9
Viral diseases accompanied by exanthem (eruptive fever)	223	310	—	—	—	—	70	22.6
Chickenpox	2233	240	—	—	—	—	—	—
Viral diseases of the conjunctiva	226	80	—	—	—	—	—	—
Viral diseases of the conjunctiva, unspecified	2260	20	—	—	—	—	—	—
Viral conjunctivitis (ophthalmia) ..	2262	60	—	—	—	—	—	—
Other diseases due to viruses and Chlamydiae	229	20	—	—	—	—	—	—
Other arthropod-borne diseases	23	120	—	—	—	—	—	—
Lyme disease	237	110	—	—	—	—	—	—

See footnotes at end of table.

TABLE 94. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2004 — Continued

Nature	Percent of days-away-from-work cases involving								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Impetigo	—	—	—	—	—	—	—	—	1
Infections of the skin and subcutaneous tissue, n.e.c.	—	—	60	50.0	—	—	—	—	15
Dermatitis	560	17.4	160	5.0	180	5.6	270	8.4	4
Dermatitis, unspecified	120	17.1	20	2.9	90	12.9	100	14.3	4
Atopic dermatitis and related conditions	—	—	—	—	—	—	—	—	1
Contact dermatitis and other eczema	170	18.9	80	8.9	—	—	—	—	4
Allergic dermatitis	160	15.1	50	4.7	60	5.7	100	9.4	4
Irritant dermatitis	90	20.5	—	—	—	—	—	—	2
Other contact dermatitis	—	—	—	—	—	—	—	—	1
Dermatitis, n.e.c.	—	—	—	—	—	—	—	—	4
Other inflammatory conditions of the skin	—	—	—	—	—	—	—	—	5
Other diseases and disorders of the skin and subcutaneous tissue	—	—	—	—	—	—	—	—	2
Urticaria, hives	—	—	—	—	—	—	—	—	2
Other systemic diseases and disorders	—	—	—	—	20	6.2	90	28.1	5
Endocrine, nutritional, metabolic, and immunity disorder	—	—	—	—	—	—	—	—	2
Endocrine, nutritional, metabolic, and immunity disorders, n.e.c.	—	—	—	—	—	—	—	—	2
Systemic diseases and disorders, n.e.c.	—	—	—	—	—	—	80	30.8	5
Infectious and parasitic diseases	250	14.9	190	11.3	60	3.6	140	8.3	4
Infectious and parasitic diseases, unspecified	70	70.0	—	—	—	—	—	—	8
Bacterial diseases	50	12.8	—	—	—	—	—	—	4
Bacterial diseases, unspecified	—	—	—	—	—	—	—	—	4
Other bacterial diseases	—	—	—	—	—	—	—	—	5
Diphtheria, whooping cough	—	—	—	—	—	—	—	—	4
Other bacterial diseases, n.e.c. ..	—	—	—	—	—	—	—	—	10
Viral diseases	110	25.6	70	16.3	—	—	—	—	8
Viral diseases accompanied by exanthem (eruptive fever)	100	32.3	60	19.4	—	—	—	—	10
Chickenpox	100	41.7	40	16.7	—	—	—	—	10
Viral diseases of the conjunctiva	—	—	—	—	—	—	—	—	3
Viral diseases of the conjunctiva, unspecified	—	—	—	—	—	—	—	—	3
Viral conjunctivitis (ophthalmia) ..	—	—	—	—	—	—	—	—	2
Other diseases due to viruses and Chlamydiae	—	—	—	—	—	—	—	—	5
Other arthropod-borne diseases	—	—	—	—	—	—	—	—	2
Lyme disease	—	—	—	—	—	—	—	—	2

See footnotes at end of table.

TABLE 94. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2004 — Continued

Nature	Nature code ²	Private industry ³	Percent of days-away-from-work cases involving					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Mycoses	24	100	—	—	—	—	—	—
Histoplasmosis	245	90	—	—	—	—	—	—
Infectious diseases peculiar to the intestines	26	190	—	—	—	—	—	—
Infectious diseases peculiar to the intestines, unspecified	260	100	—	—	—	—	—	—
Shigellosis	264	40	—	—	—	—	—	—
Other infectious and parasitic diseases	29	350	150	42.9	80	22.9	60	17.1
Acariasis (including scabies, chiggers, mites)	294	330	150	45.5	70	21.2	50	15.2
Symptoms, signs, and ill-defined conditions	4	11,950	2,380	19.9	2,230	18.7	2,290	19.2
Symptoms, signs, and ill-defined conditions, unspecified	40	300	110	36.7	—	—	50	16.7
Symptoms	41	11,400	2,230	19.6	2,150	18.9	2,200	19.3
Symptoms, unspecified	410	510	80	15.7	150	29.4	150	29.4
General symptoms	411	4,350	1,090	25.1	750	17.2	890	20.5
General symptoms, unspecified	4110	200	70	35.0	—	—	20	10.0
Loss of consciousness not heat related	4111	840	300	35.7	220	26.2	200	23.8
Convulsions, seizures	4112	70	—	—	—	—	—	—
Dizziness	4114	540	230	42.6	90	16.7	80	14.8
Non-specified allergic reaction ...	4115	640	120	18.8	100	15.6	160	25.0
Multiple general symptoms	4118	220	50	22.7	—	—	—	—
General symptoms, n.e.c.	4119	1,840	320	17.4	280	15.2	370	20.1
Symptoms involving nervous and musculoskeletal systems	412	1,770	90	5.1	150	8.5	220	12.4
Symptoms involving nervous and musculoskeletal systems, unspecified	4120	130	—	—	—	—	—	—
Earache	4122	50	—	—	—	—	—	—
Symptoms involving nervous and musculoskeletal systems, n.e.c.	4129	1,560	80	5.1	130	8.3	170	10.9
Symptoms involving skin and other integumentary tissue	413	1,600	80	5.0	400	25.0	470	29.4
Edema (including dropsy)	4131	1,290	—	—	360	27.9	440	34.1
Symptoms involving skin and other integumentary tissue, n.e.c.	4139	270	—	—	—	—	—	—
Symptoms involving head and neck	414	630	250	39.7	80	12.7	70	11.1
Headache, except migraine	4141	470	220	46.8	80	17.0	60	12.8
Symptoms involving head and neck, n.e.c.	4149	150	—	—	—	—	—	—

See footnotes at end of table.

TABLE 94. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2004 — Continued

Nature	Percent of days-away-from-work cases involving								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Mycoses	—	—	—	—	—	—	—	—	135
Histoplasmosis	—	—	—	—	—	—	—	—	135
Infectious diseases peculiar to the intestines	—	—	70	36.8	—	—	—	—	5
Infectious diseases peculiar to the intestines, unspecified	—	—	—	—	—	—	—	—	18
Shigellosis	—	—	—	—	—	—	—	—	1
Other infectious and parasitic diseases	20	5.7	—	—	—	—	—	—	2
Acariasis (including scabies, chiggers, mites)	20	6.1	—	—	—	—	—	—	2
Symptoms, signs, and ill-defined conditions	1,210	10.1	910	7.6	690	5.8	2,240	18.7	4
Symptoms, signs, and ill-defined conditions, unspecified	70	23.3	—	—	20	6.7	—	—	3
Symptoms	1,060	9.3	910	8.0	670	5.9	2,180	19.1	4
Symptoms, unspecified	—	—	50	9.8	—	—	40	7.8	4
General symptoms	400	9.2	330	7.6	150	3.4	730	16.8	3
General symptoms, unspecified	—	—	—	—	—	—	—	—	2
Loss of consciousness not heat related	—	—	—	—	—	—	60	7.1	2
Convulsions, seizures	—	—	—	—	—	—	—	—	4
Dizziness	—	—	—	—	—	—	70	13.0	2
Non-specified allergic reaction ...	120	18.8	80	12.5	—	—	60	9.4	5
Multiple general symptoms	20	9.1	50	22.7	—	—	50	22.7	7
General symptoms, n.e.c.	150	8.2	130	7.1	120	6.5	480	26.1	5
Symptoms involving nervous and musculoskeletal systems	150	8.5	250	14.1	220	12.4	700	39.5	22
Symptoms involving nervous and musculoskeletal systems, unspecified	—	—	—	—	—	—	—	—	13
Earache	—	—	—	—	—	—	—	—	4
Symptoms involving nervous and musculoskeletal systems, n.e.c.	120	7.7	220	14.1	200	12.8	630	40.4	26
Symptoms involving skin and other integumentary tissue	120	7.5	50	3.1	190	11.9	280	17.5	4
Edema (including dropsy)	100	7.8	—	—	50	3.9	260	20.2	4
Symptoms involving skin and other integumentary tissue, n.e.c.	—	—	—	—	—	—	—	—	30
Symptoms involving head and neck	140	22.2	—	—	—	—	60	9.5	2
Headache, except migraine	—	—	—	—	—	—	60	12.8	2
Symptoms involving head and neck, n.e.c.	100	66.7	—	—	—	—	—	—	6

See footnotes at end of table.

TABLE 94. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2004 — Continued

Nature	Nature code ²	Private industry ³	Percent of days-away-from-work cases involving					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Symptoms involving cardiovascular system	415	320	—	—	—	—	—	—
Symptoms involving cardiovascular system, n.e.c. ..	4159	320	—	—	—	—	—	—
Symptoms involving respiratory system and chest	416	1,530	420	27.5	220	14.4	300	19.6
Symptoms involving respiratory system and chest, unspecified	4160	630	250	39.7	70	11.1	130	20.6
Chest pain	4164	320	60	18.8	70	21.9	80	25.0
Multiple symptoms involving respiratory system and chest ...	4168	110	—	—	—	—	—	—
Symptoms involving respiratory system and chest, n.e.c.	4169	460	80	17.4	50	10.9	90	19.6
Symptoms involving digestive and urinary system	417	220	110	50.0	—	—	—	—
Nausea and vomiting	4171	130	90	69.2	—	—	—	—
Abdominal pain, unspecified	4175	40	—	—	—	—	—	—
Multiple symptoms	418	440	110	25.0	80	18.2	80	18.2
Abnormal findings	42	80	—	—	—	—	—	—
Abnormal findings from histological and immunological studies	426	80	—	—	—	—	—	—
Multiple symptoms, signs, and ill-defined conditions	48	150	—	—	—	—	—	—
Multiple chemical sensitivity	481	70	—	—	—	—	—	—
Multiple symptoms, signs, and ill-defined conditions, n.e.c.	489	70	—	—	—	—	—	—
Other diseases, conditions, and disorders	5	3,010	70	2.3	190	6.3	280	9.3
Damage to prosthetic devices	51	80	—	—	—	—	—	—
Mental disorders or syndromes	52	2,920	70	2.4	160	5.5	280	9.6
Mental disorder or syndrome, unspecified	520	170	—	—	—	—	—	—
Anxiety, stress, neurotic disorders	521	2,660	70	2.6	150	5.6	280	10.5
Anxiety, stress, neurotic disorders, unspecified	5210	1,070	—	—	100	9.3	60	5.6
Post-traumatic anxiety acute	5211	280	—	—	—	—	70	25.0
Post-traumatic anxiety chronic	5212	40	—	—	—	—	—	—
Panic disorder	5213	60	—	—	—	—	—	—
Neurotic reaction to stress	5214	1,040	—	—	—	—	140	13.5
Multiple anxiety, stress, neurotic disorders	5218	120	—	—	—	—	—	—
Neurotic disorders, n.e.c.	5219	40	—	—	—	—	—	—
Mental disorders or syndromes, n.e.c.	529	90	—	—	—	—	—	—

See footnotes at end of table.

TABLE 94. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2004 — Continued

Nature	Percent of days-away-from-work cases involving								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Symptoms involving cardiovascular system	—	—	—	—	—	—	—	—	2
Symptoms involving cardiovascular system, n.e.c. ...	—	—	—	—	—	—	—	—	2
Symptoms involving respiratory system and chest	210	13.7	130	8.5	—	—	220	14.4	3
Symptoms involving respiratory system and chest, unspecified	—	—	70	11.1	—	—	40	6.3	2
Chest pain	60	18.8	—	—	—	—	—	—	3
Multiple symptoms involving respiratory system and chest ...	—	—	—	—	—	—	—	—	4
Symptoms involving respiratory system and chest, n.e.c.	90	19.6	—	—	—	—	130	28.3	8
Symptoms involving digestive and urinary system	—	—	—	—	—	—	—	—	1
Nausea and vomiting	—	—	—	—	—	—	—	—	1
Abdominal pain, unspecified	—	—	—	—	—	—	—	—	96
Multiple symptoms	—	—	50	11.4	—	—	80	18.2	4
Abnormal findings	—	—	—	—	—	—	—	—	6
Abnormal findings from histological and immunological studies	—	—	—	—	—	—	—	—	6
Multiple symptoms, signs, and ill-defined conditions	20	13.3	—	—	—	—	—	—	2
Multiple chemical sensitivity	—	—	—	—	—	—	—	—	2
Multiple symptoms, signs, and ill-defined conditions, n.e.c.	—	—	—	—	—	—	—	—	3
Other diseases, conditions, and disorders	390	13.0	390	13.0	340	11.3	1,330	44.2	24
Damage to prosthetic devices	—	—	—	—	—	—	—	—	8
Mental disorders or syndromes	370	12.7	390	13.4	320	11.0	1,330	45.5	24
Mental disorder or syndrome, unspecified	—	—	—	—	—	—	70	41.2	22
Anxiety, stress, neurotic disorders	340	12.8	360	13.5	260	9.8	1,200	45.1	24
Anxiety, stress, neurotic disorders, unspecified	80	7.5	170	15.9	100	9.3	530	49.5	30
Post-traumatic anxiety acute	50	17.9	—	—	—	—	90	32.1	12
Post-traumatic anxiety chronic	—	—	—	—	—	—	—	—	6
Panic disorder	—	—	—	—	—	—	—	—	2
Neurotic reaction to stress	170	16.3	130	12.5	110	10.6	460	44.2	24
Multiple anxiety, stress, neurotic disorders	—	—	—	—	—	—	70	58.3	44
Neurotic disorders, n.e.c.	—	—	—	—	—	—	—	—	60
Mental disorders or syndromes, n.e.c.	—	—	—	—	—	—	70	77.8	72

See footnotes at end of table.

TABLE 94. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2004 — Continued

Nature	Nature code ²	Private industry ³	Percent of days-away-from-work cases involving					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Multiple diseases, conditions, and disorders	8	1,110	110	9.9	100	9.0	150	13.5
Nonclassifiable	9999	5,120	930	18.2	450	8.8	1,040	20.3

See footnotes at end of table.

TABLE 94. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2004 — Continued

Nature	Percent of days-away-from-work cases involving								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Multiple diseases, conditions, and disorders	80	7.2	100	9.0	210	18.9	360	32.4	22
Nonclassifiable	680	13.3	400	7.8	450	8.8	1,170	22.9	7

¹ Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

² Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies