

TABLE R19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, private industry, 2011²

Part of body	Part of body code ³	Private industry ⁴	Nature of injury or illness ⁵							
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
Total		918,140	343,240	75,660	84,660	70,910	13,750	77,010	13,660	3,260
Head	1	61,200	380	3,320	10,150	8,820	1,330	9,140	1,030	1,550
Head, unspecified	10	13,560	160	40	2,590	2,560	30	4,320	—	—
Cranial region, including skull	11	10,910	60	180	850	830	—	1,210	—	—
Cranial region, unspecified	110	540	50	—	80	80	—	240	—	—
Brain	111	8,160	—	—	—	—	—	20	—	—
Scalp	112	1,360	—	—	740	730	—	430	—	—
Skull	113	700	—	180	—	—	—	450	—	—
Multiple cranial region locations	118	70	—	—	—	—	—	40	—	—
Cranial region, n.e.c.	119	80	—	—	20	20	—	40	—	—
Ear(s)	12	890	—	—	380	370	—	40	40	—
Face	13	34,540	150	3,080	6,180	4,910	1,260	3,320	920	1,510
Face, unspecified	130	3,020	—	280	580	500	80	870	400	70
Forehead	131	2,870	—	—	1,390	1,390	—	550	20	—
Eye(s)	132	20,780	140	—	2,420	1,370	1,060	1,180	260	1,350
Nose, nasal cavity	133	2,050	—	1,160	360	320	40	130	—	—
Nose, except internal location of diseases or disorders	1330	2,030	—	1,160	360	320	40	130	—	—
Cheek(s)	134	520	—	80	130	130	—	200	—	—
Jaw, chin	135	630	—	190	210	210	—	90	—	—
Mouth	136	2,510	—	1,020	740	680	60	40	—	20
Mouth, unspecified	1360	150	—	—	70	70	—	30	—	—
Lip(s)	1361	810	—	—	440	390	50	—	—	—
Tongue	1362	40	—	—	—	—	—	—	—	—
Tooth (teeth)	1363	1,190	—	1,010	—	—	—	—	—	—
Multiple mouth locations	1368	300	—	—	190	190	—	—	—	—
Multiple face locations	138	1,910	—	320	280	260	20	200	160	60
Face, n.e.c.	139	260	—	30	50	50	—	70	70	—
Multiple head locations	18	980	—	—	60	60	—	150	40	30
Head, n.e.c.	19	310	—	—	90	90	—	100	—	—
Neck, including throat	2	12,350	7,660	200	140	100	40	280	80	—
Neck, except internal location of diseases or disorders ...	20	12,310	7,660	200	140	100	40	280	80	—
Internal neck location, unspecified	21	20	—	—	—	—	—	—	—	—
Trunk	3	238,280	146,580	8,450	650	310	340	12,230	410	50
Trunk, unspecified	30	1,000	430	—	—	—	—	170	—	—
Chest, including ribs, internal organs	31	13,970	2,070	4,350	100	50	50	3,980	130	—
Chest, except internal location of diseases or disorders	310	13,190	2,070	4,350	100	50	50	3,980	130	—
Internal chest location, unspecified	311	220	—	—	—	—	—	—	—	—
Heart	313	180	—	—	—	—	—	—	—	—
Bronchus	314	30	—	—	—	—	—	—	—	—
Lung(s), pleura	315	350	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, private industry, 2011² — Continued

Part of body	Nature of injury or illness ⁵							Soreness, pain	All other natures ⁶
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders					
				Total	With fractures and other injuries	With sprains and other injuries			
Total	5,110	8,620	3,160	30,400	6,500	12,510	109,920	163,440	
Head	-	-	-	1,390	300	40	4,630	29,600	
Head, unspecified	-	-	-	280	20	30	2,420	3,730	
Cranial region, including skull	-	-	-	80	20	-	180	8,340	
Cranial region, unspecified	-	-	-	-	-	-	90	70	
Brain	-	-	-	-	-	-	-	8,120	
Scalp	-	-	-	40	-	-	20	120	
Skull	-	-	-	-	-	-	30	20	
Multiple cranial region locations	-	-	-	-	-	-	-	-	
Cranial region, n.e.c.	-	-	-	-	-	-	-	-	
Ear(s)	-	-	-	-	-	-	50	370	
Face	-	-	-	850	210	-	1,830	16,700	
Face, unspecified	-	-	-	120	-	-	100	590	
Forehead	-	-	-	90	-	-	400	410	
Eye(s)	-	-	-	200	20	-	1,050	14,180	
Nose, nasal cavity	-	-	-	40	20	-	60	300	
Nose, except internal location of diseases or disorders	-	-	-	40	20	-	60	280	
Cheek(s)	-	-	-	20	-	-	-	70	
Jaw, chin	-	-	-	-	-	-	60	70	
Mouth	-	-	-	100	30	-	60	520	
Mouth, unspecified	-	-	-	-	-	-	-	40	
Lip(s)	-	-	-	50	-	-	30	280	
Tongue	-	-	-	-	-	-	-	-	
Tooth (teeth)	-	-	-	-	-	-	30	160	
Multiple mouth locations	-	-	-	40	30	-	-	40	
Multiple face locations	-	-	-	290	130	-	70	540	
Face, n.e.c.	-	-	-	-	-	-	-	30	
Multiple head locations	-	-	-	160	50	-	110	400	
Head, n.e.c.	-	-	-	-	-	-	50	60	
Neck, including throat	-	-	-	80	-	80	1,670	2,220	
Neck, except internal location of diseases or disorders ...	-	-	-	80	-	80	1,670	2,180	
Internal neck location, unspecified	-	-	-	-	-	-	-	20	
Trunk	-	-	20	1,950	260	970	39,300	28,640	
Trunk, unspecified	-	-	-	60	-	-	180	120	
Chest, including ribs, internal organs	-	-	-	260	130	30	1,370	1,710	
Chest, except internal location of diseases or disorders	-	-	-	260	130	30	1,370	930	
Internal chest location, unspecified	-	-	-	-	-	-	-	220	
Heart	-	-	-	-	-	-	-	180	
Bronchus	-	-	-	-	-	-	-	30	
Lung(s), pleura	-	-	-	-	-	-	-	350	

See footnotes at end of table.

TABLE R19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, private industry, 2011² — Continued

Part of body	Part of body code ³	Private industry ⁴	Nature of injury or illness ⁵							
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
Back, including spine, spinal cord	32	183,100	131,720	1,870	130	90	40	4,280	50	—
Back, including spine, spinal cord, unspecified	320	72,510	50,880	500	70	40	30	1,320	30	—
Thoracic region	321	7,680	5,870	200	40	—	—	170	—	—
Lumbar region	322	93,440	69,620	450	20	20	—	1,770	—	—
Sacral region	323	780	490	50	—	—	—	40	—	—
Coccygeal region	324	1,790	130	600	—	—	—	710	—	—
Multiple back regions	328	6,260	4,310	70	—	—	—	260	—	—
Back, including spine, spinal cord, n.e.c.	329	640	420	—	—	—	—	—	—	—
Abdomen	33	20,060	3,450	40	190	70	130	900	100	—
Abdomen, except internal location of diseases or disorders	330	18,410	3,450	40	190	70	130	900	100	—
Internal abdominal location, unspecified	331	880	—	—	—	—	—	—	—	—
Stomach organ	332	220	—	—	—	—	—	—	—	—
Spleen	333	50	—	—	—	—	—	—	—	—
Urinary organs	334	30	—	—	—	—	—	—	—	—
Urinary organs, unspecified	3340	20	—	—	—	—	—	—	—	—
Intestines, peritoneum	335	380	—	—	—	—	—	—	—	—
Intestines, peritoneum, unspecified	3350	330	—	—	—	—	—	—	—	—
Peritoneum	3351	30	—	—	—	—	—	—	—	—
Multiple internal abdominal locations	338	20	—	—	—	—	—	—	—	—
Internal abdominal location, n.e.c.	339	60	—	—	—	—	—	—	—	—
Pelvic region	34	15,490	7,030	2,010	200	90	110	2,240	—	20
Pelvic region, unspecified	340	130	40	30	—	—	—	20	—	—
Hip(s)	341	7,320	2,220	1,670	20	—	—	1,380	—	—
Pelvis	342	750	300	300	—	—	—	110	—	—
Buttock(s)	343	870	90	—	30	—	30	420	—	—
Groin	344	5,830	4,230	—	80	60	30	150	—	—
External reproductive tract structures	345	310	40	—	50	—	—	140	—	—
External reproductive tract structures, unspecified ..	3450	40	20	—	—	—	—	—	—	—
Scrotum	3451	160	—	—	—	—	—	100	—	—
Penis	3452	90	—	—	40	—	—	—	—	—
Internal reproductive tract structures	346	40	—	—	—	—	—	—	—	—
Testis (testes)	3462	20	—	—	—	—	—	—	—	—
Multiple pelvic region locations	348	210	100	—	20	—	—	—	—	—
Pelvic region, n.e.c.	349	30	—	—	—	—	—	—	—	—
Multiple trunk locations	38	4,450	1,830	110	—	—	—	640	90	—
Trunk, n.e.c.	39	220	40	60	—	—	—	20	—	—
Upper extremities	4	288,790	80,310	31,420	62,280	53,780	8,500	16,910	7,730	690
Upper extremities, unspecified	40	600	250	—	40	—	30	20	—	—
Shoulder(s), including clavicle(s), scapula(e)	41	68,890	43,460	1,740	40	30	20	2,570	20	—
Arm(s)	42	44,760	13,160	7,810	4,370	3,540	830	4,270	2,780	170
Arm(s), unspecified	420	14,460	4,050	2,460	1,470	1,070	400	1,120	1,650	80
Upper arm(s)	421	5,380	3,210	720	220	110	100	150	30	—
Elbow(s)	422	14,670	3,880	2,640	560	510	50	2,190	100	—

See footnotes at end of table.

TABLE R19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, private industry, 2011² — Continued

Part of body	Nature of injury or illness ⁵							All other natures ⁶
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Soreness, pain	
				Total	With fractures and other injuries	With sprains and other injuries		
Back, including spine, spinal cord	-	-	-	1,050	20	610	32,530	11,450
Back, including spine, spinal cord, unspecified	-	-	-	520	-	160	13,310	5,860
Thoracic region	-	-	-	30	-	30	1,060	300
Lumbar region	-	-	-	340	-	290	16,700	4,540
Sacral region	-	-	-	-	-	-	130	70
Coccygeal region	-	-	-	-	-	-	230	110
Multiple back regions	-	-	-	150	-	130	940	530
Back, including spine, spinal cord, n.e.c.	-	-	-	-	-	-	160	30
Abdomen	-	-	-	50	-	-	1,780	13,530
Abdomen, except internal location of diseases or disorders	-	-	-	50	-	-	1,780	11,880
Internal abdominal location, unspecified	-	-	-	-	-	-	-	880
Stomach organ	-	-	-	-	-	-	-	220
Spleen	-	-	-	-	-	-	-	50
Urinary organs	-	-	-	-	-	-	-	30
Urinary organs, unspecified	-	-	-	-	-	-	-	20
Intestines, peritoneum	-	-	-	-	-	-	-	380
Intestines, peritoneum, unspecified	-	-	-	-	-	-	-	330
Peritoneum	-	-	-	-	-	-	-	30
Multiple internal abdominal locations	-	-	-	-	-	-	-	20
Internal abdominal location, n.e.c.	-	-	-	-	-	-	-	60
Pelvic region	-	-	-	160	-	80	2,360	1,440
Pelvic region, unspecified	-	-	-	-	-	-	20	-
Hip(s)	-	-	-	60	-	50	1,150	800
Pelvis	-	-	-	-	-	-	20	20
Buttock(s)	-	-	-	-	-	-	190	130
Groin	-	-	-	60	-	-	920	370
External reproductive tract structures	-	-	-	-	-	-	20	50
External reproductive tract structures, unspecified ..	-	-	-	-	-	-	-	-
Scrotum	-	-	-	-	-	-	-	30
Penis	-	-	-	-	-	-	-	-
Internal reproductive tract structures	-	-	-	-	-	-	-	40
Testis (testes)	-	-	-	-	-	-	-	20
Multiple pelvic region locations	-	-	-	30	-	-	30	-
Pelvic region, n.e.c.	-	-	-	-	-	-	-	-
Multiple trunk locations	-	-	-	370	90	230	1,010	380
Trunk, n.e.c.	-	-	-	-	-	-	70	-
Upper extremities	4,890	8,620	2,680	5,870	2,560	1,470	27,260	40,130
Upper extremities, unspecified	-	-	-	30	-	-	70	180
Shoulder(s), including clavicle(s), scapula(e)	-	-	760	580	150	330	11,160	8,550
Arm(s)	20	-	610	790	230	330	4,750	6,040
Arm(s), unspecified	-	-	140	210	120	50	1,640	1,630
Upper arm(s)	-	-	90	150	-	140	380	430
Elbow(s)	-	-	270	210	60	80	2,020	2,790

See footnotes at end of table.

TABLE R19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, private industry, 2011² — Continued

Part of body	Part of body code ³	Private industry ⁴	Nature of injury or illness ⁵							
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
Forearm(s)	423	7,790	1,150	1,870	2,030	1,760	270	570	940	80
Multiple arm locations	428	1,970	720	60	60	50	—	170	40	—
Multiple arm locations, unspecified	4280	340	110	20	—	—	—	20	20	—
Elbow(s) and arm(s)	4281	690	250	20	—	—	—	80	—	—
Multiple arm locations, n.e.c.	4289	940	360	20	50	40	—	80	30	—
Arm(s), n.e.c.	429	490	140	60	40	30	—	60	—	—
Wrist(s)	43	39,340	11,980	8,080	2,220	1,450	770	1,340	290	20
Hand(s)	44	119,850	6,340	12,980	55,100	48,400	6,700	7,590	3,880	460
Hand(s), unspecified	440	29,190	2,080	2,830	10,460	8,550	1,910	3,630	2,340	270
Hand(s), except finger(s)	441	7,560	360	550	3,320	2,540	780	710	510	100
Finger(s), fingernail(s)	442	78,950	3,640	9,020	39,830	35,990	3,840	2,880	710	60
Finger(s), fingernail(s), unspecified	4420	52,730	2,640	6,150	27,030	24,480	2,550	2,090	530	50
Fingernail(s), nailed(s)	4421	2,800	70	80	1,300	1,080	210	90	—	—
Fingertip(s)	4422	6,790	100	470	2,620	2,260	360	50	20	—
Finger(s), fingernail(s), n.e.c.	4429	16,630	830	2,330	8,890	8,170	720	660	160	—
Hand(s) and finger(s)	448	2,590	200	190	950	910	40	180	220	—
Hand(s), n.e.c.	449	1,550	60	390	540	410	130	190	100	—
Multiple upper extremities locations	48	15,110	5,040	780	510	350	150	1,070	750	40
Multiple upper extremities locations, unspecified	480	280	130	—	—	—	—	30	—	—
Hand(s) and arms(s)	481	1,880	160	120	180	150	30	100	340	—
Hand(s) and arm(s), unspecified	4810	930	90	—	90	70	—	—	210	—
Hand(s) and elbow(s)	4811	220	30	40	—	—	—	—	—	—
Hand(s) and arm(s), n.e.c.	4819	730	50	90	80	70	—	80	130	—
Hand(s) and wrist(s)	482	2,960	860	80	170	120	50	190	130	—
Wrist(s) and arm(s)	483	2,070	550	300	100	40	—	90	70	—
Wrist(s) and arm(s), unspecified	4830	970	150	140	80	20	—	20	—	—
Wrist(s) and elbow(s)	4831	390	170	50	—	—	—	20	—	—
Wrist(s) and arm(s), n.e.c.	4839	710	240	110	20	20	—	50	50	—
Shoulder(s) and arm(s)	484	4,300	2,220	80	—	—	—	420	—	—
Multiple upper extremities locations, n.e.c.	489	3,610	1,120	180	50	40	—	240	200	—
Upper extremities, n.e.c.	49	250	80	30	—	—	—	40	—	—
Lower extremities	5	205,760	84,710	30,380	9,870	6,700	3,170	27,150	2,730	450
Lower extremities, unspecified	50	290	40	60	—	—	—	90	—	—
Leg(s)	51	109,260	46,970	7,520	6,090	4,860	1,230	14,500	1,290	160
Leg(s), unspecified	510	13,510	2,670	2,530	1,860	1,460	400	1,680	760	70
Thigh(s)	511	4,400	1,850	410	700	370	330	600	70	30
Knee(s)	512	79,020	39,050	2,620	1,660	1,470	190	10,340	—	—
Lower leg(s)	513	8,860	2,120	1,790	1,700	1,410	300	1,430	440	50
Multiple leg locations	518	3,000	1,150	140	130	120	—	390	—	—
Multiple leg locations, unspecified	5180	370	100	30	70	70	—	20	—	—
Knee(s) and leg(s)	5181	1,580	650	70	40	40	—	190	—	—
Multiple leg locations, n.e.c.	5189	1,050	390	40	20	—	—	190	—	—
Leg(s), n.e.c.	519	470	140	40	30	20	—	60	—	—
Ankle(s)	52	46,610	29,320	9,460	500	320	180	1,960	130	30

See footnotes at end of table.

TABLE R19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, private industry, 2011² — Continued

Part of body	Nature of injury or illness ⁵							All other natures ⁶
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Soreness, pain	
				Total	With fractures and other injuries	With sprains and other injuries		
Forearm(s)	—	—	70	90	20	—	250	720
Multiple arm locations	—	—	30	120	30	50	370	390
Multiple arm locations, unspecified	—	—	—	—	—	—	40	120
Elbow(s) and arm(s)	—	—	20	50	20	20	150	110
Multiple arm locations, n.e.c.	—	—	—	60	—	40	180	150
Arm(s), n.e.c.	—	—	—	—	—	—	80	90
Wrist(s)	—	8,620	650	280	50	160	3,330	2,540
Hand(s)	4,880	—	370	3,230	1,680	310	4,740	20,290
Hand(s), unspecified	40	—	90	430	60	100	1,520	5,490
Hand(s), except finger(s)	—	—	50	440	—	30	570	950
Finger(s), fingernail(s)	4,810	—	200	2,200	1,550	150	2,370	13,230
Finger(s), fingernail(s), unspecified	1,890	—	160	1,600	1,100	120	1,550	9,060
Fingernail(s), nailbed(s)	150	—	—	40	20	—	90	980
Fingertip(s)	2,170	—	—	80	60	—	70	1,230
Finger(s), fingernail(s), n.e.c.	600	—	40	490	360	20	660	1,960
Hand(s) and finger(s)	—	—	20	120	60	30	210	480
Hand(s), n.e.c.	—	—	—	30	—	—	70	140
Multiple upper extremities locations	—	—	280	960	430	340	3,160	2,520
Multiple upper extremities locations, unspecified	—	—	—	—	—	—	50	50
Hand(s) and arms(s)	—	—	30	30	—	—	220	680
Hand(s) and arm(s), unspecified	—	—	—	—	—	—	100	400
Hand(s) and elbow(s)	—	—	—	—	—	—	60	60
Hand(s) and arm(s), n.e.c.	—	—	—	—	—	—	60	220
Hand(s) and wrist(s)	—	—	80	110	50	20	570	750
Wrist(s) and arm(s)	—	—	70	130	40	40	580	180
Wrist(s) and arm(s), unspecified	—	—	30	90	30	20	350	90
Wrist(s) and elbow(s)	—	—	30	20	—	—	80	30
Wrist(s) and arm(s), n.e.c.	—	—	20	20	—	—	140	60
Shoulder(s) and arm(s)	—	—	70	240	30	170	920	350
Multiple upper extremities locations, n.e.c.	—	—	40	440	300	100	830	510
Upper extremities, n.e.c.	—	—	—	—	—	—	60	—
Lower extremities	210	—	360	4,550	1,010	2,320	19,730	25,630
Lower extremities, unspecified	—	—	—	—	—	—	20	50
Leg(s)	20	—	70	2,530	360	1,450	13,460	16,650
Leg(s), unspecified	—	—	—	580	230	80	1,350	2,010
Thigh(s)	—	—	—	40	—	30	450	250
Knee(s)	—	—	60	1,290	70	910	10,770	13,220
Lower leg(s)	20	—	—	130	20	20	410	780
Multiple leg locations	—	—	—	490	40	410	330	360
Multiple leg locations, unspecified	—	—	—	—	—	—	60	70
Knee(s) and leg(s)	—	—	—	160	30	100	220	250
Multiple leg locations, n.e.c.	—	—	—	320	—	310	40	50
Leg(s), n.e.c.	—	—	—	—	—	—	160	40
Ankle(s)	—	—	240	410	140	220	2,500	2,080

See footnotes at end of table.

TABLE R19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, private industry, 2011² — Continued

Part of body	Part of body code ³	Private industry ⁴	Nature of injury or illness ⁵							
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
Foot (feet)	53	42,480	5,810	12,860	3,150	1,410	1,730	9,680	1,070	210
Foot (feet), unspecified	530	26,100	4,770	6,460	1,610	550	1,060	6,970	880	170
Sole(s)	531	3,540	530	950	600	140	450	340	70	—
Sole(s), unspecified	5310	510	20	30	330	30	300	—	—	—
Ball(s) of the foot	5311	150	—	—	—	—	—	—	—	—
Arch(es), instep(s)	5312	410	20	60	—	—	—	20	—	—
Heel(s)	5313	2,390	470	850	230	110	110	300	—	—
Multiple sole locations	5318	30	20	—	—	—	—	—	—	—
Sole(s), n.e.c.	5319	40	—	—	30	—	30	—	—	—
Toes(s), toenail(s)	532	10,750	300	4,740	840	690	160	1,920	40	20
Multiple foot (feet) locations	538	580	70	150	—	—	—	110	—	—
Foot (feet), n.e.c.	539	1,510	150	560	80	20	60	340	70	20
Multiple lower extremities locations	58	7,050	2,570	470	120	100	20	910	230	50
Multiple lower extremities locations, unspecified	580	230	50	—	—	—	—	—	—	—
Foot (feet) and leg(s)	581	980	160	60	—	—	—	220	110	40
Foot(feet) and leg(s), unspecified	5810	370	30	20	—	—	—	70	80	30
Foot(feet) and knee(s)	5811	330	80	40	—	—	—	60	—	—
Foot(feet) and leg(s), n.e.c.	5819	280	50	—	—	—	—	100	30	—
Foot (feet) and ankle(s)	582	2,290	1,000	240	20	20	—	240	90	—
Ankle(s) and leg(s)	583	2,400	1,040	150	20	—	20	240	—	—
Ankle(s) and leg(s), unspecified	5830	550	170	50	—	—	—	140	—	—
Ankle(s) and knee(s)	5831	1,370	650	20	—	—	—	50	—	—
Ankle(s) and leg(s), n.e.c.	5839	470	220	80	—	—	—	50	—	—
Multiple lower extremities locations, n.e.c.	589	1,150	320	—	70	70	—	190	20	—
Lower extremities, n.e.c.	59	60	—	—	—	—	—	—	—	—
Body systems	6	17,710	—	—	—	—	—	—	—	—
Multiple body parts	8	87,620	22,990	1,820	970	820	160	11,020	1,620	500
Multiple body parts, unspecified	80	7,620	1,310	200	100	90	—	1,260	190	150
Head and neck	81	2,340	110	—	20	—	—	570	50	20
Head, neck, and trunk	82	770	90	—	30	30	—	180	—	—
Head and trunk	83	1,830	90	—	—	—	—	240	—	50
Neck and back	84	8,400	4,910	30	—	—	—	140	—	—
Shoulder(s) and back	85	3,600	2,150	—	—	—	—	110	—	—
Hip(s) and leg(s)	86	1,300	520	50	—	—	—	190	—	—
Upper and lower limb(s)	87	7,190	1,500	380	70	50	30	1,290	150	40
Other multiple body parts	89	54,560	12,320	1,140	740	640	100	7,020	1,200	230
Whole body	891	1,010	90	—	—	—	—	140	20	—
Multiple body parts, n.e.c.	899	53,550	12,230	1,140	730	630	100	6,880	1,190	220

See footnotes at end of table.

TABLE R19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, private industry, 2011² — Continued

Part of body	Nature of injury or illness ⁵							All other natures ⁶
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Soreness, pain	
				Total	With fractures and other injuries	With sprains and other injuries		
Foot (feet)	190	—	50	680	230	170	2,700	6,090
Foot (feet), unspecified	20	—	30	290	80	120	1,660	3,240
Sole(s)	—	—	20	—	—	—	290	730
Sole(s), unspecified	—	—	—	—	—	—	50	—
Ball(s) of the foot	—	—	—	—	—	—	140	—
Arch(es), instep(s)	—	—	—	—	—	—	—	300
Heel(s)	—	—	20	—	—	—	100	400
Multiple sole locations	—	—	—	—	—	—	—	—
Sole(s), n.e.c.	—	—	—	—	—	—	—	—
Toes(s), toenail(s)	160	—	—	320	120	20	510	1,880
Multiple foot (feet) locations	—	—	—	50	20	20	110	90
Foot (feet), n.e.c.	—	—	—	20	—	—	120	140
Multiple lower extremities locations	—	—	—	920	280	480	1,020	740
Multiple lower extremities locations, unspecified	—	—	—	—	—	—	120	30
Foot (feet) and leg(s)	—	—	—	80	20	30	160	130
Foot(feet) and leg(s), unspecified	—	—	—	30	20	—	50	60
Foot(feet) and knee(s)	—	—	—	40	—	20	80	30
Foot(feet) and leg(s), n.e.c.	—	—	—	—	—	—	30	50
Foot (feet) and ankle(s)	—	—	—	210	50	140	230	260
Ankle(s) and leg(s)	—	—	—	470	170	250	270	200
Ankle(s) and leg(s), unspecified	—	—	—	70	—	50	60	40
Ankle(s) and knee(s)	—	—	—	310	120	160	190	150
Ankle(s) and leg(s), n.e.c.	—	—	—	90	50	40	—	—
Multiple lower extremities locations, n.e.c.	—	—	—	160	40	60	250	130
Lower extremities, n.e.c.	—	—	—	—	—	—	30	20
Body systems	—	—	—	—	—	—	30	17,690
Multiple body parts	—	—	70	16,450	2,330	7,630	16,900	15,260
Multiple body parts, unspecified	—	—	—	1,470	300	510	1,230	1,690
Head and neck	—	—	—	880	20	590	380	310
Head, neck, and trunk	—	—	—	200	—	130	110	150
Head and trunk	—	—	—	650	80	200	400	360
Neck and back	—	—	—	400	—	320	1,950	960
Shoulder(s) and back	—	—	—	70	—	60	930	340
Hip(s) and leg(s)	—	—	—	80	—	50	240	230
Upper and lower limb(s)	—	—	—	1,470	210	810	1,070	1,210
Other multiple body parts	—	—	60	11,230	1,720	4,950	10,610	10,010
Whole body	—	—	—	70	20	30	190	490
Multiple body parts, n.e.c.	—	—	60	11,160	1,700	4,930	10,410	9,520

See footnotes at end of table.

TABLE R19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, private industry, 2011² — Continued

Part of body	Part of body code ³	Private industry ⁴	Nature of injury or illness ⁵							
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
Nonclassifiable	9999	6,410	600	70	600	380	220	290	60	20

See footnotes at end of table.

TABLE R19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, private industry, 2011² — Continued

Part of body	Nature of injury or illness ⁵							Soreness, pain	All other natures ⁶
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders					
				Total	With fractures and other injuries	With sprains and other injuries			
Nonclassifiable	—	—	20	100	40	20	390	4,270	

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2011. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

⁵ Data shown in columns correspond to the following Nature codes: Sprains, strains, tears = 123; Fractures = 111; Cuts, lacerations, punctures, Total = 132-133; Cuts, lacerations = 132; Punctures = 133; Bruises, contusions = 143; Heat burns = 152; Chemical burns = 151; Amputations = 1311; Carpal tunnel syndrome = 2241; Tendonitis (other or unspecified) = 2735; Multiple traumatic injuries and illnesses, Total = 18; With fractures and other injuries = 183; With sprains and other injuries = 182; Soreness, pain = 1972; All other natures = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁶ Includes nonclassifiable responses.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.
Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.