

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2011²

Nature	Nature code ³	Private industry ⁴	Summary occupational groups ⁵					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Total		918,140	27,690	6,780	21,840	50,090	223,280	58,110
Traumatic injuries and disorders	1	880,580	25,930	6,390	20,910	48,140	215,440	55,430
Traumatic injuries and disorders, unspecified	10	30,580	1,460	290	1,180	1,160	7,900	1,890
Traumatic injuries to bones, nerves, spinal cord	11	79,930	3,700	1,200	2,770	3,330	12,340	5,300
Traumatic injuries to bones, nerves, spinal cord, unspecified	110	1,780	40	–	40	80	440	180
Fractures	111	75,660	3,640	1,190	2,570	3,180	11,230	5,010
Traumatic injuries to spinal cord	112	270	–	–	70	–	60	–
Traumatic injuries to spinal cord, unspecified	1120	150	–	–	–	–	50	–
Traumatic injuries to spinal cord, n.e.c.	1129	110	–	–	–	–	–	–
Traumatic injuries to nerves, except the spinal cord	113	1,870	20	–	70	70	510	100
Traumatic injuries to nerves, except the spinal cord, unspecified	1130	130	–	–	–	–	60	–
Pinched nerve	1131	1,660	20	–	70	70	440	100
Traumatic injuries to nerves, except the spinal cord, n.e.c.	1139	80	–	–	–	–	–	–
Multiple traumatic injuries to bones, nerves, spinal cord	118	210	–	–	–	–	60	–
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	119	140	–	–	–	–	30	–
Traumatic injuries to muscles, tendons, ligaments, joints, etc. ...	12	374,310	9,440	2,160	8,790	25,270	92,580	26,230
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	120	4,510	70	–	70	150	1,060	220
Dislocations	121	8,720	260	60	220	410	1,900	470
Dislocations, unspecified	1210	1,380	–	–	30	60	540	60
Herniated discs	1211	2,690	90	–	30	150	420	150
Dislocation of joints	1212	4,450	150	50	160	200	900	260
Dislocations, n.e.c.	1219	200	–	–	–	–	40	–
Cartilage fractures and tears ...	122	4,740	140	70	100	160	930	350
Cartilage fractures and tears, unspecified	1220	460	–	–	–	–	110	60
Meniscus tears	1221	3,890	140	60	90	150	560	280

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2011² — Continued

Nature	Summary occupational groups ⁵					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Total	73,400	13,950	74,580	85,820	111,140	169,580
Traumatic injuries and disorders	68,350	13,460	72,890	83,140	104,720	164,610
Traumatic injuries and disorders, unspecified	1,880	820	2,600	2,780	2,570	5,920
Traumatic injuries to bones, nerves, spinal cord	6,650	1,270	10,520	6,590	10,720	15,430
Traumatic injuries to bones, nerves, spinal cord, unspecified	90	80	170	230	100	300
Fractures	6,420	1,140	10,220	6,240	9,960	14,800
Traumatic injuries to spinal cord	—	—	40	—	20	60
Traumatic injuries to spinal cord, unspecified	—	—	—	—	—	—
Traumatic injuries to spinal cord, n.e.c.	—	—	—	—	—	50
Traumatic injuries to nerves, except the spinal cord	120	50	80	90	530	230
Traumatic injuries to nerves, except the spinal cord, unspecified	—	—	—	—	20	20
Pinched nerve	110	30	40	90	500	190
Traumatic injuries to nerves, except the spinal cord, n.e.c.	—	—	20	—	—	20
Multiple traumatic injuries to bones, nerves, spinal cord	—	—	20	—	—	50
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	—	—	—	20	70	—
Traumatic injuries to muscles, tendons, ligaments, joints, etc. ...	30,920	4,350	24,930	36,590	36,800	75,850
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	340	80	200	620	620	1,060
Dislocations	670	70	860	1,120	1,100	1,570
Dislocations, unspecified	130	20	130	200	80	110
Herniated discs	120	20	300	520	320	570
Dislocation of joints	410	30	380	380	680	870
Dislocations, n.e.c.	20	—	60	20	20	20
Cartilage fractures and tears ...	550	—	350	500	560	1,010
Cartilage fractures and tears, unspecified	50	—	—	30	30	150
Meniscus tears	490	—	330	430	510	810

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2011² — Continued

Nature	Nature code ³	Private industry ⁴	Summary occupational groups ⁵					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Cartilage fractures and tears, n.e.c.	1229	400	—	—	—	—	260	—
Sprains, strains, tears	123	343,240	8,520	1,940	8,300	24,260	86,940	24,430
Sprains, strains, tears, unspecified	1230	22,780	410	120	660	1,230	4,420	2,250
Major tears to muscles, tendons, ligaments	1231	17,330	800	190	380	860	2,690	1,470
Sprains	1232	85,310	2,270	490	3,010	4,540	22,700	5,480
Strains	1233	210,800	4,940	1,100	4,090	16,900	55,460	14,720
Multiple sprains, strains, tears	1238	7,010	110	50	160	730	1,660	510
Hernias due to traumatic incidents	124	11,260	340	50	40	150	1,510	690
Whiplash	125	1,030	90	20	—	60	170	50
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	128	540	20	—	50	60	50	20
Traumatic injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	129	280	—	—	—	20	20	—
Open wounds	13	94,130	1,600	520	730	2,690	25,180	4,170
Open wounds, unspecified	130	1,130	—	20	—	—	90	—
Amputations, avulsions, enucleations	131	7,950	90	40	20	30	1,200	350
Amputations, avulsions, enucleations, unspecified ...	1310	210	—	—	—	—	20	—
Amputations	1311	5,110	80	—	—	—	760	30
Avulsions, enucleations	1312	2,570	—	30	—	20	390	310
Amputations, avulsions, enucleations, n.e.c.	1319	60	—	—	—	—	20	—
Cuts, lacerations	132	70,910	1,390	350	570	960	21,350	3,390
Puncture wounds, except gunshot wounds	133	13,750	120	90	130	1,680	2,450	400
Gunshot wounds	134	90	—	—	—	—	40	—
Multiple types of open wounds	138	150	—	—	—	—	30	—
Open wounds, n.e.c.	139	150	—	—	—	—	30	—
Surface wounds and bruises	14	86,030	2,400	380	2,480	5,140	20,010	6,430
Surface wounds and bruises, unspecified	140	470	—	—	—	—	130	60
Abrasions, scratches	141	6,480	150	50	110	200	1,520	360
Blisters	142	100	—	—	—	—	40	—
Bruises, contusions	143	77,010	2,190	320	2,310	4,770	18,070	5,920
Multiple surface wounds and bruises	148	1,490	20	—	40	100	180	70

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2011² — Continued

Nature	Summary occupational groups ⁵					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Cartilage fractures and tears, n.e.c.	—	—	—	30	20	50
Sprains, strains, tears	28,340	4,060	21,930	32,700	32,040	69,430
Sprains, strains, tears, unspecified	1,590	150	2,000	3,040	2,170	4,720
Major tears to muscles, tendons, ligaments	970	80	1,730	2,620	2,130	3,400
Sprains	6,600	1,070	5,070	8,410	7,410	18,200
Strains	18,540	2,650	12,770	18,110	19,730	41,520
Multiple sprains, strains, tears	630	110	360	530	600	1,580
Hernias due to traumatic incidents	670	120	1,430	1,530	2,380	2,350
Whiplash	290	—	20	60	—	260
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	40	—	60	60	70	110
Traumatic injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	20	—	90	—	40	60
Open wounds	4,140	1,910	11,960	11,160	19,150	10,850
Open wounds, unspecified	210	60	170	240	170	160
Amputations, avulsions, enucleations	410	180	960	1,010	2,600	1,060
Amputations, avulsions, enucleations, unspecified	—	—	—	80	80	20
Amputations	50	150	750	630	1,920	710
Avulsions, enucleations	360	30	210	300	580	330
Amputations, avulsions, enucleations, n.e.c.	—	—	—	—	20	—
Cuts, lacerations	2,990	1,400	8,820	7,920	13,740	7,960
Puncture wounds, except gunshot wounds	530	250	1,960	1,940	2,560	1,640
Gunshot wounds	—	—	—	—	—	—
Multiple types of open wounds	—	—	20	20	50	—
Open wounds, n.e.c.	—	20	20	—	20	20
Surface wounds and bruises	8,640	1,680	5,320	6,020	8,960	18,410
Surface wounds and bruises, unspecified	20	40	30	60	40	70
Abrasions, scratches	420	130	700	720	940	1,180
Blisters	—	—	—	—	20	—
Bruises, contusions	7,840	1,440	4,390	5,130	7,750	16,730
Multiple surface wounds and bruises	290	60	90	80	190	370

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2011² — Continued

Nature	Nature code ³	Private industry ⁴	Summary occupational groups ⁵					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Surface wounds and bruises, n.e.c.	149	470	40	—	—	60	80	—
Burns and corrosions	15	19,900	180	180	90	430	8,420	690
Burns and corrosions, unspecified	150	440	20	—	—	30	150	—
Chemical burns and corrosions	151	3,260	20	110	—	70	930	80
Chemical burns and corrosions, unspecified	1510	2,770	—	60	—	50	870	60
First degree chemical burns and corrosions	1511	50	—	—	—	—	—	—
Second degree chemical burns and corrosions	1512	220	—	—	—	—	40	—
Third or fourth degree chemical burns and corrosions	1513	20	—	—	—	—	—	—
Chemical burns and corrosions, n.e.c.	1519	190	—	—	—	—	20	—
Heat (thermal) burns	152	13,660	130	50	60	310	7,080	590
Heat (thermal) burns, unspecified	1520	9,850	90	30	50	240	5,450	520
First degree heat (thermal) burns	1521	570	30	—	—	—	310	—
Second degree heat (thermal) burns	1522	2,140	—	—	—	40	1,000	20
Third or fourth degree heat (thermal) burns	1523	350	—	—	—	—	100	20
Heat (thermal) burns, n.e.c.	1529	750	—	—	—	20	220	20
Electrical burns	153	1,020	—	—	—	—	70	—
Electrical burns, unspecified	1530	730	—	—	—	—	30	—
First degree electrical burns	1531	60	—	—	—	—	40	—
Second degree electrical burns	1532	60	—	—	—	—	—	—
Third or fourth degree electrical burns	1533	100	—	—	—	—	—	—
Electrical burns, n.e.c.	1539	70	—	—	—	—	—	—
Other burns	159	1,520	—	—	20	—	190	—
Other burns, unspecified	1590	240	—	—	—	—	50	—
Other burns, first degree	1591	860	—	—	—	—	90	—
Other burns, second degree	1592	360	—	—	—	—	30	—
Other burns, n.e.c.	1599	50	—	—	—	—	—	—
Intracranial injuries	16	7,930	790	110	410	430	1,750	670
Intracranial injuries, unspecified	160	640	30	—	30	40	110	50
Cerebral and other intracranial hemorrhages	161	40	—	—	—	—	—	—

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2011² — Continued

Nature	Summary occupational groups ⁵					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Surface wounds and bruises, n.e.c.	70	—	100	20	—	40
Burns and corrosions	260	200	1,730	2,280	4,140	1,280
Burns and corrosions, unspecified	—	—	80	40	100	20
Chemical burns and corrosions	100	60	140	510	730	500
Chemical burns and corrosions, unspecified	60	60	130	430	590	440
First degree chemical burns and corrosions	—	—	—	—	—	—
Second degree chemical burns and corrosions	40	—	—	20	70	20
Third or fourth degree chemical burns and corrosions	—	—	—	—	—	—
Chemical burns and corrosions, n.e.c.	—	—	—	60	70	—
Heat (thermal) burns	130	120	1,050	1,190	2,550	400
Heat (thermal) burns, unspecified	50	50	790	790	1,500	290
First degree heat (thermal) burns	—	—	30	90	60	—
Second degree heat (thermal) burns	50	40	110	270	500	90
Third or fourth degree heat (thermal) burns	—	—	30	—	150	—
Heat (thermal) burns, n.e.c.	—	—	90	20	350	—
Electrical burns	20	—	390	340	50	70
Electrical burns, unspecified	—	—	290	250	40	40
First degree electrical burns	—	—	—	—	—	—
Second degree electrical burns	—	—	40	—	—	—
Third or fourth degree electrical burns	—	—	20	70	—	—
Electrical burns, n.e.c.	—	—	30	—	—	30
Other burns	—	—	80	200	710	290
Other burns, unspecified	—	—	30	40	90	20
Other burns, first degree	—	—	30	130	540	50
Other burns, second degree	—	—	—	20	60	230
Other burns, n.e.c.	—	—	—	—	20	—
Intracranial injuries	800	100	340	620	520	1,370
Intracranial injuries, unspecified	130	—	40	60	50	90
Cerebral and other intracranial hemorrhages	—	—	—	—	—	20

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2011² — Continued

Nature	Nature code ³	Private industry ⁴	Summary occupational groups ⁵					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Concussions	162	7,190	740	100	370	390	1,630	620
Multiple types of intracranial injuries	168	50	—	—	—	—	—	—
Skull fracture and intracranial injury	1681	50	—	—	—	—	—	—
Effects of environmental conditions	17	3,580	60	30	—	—	530	70
Effects of reduced temperature	171	190	—	—	—	—	20	—
Frostbite	1711	180	—	—	—	—	20	—
Effects of heat and light	172	3,250	50	20	—	—	510	60
Effects of heat and light, unspecified	1720	170	—	—	—	—	—	—
Heat stroke	1721	310	—	—	—	—	160	—
Heat syncope	1722	150	—	—	—	—	40	—
Heat fatigue	1723	330	—	—	—	—	50	—
Heat exhaustion, prostration	1725	1,840	20	—	—	—	190	30
Multiple effects of heat and light	1728	20	—	—	—	—	—	—
Effects of heat and light, n.e.c.	1729	440	30	—	—	—	60	—
Effects of air or water pressure	173	130	—	—	—	—	—	—
Effects of air or water pressure, unspecified	1730	60	—	—	—	—	—	—
Aero-otitis media	1731	30	—	—	—	—	—	—
Effects of air or water pressure, n.e.c.	1739	40	—	—	—	—	—	—
Multiple traumatic injuries and disorders	18	30,400	1,210	380	1,020	1,670	7,030	2,080
Multiple traumatic injuries and disorders, unspecified	180	2,130	60	40	60	110	460	250
Cuts and abrasions or bruises	181	5,490	460	30	100	130	1,530	370
Sprains and other injuries	182	12,510	350	180	340	990	3,600	860
Sprains and other injuries, unspecified	1820	660	—	20	30	—	330	60
Sprains and bruises	1821	9,480	260	50	240	890	2,570	710
Sprains and cuts	1822	870	20	—	30	—	240	30
Sprains and other injuries, n.e.c.	1829	1,510	70	120	50	80	460	60
Fractures and other injuries	183	6,500	220	90	360	150	780	330
Fractures and other injuries, unspecified	1830	530	—	20	40	—	50	30
Fractures (except skull fractures) and concussions	1831	320	20	—	—	—	40	—

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2011² — Continued

Nature	Summary occupational groups ⁵					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Concussions	660	90	290	560	450	1,270
Multiple types of intracranial injuries	—	—	20	—	20	—
Skull fracture and intracranial injury	—	—	20	—	20	—
Effects of environmental conditions	80	130	820	440	560	860
Effects of reduced temperature	30	—	30	—	30	60
Frostbite	30	—	30	—	30	50
Effects of heat and light	40	130	780	420	530	690
Effects of heat and light, unspecified	—	—	40	—	50	50
Heat stroke	—	—	20	30	20	50
Heat syncope	—	—	—	30	40	—
Heat fatigue	—	—	110	40	40	70
Heat exhaustion, prostration	20	90	510	230	320	420
Multiple effects of heat and light	—	—	—	—	—	—
Effects of heat and light, n.e.c.	—	20	90	80	60	90
Effects of air or water pressure	—	—	—	—	—	100
Effects of air or water pressure, unspecified	—	—	—	—	—	50
Aero-otitis media	—	—	—	—	—	20
Effects of air or water pressure, n.e.c.	—	—	—	—	—	20
Multiple traumatic injuries and disorders	2,000	520	2,270	2,520	3,640	5,940
Multiple traumatic injuries and disorders, unspecified	90	30	200	270	200	370
Cuts and abrasions or bruises	290	160	330	400	580	1,050
Sprains and other injuries	950	190	610	960	980	2,500
Sprains and other injuries, unspecified	—	—	—	120	30	40
Sprains and bruises	800	170	450	610	770	1,950
Sprains and cuts	60	—	60	170	80	170
Sprains and other injuries, n.e.c.	80	—	90	60	100	340
Fractures and other injuries	420	100	820	650	1,330	1,230
Fractures and other injuries, unspecified	—	—	100	40	150	80
Fractures (except skull fractures) and concussions	90	—	20	80	—	20

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2011² — Continued

Nature	Nature code ³	Private industry ⁴	Summary occupational groups ⁵					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Fractures (except rib, trunk fractures) and internal injuries	1832	70	—	—	—	—	—	—
Fractures and burns	1833	180	—	—	—	—	—	—
Fractures and dislocations ...	1834	860	40	—	250	20	140	110
Fractures and other injuries, n.e.c.	1839	4,540	150	60	70	110	520	170
Burns and other injuries, except fractures	184	190	—	—	—	—	30	—
Burns and other injuries, except fractures, unspecified	1840	60	—	—	—	—	20	—
Burns and other injuries, n.e.c.	1849	130	—	—	—	—	—	—
Intracranial injuries and injuries to internal organs	185	60	—	—	—	—	—	—
Multiple traumatic injuries and disorders, n.e.c.	189	3,510	120	30	150	290	640	270
Other traumatic injuries and disorders	19	153,800	5,090	1,150	3,440	8,010	39,690	7,890
Other traumatic injuries and disorders, unspecified	190	540	—	—	20	20	60	60
Asphyxiations, strangulations, suffocations	191	140	—	—	—	—	60	—
Electrocutions, electric shocks	193	1,290	40	20	—	20	310	30
Internal injuries to organs and blood vessels of the trunk	194	190	—	—	—	—	—	—
Dermatitis and reactions affecting the skin—acute	195	3,000	80	30	20	170	950	150
Dermatitis and reactions affecting the skin—acute, unspecified	1950	1,570	70	20	20	90	390	50
Allergic dermatitis—acute	1951	770	—	—	—	40	320	30
Irritant dermatitis—acute	1952	450	—	—	—	20	130	70
Hives, urticaria—acute	1953	70	—	—	—	20	40	—
Dermatitis and reactions affecting the skin—acute, n.e.c.	1959	140	—	—	—	—	80	—
Other poisoning, toxic, noxious, or allergenic effects	196	7,470	300	70	130	400	2,110	340
Poisoning, toxic, noxious, or allergenic effect, unspecified	1960	2,470	50	20	30	50	1,120	110
Poisoning, including poisoning-related asphyxia	1961	1,290	30	20	30	30	140	30

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2011² — Continued

Nature	Summary occupational groups ⁵					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Fractures (except rib, trunk fractures) and internal injuries	—	—	20	—	—	—
Fractures and burns	—	—	110	—	20	—
Fractures and dislocations ...	60	—	70	40	110	20
Fractures and other injuries, n.e.c.	260	70	500	470	1,040	1,100
Burns and other injuries, except fractures	—	—	—	—	60	60
Burns and other injuries, except fractures, unspecified	—	—	—	—	—	20
Burns and other injuries, n.e.c.	—	—	—	—	60	30
Intracranial injuries and injuries to internal organs	—	—	—	—	—	—
Multiple traumatic injuries and disorders, n.e.c.	240	40	310	240	480	700
Other traumatic injuries and disorders	12,980	2,480	12,400	14,150	17,660	28,690
Other traumatic injuries and disorders, unspecified	240	—	50	20	60	20
Asphyxiations, strangulations, suffocations	20	—	—	—	—	40
Electrocutions, electric shocks	20	—	220	370	170	60
Internal injuries to organs and blood vessels of the trunk	—	—	80	—	—	70
Dermatitis and reactions affecting the skin—acute	200	50	120	520	480	210
Dermatitis and reactions affecting the skin—acute, unspecified	160	30	30	320	250	120
Allergic dermatitis—acute	30	—	40	160	80	30
Irritant dermatitis—acute	—	—	30	—	140	30
Hives, urticaria—acute	—	—	—	—	—	—
Dermatitis and reactions affecting the skin—acute, n.e.c.	—	—	—	—	—	20
Other poisoning, toxic, noxious, or allergenic effects	1,290	100	310	960	570	890
Poisoning, toxic, noxious, or allergenic effect, unspecified	180	60	100	240	180	330
Poisoning, including poisoning-related asphyxia	300	—	60	320	110	210

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2011² — Continued

Nature	Nature code ³	Private industry ⁴	Summary occupational groups ⁵					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Anaphylactic shock, anaphylaxis	1962	50	—	—	—	—	20	—
Other respiratory system symptoms—toxic, noxious, or allergenic effect	1963	1,580	130	20	20	140	250	60
Coughing and throat irritation— toxic, noxious, or allergenic effect	1964	190	—	—	—	—	20	—
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	1965	250	—	—	—	40	60	—
Other or unspecified allergic reactions	1966	740	60	—	40	70	310	50
Nausea, vomiting— toxic, noxious, or allergenic effect	1967	170	—	—	—	—	20	—
Multiple poisoning, toxic, noxious, or allergenic effects	1968	530	—	—	—	30	30	60
Other poisoning, toxic, noxious, or allergenic effects, n.e.c.	1969	190	—	—	—	—	140	—
Nonspecified injuries and disorders	197	140,540	4,590	1,030	3,240	7,360	36,050	7,290
Crushing injuries	1971	10,280	100	30	50	180	1,260	250
Soreness, pain, hurt—nonspecified injury	1972	109,920	3,940	870	2,960	6,520	30,880	6,060
Swelling, inflammation, irritation—nonspecified injury	1973	15,160	460	80	170	370	2,810	680
Numbness—nonspecified injury	1974	890	20	30	—	20	190	50
Multiple nonspecified injuries and disorders	1978	2,010	40	—	30	90	310	170
Nonspecified injuries and disorders, n.e.c.	1979	2,270	30	—	30	170	590	70
Other traumatic injuries and disorders, n.e.c.	199	640	80	—	—	30	150	20
Traumatic shock	1991	20	—	—	—	—	—	—
Traumatic injuries and disorders, n.e.c.	1999	620	—	—	—	30	150	20
Diseases and disorders of body systems	2	23,850	1,160	290	230	860	4,180	1,520
Systemic diseases and disorders, unspecified	20	80	—	—	—	—	—	—

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2011² — Continued

Nature	Summary occupational groups ⁵					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Anaphylactic shock, anaphylaxis	—	—	—	—	—	—
Other respiratory system symptoms—toxic, noxious, or allergenic effect	270	—	90	260	160	160
Coughing and throat irritation— toxic, noxious, or allergenic effect	—	—	—	70	—	70
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	30	—	—	—	40	40
Other or unspecified allergic reactions	40	—	30	20	40	50
Nausea, vomiting— toxic, noxious, or allergenic effect	100	—	—	—	—	20
Multiple poisoning, toxic, noxious, or allergenic effects	330	—	—	60	—	—
Other poisoning, toxic, noxious, or allergenic effects, n.e.c.	20	—	—	—	—	—
Nonspecified injuries and disorders	11,170	2,310	11,550	12,220	16,290	27,280
Crushing injuries	600	270	1,260	1,380	2,800	2,070
Soreness, pain, hurt—nonspecified injury	9,020	1,640	8,090	8,370	9,880	21,560
Swelling, inflammation, irritation—nonspecified injury	1,070	260	1,900	1,690	3,060	2,590
Numbness—nonspecified injury	80	—	40	100	180	160
Multiple nonspecified injuries and disorders	230	120	140	260	230	370
Nonspecified injuries and disorders, n.e.c.	170	—	120	400	130	530
Other traumatic injuries and disorders, n.e.c.	30	—	70	50	80	120
Traumatic shock	—	—	—	—	—	—
Traumatic injuries and disorders, n.e.c.	—	—	70	50	80	120
Diseases and disorders of body systems	3,630	340	1,240	1,820	5,720	2,840
Systemic diseases and disorders, unspecified	—	—	—	—	30	—

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2011² — Continued

Nature	Nature code ³	Private industry ⁴	Summary occupational groups ⁵					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Nervous system and sense organs diseases	22	10,690	590	110	60	230	1,560	860
Inflammatory diseases of the central nervous system	221	20	—	—	—	—	—	—
Degenerative diseases of the central nervous system	222	20	—	—	—	—	—	—
Other disorders of the central nervous system	223	160	20	—	—	—	80	20
Seizure disorder, epilepsy ...	2231	70	—	—	—	—	—	20
Migraine	2232	90	—	—	—	—	70	—
Disorders of the peripheral nervous system	224	8,890	570	110	40	170	1,200	640
Disorders of the peripheral nervous system, unspecified	2240	120	—	—	—	—	20	—
Carpal tunnel syndrome	2241	8,620	560	100	30	160	1,150	630
Inflammatory and toxic neuropathy, toxic polyneuropathy	2242	30	—	—	—	—	—	—
Disorders of the peripheral nervous system, n.e.c.	2249	100	—	—	—	—	—	—
Disorders of the eye, adnexa, vision	225	1,450	—	—	20	50	260	200
Disorders of the eye, adnexa, vision, unspecified	2250	120	—	—	—	—	—	—
Conjunctivitis—non-viral	2251	610	—	—	—	20	100	170
Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion)	2252	140	—	—	—	—	—	—
Blindness, low vision	2254	60	—	—	—	—	20	—
Disorders of the eye, adnexa, vision, n.e.c.	2259	490	—	—	—	—	110	20
Disorders of the ear, mastoid process, hearing	226	150	—	—	—	—	—	—
Disorders of the ear, mastoid process, hearing, unspecified	2260	20	—	—	—	—	—	—
Deafness, hearing loss and impairment	2261	100	—	—	—	—	—	—
Disorders of the ear, mastoid process, and hearing, n.e.c.	2269	20	—	—	—	—	—	—
Circulatory system diseases	23	340	—	—	—	—	90	40
Circulatory system diseases, unspecified	230	70	—	—	—	—	40	—

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2011² — Continued

Nature	Summary occupational groups ⁵					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Nervous system and sense organs diseases	2,140	110	310	850	2,800	1,040
Inflammatory diseases of the central nervous system	—	—	—	—	—	—
Degenerative diseases of the central nervous system	—	—	—	—	—	—
Other disorders of the central nervous system	20	—	—	—	—	—
Seizure disorder, epilepsy ...	20	—	—	—	—	—
Migraine	—	—	—	—	—	—
Disorders of the peripheral nervous system	2,090	20	230	590	2,510	720
Disorders of the peripheral nervous system, unspecified	30	—	—	—	40	—
Carpal tunnel syndrome	2,030	20	230	580	2,410	710
Inflammatory and toxic neuropathy, toxic polyneuropathy	—	—	—	—	—	—
Disorders of the peripheral nervous system, n.e.c.	20	—	—	—	50	—
Disorders of the eye, adnexa, vision	30	90	70	200	270	260
Disorders of the eye, adnexa, vision, unspecified	—	—	—	—	30	50
Conjunctivitis—non-viral	—	20	20	100	60	90
Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion)	—	—	—	20	90	—
Blindness, low vision	—	—	30	—	—	—
Disorders of the eye, adnexa, vision, n.e.c.	—	70	20	70	80	100
Disorders of the ear, mastoid process, hearing	—	—	—	50	—	50
Disorders of the ear, mastoid process, hearing, unspecified	—	—	—	—	—	—
Deafness, hearing loss and impairment	—	—	—	40	—	30
Disorders of the ear, mastoid process, and hearing, n.e.c.	—	—	—	—	—	20
Circulatory system diseases	60	—	30	30	20	60
Circulatory system diseases, unspecified	—	—	—	—	—	—

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2011² — Continued

Nature	Nature code ³	Private industry ⁴	Summary occupational groups ⁵					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Ischemic heart disease, including heart attack	233	160	—	—	—	—	20	20
Myocardial infarction (heart attack)	2331	150	—	—	—	—	20	—
Cerebrovascular disease	236	30	—	—	—	—	—	—
Stroke	2361	20	—	—	—	—	—	—
Diseases of arteries, arterioles, capillaries	237	20	—	—	—	—	—	—
Diseases of the veins, lymphatics	238	50	—	—	—	—	—	—
Diseases of the veins, lymphatics, unspecified	2380	20	—	—	—	—	—	—
Respiratory system diseases	24	520	90	—	20	70	140	—
Respiratory system diseases, unspecified	240	120	—	—	—	30	30	—
Acute respiratory infections (including common cold)	241	140	70	—	—	20	—	—
Pneumonia, influenza	243	90	—	—	—	—	50	—
Pneumonia	2431	20	—	—	—	—	—	—
Influenza—common	2432	50	—	—	—	—	30	—
Chronic obstructive pulmonary disease and allied conditions ..	244	100	—	—	—	—	20	—
Asthma, except intrinsic	2443	70	—	—	—	—	20	—
Pneumoconioses	245	30	—	—	—	—	20	—
Other respiratory system diseases	249	30	—	—	—	—	—	—
Digestive system diseases and disorders	25	1,400	130	—	—	—	200	110
Diseases of esophagus, stomach, and duodenum	252	30	—	—	—	—	20	—
Hernia—nontraumatic	253	1,360	130	—	—	—	180	110
Musculoskeletal system and connective tissue diseases and disorders	27	8,970	280	120	100	470	1,810	460
Musculoskeletal system and connective tissue diseases and disorders, unspecified	270	170	—	—	—	—	—	—
Arthropathies and related disorders (arthritis)	271	200	—	—	—	—	20	—
Dorsopathies	272	590	—	20	—	60	150	30
Sciatica	2721	210	—	—	—	20	60	—
Lumbago	2722	90	—	—	—	—	30	—
Disc disorders, except dislocation	2723	120	—	—	—	—	—	—
Dorsopathies, n.e.c.	2729	160	—	—	—	20	50	20

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2011² — Continued

Nature	Summary occupational groups ⁵					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Ischemic heart disease, including heart attack	50	—	30	—	—	20
Myocardial infarction (heart attack)	40	—	30	—	—	20
Cerebrovascular disease	—	—	—	—	—	—
Stroke	—	—	—	—	—	—
Diseases of arteries, arterioles, capillaries	—	—	—	—	—	—
Diseases of the veins, lymphatics	—	—	—	—	—	20
Diseases of the veins, lymphatics, unspecified	—	—	—	—	—	—
Respiratory system diseases	30	—	—	20	70	50
Respiratory system diseases, unspecified	—	—	—	—	20	—
Acute respiratory infections (including common cold)	—	—	—	—	30	—
Pneumonia, influenza	—	—	—	—	—	—
Pneumonia	—	—	—	—	—	—
Influenza—common	—	—	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions ..	—	—	—	—	—	20
Asthma, except intrinsic	—	—	—	—	—	20
Pneumoconioses	—	—	—	—	—	—
Other respiratory system diseases	—	—	—	—	—	—
Digestive system diseases and disorders	80	30	90	130	260	350
Diseases of esophagus, stomach, and duodenum	—	—	—	—	—	—
Hernia—nontraumatic	80	30	90	130	260	340
Musculoskeletal system and connective tissue diseases and disorders	1,040	110	500	650	2,290	1,120
Musculoskeletal system and connective tissue diseases and disorders, unspecified	—	—	40	20	60	30
Arthropathies and related disorders (arthritis)	30	—	—	50	70	30
Dorsopathies	70	—	30	50	100	60
Sciatica	—	—	—	30	20	40
Lumbago	—	—	—	—	50	—
Disc disorders, except dislocation	60	—	—	—	20	—
Dorsopathies, n.e.c.	—	—	—	—	—	—

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2011² — Continued

Nature	Nature code ³	Private industry ⁴	Summary occupational groups ⁵					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Soft tissue disorders, except the back	273	7,930	280	100	80	390	1,640	420
Soft tissue disorder, except the back, unspecified	2730	440	—	—	—	30	120	60
Bursitis	2731	630	40	—	—	50	90	—
Stenosing tenosynovitis	2732	990	20	—	—	30	100	30
Other tenosynovitis, synovitis	2733	580	—	—	—	—	170	20
Epicondylitis	2734	1,180	20	30	—	70	250	70
Other or unspecified tendonitis (tendinitis)	2735	3,160	70	60	60	180	750	170
Ganglion or cystic tumor	2736	310	—	—	—	—	70	20
Multiple soft tissue disorders	2738	80	—	—	—	—	—	—
Soft tissue disorder, except the back, n.e.c.	2739	570	130	—	—	—	80	50
Osteopathies, chondropathies, and acquired deformities	274	30	—	—	—	—	—	—
Osteopathies, chondropathies, and acquired deformities, n.e.c.	2749	20	—	—	—	—	—	—
Musculoskeletal system and connective tissue diseases and disorders, n.e.c.	279	50	—	—	—	—	—	—
Disorders of the skin and subcutaneous tissue	28	1,200	—	—	20	60	300	20
Disorders of the skin and subcutaneous tissue, unspecified	280	20	—	—	—	—	—	—
Infections of the skin and subcutaneous tissue	281	920	—	—	20	60	240	20
Infections of the skin and subcutaneous tissue, unspecified	2810	260	—	—	—	—	60	20
Cellulitis and abscess	2811	430	—	—	—	30	120	—
Methicillin-resistant staphylococcus aureus (MRSA) infection	2813	160	—	—	—	20	30	—
Other staphylococcus skin infection	2814	20	—	—	—	—	—	—
Infections of the skin and subcutaneous tissue, n.e.c.	2819	50	—	—	—	—	30	—
Dermatitis resulting from long-term exposures	282	20	—	—	—	—	—	—
Diseases of sebaceous glands	283	20	—	—	—	—	—	—
Sebaceous cyst	2832	20	—	—	—	—	—	—

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2011² — Continued

Nature	Summary occupational groups ⁵					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Soft tissue disorders, except the back	930	100	430	520	2,030	980
Soft tissue disorder, except the back, unspecified	50	—	40	30	70	40
Bursitis	50	—	90	40	80	180
Stenosing tenosynovitis	110	—	20	140	460	70
Other tenosynovitis, synovitis	50	—	—	40	180	30
Epicondylitis	100	—	—	120	280	200
Other or unspecified tendonitis (tendinitis)	500	70	220	110	670	310
Ganglion or cystic tumor	30	—	—	20	120	30
Multiple soft tissue disorders	—	—	—	—	30	—
Soft tissue disorder, except the back, n.e.c.	30	—	—	20	130	120
Osteopathies, chondropathies, and acquired deformities	—	—	—	—	—	—
Osteopathies, chondropathies, and acquired deformities, n.e.c.	—	—	—	—	—	—
Musculoskeletal system and connective tissue diseases and disorders, n.e.c.	—	—	—	—	20	20
Disorders of the skin and subcutaneous tissue	50	90	280	80	160	100
Disorders of the skin and subcutaneous tissue, unspecified	—	—	—	—	—	—
Infections of the skin and subcutaneous tissue	30	90	170	60	130	90
Infections of the skin and subcutaneous tissue, unspecified	—	80	20	20	20	30
Cellulitis and abscess	20	—	50	30	100	50
Methicillin-resistant staphylococcus aureus (MRSA) infection	—	—	100	—	—	—
Other staphylococcus skin infection	—	—	—	—	—	—
Infections of the skin and subcutaneous tissue, n.e.c.	—	—	—	—	—	—
Dermatitis resulting from long-term exposures	—	—	—	—	—	—
Diseases of sebaceous glands	—	—	—	—	—	—
Sebaceous cyst	—	—	—	—	—	—

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2011² — Continued

Nature	Nature code ³	Private industry ⁴	Summary occupational groups ⁵					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Other diseases and disorders of the skin and subcutaneous tissue	289	230	-	-	-	-	40	-
Other diseases and disorders of the skin and subcutaneous tissue, unspecified	2890	20	-	-	-	-	-	-
Other diseases and disorders of the skin and subcutaneous tissue, n.e.c.	2899	180	-	-	-	-	30	-
Other systemic diseases and disorders	29	630	40	20	-	-	70	-
Other systemic diseases and disorders, unspecified	290	440	30	-	-	-	20	-
Endocrine, nutritional, metabolic, and immunity disorders	291	120	-	-	-	-	50	-
Endocrine, nutritional, metabolic, and immunity disorders, n.e.c.	2919	110	-	-	-	-	40	-
Other systemic diseases and disorders, n.e.c.	299	70	-	-	-	-	-	-
Infectious and parasitic diseases	3	1,230	30	-	100	300	630	-
Infectious and parasitic diseases, unspecified	30	30	-	-	-	-	-	-
Bacterial diseases	31	100	-	-	-	50	30	-
Other bacterial diseases	319	80	-	-	-	50	20	-
Diphtheria, whooping cough	3192	60	-	-	-	40	-	-
Viral diseases	32	230	-	-	40	40	140	-
Non-arthropod-borne viral diseases of the central nervous system	322	20	-	-	-	-	-	-
Viral diseases accompanied by exanthem (eruptive fever)	323	100	-	-	-	20	70	-
Chickenpox, varicella	3233	60	-	-	-	-	50	-
Herpes zoster, shingles	3234	30	-	-	-	20	20	-
Viral diseases of the conjunctiva	326	40	-	-	-	-	20	-
Viral conjunctivitis (ophthalmia)	3261	20	-	-	-	-	-	-
Other diseases due to viruses	329	70	-	-	20	-	40	-
Foot and mouth disease	3294	20	-	-	20	-	-	-
Other diseases due to viruses, n.e.c.	3299	60	-	-	-	-	40	-

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2011² — Continued

Nature	Summary occupational groups ⁵					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Other diseases and disorders of the skin and subcutaneous tissue	20	—	—	30	—	—
Other diseases and disorders of the skin and subcutaneous tissue, unspecified	—	—	—	—	—	—
Other diseases and disorders of the skin and subcutaneous tissue, n.e.c.	20	—	—	—	—	—
Other systemic diseases and disorders	220	—	20	60	90	110
Other systemic diseases and disorders, unspecified	210	—	—	50	70	20
Endocrine, nutritional, metabolic, and immunity disorders	—	—	—	—	—	40
Endocrine, nutritional, metabolic, and immunity disorders, n.e.c.	—	—	—	—	—	40
Other systemic diseases and disorders, n.e.c.	—	—	—	—	—	50
Infectious and parasitic diseases	40	—	30	20	20	50
Infectious and parasitic diseases, unspecified	—	—	—	—	—	—
Bacterial diseases	—	—	—	—	—	—
Other bacterial diseases	—	—	—	—	—	—
Diphtheria, whooping cough	—	—	—	—	—	—
Viral diseases	—	—	—	—	—	—
Non-arthropod-borne viral diseases of the central nervous system	—	—	—	—	—	—
Viral diseases accompanied by exanthem (eruptive fever)	—	—	—	—	—	—
Chickenpox, varicella	—	—	—	—	—	—
Herpes zoster, shingles	—	—	—	—	—	—
Viral diseases of the conjunctiva	—	—	—	—	—	—
Viral conjunctivitis (ophthalmia)	—	—	—	—	—	—
Other diseases due to viruses	—	—	—	—	—	—
Foot and mouth disease	—	—	—	—	—	—
Other diseases due to viruses, n.e.c.	—	—	—	—	—	—

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2011² — Continued

Nature	Nature code ³	Private industry ⁴	Summary occupational groups ⁵					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Other arthropod-borne diseases ..	33	20	—	—	—	—	—	—
Mycoses (fungal infections)	34	20	—	—	—	—	—	—
Infectious diseases peculiar to the intestines	36	110	—	—	—	—	20	—
Other bacterial food poisoning (including botulism and staphylococcal food poisoning)	364	80	—	—	—	—	—	—
Infectious diseases peculiar to the intestines, n.e.c.	369	20	—	—	—	—	—	—
Other infectious and parasitic diseases	39	700	—	—	40	200	420	—
Pediculosis and phthirus infestation (lice)	391	20	—	—	—	—	—	—
Scabies and other acariases ...	392	650	—	—	40	190	390	—
Other infestations (including maggots, leeches, jigger disease)	393	20	—	—	—	—	20	—
Symptoms, signs, and ill-defined conditions	5	5,070	120	50	290	250	1,640	650
Symptoms, signs, and ill-defined conditions, unspecified	50	130	—	—	—	—	—	—
Symptoms	51	4,880	110	30	290	240	1,620	640
Symptoms, unspecified	510	50	—	—	—	—	—	—
General symptoms	511	2,730	70	30	100	120	980	290
General symptoms, unspecified	5110	30	—	—	—	—	—	—
Loss of consciousness—not heat related	5111	1,370	40	—	70	50	670	170
Convulsions, seizures	5112	180	—	—	—	—	60	50
Dizziness—general	5114	490	—	—	30	30	110	40
Inflammation, swelling—general	5115	290	—	—	—	—	110	—
Numbness—general	5116	80	—	—	—	—	20	—
Multiple general symptoms ..	5118	220	20	—	—	—	—	20
General symptoms, n.e.c.	5119	60	—	—	—	—	—	—
Symptoms involving nervous and musculoskeletal systems	512	60	—	—	30	—	—	—
Symptoms involving nervous and musculoskeletal systems, unspecified	5120	40	—	—	—	—	—	—
Symptoms involving skin and other integumentary tissue	513	30	—	—	—	—	—	—
Symptoms involving head and neck	514	540	—	—	—	30	300	40

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2011² — Continued

Nature	Summary occupational groups ⁵					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Other arthropod-borne diseases ..	—	—	—	—	—	—
Mycoses (fungal infections)	—	—	—	—	—	—
Infectious diseases peculiar to the intestines	30	—	—	—	—	30
Other bacterial food poisoning (including botulism and staphylococcal food poisoning)	20	—	—	—	—	—
Infectious diseases peculiar to the intestines, n.e.c.	—	—	—	—	—	—
Other infectious and parasitic diseases	—	—	—	—	—	—
Pediculosis and phthirus infestation (lice)	—	—	—	—	—	—
Scabies and other acariases ...	—	—	—	—	—	—
Other infestations (including maggots, leeches, jigger disease)	—	—	—	—	—	—
Symptoms, signs, and ill-defined conditions	500	80	200	190	420	660
Symptoms, signs, and ill-defined conditions, unspecified	80	—	—	—	—	—
Symptoms	420	80	180	190	410	650
Symptoms, unspecified	20	—	—	—	—	20
General symptoms	250	60	140	110	180	380
General symptoms, unspecified	—	—	—	—	—	—
Loss of consciousness—not heat related	110	—	30	60	50	120
Convulsions, seizures	20	—	20	—	—	—
Dizziness—general	60	30	80	30	—	70
Inflammation, swelling—general	40	—	—	—	20	70
Numbness—general	—	—	—	—	20	—
Multiple general symptoms ..	—	—	—	—	50	80
General symptoms, n.e.c.	—	—	—	—	—	—
Symptoms involving nervous and musculoskeletal systems	—	—	—	—	—	—
Symptoms involving nervous and musculoskeletal systems, unspecified	—	—	—	—	—	—
Symptoms involving skin and other integumentary tissue	—	—	—	—	—	—
Symptoms involving head and neck	30	—	—	20	20	60

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2011² — Continued

Nature	Nature code ³	Private industry ⁴	Summary occupational groups ⁵					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Symptoms involving head and neck, unspecified	5140	20	—	—	—	—	—	—
Headache, except migraine	5141	480	—	—	—	20	280	30
Symptoms involving head and neck, n.e.c.	5149	40	—	—	—	—	—	—
Symptoms involving cardiovascular system	515	20	—	—	—	—	—	—
Symptoms involving cardiovascular system, unspecified	5150	20	—	—	—	—	—	—
Symptoms involving respiratory system and chest	516	1,100	—	—	150	70	260	230
Symptoms involving respiratory system and chest, unspecified	5160	570	—	—	—	—	160	180
Chest pain	5164	260	—	—	130	—	40	40
Multiple symptoms involving respiratory system and chest	5168	30	—	—	—	—	—	—
Symptoms involving respiratory system and chest, n.e.c.	5169	240	—	—	—	50	60	—
Symptoms involving digestive and urinary system	517	160	—	—	—	—	30	50
Nausea and vomiting—general	5171	120	—	—	—	—	—	40
Abdominal pain, unspecified	5174	40	—	—	—	—	20	—
Multiple symptoms	518	180	—	—	—	—	30	20
Abnormal findings	52	20	—	—	—	—	—	—
Symptoms, signs, and ill-defined conditions, n.e.c.	59	40	—	—	—	—	—	—
Other diseases, conditions, and disorders	6	3,090	310	20	270	220	540	280
Damage to prosthetic and orthopedic devices	61	20	—	—	—	—	—	—
Mental disorders and syndromes	62	3,030	300	20	260	220	530	270
Mental disorders and syndromes, unspecified	620	150	—	—	—	—	20	20
Anxiety, stress	621	2,790	280	20	220	210	510	250
Anxiety, stress, unspecified	6210	1,400	160	—	80	120	320	150
Post-traumatic stress disorder	6211	750	40	—	120	60	30	20
Anxiety or panic disorder	6213	120	—	—	—	—	40	—
Anxiety, stress, n.e.c.	6219	510	70	—	—	20	110	70

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2011² — Continued

Nature	Summary occupational groups ⁵					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Symptoms involving head and neck, unspecified	—	—	—	—	—	—
Headache, except migraine	30	—	—	—	—	60
Symptoms involving head and neck, n.e.c.	—	—	—	—	—	—
Symptoms involving cardiovascular system	—	—	—	—	—	—
Symptoms involving cardiovascular system, unspecified	—	—	—	—	—	—
Symptoms involving respiratory system and chest	80	—	20	40	170	60
Symptoms involving respiratory system and chest, unspecified	40	—	20	30	100	—
Chest pain	20	—	—	—	—	40
Multiple symptoms involving respiratory system and chest	—	—	—	—	—	—
Symptoms involving respiratory system and chest, n.e.c.	20	—	—	—	60	20
Symptoms involving digestive and urinary system	20	—	—	—	—	50
Nausea and vomiting—general	—	—	—	—	—	50
Abdominal pain, unspecified	—	—	—	—	—	—
Multiple symptoms	20	—	—	—	20	60
Abnormal findings	—	—	—	—	—	—
Symptoms, signs, and ill-defined conditions, n.e.c.	—	—	—	—	—	—
Other diseases, conditions, and disorders	660	—	—	120	60	570
Damage to prosthetic and orthopedic devices	—	—	—	—	—	—
Mental disorders and syndromes	640	—	—	120	60	570
Mental disorders and syndromes, unspecified	40	—	—	—	—	30
Anxiety, stress	590	—	—	110	60	530
Anxiety, stress, unspecified	380	—	—	30	30	130
Post-traumatic stress disorder	30	—	—	40	—	380
Anxiety or panic disorder	20	—	—	—	—	—
Anxiety, stress, n.e.c.	160	—	—	40	—	20

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2011² — Continued

Nature	Nature code ³	Private industry ⁴	Summary occupational groups ⁵					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Depression or depressive episode	622	70	–	–	40	–	–	–
Mental disorders and syndromes, n.e.c.	629	20	–	–	–	–	–	–
Other diseases, conditions, and disorders, n.e.c.	69	40	–	–	–	–	–	–

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2011² — Continued

Nature	Summary occupational groups ⁵					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Depression or depressive episode	—	—	—	—	—	—
Mental disorders and syndromes, n.e.c.	—	—	—	—	—	—
Other diseases, conditions, and disorders, n.e.c.	—	—	—	—	—	—

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2011² — Continued

Nature	Nature code ³	Private industry ⁴	Summary occupational groups ⁵					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Exposures to disease—no illness incurred	7	310	—	—	—	240	60	—
Multiple diseases, conditions, and disorders	8	830	40	—	—	20	80	30
Nonclassifiable	9999	3,170	100	30	30	70	710	190

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, private industry, 2011² — Continued

Nature	Summary occupational groups ⁵					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Exposures to disease—no illness incurred	—	—	—	—	—	—
Multiple diseases, conditions, and disorders	90	—	30	420	—	100
Nonclassifiable	120	70	190	120	190	750

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2011. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

⁵ *Standard Occupational Classification Manual*, 2010, Office of Management and Budget.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.