

TABLE R86. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and day of the week event occurred, private industry, 2011²

Part of body	Part of body code ³	Private industry ⁴	Day of week						
			Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
Total		918,140	58,110	160,850	164,740	158,780	156,940	141,650	77,070
Head	1	61,200	3,410	11,050	11,630	10,870	10,830	8,010	5,390
Head, unspecified	10	13,560	830	2,620	2,530	2,110	2,380	1,930	1,150
Cranial region, including skull	11	10,910	710	2,120	1,760	2,170	1,990	1,150	1,000
Cranial region, unspecified	110	540	20	90	90	140	70	80	60
Brain	111	8,160	560	1,390	1,380	1,680	1,480	880	800
Scalp	112	1,360	90	240	240	210	330	150	100
Skull	113	700	20	360	60	130	80	40	20
Multiple cranial region locations	118	70	-	30	-	20	20	-	-
Cranial region, n.e.c.	119	80	-	20	-	-	20	-	20
Ear(s)	12	890	50	60	120	140	110	140	270
Face	13	34,540	1,780	6,080	7,050	6,090	6,070	4,610	2,860
Face, unspecified	130	3,020	210	670	640	350	420	500	230
Forehead	131	2,870	70	560	550	630	420	400	240
Eye(s)	132	20,780	1,080	3,530	4,240	4,050	3,660	2,350	1,870
Nose, nasal cavity	133	2,050	90	310	370	370	460	230	220
Nose, except internal location of diseases or disorders	1330	2,030	90	310	370	370	460	220	220
Cheek(s)	134	520	20	60	200	60	40	90	30
Jaw, chin	135	630	20	110	130	60	100	160	60
Mouth	136	2,510	130	530	360	280	620	470	110
Mouth, unspecified	1360	150	-	40	20	20	20	-	40
Lip(s)	1361	810	20	230	90	50	320	90	20
Tongue	1362	40	-	-	-	-	-	-	-
Tooth (teeth)	1363	1,190	20	190	210	180	190	350	50
Multiple mouth locations	1368	300	-	70	30	20	80	-	-
Multiple face locations	138	1,910	130	250	490	240	340	370	80
Face, n.e.c.	139	260	40	30	60	40	30	40	-
Multiple head locations	18	980	40	130	130	300	160	150	80
Head, n.e.c.	19	310	-	40	30	60	120	30	20
Neck, including throat	2	12,350	1,010	1,960	2,350	1,950	2,290	1,710	1,070
Neck, except internal location of diseases or disorders	20	12,310	1,010	1,950	2,350	1,930	2,290	1,710	1,070
Internal neck location, unspecified	21	20	-	-	-	-	-	-	-
Trunk	3	238,280	15,270	43,360	43,830	39,570	40,150	36,880	19,220
Trunk, unspecified	30	1,000	90	170	180	160	110	200	90
Chest, including ribs, internal organs	31	13,970	1,090	2,250	2,730	2,140	2,160	2,190	1,420
Chest, except internal location of diseases or disorders	310	13,190	1,070	2,110	2,620	2,040	1,910	2,070	1,380
Internal chest location, unspecified	311	220	-	-	-	-	140	20	-
Heart	313	180	-	70	-	30	-	40	-
Bronchus	314	30	-	-	-	-	-	-	-
Lung(s), pleura	315	350	-	50	80	50	80	60	20
Back, including spine, spinal cord	32	183,100	11,740	33,490	33,430	30,760	31,320	27,780	14,580
Back, including spine, spinal cord, unspecified	320	72,510	4,330	13,510	13,960	11,270	12,540	11,440	5,460
Thoracic region	321	7,680	560	1,260	1,330	1,430	1,300	1,150	650
Lumbar region	322	93,440	6,400	17,260	16,670	15,660	15,750	13,940	7,750

See footnotes at end of table.

TABLE R86. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and day of the week event occurred, private industry, 2011² — Continued

Part of body	Part of body code ³	Private industry ⁴	Day of week						
			Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
Sacral region	323	780	40	170	120	110	190	70	80
Coccygeal region	324	1,790	80	190	230	370	520	270	120
Multiple back regions	328	6,260	270	1,040	1,050	1,640	910	860	500
Back, including spine, spinal cord, n.e.c.	329	640	50	60	70	270	120	50	20
Abdomen	33	20,060	850	4,060	3,770	3,100	3,510	3,590	1,190
Abdomen, except internal location of diseases or disorders	330	18,410	770	3,820	3,410	2,820	3,250	3,270	1,060
Internal abdominal location, unspecified	331	880	50	150	150	70	150	250	70
Stomach organ	332	220	20	—	100	70	—	—	—
Spleen	333	50	—	—	—	—	—	—	—
Urinary organs	334	30	—	—	—	—	—	—	—
Urinary organs, unspecified	3340	20	—	—	—	—	—	—	—
Intestines, peritoneum	335	380	—	50	50	110	70	50	40
Intestines, peritoneum, unspecified	3350	330	—	50	50	100	70	40	20
Peritoneum	3351	30	—	—	—	—	—	—	—
Multiple internal abdominal locations ..	338	20	—	—	—	—	—	—	—
Internal abdominal location, n.e.c.	339	60	—	—	—	30	—	—	—
Pelvic region	34	15,490	1,110	2,700	2,790	2,460	2,390	2,520	1,510
Pelvic region, unspecified	340	130	—	20	20	20	30	30	—
Hip(s)	341	7,320	490	1,200	1,420	1,260	1,140	1,260	550
Pelvis	342	750	20	90	270	110	50	80	120
Buttock(s)	343	870	60	220	110	120	120	160	70
Groin	344	5,830	500	1,090	830	870	930	900	700
External reproductive tract structures ..	345	310	—	60	80	30	80	20	20
External reproductive tract structures, unspecified	3450	40	—	—	—	—	—	—	—
Scrotum	3451	160	—	—	80	20	—	—	—
Penis	3452	90	—	40	—	—	50	—	—
Internal reproductive tract structures ..	346	40	—	—	—	—	—	20	—
Testis (testes)	3462	20	—	—	—	—	—	—	—
Multiple pelvic region locations	348	210	—	—	40	30	40	40	30
Pelvic region, n.e.c.	349	30	—	—	—	—	—	—	—
Multiple trunk locations	38	4,450	390	660	910	890	660	560	390
Trunk, n.e.c.	39	220	—	40	—	60	—	50	50
Upper extremities	4	288,790	18,410	50,310	49,000	50,700	49,320	47,170	23,890
Upper extremities, unspecified	40	600	—	100	50	140	100	140	50
Shoulder(s), including clavicle(s), scapula(e)	41	68,890	5,210	12,310	11,040	11,570	12,460	10,330	5,960
Arm(s)	42	44,760	2,890	7,870	7,150	7,780	7,160	8,170	3,740
Arm(s), unspecified	420	14,460	1,200	2,060	2,280	2,410	2,410	2,830	1,250
Upper arm(s)	421	5,380	270	690	1,320	960	850	910	390
Elbow(s)	422	14,670	890	3,220	2,010	2,660	2,310	2,360	1,220
Forearm(s)	423	7,790	430	1,330	1,220	1,120	1,260	1,760	680
Multiple arm locations	428	1,970	70	500	260	510	280	220	130
Multiple arm locations, unspecified ..	4280	340	—	60	20	100	50	50	50
Elbow(s) and arm(s)	4281	690	30	170	100	170	110	60	60
Multiple arm locations, n.e.c.	4289	940	30	270	140	240	120	110	20
Arm(s), n.e.c.	429	490	40	60	70	110	60	80	70

See footnotes at end of table.

TABLE R86. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and day of the week event occurred, private industry, 2011² — Continued

Part of body	Part of body code ³	Private industry ⁴	Day of week						
			Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
Wrist(s)	43	39,340	1,970	6,510	6,960	7,490	6,640	6,770	3,000
Hand(s)	44	119,850	7,440	20,840	20,940	20,920	20,000	19,700	10,000
Hand(s), unspecified	440	29,190	2,150	5,000	5,510	4,490	4,520	4,780	2,740
Hand(s), except finger(s)	441	7,560	340	1,610	1,370	1,380	1,140	1,090	630
Finger(s), fingernail(s)	442	78,950	4,740	13,580	13,230	14,120	13,630	13,320	6,330
Finger(s), fingernail(s), unspecified ..	4420	52,730	3,240	8,540	9,230	9,040	9,010	9,250	4,410
Fingernail(s), nailbed(s)	4421	2,800	150	890	230	620	360	280	280
Fingertip(s)	4422	6,790	280	980	900	1,290	1,660	1,130	540
Finger(s), fingernail(s), n.e.c.	4429	16,630	1,070	3,170	2,870	3,170	2,600	2,660	1,100
Hand(s) and finger(s)	448	2,590	100	500	370	640	480	310	190
Hand(s), n.e.c.	449	1,550	110	160	460	290	230	210	110
Multiple upper extremities locations	48	15,110	830	2,620	2,820	2,780	2,920	2,040	1,090
Multiple upper extremities locations, unspecified	480	280	20	40	60	70	20	60	—
Hand(s) and arms(s)	481	1,880	60	430	440	280	370	200	100
Hand(s) and arm(s), unspecified	4810	930	20	160	310	120	200	80	50
Hand(s) and elbow(s)	4811	220	—	50	20	20	50	50	20
Hand(s) and arm(s), n.e.c.	4819	730	30	220	110	130	110	80	40
Hand(s) and wrist(s)	482	2,960	210	610	540	590	470	350	190
Wrist(s) and arm(s)	483	2,070	60	320	290	370	520	250	260
Wrist(s) and arm(s), unspecified	4830	970	30	120	90	140	350	170	80
Wrist(s) and elbow(s)	4831	390	20	120	60	70	60	30	30
Wrist(s) and arm(s), n.e.c.	4839	710	20	90	130	170	110	50	150
Shoulder(s) and arm(s)	484	4,300	190	680	890	880	670	720	270
Multiple upper extremities locations, n.e.c.	489	3,610	290	530	610	590	880	460	250
Upper extremities, n.e.c.	49	250	50	60	40	20	30	—	40
Lower extremities	5	205,760	12,880	35,600	37,150	36,100	34,900	31,060	18,080
Lower extremities, unspecified	50	290	20	60	30	50	50	70	20
Leg(s)	51	109,260	6,850	19,070	19,430	18,890	18,640	17,210	9,170
Leg(s), unspecified	510	13,510	900	2,120	2,850	2,080	2,720	1,620	1,220
Thigh(s)	511	4,400	410	550	900	700	600	900	340
Knee(s)	512	79,020	4,910	13,910	13,860	13,930	13,390	12,280	6,740
Lower leg(s)	513	8,860	420	1,690	1,350	1,650	1,500	1,580	670
Multiple leg locations	518	3,000	190	710	410	460	390	660	170
Multiple leg locations, unspecified ...	5180	370	—	130	60	40	30	90	20
Knee(s) and leg(s)	5181	1,580	170	220	260	340	270	200	120
Multiple leg locations, n.e.c.	5189	1,050	—	370	90	80	80	380	30
Leg(s), n.e.c.	519	470	—	80	60	70	40	190	20
Ankle(s)	52	46,610	3,240	7,950	8,920	7,670	7,700	6,580	4,540
Foot (feet)	53	42,480	2,070	7,310	7,730	8,090	7,150	6,250	3,880
Foot (feet), unspecified	530	26,100	1,310	4,090	4,770	5,140	4,530	3,920	2,340
Sole(s)	531	3,540	80	670	640	880	670	440	160
Sole(s), unspecified	5310	510	—	120	80	90	90	80	40
Ball(s) of the foot	5311	150	—	—	140	—	—	—	—
Arch(es), instep(s)	5312	410	20	20	20	260	60	30	—
Heel(s)	5313	2,390	50	510	400	520	490	320	110
Multiple sole locations	5318	30	—	—	—	—	—	—	—
Sole(s), n.e.c.	5319	40	—	—	—	—	—	—	—
Toes(s), toenail(s)	532	10,750	630	2,120	1,890	1,700	1,680	1,610	1,120

See footnotes at end of table.

TABLE R86. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and day of the week event occurred, private industry, 2011² — Continued

Part of body	Part of body code ³	Private industry ⁴	Day of week						
			Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
Multiple foot (feet) locations	538	580	20	130	110	100	70	100	50
Foot (feet), n.e.c.	539	1,510	30	310	320	280	190	180	210
Multiple lower extremities locations	58	7,050	690	1,200	1,030	1,380	1,340	940	470
Multiple lower extremities locations, unspecified	580	230	—	20	20	120	30	20	20
Foot (feet) and leg(s)	581	980	110	200	80	240	170	100	80
Foot(feet) and leg(s), unspecified	5810	370	—	90	—	130	70	40	30
Foot(feet) and knee(s)	5811	330	—	80	60	70	60	20	20
Foot(feet) and leg(s), n.e.c.	5819	280	100	20	20	40	30	40	30
Foot (feet) and ankle(s)	582	2,290	210	350	320	500	420	310	190
Ankle(s) and leg(s)	583	2,400	180	430	430	290	580	350	140
Ankle(s) and leg(s), unspecified	5830	550	—	60	90	60	140	170	30
Ankle(s) and knee(s)	5831	1,370	150	270	200	160	350	150	100
Ankle(s) and leg(s), n.e.c.	5839	470	20	100	140	70	90	30	20
Multiple lower extremities locations, n.e.c.	589	1,150	190	200	170	230	150	160	50
Lower extremities, n.e.c.	59	60	—	20	—	20	—	—	—
Body systems	6	17,710	1,230	3,170	3,440	3,710	2,600	2,530	1,040
Multiple body parts	8	87,620	5,490	14,350	16,430	14,850	15,630	13,370	7,490
Multiple body parts, unspecified	80	7,620	470	1,190	1,310	1,370	1,680	1,030	570
Head and neck	81	2,340	90	350	530	630	380	240	120
Head, neck, and trunk	82	770	30	70	100	100	180	100	200
Head and trunk	83	1,830	260	400	250	250	290	290	80
Neck and back	84	8,400	460	1,060	1,700	1,690	1,650	1,030	820
Shoulder(s) and back	85	3,600	230	600	750	690	430	530	370
Hip(s) and leg(s)	86	1,300	100	180	190	210	280	200	140
Upper and lower limb(s)	87	7,190	570	930	1,370	1,060	1,230	1,140	880
Other multiple body parts	89	54,560	3,290	9,570	10,220	8,840	9,520	8,810	4,300
Whole body	891	1,010	30	160	250	220	110	140	90
Multiple body parts, n.e.c.	899	53,550	3,250	9,410	9,970	8,620	9,420	8,670	4,210

See footnotes at end of table.

TABLE R86. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and day of the week event occurred, private industry, 2011² — Continued

Part of body	Part of body code ³	Private industry ⁴	Day of week						
			Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
Nonclassifiable	9999	6,410	410	1,040	900	1,040	1,210	920	890

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2011. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.
Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.