

TABLE R93. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and time of day event occurred, private industry, 2011²

Part of body	Part of body code ³	Private industry ⁴	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Total		918,140	29,260	88,130	258,780	207,360	105,100	54,740	174,780
Head	1	61,200	1,860	5,070	17,420	15,670	7,580	3,550	10,050
Head, unspecified	10	13,560	400	1,110	4,210	2,960	2,050	880	1,950
Cranial region, including skull	11	10,910	330	910	3,180	2,910	1,710	590	1,270
Cranial region, unspecified	110	540	20	90	130	170	70	20	50
Brain	111	8,160	230	630	2,490	1,950	1,390	400	1,060
Scalp	112	1,360	70	110	420	340	210	80	120
Skull	113	700	20	80	90	410	30	40	30
Multiple cranial region locations	118	70	-	-	-	-	-	30	-
Cranial region, n.e.c.	119	80	-	-	30	20	-	20	-
Ear(s)	12	890	30	20	220	200	60	80	280
Face	13	34,540	1,060	2,910	9,430	9,150	3,600	1,930	6,470
Face, unspecified	130	3,020	90	250	590	1,150	340	150	450
Forehead	131	2,870	80	220	890	730	370	90	490
Eye(s)	132	20,780	690	1,690	5,620	5,190	1,910	1,310	4,370
Nose, nasal cavity	133	2,050	40	270	620	290	190	170	460
Nose, except internal location of diseases or disorders	1330	2,030	40	270	620	290	180	170	460
Cheek(s)	134	520	-	30	210	120	60	-	70
Jaw, chin	135	630	-	70	210	110	160	30	40
Mouth	136	2,510	90	160	690	980	280	80	230
Mouth, unspecified	1360	150	-	-	-	40	50	-	20
Lip(s)	1361	810	50	40	400	230	70	-	-
Tongue	1362	40	-	-	-	-	-	-	-
Tooth (teeth)	1363	1,190	30	110	230	530	120	40	140
Multiple mouth locations	1368	300	-	-	50	170	20	-	50
Multiple face locations	138	1,910	40	180	490	510	250	90	350
Face, n.e.c.	139	260	-	40	100	60	30	-	30
Multiple head locations	18	980	30	90	240	410	100	50	60
Head, n.e.c.	19	310	-	30	130	50	60	20	20
Neck, including throat	2	12,350	480	1,030	3,560	2,610	1,730	650	2,300
Neck, except internal location of diseases or disorders	20	12,310	470	1,030	3,550	2,610	1,720	640	2,300
Internal neck location, unspecified	21	20	-	-	-	-	-	-	-
Trunk	3	238,280	7,930	25,490	66,470	49,090	25,010	13,990	50,290
Trunk, unspecified	30	1,000	30	100	280	230	130	80	150
Chest, including ribs, internal organs	31	13,970	460	1,290	3,980	3,130	1,490	810	2,810
Chest, except internal location of diseases or disorders	310	13,190	430	1,220	3,750	2,940	1,430	760	2,660
Internal chest location, unspecified	311	220	-	-	40	150	-	-	-
Heart	313	180	-	40	70	20	20	-	-
Bronchus	314	30	-	-	-	-	-	-	-
Lung(s), pleura	315	350	20	20	110	20	40	30	110
Back, including spine, spinal cord	32	183,100	6,020	20,220	51,390	37,420	18,350	10,880	38,810
Back, including spine, spinal cord, unspecified	320	72,510	2,060	6,750	20,120	14,810	6,440	3,340	18,990
Thoracic region	321	7,680	310	1,340	2,280	1,520	770	490	960

See footnotes at end of table.

TABLE R93. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and time of day event occurred, private industry, 2011² — Continued

Part of body	Part of body code ³	Private industry ⁴	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Lumbar region	322	93,440	3,310	10,840	26,320	18,880	10,310	6,300	17,480
Sacral region	323	780	20	120	220	210	80	20	110
Coccygeal region	324	1,790	50	230	400	680	170	40	210
Multiple back regions	328	6,260	240	920	1,770	1,250	550	660	870
Back, including spine, spinal cord, n.e.c.	329	640	20	30	270	80	20	20	190
Abdomen	33	20,060	640	1,580	5,270	4,070	2,220	910	5,360
Abdomen, except internal location of diseases or disorders	330	18,410	610	1,480	5,030	3,830	2,080	870	4,500
Internal abdominal location, unspecified	331	880	—	60	100	60	80	—	560
Stomach organ	332	220	—	—	70	80	20	—	30
Spleen	333	50	—	—	—	—	—	—	—
Urinary organs	334	30	—	—	—	—	—	—	20
Urinary organs, unspecified	3340	20	—	—	—	—	—	—	20
Intestines, peritoneum	335	380	—	20	60	90	20	20	160
Intestines, peritoneum, unspecified	3350	330	—	20	60	60	20	20	150
Peritoneum	3351	30	—	—	—	—	—	—	—
Multiple internal abdominal locations ..	338	20	—	—	—	—	—	—	—
Internal abdominal location, n.e.c.	339	60	—	—	—	—	—	—	40
Pelvic region	34	15,490	610	1,740	4,150	3,390	2,080	1,020	2,500
Pelvic region, unspecified	340	130	—	—	30	50	20	—	—
Hip(s)	341	7,320	320	560	2,260	1,270	1,140	410	1,370
Pelvis	342	750	—	70	210	330	60	50	30
Buttock(s)	343	870	20	200	200	250	110	30	60
Groin	344	5,830	210	820	1,360	1,350	720	410	970
External reproductive tract structures ..	345	310	—	60	40	90	—	80	20
External reproductive tract structures, unspecified	3450	40	—	—	—	20	—	—	—
Scrotum	3451	160	—	—	—	20	—	70	20
Penis	3452	90	—	—	—	40	—	—	—
Internal reproductive tract structures ...	346	40	—	—	—	30	—	—	—
Testis (testes)	3462	20	—	—	—	—	—	—	—
Multiple pelvic region locations	348	210	30	20	50	20	30	30	30
Pelvic region, n.e.c.	349	30	—	—	—	—	—	—	—
Multiple trunk locations	38	4,450	160	500	1,320	830	720	280	630
Trunk, n.e.c.	39	220	—	60	90	20	—	—	30
Upper extremities	4	288,790	8,630	25,990	82,560	64,300	32,340	16,910	58,070
Upper extremities, unspecified	40	600	—	40	160	110	100	20	160
Shoulder(s), including clavicle(s), scapula(e)	41	68,890	2,650	6,480	19,880	14,660	6,870	4,390	13,960
Arm(s)	42	44,760	1,310	3,990	12,960	10,820	5,020	2,530	8,130
Arm(s), unspecified	420	14,460	410	1,150	3,650	3,720	1,380	870	3,280
Upper arm(s)	421	5,380	220	510	1,740	1,170	860	250	640
Elbow(s)	422	14,670	310	1,230	4,820	3,250	1,570	770	2,730
Forearm(s)	423	7,790	260	800	2,300	2,110	900	500	920
Multiple arm locations	428	1,970	90	260	350	440	240	100	490
Multiple arm locations, unspecified ..	4280	340	—	50	50	50	40	30	120
Elbow(s) and arm(s)	4281	690	70	70	110	180	90	30	140

See footnotes at end of table.

TABLE R93. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and time of day event occurred, private industry, 2011² — Continued

Part of body	Part of body code ³	Private industry ⁴	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Multiple arm locations, n.e.c.	4289	940	—	140	190	210	110	40	230
Arm(s), n.e.c.	429	490	30	40	100	140	60	50	70
Wrist(s)	43	39,340	1,020	3,490	9,510	7,020	3,960	2,000	12,340
Hand(s)	44	119,850	3,250	10,410	36,230	27,880	15,040	6,960	20,090
Hand(s), unspecified	440	29,190	760	2,090	9,450	5,930	3,470	1,730	5,760
Hand(s), except finger(s)	441	7,560	250	590	1,880	2,130	900	430	1,380
Finger(s), fingernail(s)	442	78,950	2,090	7,270	23,700	18,940	10,190	4,610	12,160
Finger(s), fingernail(s), unspecified ..	4420	52,730	1,450	5,010	15,120	12,310	6,930	3,240	8,650
Fingernail(s), nailbed(s)	4421	2,800	50	270	980	550	390	130	430
Fingertip(s)	4422	6,790	170	550	2,020	2,030	670	380	970
Finger(s), fingernail(s), n.e.c.	4429	16,630	410	1,430	5,580	4,050	2,200	850	2,110
Hand(s) and finger(s)	448	2,590	120	300	820	610	320	130	280
Hand(s), n.e.c.	449	1,550	20	150	380	270	170	50	520
Multiple upper extremities locations	48	15,110	390	1,520	3,770	3,760	1,330	980	3,370
Multiple upper extremities locations, unspecified	480	280	—	—	90	90	40	—	30
Hand(s) and arms(s)	481	1,880	30	150	540	400	170	130	460
Hand(s) and arm(s), unspecified	4810	930	20	80	250	230	50	90	200
Hand(s) and elbow(s)	4811	220	—	20	70	50	20	—	50
Hand(s) and arm(s), n.e.c.	4819	730	—	50	220	120	90	30	200
Hand(s) and wrist(s)	482	2,960	100	320	680	490	260	340	770
Wrist(s) and arm(s)	483	2,070	40	180	480	440	200	100	630
Wrist(s) and arm(s), unspecified	4830	970	—	60	190	180	130	40	360
Wrist(s) and elbow(s)	4831	390	—	30	100	80	30	40	90
Wrist(s) and arm(s), n.e.c.	4839	710	30	90	190	180	30	20	180
Shoulder(s) and arm(s)	484	4,300	150	520	990	1,270	380	230	760
Multiple upper extremities locations, n.e.c.	489	3,610	60	340	980	1,060	280	160	720
Upper extremities, n.e.c.	49	250	—	50	60	60	30	30	20
Lower extremities	5	205,760	6,730	19,790	59,900	47,680	25,760	12,750	33,150
Lower extremities, unspecified	50	290	—	50	50	100	20	20	40
Leg(s)	51	109,260	3,290	11,470	32,330	25,200	12,550	6,180	18,240
Leg(s), unspecified	510	13,510	390	1,340	4,130	3,100	1,270	880	2,400
Thigh(s)	511	4,400	100	560	1,280	930	290	210	1,030
Knee(s)	512	79,020	2,460	8,110	23,250	18,250	9,700	4,310	12,930
Lower leg(s)	513	8,860	260	1,300	2,430	2,200	960	450	1,250
Multiple leg locations	518	3,000	50	150	1,130	630	290	160	600
Multiple leg locations, unspecified ..	5180	370	—	—	110	60	50	—	130
Knee(s) and leg(s)	5181	1,580	30	80	370	450	180	120	340
Multiple leg locations, n.e.c.	5189	1,050	—	60	640	120	60	30	130
Leg(s), n.e.c.	519	470	30	20	100	90	30	160	40
Ankle(s)	52	46,610	1,460	4,400	12,790	11,240	6,460	3,010	7,260
Foot (feet)	53	42,480	1,700	3,190	12,740	9,570	5,490	3,020	6,770
Foot (feet), unspecified	530	26,100	1,100	1,960	7,430	6,150	3,600	1,820	4,040
Sole(s)	531	3,540	140	230	950	950	170	180	910
Sole(s), unspecified	5310	510	40	20	100	90	20	70	190
Ball(s) of the foot	5311	150	—	—	—	140	—	—	—
Arch(es), instep(s)	5312	410	—	20	20	50	60	—	260
Heel(s)	5313	2,390	100	200	810	660	90	100	440

See footnotes at end of table.

TABLE R93. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and time of day event occurred, private industry, 2011² — Continued

Part of body	Part of body code ³	Private industry ⁴	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Multiple sole locations	5318	30	—	—	—	—	—	—	—
Sole(s), n.e.c.	5319	40	—	—	20	—	—	—	—
Toes(s), toenail(s)	532	10,750	370	810	3,580	1,970	1,500	930	1,590
Multiple foot (feet) locations	538	580	20	60	260	130	30	20	50
Foot (feet), n.e.c.	539	1,510	70	120	510	370	190	70	190
Multiple lower extremities locations	58	7,050	270	680	1,960	1,570	1,220	520	830
Multiple lower extremities locations, unspecified	580	230	—	—	140	40	—	—	20
Foot (feet) and leg(s)	581	980	20	70	260	170	220	110	120
Foot(feet) and leg(s), unspecified	5810	370	—	—	90	100	60	40	60
Foot(feet) and knee(s)	5811	330	—	50	100	40	60	40	30
Foot(feet) and leg(s), n.e.c.	5819	280	—	—	60	30	100	40	30
Foot (feet) and ankle(s)	582	2,290	150	260	490	660	350	130	260
Ankle(s) and leg(s)	583	2,400	60	230	750	480	360	190	330
Ankle(s) and leg(s), unspecified	5830	550	—	30	280	120	50	30	40
Ankle(s) and knee(s)	5831	1,370	30	130	390	290	260	130	140
Ankle(s) and leg(s), n.e.c.	5839	470	20	70	80	70	50	20	160
Multiple lower extremities locations, n.e.c.	589	1,150	40	110	310	220	280	90	90
Lower extremities, n.e.c.	59	60	—	—	30	—	—	—	—
Body systems	6	17,710	320	1,120	4,340	4,320	1,820	1,290	4,500
Multiple body parts	8	87,620	3,140	9,320	23,310	22,880	10,160	5,370	13,430
Multiple body parts, unspecified	80	7,620	270	890	1,780	1,990	830	360	1,490
Head and neck	81	2,340	80	190	550	700	240	160	430
Head, neck, and trunk	82	770	40	70	300	140	100	50	70
Head and trunk	83	1,830	110	100	430	510	360	80	240
Neck and back	84	8,400	210	600	1,960	2,880	1,000	520	1,240
Shoulder(s) and back	85	3,600	150	380	1,070	580	490	290	630
Hip(s) and leg(s)	86	1,300	40	140	390	310	160	120	150
Upper and lower limb(s)	87	7,190	130	570	1,590	2,440	1,230	430	810
Other multiple body parts	89	54,560	2,120	6,380	15,250	13,340	5,750	3,370	8,360
Whole body	891	1,010	20	90	290	320	90	40	150
Multiple body parts, n.e.c.	899	53,550	2,100	6,280	14,960	13,010	5,660	3,320	8,210

See footnotes at end of table.

TABLE R93. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and time of day event occurred, private industry, 2011² — Continued

Part of body	Part of body code ³	Private industry ⁴	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Nonclassifiable	9999	6,410	160	320	1,220	800	700	220	2,990

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2011. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/if_errata_1014.htm.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals. Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.