

TABLE R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, private industry, 2012²

Part of body	Part of body code ³	Private industry ⁴	Source of injury or illness ⁵				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Total		918,720	11,810	106,740	37,630	53,470	84,090
Head	1	66,880	3,900	3,470	5,010	3,420	6,530
Head, unspecified	10	14,870	20	910	2,000	990	1,220
Cranial region, including skull	11	13,980	–	790	1,580	1,330	1,420
Cranial region, unspecified	110	380	–	–	70	20	20
Brain	111	9,940	–	520	1,090	780	980
Scalp	112	2,980	–	210	350	490	360
Skull	113	410	–	30	70	–	30
Multiple cranial region locations	118	160	–	–	–	–	20
Cranial region, n.e.c.	119	120	–	–	–	20	–
Ear(s)	12	1,090	–	340	–	20	70
Face	13	35,980	3,840	1,390	1,330	1,030	3,760
Face, unspecified	130	3,580	180	120	190	170	460
Forehead	131	2,530	–	190	350	200	330
Eye(s)	132	21,370	3,450	580	580	200	1,940
Nose, nasal cavity	133	2,320	40	180	80	90	270
Nose, except internal location of diseases or disorders	1330	2,310	30	180	80	90	270
Cheek(s)	134	410	–	20	–	–	80
Jaw, chin	135	1,120	–	100	40	–	70
Mouth	136	2,370	30	120	60	300	360
Mouth, unspecified	1360	200	–	20	–	–	20
Lip(s)	1361	500	20	20	20	–	70
Tongue	1362	20	–	–	–	–	–
Tooth (teeth)	1363	1,140	–	70	20	250	220
Multiple mouth locations	1368	460	–	–	–	30	20
Mouth, n.e.c.	1369	50	–	–	–	–	30
Multiple face locations	138	1,930	130	70	30	60	210
Face, n.e.c.	139	360	–	–	–	–	50
Multiple head locations	18	780	20	20	70	40	60
Head, n.e.c.	19	180	–	20	20	–	–
Neck, including throat	2	12,380	30	1,360	410	280	780
Neck, except internal location of diseases or disorders ...	20	12,280	20	1,360	410	280	730
Internal neck location, unspecified	21	90	–	–	–	–	–
Trunk	3	235,260	530	48,810	11,050	9,950	21,180
Trunk, unspecified	30	1,530	–	90	20	40	250
Chest, including ribs, internal organs	31	14,470	340	1,470	500	410	1,410
Chest, except internal location of diseases or disorders	310	13,500	30	1,460	500	410	1,410
Internal chest location, unspecified	311	100	40	–	–	–	–
Heart	313	420	–	–	–	–	–
Lung(s), pleura	315	440	250	–	–	–	–
Back, including spine, spinal cord	32	178,190	20	38,740	8,820	7,550	14,630
Back, including spine, spinal cord, unspecified	320	71,730	–	13,790	3,480	2,910	6,340

See footnotes at end of table.

TABLE R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, private industry, 2012² — Continued

Part of body	Source of injury or illness ⁵							All other sources ⁶
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person--injured or ill worker		Person--other than injured or ill worker		
				Total	Worker motion or position	Total	Patient	
Total	144,380	41,700	88,950	137,770	130,880	68,260	49,560	122,570
Head	8,080	1,940	5,780	410	180	4,630	1,890	22,440
Head, unspecified	2,960	190	2,040	110	60	940	320	2,710
Cranial region, including skull	2,800	250	2,130	100	—	950	360	2,220
Cranial region, unspecified	50	40	20	—	—	—	—	110
Brain	2,190	170	1,740	100	—	750	270	1,480
Scalp	470	40	290	—	—	110	50	470
Skull	70	—	50	—	—	40	20	50
Multiple cranial region locations	—	—	—	—	—	20	20	90
Cranial region, n.e.c.	—	—	20	—	—	20	—	20
Ear(s)	—	—	—	20	—	40	—	560
Face	2,080	1,470	1,490	180	110	2,530	1,130	16,810
Face, unspecified	280	130	360	—	—	610	300	1,040
Forehead	290	300	240	—	—	140	40	460
Eye(s)	140	310	200	50	—	610	250	13,290
Nose, nasal cavity	350	360	240	50	—	340	190	320
Nose, except internal location of diseases or disorders	350	360	240	50	—	340	190	310
Cheek(s)	50	30	20	—	—	50	20	140
Jaw, chin	230	70	50	30	20	180	90	350
Mouth	310	210	120	—	—	140	60	710
Mouth, unspecified	—	—	—	—	—	30	—	80
Lip(s)	110	20	40	—	—	50	30	130
Tongue	—	—	20	—	—	—	—	—
Tooth (teeth)	170	160	60	—	—	60	—	130
Multiple mouth locations	—	—	—	—	—	—	—	370
Mouth, n.e.c.	—	—	—	—	—	—	—	—
Multiple face locations	380	40	250	—	—	370	160	390
Face, n.e.c.	50	—	20	—	—	100	30	120
Multiple head locations	180	20	100	—	—	160	60	90
Head, n.e.c.	50	—	—	—	—	—	—	40
Neck, including throat	920	140	3,670	1,520	1,480	1,840	1,400	1,070
Neck, except internal location of diseases or disorders ...	920	140	3,670	1,520	1,480	1,840	1,400	1,050
Internal neck location, unspecified	—	—	—	—	—	—	—	20
Trunk	25,540	4,740	19,430	39,390	38,190	30,270	25,210	20,390
Trunk, unspecified	240	—	200	350	350	70	50	220
Chest, including ribs, internal organs	2,950	300	2,120	1,520	930	1,270	720	1,570
Chest, except internal location of diseases or disorders	2,940	300	2,120	1,080	910	1,260	720	1,390
Internal chest location, unspecified	—	—	—	40	—	—	—	—
Heart	—	—	—	370	—	—	—	20
Lung(s), pleura	—	—	—	30	—	—	—	150
Back, including spine, spinal cord	15,870	3,390	13,940	32,660	32,210	26,560	22,670	13,540
Back, including spine, spinal cord, unspecified	7,450	1,030	6,220	13,950	13,800	9,970	8,450	5,540

See footnotes at end of table.

TABLE R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, private industry, 2012² — Continued

Part of body	Part of body code ³	Private industry ⁴	Source of injury or illness ⁵				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Thoracic region	321	7,830	—	1,790	340	390	620
Lumbar region	322	91,300	—	22,060	4,700	4,130	7,250
Sacral region	323	440	—	70	20	—	—
Coccygeal region	324	1,390	—	—	40	20	—
Multiple back regions	328	5,220	—	950	220	90	390
Back, including spine, spinal cord, n.e.c.	329	280	—	80	20	—	—
Abdomen	33	20,510	50	5,910	950	990	3,440
Abdomen, except internal location of diseases or disorders	330	19,560	40	5,770	940	970	3,350
Internal abdominal location, unspecified	331	440	—	100	—	—	90
Stomach organ	332	70	—	—	—	—	—
Intestines, peritoneum	335	300	—	30	—	—	—
Intestines, peritoneum, unspecified	3350	120	—	30	—	—	—
Peritoneum	3351	50	—	—	—	—	—
Large intestine, colon, rectum	3353	40	—	—	—	—	—
Intestines, peritoneum, n.e.c.	3359	70	—	—	—	—	—
Pelvic region	34	16,060	100	2,210	540	840	1,250
Pelvic region, unspecified	340	120	—	20	—	—	—
Hip(s)	341	7,210	—	650	250	250	370
Pelvis	342	790	—	50	—	70	50
Buttock(s)	343	1,340	—	20	30	30	20
Groin	344	6,040	50	1,360	230	460	750
External reproductive tract structures	345	210	40	20	—	—	40
External reproductive tract structures, unspecified ..	3450	20	—	—	—	—	—
Scrotum	3451	160	40	—	—	—	30
Internal reproductive tract structures	346	60	—	40	—	—	—
Testis (testes)	3462	40	—	—	—	—	—
Uterus	3464	20	—	—	—	—	—
Multiple pelvic region locations	348	230	—	40	—	—	—
Pelvic region, n.e.c.	349	50	—	—	—	—	—
Multiple trunk locations	38	4,350	—	380	180	110	200
Trunk, n.e.c.	39	150	—	20	40	20	—
Upper extremities	4	289,940	2,010	33,860	10,810	31,830	35,440
Upper extremities, unspecified	40	460	—	120	—	—	20
Shoulder(s), including clavicle(s), scapula(e)	41	69,020	—	14,260	3,410	1,940	7,600
Arm(s)	42	42,200	380	4,810	1,650	2,960	4,840
Arm(s), unspecified	420	13,740	160	1,210	430	930	1,260
Upper arm(s)	421	5,620	30	1,120	170	440	1,020
Elbow(s)	422	13,170	20	1,600	640	530	1,150
Forearm(s)	423	7,060	160	650	210	920	1,240
Multiple arm locations	428	1,910	—	170	90	80	140
Multiple arm locations, unspecified	4280	250	—	30	—	20	—
Elbow(s) and arm(s)	4281	790	—	60	70	30	70
Multiple arm locations, n.e.c.	4289	870	—	90	20	30	60
Arm(s), n.e.c.	429	700	—	50	110	60	20
Wrist(s)	43	38,600	60	3,680	1,010	1,210	2,330

See footnotes at end of table.

TABLE R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, private industry, 2012² — Continued

Part of body	Source of injury or illness ⁵							All other sources ⁶
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person--injured or ill worker		Person--other than injured or ill worker		
				Total	Worker motion or position	Total	Patient	
Thoracic region	490	90	760	910	900	1,610	1,310	470
Lumbar region	6,140	2,130	6,440	17,040	16,750	13,430	11,590	7,110
Sacral region	100	—	20	50	50	140	140	20
Coccygeal region	1,080	—	100	—	—	30	—	30
Multiple back regions	580	130	350	640	640	1,350	1,150	350
Back, including spine, spinal cord, n.e.c.	20	—	60	60	60	20	20	20
Abdomen	560	770	1,140	1,770	1,640	1,180	870	3,450
Abdomen, except internal location of diseases or disorders	560	760	1,120	1,560	1,460	1,140	840	3,050
Internal abdominal location, unspecified	—	—	—	170	150	—	—	50
Stomach organ	—	—	—	20	—	—	—	30
Intestines, peritoneum	—	—	—	—	—	40	30	200
Intestines, peritoneum, unspecified	—	—	—	—	—	—	—	70
Peritoneum	—	—	—	—	—	—	—	50
Large intestine, colon, rectum	—	—	—	—	—	—	—	20
Intestines, peritoneum, n.e.c.	—	—	—	—	—	—	—	70
Pelvic region	4,960	240	1,300	2,390	2,370	760	540	1,080
Pelvic region, unspecified	20	—	—	—	—	20	—	20
Hip(s)	3,300	30	580	900	890	360	220	370
Pelvis	240	—	150	20	20	30	20	30
Buttock(s)	940	—	40	70	70	30	20	90
Groin	410	200	480	1,270	1,250	270	220	500
External reproductive tract structures	—	—	—	—	—	30	—	40
External reproductive tract structures, unspecified ..	—	—	—	—	—	—	—	—
Scrotum	—	—	—	—	—	30	—	30
Internal reproductive tract structures	—	—	—	—	—	—	—	20
Testis (testes)	—	—	—	—	—	—	—	20
Uterus	—	—	—	—	—	—	—	—
Multiple pelvic region locations	40	—	—	80	80	20	20	—
Pelvic region, n.e.c.	—	—	—	20	20	—	—	—
Multiple trunk locations	920	30	730	690	690	420	350	520
Trunk, n.e.c.	40	—	—	—	—	—	—	—
Upper extremities	33,010	31,430	18,150	31,100	30,550	17,330	12,690	40,130
Upper extremities, unspecified	70	—	40	40	40	50	40	90
Shoulder(s), including clavicle(s), scapula(e)	9,450	2,090	5,870	9,030	8,820	7,630	6,050	6,380
Arm(s)	7,860	1,680	3,460	3,560	3,440	2,670	1,860	7,000
Arm(s), unspecified	2,340	480	1,200	1,060	1,020	1,250	970	2,750
Upper arm(s)	930	130	380	230	220	300	190	820
Elbow(s)	2,980	330	1,370	1,590	1,540	620	370	1,820
Forearm(s)	930	660	390	280	270	340	210	1,170
Multiple arm locations	570	30	90	300	290	140	90	290
Multiple arm locations, unspecified	80	—	—	30	30	20	—	50
Elbow(s) and arm(s)	150	—	40	220	220	50	50	90
Multiple arm locations, n.e.c.	330	20	50	50	50	70	30	150
Arm(s), n.e.c.	110	40	30	100	100	20	20	130
Wrist(s)	7,960	1,250	1,670	11,330	11,290	2,880	2,280	3,850

See footnotes at end of table.

TABLE R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, private industry, 2012² — Continued

Part of body	Part of body code ³	Private industry ⁴	Source of injury or illness ⁵				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Hand(s)	44	123,560	1,100	9,540	4,270	25,120	18,900
Hand(s), unspecified	440	29,250	770	3,060	1,060	3,340	3,430
Hand(s), except finger(s)	441	5,940	60	430	140	720	960
Finger(s), fingernail(s)	442	81,890	210	5,640	2,800	19,880	13,300
Finger(s), fingernail(s), unspecified	4420	58,660	140	4,510	2,160	13,200	10,230
Fingernail(s), nailbed(s)	4421	1,590	—	60	140	390	160
Fingertip(s)	4422	7,390	—	170	110	2,680	1,130
Finger(s), fingernail(s), n.e.c.	4429	14,240	80	890	390	3,600	1,780
Hand(s) and finger(s)	448	3,660	30	290	180	700	640
Hand(s), n.e.c.	449	2,810	20	130	90	480	580
Multiple upper extremities locations	48	15,970	450	1,450	460	600	1,750
Multiple upper extremities locations, unspecified	480	600	—	70	20	20	20
Hand(s) and arms(s)	481	1,640	330	40	20	70	100
Hand(s) and arm(s), unspecified	4810	700	20	—	—	30	40
Hand(s) and elbow(s)	4811	110	—	—	—	—	—
Hand(s) and arm(s), n.e.c.	4819	840	320	20	—	40	60
Hand(s) and wrist(s)	482	3,130	80	220	70	150	150
Wrist(s) and arm(s)	483	2,070	—	200	40	60	80
Wrist(s) and arm(s), unspecified	4830	1,030	—	30	20	20	50
Wrist(s) and elbow(s)	4831	460	—	110	—	—	—
Wrist(s) and arm(s), n.e.c.	4839	580	—	60	—	20	30
Shoulder(s) and arm(s)	484	5,180	20	630	240	130	1,180
Multiple upper extremities locations, n.e.c.	489	3,360	—	290	70	170	220
Upper extremities, n.e.c.	49	130	—	—	—	—	—
Lower extremities	5	204,220	660	14,020	7,020	5,170	16,680
Lower extremities, unspecified	50	470	—	—	—	—	50
Leg(s)	51	107,900	330	6,070	3,740	2,490	6,220
Leg(s), unspecified	510	12,070	190	910	480	420	1,470
Thigh(s)	511	4,930	40	180	180	180	520
Knee(s)	512	78,360	30	3,990	2,670	1,450	3,430
Lower leg(s)	513	8,760	60	730	330	350	570
Multiple leg locations	518	2,940	—	170	60	40	170
Multiple leg locations, unspecified	5180	430	—	—	—	—	—
Knee(s) and leg(s)	5181	1,830	—	90	40	20	90
Multiple leg locations, n.e.c.	5189	670	—	70	—	20	80
Leg(s), n.e.c.	519	840	—	90	—	40	70
Ankle(s)	52	44,860	20	2,420	720	630	1,590
Foot (feet)	53	42,920	240	5,050	2,410	1,880	8,050
Foot (feet), unspecified	530	27,950	220	3,190	1,310	1,190	4,760
Sole(s)	531	2,420	—	50	40	50	300
Sole(s), unspecified	5310	260	—	—	—	—	180
Ball(s) of the foot	5311	20	—	—	—	—	—
Arch(es), instep(s)	5312	130	—	—	—	—	20
Heel(s)	5313	1,950	—	40	40	50	100
Sole(s), n.e.c.	5319	60	—	—	—	—	—
Toes(s), toenail(s)	532	9,870	—	1,520	890	570	2,270

See footnotes at end of table.

TABLE R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, private industry, 2012² — Continued

Part of body	Source of injury or illness ⁵							All other sources ⁶
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person--injured or ill worker		Person--other than injured or ill worker		
				Total	Worker motion or position	Total	Patient	
Hand(s)	4,590	26,000	6,010	4,140	3,970	2,550	1,320	20,830
Hand(s), unspecified	2,350	4,570	1,840	1,730	1,680	850	420	6,050
Hand(s), except finger(s)	240	1,240	410	220	220	80	30	1,420
Finger(s), fingernail(s)	1,650	19,250	3,470	1,700	1,630	1,450	730	12,280
Finger(s), fingernail(s), unspecified	1,220	13,040	2,530	1,090	1,060	1,090	510	9,200
Fingernail(s), nailbed(s)	—	530	30	—	—	—	—	270
Fingertip(s)	70	2,060	450	60	60	60	30	600
Finger(s), fingernail(s), n.e.c.	350	3,620	460	550	510	290	180	2,210
Hand(s) and finger(s)	210	410	220	370	370	110	90	480
Hand(s), n.e.c.	150	520	70	120	70	50	40	610
Multiple upper extremities locations	3,030	420	1,090	3,000	2,980	1,540	1,140	1,940
Multiple upper extremities locations, unspecified	110	—	200	60	60	30	—	60
Hand(s) and arms(s)	110	40	20	320	320	90	70	480
Hand(s) and arm(s), unspecified	40	—	—	180	180	70	50	280
Hand(s) and elbow(s)	30	—	—	40	40	—	—	20
Hand(s) and arm(s), n.e.c.	40	20	—	100	100	20	—	190
Hand(s) and wrist(s)	590	120	150	830	830	300	180	450
Wrist(s) and arm(s)	740	70	150	320	320	110	80	200
Wrist(s) and arm(s), unspecified	540	40	30	160	150	30	30	30
Wrist(s) and elbow(s)	120	20	50	60	60	20	—	30
Wrist(s) and arm(s), n.e.c.	80	—	70	110	110	60	50	130
Shoulder(s) and arm(s)	790	120	250	770	770	590	440	390
Multiple upper extremities locations, n.e.c.	690	60	320	690	690	420	360	370
Upper extremities, n.e.c.	50	—	—	—	—	—	—	30
Lower extremities	50,190	3,070	21,870	54,710	54,360	5,670	3,010	18,830
Lower extremities, unspecified	130	—	—	20	20	—	—	130
Leg(s)	29,040	1,740	9,970	32,030	31,760	3,860	2,370	9,720
Leg(s), unspecified	2,460	260	2,380	1,280	1,270	210	120	1,480
Thigh(s)	1,010	310	360	770	770	170	90	1,180
Knee(s)	22,660	740	5,600	27,460	27,250	3,170	1,980	5,260
Lower leg(s)	1,850	410	1,150	1,600	1,600	240	110	1,280
Multiple leg locations	960	20	360	790	780	70	60	260
Multiple leg locations, unspecified	100	—	30	190	190	—	—	70
Knee(s) and leg(s)	760	—	230	380	380	50	50	110
Multiple leg locations, n.e.c.	100	—	100	210	210	—	—	80
Leg(s), n.e.c.	110	—	120	120	90	—	—	260
Ankle(s)	13,710	280	3,480	16,740	16,700	890	420	2,630
Foot (feet)	4,890	970	7,150	4,530	4,510	800	150	5,690
Foot (feet), unspecified	3,670	520	4,640	3,340	3,330	620	120	3,680
Sole(s)	200	80	410	730	730	—	—	190
Sole(s), unspecified	—	—	—	—	—	—	—	60
Ball(s) of the foot	—	—	—	—	—	—	—	—
Arch(es), instep(s)	50	—	—	40	40	—	—	—
Heel(s)	130	80	400	670	670	—	—	130
Sole(s), n.e.c.	—	—	—	—	—	—	—	—
Toes(s), toenail(s)	760	350	1,530	290	270	110	20	1,510

See footnotes at end of table.

TABLE R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, private industry, 2012² — Continued

Part of body	Part of body code ³	Private industry ⁴	Source of injury or illness ⁵				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Multiple foot (feet) locations	538	550	—	90	20	20	120
Foot (feet), n.e.c.	539	2,120	—	190	160	50	600
Multiple lower extremities locations	58	8,050	70	470	140	160	760
Multiple lower extremities locations, unspecified	580	270	—	30	—	—	90
Foot (feet) and leg(s)	581	1,240	20	60	—	50	80
Foot(feet) and leg(s), unspecified	5810	220	—	—	—	—	—
Foot(feet) and knee(s)	5811	670	—	50	—	—	50
Foot(feet) and leg(s), n.e.c.	5819	350	—	—	—	30	—
Foot (feet) and ankle(s)	582	2,690	—	210	60	40	220
Ankle(s) and leg(s)	583	2,620	—	80	50	30	100
Ankle(s) and leg(s), unspecified	5830	320	—	—	—	—	50
Ankle(s) and knee(s)	5831	1,840	—	40	40	—	30
Ankle(s) and leg(s), n.e.c.	5839	450	—	40	—	20	20
Multiple lower extremities locations, n.e.c.	589	1,240	—	100	20	40	280
Lower extremities, n.e.c.	59	20	—	—	—	—	—
Body systems	6	17,770	3,170	90	80	350	460
Multiple body parts	8	83,900	1,390	4,770	3,090	2,400	2,650
Multiple body parts, unspecified	80	7,410	100	350	270	150	190
Head and neck	81	2,360	60	270	240	50	200
Head, neck, and trunk	82	740	20	20	20	—	—
Head and trunk	83	980	—	30	20	30	40
Neck and back	84	6,930	—	590	200	160	150
Shoulder(s) and back	85	3,890	—	490	130	90	160
Hip(s) and leg(s)	86	1,440	—	150	80	20	50
Upper and lower limb(s)	87	6,430	50	170	170	90	140
Other multiple body parts	89	53,720	1,160	2,690	1,950	1,810	1,720
Whole body	891	810	40	—	—	20	—
Multiple body parts, n.e.c.	899	52,910	1,120	2,690	1,940	1,790	1,710
Nonclassifiable	9999	8,360	120	350	150	80	360

See footnotes at end of table.

TABLE R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, private industry, 2012² — Continued

Part of body	Source of injury or illness ⁵							All other sources ⁶
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person--injured or ill worker		Person--other than injured or ill worker		
				Total	Worker motion or position	Total	Patient	
Multiple foot (feet) locations	50	—	90	20	20	40	—	80
Foot (feet), n.e.c.	200	30	480	160	160	20	—	220
Multiple lower extremities locations	2,410	80	1,270	1,370	1,350	110	70	660
Multiple lower extremities locations, unspecified	80	—	—	—	—	—	—	—
Foot (feet) and leg(s)	180	—	420	90	90	—	—	130
Foot(feet) and leg(s), unspecified	—	—	60	40	40	—	—	50
Foot(feet) and knee(s)	140	—	340	30	30	—	—	20
Foot(feet) and leg(s), n.e.c.	20	—	20	20	20	—	—	60
Foot (feet) and ankle(s)	520	—	430	650	630	20	—	290
Ankle(s) and leg(s)	1,170	50	280	540	540	40	20	190
Ankle(s) and leg(s), unspecified	110	—	50	30	30	—	—	20
Ankle(s) and knee(s)	950	—	160	450	450	20	20	50
Ankle(s) and leg(s), n.e.c.	110	—	70	60	60	—	—	110
Multiple lower extremities locations, n.e.c.	470	—	120	90	90	40	30	50
Lower extremities, n.e.c.	—	—	—	—	—	—	—	—
Body systems	120	40	300	4,430	110	1,180	210	7,550
Multiple body parts	25,600	230	18,890	5,770	5,650	7,130	5,040	7,420
Multiple body parts, unspecified	2,040	20	1,580	450	440	610	350	1,150
Head and neck	190	—	780	20	20	240	100	280
Head, neck, and trunk	150	—	150	—	—	50	20	110
Head and trunk	500	—	120	40	40	100	30	70
Neck and back	1,160	20	3,020	470	470	840	720	240
Shoulder(s) and back	610	30	560	600	600	610	500	410
Hip(s) and leg(s)	530	—	90	260	260	90	50	120
Upper and lower limb(s)	3,590	30	720	170	160	170	100	460
Other multiple body parts	16,820	110	11,860	3,760	3,670	4,430	3,180	4,580
Whole body	80	—	430	30	—	—	—	160
Multiple body parts, n.e.c.	16,740	110	11,430	3,720	3,660	4,420	3,170	4,420
Nonclassifiable	900	110	850	460	350	210	110	4,730

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2012. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

⁵ Data shown in columns correspond to the following Source codes: Chemicals and chemical products = 1; Containers = 21; Furniture and fixtures = 22; Machinery = 3; Parts and materials = 4; Floors, walkways, or ground surfaces = 66; Handtools = 71-73; Vehicles = 8; Person--injured or ill worker = 56; Worker motion or position = 562; Person--other than injured or ill worker = 57; Health care patient = 574; All other sources = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁶ Includes nonclassifiable responses.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.
Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.