

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, private industry, 2012<sup>2</sup>

Part of body	Part of body code <sup>3</sup>	Private industry <sup>4</sup>	Event or exposure leading to injury or illness <sup>5</sup>							
			Contact with objects				Falls, slips, trips			
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall
Total .....		918,720	230,980	130,450	53,680	35,060	223,700	47,200	133,570	36,910
<b>Head</b> .....	1	66,880	37,660	21,670	10,020	150	11,030	2,220	8,500	170
Head, unspecified .....	10	14,870	8,690	4,590	3,980	40	4,160	710	3,330	50
Cranial region, including skull .....	11	13,980	7,200	3,650	3,460	50	4,020	1,160	2,800	20
Cranial region, unspecified .....	110	380	290	120	170	—	50	—	50	—
Brain .....	111	9,940	4,670	2,470	2,150	20	3,070	800	2,220	—
Scalp .....	112	2,980	1,940	890	1,030	—	700	240	460	—
Skull .....	113	410	170	70	70	—	170	100	60	—
Multiple cranial region locations .....	118	160	70	50	—	—	—	—	—	—
Cranial region, n.e.c. ....	119	120	70	40	30	—	20	—	—	—
Ear(s) .....	12	1,090	540	490	30	—	20	—	20	—
Face .....	13	35,980	20,850	12,700	2,440	30	2,530	280	2,130	80
Face, unspecified .....	130	3,580	1,400	1,150	210	—	380	40	330	—
Forehead .....	131	2,530	1,910	1,370	530	—	380	60	310	—
Eye(s) .....	132	21,370	13,680	6,900	1,190	—	210	20	180	—
Nose, nasal cavity .....	133	2,320	1,260	1,020	220	—	420	50	360	—
Nose, except internal location of diseases or disorders .....	1330	2,310	1,260	1,020	220	—	420	50	360	—
Cheek(s) .....	134	410	200	160	—	—	70	—	70	—
Jaw, chin .....	135	1,120	300	220	80	—	290	60	200	—
Mouth .....	136	2,370	1,370	1,240	100	—	340	20	320	—
Mouth, unspecified .....	1360	200	90	90	—	—	—	—	—	—
Lip(s) .....	1361	500	260	240	20	—	130	—	130	—
Tongue .....	1362	20	—	—	—	—	—	—	—	—
Tooth (teeth) .....	1363	1,140	890	800	70	—	180	—	170	—
Multiple mouth locations .....	1368	460	70	70	—	—	—	—	—	—
Mouth, n.e.c. ....	1369	50	40	40	—	—	—	—	—	—
Multiple face locations .....	138	1,930	610	540	60	—	390	20	320	—
Face, n.e.c. ....	139	360	140	100	40	—	50	—	40	—
Multiple head locations .....	18	780	300	200	80	20	220	50	150	—
Head, n.e.c. ....	19	180	80	30	40	—	80	—	70	—
<b>Neck, including throat</b> .....	2	12,380	1,660	1,170	410	40	1,530	520	850	130
Neck, except internal location of diseases or disorders ...	20	12,280	1,660	1,170	410	40	1,530	520	850	130
Internal neck location, unspecified .....	21	90	—	—	—	—	—	—	—	—
<b>Trunk</b> .....	3	235,260	10,070	5,800	3,140	680	40,750	8,320	24,520	6,790
Trunk, unspecified .....	30	1,530	150	90	40	—	370	110	250	—
Chest, including ribs, internal organs .....	31	14,470	2,650	1,320	1,130	170	5,030	1,820	2,710	390
Chest, except internal location of diseases or disorders .....	310	13,500	2,650	1,320	1,130	170	5,010	1,820	2,690	390
Internal chest location, unspecified .....	311	100	—	—	—	—	—	—	—	—
Heart .....	313	420	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, private industry, 2012<sup>2</sup> — Continued

Part of body	Event or exposure leading to injury or illness <sup>5</sup>											
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				All other events <sup>6</sup>
	Total	In lifting	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
<b>Total</b> .....	333,420	106,710	25,330	39,800	42,610	28,650	1,840	36,640	12,780	12,490	11,030	9,740
<b>Head</b> .....	370	20	40	8,080	2,760	2,040	370	6,200	3,330	930	1,790	410
Head, unspecified .....	70	—	—	60	830	660	—	950	660	200	40	90
Cranial region, including skull .....	100	—	—	150	1,220	860	170	1,010	700	230	70	120
Cranial region, unspecified .....	—	—	—	—	—	—	—	—	—	—	—	—
Brain .....	90	—	—	80	1,000	790	160	760	550	170	30	110
Scalp .....	—	—	—	20	190	50	—	140	70	40	30	—
Skull .....	—	—	—	—	20	20	—	40	40	—	—	—
Multiple cranial region locations .....	—	—	—	—	—	—	—	20	—	—	—	—
Cranial region, n.e.c. ....	—	—	—	—	—	—	—	30	20	—	—	—
Ear(s) .....	20	—	—	350	—	—	30	110	20	—	80	20
Face .....	180	—	40	7,480	630	460	170	3,960	1,810	470	1,610	170
Face, unspecified .....	40	—	—	540	230	220	50	920	500	70	340	—
Forehead .....	—	—	—	—	40	—	—	180	120	—	40	—
Eye(s) .....	40	—	—	6,540	90	80	40	680	340	170	170	90
Nose, nasal cavity .....	50	—	—	50	100	80	20	360	240	70	30	—
Nose, except internal location of diseases or disorders .....	50	—	—	40	100	80	20	360	240	70	30	—
Cheek(s) .....	—	—	—	40	—	—	—	100	40	—	50	—
Jaw, chin .....	—	—	—	—	30	—	—	480	140	20	300	—
Mouth .....	—	—	—	50	30	—	—	570	80	30	430	—
Mouth, unspecified .....	—	—	—	—	—	—	—	70	20	—	50	—
Lip(s) .....	—	—	—	20	—	—	—	70	30	20	20	—
Tongue .....	—	—	—	—	20	—	—	—	—	—	—	—
Tooth (teeth) .....	—	—	—	—	—	—	—	60	30	—	—	—
Multiple mouth locations .....	—	—	—	—	—	—	—	370	—	—	360	—
Mouth, n.e.c. ....	—	—	—	—	—	—	—	—	—	—	—	—
Multiple face locations .....	—	—	—	240	90	40	20	570	260	90	220	—
Face, n.e.c. ....	—	—	—	—	—	—	30	110	90	—	20	—
Multiple head locations .....	—	—	—	40	70	60	—	160	140	20	—	—
Head, n.e.c. ....	—	—	—	—	—	—	—	—	—	—	—	—
<b>Neck, including throat</b> .....	4,590	1,400	260	100	3,290	2,830	—	1,100	520	470	110	100
Neck, except internal location of diseases or disorders ...	4,530	1,360	260	60	3,290	2,830	—	1,100	520	470	110	100
Internal neck location, unspecified .....	—	—	—	40	—	—	—	—	—	—	—	—
<b>Trunk</b> .....	165,880	70,430	2,240	1,530	9,300	6,130	30	5,640	1,950	3,030	610	2,050
Trunk, unspecified .....	800	280	—	30	130	110	—	50	—	20	20	—
Chest, including ribs, internal organs .....	3,700	990	100	730	1,230	810	—	930	530	330	50	200
Chest, except internal location of diseases or disorders .....	3,270	970	90	250	1,230	810	—	920	530	330	50	160
Internal chest location, unspecified .....	30	—	—	50	—	—	—	—	—	—	—	—
Heart .....	360	—	—	—	—	—	—	—	—	—	—	30

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, private industry, 2012<sup>2</sup> — Continued

Part of body	Part of body code <sup>3</sup>	Private industry <sup>4</sup>	Event or exposure leading to injury or illness <sup>5</sup>								
			Contact with objects				Falls, slips, trips				
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall	
Lung(s), pleura .....	315	440	—	—	—	—	—	—	—	—	—
Back, including spine, spinal cord .....	32	178,190	5,050	2,880	1,530	260	26,150	4,730	15,490	5,300	
Back, including spine, spinal cord, unspecified .....	320	71,730	2,400	1,280	750	150	11,930	1,980	7,040	2,680	
Thoracic region .....	321	7,830	410	260	100	40	1,190	540	520	120	
Lumbar region .....	322	91,300	2,010	1,180	610	70	10,680	1,740	6,200	2,390	
Sacral region .....	323	440	—	—	—	—	120	20	90	—	
Coccygeal region .....	324	1,390	30	—	30	—	1,270	200	1,070	—	
Multiple back regions .....	328	5,220	180	130	40	—	930	230	570	110	
Back, including spine, spinal cord, n.e.c. ....	329	280	—	—	—	—	30	—	—	—	
Abdomen .....	33	20,510	780	550	170	40	800	220	390	160	
Abdomen, except internal location of diseases or disorders .....	330	19,560	770	550	170	40	800	220	390	160	
Internal abdominal location, unspecified .....	331	440	—	—	—	—	—	—	—	—	
Stomach organ .....	332	70	—	—	—	—	—	—	—	—	
Intestines, peritoneum .....	335	300	—	—	—	—	—	—	—	—	
Intestines, peritoneum, unspecified .....	3350	120	—	—	—	—	—	—	—	—	
Peritoneum .....	3351	50	—	—	—	—	—	—	—	—	
Large intestine, colon, rectum .....	3353	40	—	—	—	—	—	—	—	—	
Intestines, peritoneum, n.e.c. ....	3359	70	—	—	—	—	—	—	—	—	
Pelvic region .....	34	16,060	1,120	710	230	160	6,850	990	4,710	810	
Pelvic region, unspecified .....	340	120	20	—	—	—	30	—	—	—	
Hip(s) .....	341	7,210	610	410	100	80	4,250	600	3,020	380	
Pelvis .....	342	790	150	90	—	50	420	160	250	—	
Buttock(s) .....	343	1,340	70	30	30	—	1,110	120	950	40	
Groin .....	344	6,040	190	130	50	—	950	70	460	350	
External reproductive tract structures .....	345	210	60	20	—	30	—	—	—	—	
External reproductive tract structures, unspecified ..	3450	20	—	—	—	—	—	—	—	—	
Scrotum .....	3451	160	50	—	—	30	—	—	—	—	
Internal reproductive tract structures .....	346	60	—	—	—	—	—	—	—	—	
Testis (testes) .....	3462	40	—	—	—	—	—	—	—	—	
Uterus .....	3464	20	—	—	—	—	—	—	—	—	
Multiple pelvic region locations .....	348	230	—	—	—	—	60	30	30	—	
Pelvic region, n.e.c. ....	349	50	—	—	—	—	20	—	—	20	
Multiple trunk locations .....	38	4,350	290	220	30	30	1,490	420	940	120	
Trunk, n.e.c. ....	39	150	20	20	—	—	60	30	30	—	
<b>Upper extremities</b> .....	<b>4</b>	<b>289,940</b>	<b>118,230</b>	<b>60,600</b>	<b>24,380</b>	<b>29,490</b>	<b>46,210</b>	<b>9,710</b>	<b>32,700</b>	<b>2,830</b>	
Upper extremities, unspecified .....	40	460	60	50	—	—	90	20	70	—	
Shoulder(s), including clavicle(s), scapula(e) .....	41	69,020	4,360	3,120	810	250	14,280	3,060	9,540	1,400	
Arm(s) .....	42	42,200	9,520	4,230	3,510	1,580	11,030	2,460	7,770	640	
Arm(s), unspecified .....	420	13,740	3,000	1,570	710	660	3,470	1,050	2,230	140	
Upper arm(s) .....	421	5,620	400	190	100	80	1,120	140	900	70	
Elbow(s) .....	422	13,170	2,820	740	1,850	180	4,370	930	3,030	370	
Forearm(s) .....	423	7,060	2,890	1,580	730	520	1,270	190	1,020	20	

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, private industry, 2012<sup>2</sup> — Continued

Part of body	Event or exposure leading to injury or illness <sup>5</sup>											
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				All other events <sup>6</sup>
	Total	In lifting	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
Lung(s), pleura .....	30	—	—	400	—	—	—	—	—	—	—	—
Back, including spine, spinal cord .....	135,430	57,020	1,810	110	6,870	4,620	—	3,270	840	2,210	190	1,300
Back, including spine, spinal cord, unspecified .....	51,820	20,910	850	80	3,680	2,600	—	1,250	390	800	50	570
Thoracic region .....	5,690	2,400	110	—	280	230	—	210	70	130	—	30
Lumbar region .....	73,740	31,890	740	30	2,610	1,610	—	1,560	290	1,120	130	680
Sacral region .....	290	100	—	—	—	—	—	—	—	—	—	—
Coccygeal region .....	20	—	—	—	50	—	—	20	—	—	—	—
Multiple back regions .....	3,680	1,610	60	—	190	140	—	220	90	130	—	30
Back, including spine, spinal cord, n.e.c. ....	180	100	40	—	50	40	—	—	—	—	—	—
Abdomen .....	17,140	8,800	290	460	170	50	—	680	390	210	80	460
Abdomen, except internal location of diseases or disorders .....	16,450	8,570	180	230	170	50	—	670	390	200	80	460
Internal abdominal location, unspecified .....	430	170	90	—	—	—	—	—	—	—	—	—
Stomach organ .....	30	—	—	40	—	—	—	—	—	—	—	—
Intestines, peritoneum .....	120	60	—	180	—	—	—	—	—	—	—	—
Intestines, peritoneum, unspecified .....	80	40	—	50	—	—	—	—	—	—	—	—
Peritoneum .....	—	—	—	50	—	—	—	—	—	—	—	—
Large intestine, colon, rectum .....	—	—	—	20	—	—	—	—	—	—	—	—
Intestines, peritoneum, n.e.c. ....	—	—	—	70	—	—	—	—	—	—	—	—
Pelvic region .....	7,010	2,710	50	110	470	180	—	440	110	190	140	50
Pelvic region, unspecified .....	50	40	—	—	—	—	—	—	—	—	—	—
Hip(s) .....	1,950	480	—	—	170	50	—	210	20	130	60	20
Pelvis .....	80	20	—	—	110	60	—	30	20	—	—	—
Buttock(s) .....	100	20	—	—	—	—	—	40	—	—	40	—
Groin .....	4,560	2,020	20	50	160	60	—	100	40	30	30	30
External reproductive tract structures .....	60	30	—	50	—	—	—	30	20	—	—	—
External reproductive tract structures, unspecified ..	—	—	—	—	—	—	—	—	—	—	—	—
Scrotum .....	40	30	—	50	—	—	—	30	—	—	—	—
Internal reproductive tract structures .....	40	40	—	—	—	—	—	—	—	—	—	—
Testis (testes) .....	—	—	—	—	—	—	—	—	—	—	—	—
Uterus .....	20	—	—	—	—	—	—	—	—	—	—	—
Multiple pelvic region locations .....	150	50	—	—	—	—	—	—	—	—	—	—
Pelvic region, n.e.c. ....	20	—	—	—	—	—	—	—	—	—	—	—
Multiple trunk locations .....	1,750	600	—	90	430	360	—	260	80	70	120	30
Trunk, n.e.c. ....	50	20	—	—	—	—	—	—	—	—	—	—
<b>Upper extremities</b> .....	<b>95,220</b>	<b>26,670</b>	<b>20,860</b>	<b>9,850</b>	<b>5,270</b>	<b>3,450</b>	<b>830</b>	<b>12,040</b>	<b>3,380</b>	<b>4,530</b>	<b>4,050</b>	<b>2,290</b>
Upper extremities, unspecified .....	240	110	40	20	20	—	—	20	—	—	—	20
Shoulder(s), including clavicle(s), scapula(e) .....	45,050	16,180	3,070	80	2,400	1,870	—	2,440	700	1,430	290	420
Arm(s) .....	15,100	4,900	2,110	2,640	900	530	100	2,360	630	830	860	550
Arm(s), unspecified .....	4,150	1,420	700	1,260	550	300	20	1,170	280	490	380	120
Upper arm(s) .....	3,710	1,420	30	110	40	30	—	190	90	50	40	40
Elbow(s) .....	4,950	1,400	930	140	160	90	—	420	90	160	160	320
Forearm(s) .....	1,230	350	180	900	130	90	80	480	120	100	250	70

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, private industry, 2012<sup>2</sup> — Continued

Part of body	Part of body code <sup>3</sup>	Private industry <sup>4</sup>	Event or exposure leading to injury or illness <sup>5</sup>							
			Contact with objects				Falls, slips, trips			
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall
Multiple arm locations .....	428	1,910	180	70	20	90	680	160	490	30
Multiple arm locations, unspecified .....	4280	250	40	30	—	—	110	20	90	—
Elbow(s) and arm(s) .....	4281	790	60	20	20	30	220	90	100	20
Multiple arm locations, n.e.c. ....	4289	870	80	30	—	50	350	40	300	—
Arm(s), n.e.c. ....	429	700	220	70	90	50	120	—	100	—
Wrist(s) .....	43	38,600	4,970	3,010	1,070	770	10,820	2,500	7,920	280
Hand(s) .....	44	123,560	97,500	49,220	18,560	26,500	5,870	1,160	3,960	370
Hand(s), unspecified .....	440	29,250	17,530	9,940	3,540	3,470	2,830	380	1,910	190
Hand(s), except finger(s) .....	441	5,940	4,350	2,740	900	620	320	80	210	—
Finger(s), fingernail(s) .....	442	81,890	71,730	34,400	13,240	21,610	2,040	370	1,490	150
Finger(s), fingernail(s), unspecified .....	4420	58,660	51,330	25,150	9,710	14,740	1,480	330	1,010	120
Fingernail(s), nailbed(s) .....	4421	1,590	1,500	660	130	620	—	—	—	—
Fingertip(s) .....	4422	7,390	6,970	2,760	1,020	3,130	150	—	150	—
Finger(s), fingernail(s), n.e.c. ....	4429	14,240	11,940	5,830	2,380	3,130	390	40	320	30
Hand(s) and finger(s) .....	448	3,660	2,270	1,220	370	640	240	30	200	—
Hand(s), n.e.c. ....	449	2,810	1,630	930	510	160	450	290	150	—
Multiple upper extremities locations .....	48	15,970	1,790	940	420	390	4,080	510	3,400	140
Multiple upper extremities locations, unspecified .....	480	600	80	50	30	—	120	20	90	—
Hand(s) and arms(s) .....	481	1,640	160	80	20	60	150	30	120	—
Hand(s) and arm(s), unspecified .....	4810	700	70	40	—	30	70	30	50	—
Hand(s) and elbow(s) .....	4811	110	—	—	—	—	30	—	30	—
Hand(s) and arm(s), n.e.c. ....	4819	840	80	40	—	30	50	—	40	—
Hand(s) and wrist(s) .....	482	3,130	570	280	160	120	640	40	590	—
Wrist(s) and arm(s) .....	483	2,070	250	110	90	40	890	120	740	20
Wrist(s) and arm(s), unspecified .....	4830	1,030	100	40	60	—	610	40	550	—
Wrist(s) and elbow(s) .....	4831	460	50	30	—	20	180	60	110	—
Wrist(s) and arm(s), n.e.c. ....	4839	580	90	40	30	20	100	20	80	—
Shoulder(s) and arm(s) .....	484	5,180	340	240	60	30	1,330	180	1,070	80
Multiple upper extremities locations, n.e.c. ....	489	3,360	390	180	60	130	940	130	790	30
Upper extremities, n.e.c. ....	49	130	30	20	—	—	40	—	30	—
<b>Lower extremities</b> .....	<b>5</b>	<b>204,220</b>	<b>55,560</b>	<b>35,860</b>	<b>13,960</b>	<b>4,220</b>	<b>83,970</b>	<b>15,700</b>	<b>40,540</b>	<b>24,400</b>
Lower extremities, unspecified .....	50	470	80	20	50	—	240	—	140	100
Leg(s) .....	51	107,900	20,610	10,810	7,320	1,430	45,070	7,140	25,660	10,910
Leg(s), unspecified .....	510	12,070	4,600	3,100	1,130	280	3,780	1,550	1,620	510
Thigh(s) .....	511	4,930	1,560	1,200	260	50	1,420	140	990	270
Knee(s) .....	512	78,360	10,540	4,140	4,800	800	35,470	3,990	20,990	9,360
Lower leg(s) .....	513	8,760	3,070	1,780	1,010	190	2,670	890	1,320	390
Multiple leg locations .....	518	2,940	440	270	60	100	1,530	530	650	310
Multiple leg locations, unspecified .....	5180	430	30	20	—	—	120	—	100	—
Knee(s) and leg(s) .....	5181	1,830	250	120	40	70	1,170	480	450	200
Multiple leg locations, n.e.c. ....	5189	670	160	120	—	30	240	40	90	100
Leg(s), n.e.c. ....	519	840	390	320	60	20	200	40	100	60
Ankle(s) .....	52	44,860	6,680	3,240	2,650	720	25,560	4,960	9,430	10,100

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, private industry, 2012<sup>2</sup> — Continued

Part of body	Event or exposure leading to injury or illness <sup>5</sup>											
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				All other events <sup>6</sup>
	Total	In lifting	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
Multiple arm locations .....	790	210	200	160	20	—	—	80	40	30	20	—
Multiple arm locations, unspecified .....	70	20	20	—	—	—	—	—	—	—	—	—
Elbow(s) and arm(s) .....	470	110	150	20	—	—	—	20	—	—	—	—
Multiple arm locations, n.e.c. ....	240	70	30	130	20	—	—	50	20	20	—	—
Arm(s), n.e.c. ....	270	100	60	70	—	—	—	20	—	—	—	—
Wrist(s) .....	19,360	2,730	10,280	490	520	340	—	1,940	630	760	540	490
Hand(s) .....	8,220	1,280	3,020	5,600	910	260	400	4,370	1,050	1,120	2,190	680
Hand(s), unspecified .....	3,460	640	1,120	3,340	370	130	90	1,510	290	390	830	130
Hand(s), except finger(s) .....	330	60	190	470	180	30	—	270	50	30	200	20
Finger(s), fingernail(s) .....	3,670	510	1,300	1,190	210	70	240	2,370	650	640	1,070	450
Finger(s), fingernail(s), unspecified .....	2,490	380	830	920	170	60	—	1,880	490	480	900	390
Fingernail(s), nailbed(s) .....	30	—	—	—	—	—	—	—	—	—	—	40
Fingertip(s) .....	110	20	50	50	—	—	—	80	30	30	30	—
Finger(s), fingernail(s), n.e.c. ....	1,040	110	420	220	20	—	—	390	130	120	140	20
Hand(s) and finger(s) .....	570	50	350	330	140	—	—	110	50	40	30	—
Hand(s), n.e.c. ....	190	20	70	270	—	—	—	110	—	30	70	80
Multiple upper extremities locations .....	7,250	1,450	2,330	990	530	430	310	910	350	380	170	120
Multiple upper extremities locations, unspecified .....	140	40	20	—	180	160	—	50	—	—	30	—
Hand(s) and arms(s) .....	470	40	280	430	—	—	310	100	30	30	40	20
Hand(s) and arm(s), unspecified .....	250	—	170	220	—	—	20	50	20	20	—	—
Hand(s) and elbow(s) .....	60	20	40	—	—	—	—	—	—	—	—	—
Hand(s) and arm(s), n.e.c. ....	160	20	70	210	—	—	280	50	—	—	30	—
Hand(s) and wrist(s) .....	1,360	130	750	270	30	20	—	240	110	60	70	20
Wrist(s) and arm(s) .....	680	120	270	70	80	60	—	90	50	30	—	—
Wrist(s) and arm(s), unspecified .....	290	60	120	—	—	—	—	20	—	—	—	—
Wrist(s) and elbow(s) .....	180	20	50	—	30	20	—	—	—	—	—	—
Wrist(s) and arm(s), n.e.c. ....	220	40	100	60	40	40	—	50	40	20	—	—
Shoulder(s) and arm(s) .....	3,090	740	440	30	80	60	—	230	100	130	—	60
Multiple upper extremities locations, n.e.c. ....	1,500	370	570	170	160	130	—	200	50	120	30	—
Upper extremities, n.e.c. ....	20	—	—	30	—	—	—	—	—	—	—	—
<b>Lower extremities</b> .....	<b>49,160</b>	<b>3,290</b>	<b>430</b>	<b>3,610</b>	<b>5,820</b>	<b>1,200</b>	<b>60</b>	<b>5,210</b>	<b>850</b>	<b>2,330</b>	<b>1,990</b>	<b>830</b>
Lower extremities, unspecified .....	40	—	—	90	—	—	—	—	—	—	—	—
Leg(s) .....	34,330	2,900	360	1,230	2,580	820	60	3,440	640	1,270	1,530	570
Leg(s), unspecified .....	1,700	280	20	430	990	250	—	430	40	70	330	120
Thigh(s) .....	900	100	—	420	90	50	—	520	20	80	430	—
Knee(s) .....	28,790	2,300	320	50	1,160	490	20	1,970	500	1,030	440	360
Lower leg(s) .....	2,050	140	—	280	260	—	20	400	80	80	240	—
Multiple leg locations .....	740	50	—	40	70	20	—	70	—	—	50	50
Multiple leg locations, unspecified .....	210	—	—	—	20	—	—	50	—	—	50	—
Knee(s) and leg(s) .....	340	20	—	—	30	—	—	20	—	—	—	—
Multiple leg locations, n.e.c. ....	190	20	—	20	20	—	—	—	—	—	—	—
Leg(s), n.e.c. ....	150	30	—	—	—	—	—	40	—	—	40	30
Ankle(s) .....	10,510	220	30	340	1,020	220	—	630	170	300	160	120

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, private industry, 2012<sup>2</sup> — Continued

Part of body	Part of body code <sup>3</sup>	Private industry <sup>4</sup>	Event or exposure leading to injury or illness <sup>5</sup>							
			Contact with objects				Falls, slips, trips			
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall
Foot (feet) .....	53	42,920	25,850	19,960	3,720	1,810	8,810	2,620	3,360	2,080
Foot (feet), unspecified .....	530	27,950	15,050	11,580	2,230	1,030	6,560	1,840	2,550	1,740
Sole(s) .....	531	2,420	800	320	420	50	780	530	90	70
Sole(s), unspecified .....	5310	260	240	—	240	—	—	—	—	—
Ball(s) of the foot .....	5311	20	—	—	—	—	—	—	—	—
Arch(es), instep(s) .....	5312	130	40	20	—	—	50	—	30	20
Heel(s) .....	5313	1,950	520	290	170	50	670	480	50	50
Sole(s), n.e.c. ....	5319	60	—	—	—	—	50	—	—	—
Toes(s), toenail(s) .....	532	9,870	8,310	6,680	850	670	930	160	550	190
Multiple foot (feet) locations .....	538	550	380	310	50	20	50	30	—	—
Foot (feet), n.e.c. ....	539	2,120	1,310	1,070	170	40	490	60	150	80
Multiple lower extremities locations .....	58	8,050	2,330	1,840	220	260	4,260	970	1,940	1,210
Multiple lower extremities locations, unspecified .....	580	270	70	40	—	30	70	—	50	—
Foot (feet) and leg(s) .....	581	1,240	580	520	—	40	470	220	180	70
Foot(feet) and leg(s), unspecified .....	5810	220	90	70	—	—	60	—	20	40
Foot(feet) and knee(s) .....	5811	670	420	410	—	—	210	40	150	20
Foot(feet) and leg(s), n.e.c. ....	5819	350	70	40	—	30	190	170	20	—
Foot (feet) and ankle(s) .....	582	2,690	780	540	100	130	1,300	400	290	550
Ankle(s) and leg(s) .....	583	2,620	450	330	60	50	1,840	230	1,060	520
Ankle(s) and leg(s), unspecified .....	5830	320	90	70	—	—	200	50	110	30
Ankle(s) and knee(s) .....	5831	1,840	240	190	50	—	1,460	140	860	450
Ankle(s) and leg(s), n.e.c. ....	5839	450	120	60	—	50	180	40	100	50
Multiple lower extremities locations, n.e.c. ....	589	1,240	460	410	40	—	600	110	370	60
Lower extremities, n.e.c. ....	59	20	—	—	—	—	—	—	—	—
<b>Body systems</b> .....	<b>6</b>	<b>17,770</b>	<b>170</b>	<b>90</b>	<b>70</b>	<b>—</b>	<b>430</b>	<b>30</b>	<b>390</b>	<b>—</b>
<b>Multiple body parts</b> .....	<b>8</b>	<b>83,900</b>	<b>7,130</b>	<b>4,910</b>	<b>1,630</b>	<b>450</b>	<b>38,460</b>	<b>10,450</b>	<b>25,210</b>	<b>2,410</b>
Multiple body parts, unspecified .....	80	7,410	710	470	150	60	2,970	740	2,050	120
Head and neck .....	81	2,360	1,270	690	550	20	290	50	230	—
Head, neck, and trunk .....	82	740	110	40	70	—	410	290	110	—
Head and trunk .....	83	980	60	50	20	—	670	180	450	40
Neck and back .....	84	6,930	290	190	90	—	1,510	230	1,070	200
Shoulder(s) and back .....	85	3,890	130	90	30	—	1,080	260	670	150
Hip(s) and leg(s) .....	86	1,440	140	40	80	—	840	110	550	150
Upper and lower limb(s) .....	87	6,430	470	350	90	20	4,790	1,220	3,410	120
Other multiple body parts .....	89	53,720	3,940	2,990	550	330	25,910	7,350	16,660	1,630
Whole body .....	891	810	200	160	40	—	120	60	60	—
Multiple body parts, n.e.c. ....	899	52,910	3,740	2,830	510	320	25,790	7,290	16,600	1,630

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, private industry, 2012<sup>2</sup> — Continued

Part of body	Event or exposure leading to injury or illness <sup>5</sup>											
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				All other events <sup>6</sup>
	Total	In lifting	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
Foot (feet) .....	3,760	140	30	1,530	1,780	130	—	1,050	40	700	290	130
Foot (feet), unspecified .....	2,690	110	20	1,350	1,370	80	—	830	20	520	270	100
Sole(s) .....	720	—	—	20	90	—	—	—	—	—	—	—
Sole(s), unspecified .....	—	—	—	—	—	—	—	—	—	—	—	—
Ball(s) of the foot .....	—	—	—	—	—	—	—	—	—	—	—	—
Arch(es), instep(s) .....	40	—	—	—	—	—	—	—	—	—	—	—
Heel(s) .....	660	—	—	—	90	—	—	—	—	—	—	—
Sole(s), n.e.c. ....	—	—	—	—	—	—	—	—	—	—	—	—
Toes(s), toenail(s) .....	190	—	—	40	230	40	—	150	—	120	20	20
Multiple foot (feet) locations .....	20	—	—	30	30	—	—	40	—	40	—	—
Foot (feet), n.e.c. ....	150	20	—	90	60	—	—	20	—	—	—	—
Multiple lower extremities locations .....	520	30	—	420	430	30	—	90	—	70	—	—
Multiple lower extremities locations, unspecified .....	100	—	—	—	—	—	—	—	—	—	—	—
Foot (feet) and leg(s) .....	30	—	—	100	50	—	—	—	—	—	—	—
Foot(feet) and leg(s), unspecified .....	—	—	—	30	20	—	—	—	—	—	—	—
Foot(feet) and knee(s) .....	—	—	—	—	20	—	—	—	—	—	—	—
Foot(feet) and leg(s), n.e.c. ....	20	—	—	60	—	—	—	—	—	—	—	—
Foot (feet) and ankle(s) .....	220	—	—	150	230	—	—	20	—	—	—	—
Ankle(s) and leg(s) .....	110	—	—	120	80	—	—	30	—	20	—	—
Ankle(s) and leg(s), unspecified .....	—	—	—	—	20	—	—	—	—	—	—	—
Ankle(s) and knee(s) .....	80	—	—	—	50	—	—	—	—	—	—	—
Ankle(s) and leg(s), n.e.c. ....	20	—	—	110	—	—	—	—	—	—	—	—
Multiple lower extremities locations, n.e.c. ....	60	—	—	20	70	—	—	30	—	30	—	—
Lower extremities, n.e.c. ....	—	—	—	—	—	—	—	—	—	—	—	—
<b>Body systems</b> .....	<b>2,430</b>	<b>—</b>	<b>40</b>	<b>12,620</b>	<b>240</b>	<b>200</b>	<b>30</b>	<b>1,290</b>	<b>480</b>	<b>40</b>	<b>760</b>	<b>560</b>
<b>Multiple body parts</b> .....	<b>14,670</b>	<b>4,430</b>	<b>1,360</b>	<b>3,540</b>	<b>15,170</b>	<b>12,110</b>	<b>480</b>	<b>4,090</b>	<b>2,190</b>	<b>1,100</b>	<b>760</b>	<b>350</b>
Multiple body parts, unspecified .....	1,150	300	290	410	1,370	960	50	690	320	60	310	50
Head and neck .....	50	30	—	110	380	330	—	250	190	40	20	—
Head, neck, and trunk .....	20	—	—	20	130	80	—	50	50	—	—	—
Head and trunk .....	—	—	—	40	70	60	20	110	80	—	30	—
Neck and back .....	1,920	760	40	—	2,910	2,670	—	270	150	100	—	20
Shoulder(s) and back .....	2,150	580	100	80	350	310	—	90	20	60	—	—
Hip(s) and leg(s) .....	380	60	—	30	40	—	—	20	—	20	—	—
Upper and lower limb(s) .....	210	50	50	210	540	300	30	150	50	40	60	30
Other multiple body parts .....	8,790	2,640	880	2,620	9,380	7,380	380	2,450	1,330	760	340	240
Whole body .....	30	—	—	140	230	200	—	60	—	—	50	20
Multiple body parts, n.e.c. ....	8,760	2,630	880	2,480	9,150	7,190	380	2,390	1,320	760	290	220

See footnotes at end of table.



TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, private industry, 2012<sup>2</sup> — Continued

Part of body	Part of body code <sup>3</sup>	Private industry <sup>4</sup>	Event or exposure leading to injury or illness <sup>5</sup>							
			Contact with objects				Falls, slips, trips			
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall
<b>Nonclassifiable</b> .....	9999	8,360	490	350	60	20	1,320	250	860	180

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, private industry, 2012<sup>2</sup> — Continued

Part of body	Event or exposure leading to injury or illness <sup>5</sup>											
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				All other events <sup>6</sup>
	Total	In lifting	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
<b>Nonclassifiable</b> .....	1,090	460	100	450	760	680	20	1,070	70	50	950	3,160

<sup>1</sup> Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

<sup>2</sup> Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2012. This table includes corrected estimates. For additional information see: [https://www.bls.gov/bls/errata/iif\\_errata\\_1014.htm](https://www.bls.gov/bls/errata/iif_errata_1014.htm).

<sup>3</sup> Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

<sup>4</sup> Excludes farms with fewer than 11 employees.

<sup>5</sup> Data shown in columns correspond to the following Event codes: Contact with objects, Total = 6; Struck by object = 62; Struck against object = 63; Caught in or compressed or crushed = 64; Falls, slips, trips, Total = 4; Fall to lower level = 43; Fall on same level = 42; Slips or trips without fall = 41; Overexertion and bodily reaction, Total = 7; In lifting = 711; Repetitive motion = 72; Exposure to harmful substance or environment = 5; Transportation accidents, Total = 2; Roadway accident = 26; Fires and explosions = 3; Violence and other injuries by persons or animals, Total = 1; Intentional injury by other person = 111; Injury by person-unintentional or intent unknown = 12; Animal and other insect related = 13; All other events = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

<sup>6</sup> Includes nonclassifiable responses.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.