

TABLE R46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, private industry, 2012²

Nature	Nature code ³	Private industry ⁴	Race or ethnic origin ⁵								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported
Total		918,720	367,380	71,200	122,900	13,460	2,900	4,240	800	1,100	334,750
Traumatic injuries and disorders	1	882,800	353,520	68,500	118,700	12,510	2,820	4,100	790	1,080	320,800
Traumatic injuries and disorders, unspecified	10	14,610	5,830	1,570	1,600	300	250	140	—	40	4,870
Traumatic injuries to bones, nerves, spinal cord	11	75,790	35,620	4,200	10,260	680	100	280	20	60	24,550
Traumatic injuries to bones, nerves, spinal cord, unspecified	110	510	90	320	20	—	—	—	—	—	90
Fractures	111	73,810	34,800	3,790	10,150	670	90	280	20	50	23,950
Traumatic injuries to spinal cord	112	80	60	—	—	—	—	—	—	—	—
Traumatic injuries to spinal cord, n.e.c.	1129	70	40	—	—	—	—	—	—	—	—
Traumatic injuries to nerves, except the spinal cord ..	113	1,220	590	70	80	—	—	—	—	—	450
Traumatic injuries to nerves, except the spinal cord, unspecified	1130	110	50	—	—	—	—	—	—	—	40
Pinched nerve	1131	1,010	520	60	40	—	—	—	—	—	370
Traumatic injuries to nerves, except the spinal cord, n.e.c.	1139	90	20	—	30	—	—	—	—	—	40
Multiple traumatic injuries to bones, nerves, spinal cord	118	80	60	—	—	—	—	—	—	—	20
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	119	90	30	20	—	—	—	—	—	—	30
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	12	371,530	143,440	28,350	43,400	4,360	1,310	1,890	460	380	147,950
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	120	1,800	1,180	100	110	—	—	—	—	—	400
Dislocations	121	8,140	3,530	430	900	70	20	40	—	180	2,960
Dislocations, unspecified	1210	940	270	50	230	30	—	—	—	—	360
Herniated discs	1211	2,900	1,270	70	190	—	—	—	—	—	1,180
Dislocation of joints	1212	4,140	1,910	300	440	30	20	30	—	—	1,400
Dislocations, n.e.c.	1219	160	80	—	50	—	—	—	—	—	20
Cartilage fractures and tears	122	3,930	1,800	280	370	20	—	70	—	—	1,370
Cartilage fractures and tears, unspecified	1220	180	110	—	—	—	—	—	—	—	20
Meniscus tears	1221	3,540	1,590	270	330	20	—	70	—	—	1,250
Cartilage fractures and tears, n.e.c.	1229	200	100	—	—	—	—	—	—	—	90
Sprains, strains, tears	123	342,920	129,790	27,070	40,060	4,220	1,200	1,740	450	200	138,210
Sprains, strains, tears, unspecified	1230	23,610	6,990	1,080	1,220	260	40	30	—	—	13,990
Major tears to muscles, tendons, ligaments	1231	18,990	10,490	1,340	1,660	60	30	150	—	—	5,250
Sprains	1232	82,890	31,480	7,230	11,360	1,230	290	520	360	70	30,340
Strains	1233	211,290	78,700	17,100	25,340	2,610	840	1,020	70	120	85,500
Multiple sprains, strains, tears	1238	6,150	2,120	330	470	70	—	—	—	—	3,130
Hernias due to traumatic incidents	124	12,720	6,090	330	1,570	40	80	20	—	—	4,600
Whiplash	125	860	430	90	70	—	—	—	—	—	260
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	128	700	550	30	—	—	—	—	—	—	110
Traumatic injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	129	460	70	20	320	—	—	—	—	—	40
Open wounds	13	95,070	40,370	5,450	17,300	1,770	290	450	90	110	29,240

See footnotes at end of table.

TABLE R46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, private industry, 2012² — Continued

Nature	Nature code ³	Private industry ⁴	Race or ethnic origin ⁵								Not reported	
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race		
Open wounds, unspecified	130	870	290	40	120	—	—	—	—	—	—	420
Amputations, avulsions, enucleations	131	7,180	3,370	470	1,550	110	—	20	—	—	20	1,630
Amputations, avulsions, enucleations, unspecified	1310	300	90	—	90	—	—	—	—	—	—	100
Amputations	1311	5,120	2,520	310	1,150	50	—	—	—	—	20	1,070
Avulsions, enucleations	1312	1,590	660	140	270	60	—	—	—	—	—	450
Amputations, avulsions, enucleations, n.e.c.	1319	170	100	—	40	—	—	—	—	—	—	20
Cuts, lacerations	132	73,150	30,380	4,020	13,480	1,250	250	410	40	—	70	23,250
Puncture wounds, except gunshot wounds	133	13,510	6,210	880	2,120	400	20	20	—	—	—	3,810
Gunshot wounds	134	50	—	—	20	—	—	—	—	—	—	—
Multiple types of open wounds	138	180	60	30	—	—	—	—	—	—	—	90
Open wounds, n.e.c.	139	120	60	—	—	—	—	—	—	—	—	20
Surface wounds and bruises	14	85,530	30,040	7,160	11,170	1,130	220	290	110	—	360	35,050
Surface wounds and bruises, unspecified	140	380	150	30	40	—	—	—	—	—	—	150
Abrasions, scratches	141	8,080	2,630	680	1,210	70	30	30	—	—	—	3,420
Blisters	142	350	40	20	200	—	—	—	—	—	—	60
Bruises, contusions	143	75,070	26,660	6,300	9,560	1,030	170	240	110	—	50	30,950
Multiple surface wounds and bruises	148	1,180	390	80	70	—	20	—	—	—	—	310
Surface wounds and bruises, n.e.c.	149	470	170	50	90	20	—	—	—	—	—	140
Burns and corrosions	15	19,830	8,070	1,900	2,750	520	50	160	—	—	—	6,370
Burns and corrosions, unspecified	150	670	200	170	60	—	—	—	—	—	—	180
Chemical burns and corrosions	151	3,320	1,270	530	450	40	—	30	—	—	—	980
Chemical burns and corrosions, unspecified	1510	2,880	1,090	460	410	40	—	30	—	—	—	840
First degree chemical burns and corrosions	1511	110	—	30	—	—	—	—	—	—	—	50
Second degree chemical burns and corrosions	1512	160	90	20	20	—	—	—	—	—	—	40
Chemical burns and corrosions, n.e.c.	1519	160	70	20	—	—	—	—	—	—	—	50
Heat (thermal) burns	152	13,780	5,630	1,060	1,940	400	40	80	—	—	—	4,630
Heat (thermal) burns, unspecified	1520	9,580	3,590	740	1,460	280	30	50	—	—	—	3,410
First degree heat (thermal) burns	1521	800	340	60	90	—	—	—	—	—	—	310
Second degree heat (thermal) burns	1522	2,580	1,340	170	280	80	—	—	—	—	—	690
Third or fourth degree heat (thermal) burns	1523	400	150	70	90	—	—	—	—	—	—	90
Heat (thermal) burns, n.e.c.	1529	430	210	30	30	20	—	—	—	—	—	140
Electrical burns	153	740	380	60	100	20	—	—	—	—	—	180
Electrical burns, unspecified	1530	540	250	40	90	20	—	—	—	—	—	150
First degree electrical burns	1531	30	—	—	—	—	—	—	—	—	—	—
Second degree electrical burns	1532	30	—	—	—	—	—	—	—	—	—	—
Third or fourth degree electrical burns	1533	50	30	—	—	—	—	—	—	—	—	—
Electrical burns, n.e.c.	1539	100	80	20	—	—	—	—	—	—	—	—
Other burns	159	1,310	590	70	200	—	—	40	—	—	—	400
Other burns, unspecified	1590	250	80	30	100	—	—	—	—	—	—	40
Other burns, first degree	1591	970	490	30	80	—	—	40	—	—	—	320
Other burns, second degree	1592	50	—	20	—	—	—	—	—	—	—	20
Other burns, n.e.c.	1599	30	—	—	—	—	—	—	—	—	—	20
Intracranial injuries	16	9,430	4,870	540	440	110	20	40	—	—	—	3,390
Intracranial injuries, unspecified	160	770	320	40	30	—	—	—	—	—	—	380
Cerebral and other intracranial hemorrhages	161	170	140	—	—	—	—	—	—	—	—	20
Concussions	162	8,430	4,370	490	400	100	20	40	—	—	—	3,000

See footnotes at end of table.

TABLE R46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, private industry, 2012² — Continued

Nature	Nature code ³	Private industry ⁴	Race or ethnic origin ⁵									
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported	
Multiple types of intracranial injuries	168	20	—	—	—	—	—	—	—	—	—	—
Intracranial injuries, n.e.c.	169	40	40	—	—	—	—	—	—	—	—	—
Effects of environmental conditions	17	3,550	1,120	220	350	60	—	—	—	—	—	1,800
Effects of reduced temperature	171	190	40	20	—	—	—	—	—	—	—	130
Frostbite	1711	180	40	—	—	—	—	—	—	—	—	120
Effects of heat and light	172	3,240	1,070	200	340	60	—	—	—	—	—	1,560
Effects of heat and light, unspecified	1720	120	40	20	—	—	—	—	—	—	—	40
Heat stroke	1721	350	60	30	—	—	—	—	—	—	—	250
Heat syncope	1722	210	90	20	20	—	—	—	—	—	—	80
Heat fatigue	1723	150	30	—	30	—	—	—	—	—	—	90
Heat exhaustion, prostration	1725	1,840	570	90	200	50	—	—	—	—	—	920
Multiple effects of heat and light	1728	30	20	—	—	—	—	—	—	—	—	—
Effects of heat and light, n.e.c.	1729	510	270	40	60	—	—	—	—	—	—	150
Effects of air or water pressure	173	100	—	—	—	—	—	—	—	—	—	90
Aero-otitis media	1731	40	—	—	—	—	—	—	—	—	—	40
Effects of air or water pressure, n.e.c.	1739	50	—	—	—	—	—	—	—	—	—	50
Effects of environmental conditions, n.e.c.	179	20	—	—	—	—	—	—	—	—	—	20
Multiple traumatic injuries and disorders	18	28,180	12,150	2,160	4,680	350	120	120	—	—	—	8,600
Multiple traumatic injuries and disorders, unspecified	180	1,210	500	60	220	—	—	—	—	—	—	430
Cuts and abrasions or bruises	181	4,490	2,000	270	520	40	20	—	—	—	—	1,630
Sprains and other injuries	182	12,210	4,630	1,350	1,920	160	40	30	—	—	—	4,070
Sprains and other injuries, unspecified	1820	470	190	60	160	—	—	—	—	—	—	60
Sprains and bruises	1821	9,690	3,560	1,170	1,560	130	30	—	—	—	—	3,240
Sprains and cuts	1822	780	280	—	90	—	—	—	—	—	—	390
Sprains and other injuries, n.e.c.	1829	1,260	600	120	110	20	—	—	—	—	—	380
Fractures and other injuries	183	6,180	2,840	260	1,460	60	20	40	—	—	—	1,500
Fractures and other injuries, unspecified	1830	1,050	450	20	220	—	—	—	—	—	—	360
Fractures (except skull fractures) and concussions	1831	290	200	—	—	—	—	—	—	—	—	70
Fractures (except rib, trunk fractures) and internal injuries	1832	70	40	—	—	—	—	—	—	—	—	30
Fractures and burns	1833	30	20	—	—	—	—	—	—	—	—	—
Fractures and dislocations	1834	220	130	—	20	—	—	—	—	—	—	50
Fractures and other injuries, n.e.c.	1839	4,530	2,000	220	1,220	50	20	40	—	—	—	980
Burns and other injuries, except fractures	184	160	80	—	50	—	—	—	—	—	—	30
Burns and other injuries, n.e.c.	1849	120	50	—	40	—	—	—	—	—	—	20
Multiple traumatic injuries and disorders, n.e.c.	189	3,930	2,090	220	520	80	40	30	—	—	—	940
Other traumatic injuries and disorders	19	179,280	71,990	16,950	26,740	3,240	440	730	90	110	—	58,980
Other traumatic injuries and disorders, unspecified ...	190	190	80	30	—	—	—	—	—	—	—	70
Asphyxiations, strangulations, suffocations	191	680	80	—	20	—	—	—	—	—	—	570
Electrocutions, electric shocks	193	980	370	50	120	20	—	30	—	—	—	390
Internal injuries to organs and blood vessels of the trunk	194	120	90	—	20	—	—	—	—	—	—	—
Dermatitis and reactions affecting the skin—acute	195	2,150	730	140	330	30	—	—	—	—	—	900
Dermatitis and reactions affecting the skin—acute, unspecified	1950	980	350	60	160	—	—	—	—	—	—	390
Allergic dermatitis—acute	1951	660	210	50	120	—	—	—	—	—	—	270

See footnotes at end of table.

TABLE R46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, private industry, 2012² — Continued

Nature	Nature code ³	Private industry ⁴	Race or ethnic origin ⁵									
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported	
Irritant dermatitis—acute	1952	300	90	20	40	—	—	—	—	—	—	150
Hives, urticaria—acute	1953	110	—	—	—	—	—	—	—	—	—	80
Dermatitis and reactions affecting the skin—acute, n.e.c.	1959	90	70	—	—	—	—	—	—	—	—	20
Other poisoning, toxic, noxious, or allergenic effects	196	6,460	2,650	520	700	80	—	70	—	—	—	2,410
Poisoning, toxic, noxious, or allergenic effect, unspecified	1960	2,040	780	160	380	20	—	—	—	—	—	690
Poisoning, including poisoning-related asphyxia ...	1961	710	220	20	40	—	—	20	—	—	—	390
Anaphylactic shock, anaphylaxis	1962	20	—	—	—	—	—	—	—	—	—	—
Other respiratory system symptoms—toxic, noxious, or allergenic effect	1963	1,190	520	160	100	20	—	—	—	—	—	390
Coughing and throat irritation— toxic, noxious, or allergenic effect	1964	150	80	—	—	—	—	—	—	—	—	60
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	1965	560	270	50	50	—	—	—	—	—	—	180
Other or unspecified allergic reactions	1966	1,060	350	100	30	20	—	—	—	—	—	540
Nausea, vomiting— toxic, noxious, or allergenic effect	1967	200	130	—	30	—	—	—	—	—	—	40
Multiple poisoning, toxic, noxious, or allergenic effects	1968	210	100	20	—	—	—	—	—	—	—	40
Other poisoning, toxic, noxious, or allergenic effects, n.e.c.	1969	330	190	—	50	—	—	—	—	—	—	80
Nonspecified injuries and disorders	197	167,780	67,730	16,150	25,420	3,100	430	610	80	100	—	54,160
Crushing injuries	1971	9,210	3,620	860	1,550	110	20	30	—	—	—	3,030
Soreness, pain, hurt—nonspecified injury	1972	135,140	54,790	13,640	20,280	2,220	360	520	60	90	—	43,190
Swelling, inflammation, irritation—nonspecified injury	1973	17,840	7,310	1,260	2,900	570	40	50	—	—	—	5,700
Numbness—nonspecified injury	1974	880	340	50	90	—	—	—	—	—	—	370
Multiple nonspecified injuries and disorders	1978	2,490	720	230	410	150	—	—	—	—	—	960
Nonspecified injuries and disorders, n.e.c.	1979	2,230	950	110	190	50	—	—	—	—	—	920
Other traumatic injuries and disorders, n.e.c.	199	920	260	50	130	—	—	—	—	—	—	470
Traumatic shock	1991	50	—	—	—	—	—	—	—	—	—	—
Traumatic injuries and disorders, n.e.c.	1999	870	250	40	100	—	—	—	—	—	—	460
Diseases and disorders of body systems	2	21,480	9,490	1,240	2,420	410	40	50	—	20	—	7,810
Systemic diseases and disorders, unspecified	20	30	—	—	—	—	—	—	—	—	—	—
Nervous system and sense organs diseases	22	9,980	4,730	500	1,020	130	20	30	—	—	—	3,540
Degenerative diseases of the central nervous system	222	90	80	—	—	—	—	—	—	—	—	—
Other disorders of the central nervous system	223	190	120	40	—	—	—	—	—	—	—	30
Seizure disorder, epilepsy	2231	130	80	40	—	—	—	—	—	—	—	20
Migraine	2232	40	30	—	—	—	—	—	—	—	—	—
Disorders of the peripheral nervous system	224	8,510	4,070	400	830	120	20	20	—	—	—	3,050
Disorders of the peripheral nervous system, unspecified	2240	110	30	—	—	—	—	—	—	—	—	50
Carpal tunnel syndrome	2241	7,590	3,910	370	680	90	20	20	—	—	—	2,520

See footnotes at end of table.

TABLE R46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, private industry, 2012² — Continued

Nature	Nature code ³	Private industry ⁴	Race or ethnic origin ⁵								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported
Inflammatory and toxic neuropathy, toxic polyneuropathy	2242	20	—	—	—	—	—	—	—	—	—
Disorders of the peripheral nervous system, n.e.c.	2249	790	130	—	140	30	—	—	—	—	470
Disorders of the eye, adnexa, vision	225	990	360	50	180	—	—	—	—	—	370
Disorders of the eye, adnexa, vision, unspecified ..	2250	110	20	—	30	—	—	—	—	—	50
Conjunctivitis—non-viral	2251	570	200	40	80	—	—	—	—	—	240
Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion)	2252	40	20	—	—	—	—	—	—	—	—
Blindness, low vision	2254	30	20	—	—	—	—	—	—	—	—
Disorders of the eye, adnexa, vision, n.e.c.	2259	210	90	—	60	—	—	—	—	—	50
Disorders of the ear, mastoid process, hearing	226	190	100	—	—	—	—	—	—	—	80
Disorders of the ear, mastoid process, hearing, unspecified	2260	20	—	—	—	—	—	—	—	—	—
Deafness, hearing loss and impairment	2261	110	60	—	—	—	—	—	—	—	50
Tinnitus	2262	50	30	—	—	—	—	—	—	—	—
Circulatory system diseases	23	520	230	—	60	—	—	—	—	—	210
Hypertensive disease	232	20	—	—	—	—	—	—	—	—	—
Ischemic heart disease, including heart attack	233	270	100	—	40	—	—	—	—	—	130
Ischemic heart disease, unspecified	2330	30	—	—	—	—	—	—	—	—	—
Myocardial infarction (heart attack)	2331	240	100	—	20	—	—	—	—	—	120
Other forms of heart disease	235	20	—	—	—	—	—	—	—	—	20
Cerebrovascular disease	236	120	60	—	20	—	—	—	—	—	30
Stroke	2361	90	40	—	—	—	—	—	—	—	30
Transient ischemia attacks	2362	20	20	—	—	—	—	—	—	—	—
Diseases of arteries, arterioles, capillaries	237	30	30	—	—	—	—	—	—	—	—
Aneurysm—nontraumatic	2372	30	20	—	—	—	—	—	—	—	—
Diseases of the veins, lymphatics	238	20	20	—	—	—	—	—	—	—	—
Respiratory system diseases	24	880	580	60	70	—	—	—	—	—	170
Respiratory system diseases, unspecified	240	90	30	—	40	—	—	—	—	—	—
Acute respiratory infections (including common cold) ..	241	60	30	—	—	—	—	—	—	—	20
Other diseases of upper respiratory tract	242	40	—	—	—	—	—	—	—	—	20
Chronic conditions of upper respiratory tract	2422	20	—	—	—	—	—	—	—	—	—
Pneumonia, influenza	243	470	440	—	—	—	—	—	—	—	20
Pneumonia	2431	20	—	—	—	—	—	—	—	—	—
Influenza—common	2432	370	360	—	—	—	—	—	—	—	—
Influenza—novel	2433	80	70	—	—	—	—	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions	244	170	60	40	—	—	—	—	—	—	70
Asthma, except intrinsic	2443	100	30	20	—	—	—	—	—	—	40
Chronic obstructive pulmonary diseases and allied conditions, n.e.c.	2449	40	—	—	—	—	—	—	—	—	—
Pneumoconioses	245	30	—	—	—	—	—	—	—	—	30
Coal workers pneumoconiosis	2451	20	—	—	—	—	—	—	—	—	20
Other respiratory system diseases	249	30	—	—	—	—	—	—	—	—	—
Digestive system diseases and disorders	25	670	250	20	80	—	—	—	—	—	310
Hernia—nontraumatic	253	650	250	20	80	—	—	—	—	—	300

See footnotes at end of table.

TABLE R46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, private industry, 2012² — Continued

Nature	Nature code ³	Private industry ⁴	Race or ethnic origin ⁵								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported
Genitourinary system diseases and disorders	26	30	20	—	—	—	—	—	—	—	—
Genitourinary system diseases and disorders, n.e.c.	269	20	—	—	—	—	—	—	—	—	—
Musculoskeletal system and connective tissue diseases and disorders	27	7,760	2,970	550	930	250	20	—	—	—	3,020
Musculoskeletal system and connective tissue diseases and disorders, unspecified	270	190	50	—	20	—	—	—	—	—	120
Arthropathies and related disorders (arthritis)	271	140	40	30	—	—	—	—	—	—	70
Dorsopathies	272	550	230	30	30	—	—	—	—	—	260
Sciatica	2721	260	100	—	—	—	—	—	—	—	130
Lumbago	2722	60	40	—	—	—	—	—	—	—	20
Disc disorders, except dislocation	2723	60	30	—	—	—	—	—	—	—	20
Dorsopathies, n.e.c.	2729	170	70	—	—	—	—	—	—	—	80
Soft tissue disorders, except the back	273	6,770	2,630	490	880	250	—	—	—	—	2,480
Soft tissue disorder, except the back, unspecified	2730	300	80	20	90	—	—	—	—	—	100
Bursitis	2731	550	310	50	60	—	—	—	—	—	120
Stenosing tenosynovitis	2732	980	490	80	100	20	—	—	—	—	280
Other tenosynovitis, synovitis	2733	410	80	50	60	—	—	—	—	—	210
Epicondylitis	2734	1,130	460	30	160	20	—	—	—	—	460
Other or unspecified tendonitis (tendinitis)	2735	2,600	920	170	340	120	—	—	—	—	1,030
Ganglion or cystic tumor	2736	320	80	30	40	50	—	—	—	—	110
Multiple soft tissue disorders	2738	110	30	40	20	—	—	—	—	—	20
Soft tissue disorder, except the back, n.e.c.	2739	370	180	20	—	—	—	—	—	—	150
Osteopathies, chondropathies, and acquired deformities	274	90	20	—	—	—	—	—	—	—	70
Osteopathies, chondropathies, and acquired deformities, unspecified	2740	80	—	—	—	—	—	—	—	—	60
Musculoskeletal system and connective tissue diseases and disorders, n.e.c.	279	20	—	—	—	—	—	—	—	—	20
Disorders of the skin and subcutaneous tissue	28	1,500	680	70	260	—	—	—	—	—	490
Disorders of the skin and subcutaneous tissue, unspecified	280	20	—	—	—	—	—	—	—	—	—
Infections of the skin and subcutaneous tissue	281	1,350	610	60	230	—	—	—	—	—	440
Infections of the skin and subcutaneous tissue, unspecified	2810	270	130	—	50	—	—	—	—	—	70
Cellulitis and abscess	2811	680	160	40	170	—	—	—	—	—	300
Methicillin-resistant staphylococcus aureus (MRSA) infection	2813	110	80	—	—	—	—	—	—	—	—
Other staphylococcus skin infection	2814	260	210	—	—	—	—	—	—	—	40
Infections of the skin and subcutaneous tissue, n.e.c.	2819	40	20	—	—	—	—	—	—	—	—
Other diseases and disorders of the skin and subcutaneous tissue	289	120	60	—	—	—	—	—	—	—	40
Other diseases and disorders of the skin and subcutaneous tissue, n.e.c.	2899	80	50	—	—	—	—	—	—	—	20
Other systemic diseases and disorders	29	100	—	—	—	—	—	—	—	—	70

See footnotes at end of table.

TABLE R46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, private industry, 2012² — Continued

Nature	Nature code ³	Private industry ⁴	Race or ethnic origin ⁵								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported
Endocrine, nutritional, metabolic, and immunity disorders	291	100	—	—	—	—	—	—	—	—	60
Diseases and disorders of other endocrine glands	2912	60	—	—	—	—	—	—	—	—	60
Endocrine, nutritional, metabolic, and immunity disorders, n.e.c.	2919	30	—	—	—	—	—	—	—	—	—
Infectious and parasitic diseases	3	1,740	660	180	70	60	—	—	—	—	770
Infectious and parasitic diseases, unspecified	30	170	—	—	—	—	—	—	—	—	160
Bacterial diseases	31	270	100	30	—	—	—	—	—	—	120
Bacterial diseases, unspecified	310	80	—	—	—	—	—	—	—	—	80
Tuberculosis	311	30	—	—	—	—	—	—	—	—	—
Other bacterial diseases	319	150	80	30	—	—	—	—	—	—	40
Diphtheria, whooping cough	3192	90	30	30	—	—	—	—	—	—	30
Streptococcal sore throat and scarlatina	3193	20	—	—	—	—	—	—	—	—	—
Other bacterial diseases, n.e.c.	3199	40	20	—	—	—	—	—	—	—	—
Viral diseases	32	300	120	60	—	—	—	—	—	—	110
Viral diseases, unspecified	320	50	—	—	—	—	—	—	—	—	—
Viral diseases accompanied by exanthem (eruptive fever)	323	120	50	20	—	—	—	—	—	—	40
Chickenpox, varicella	3233	90	30	20	—	—	—	—	—	—	40
Herpes zoster, shingles	3234	20	—	—	—	—	—	—	—	—	—
Viral diseases of the conjunctiva	326	20	—	—	—	—	—	—	—	—	—
Viral conjunctivitis (ophthalmia)	3261	20	—	—	—	—	—	—	—	—	—
Other diseases due to viruses	329	80	50	—	—	—	—	—	—	—	30
Foot and mouth disease	3294	20	—	—	—	—	—	—	—	—	20
Other diseases due to viruses, n.e.c.	3299	60	50	—	—	—	—	—	—	—	—
Mycoses (fungal infections)	34	30	—	—	—	—	—	—	—	—	20
Dermatophytosis (including athletes foot, tinea)	341	20	—	—	—	—	—	—	—	—	20
Infectious diseases peculiar to the intestines	36	270	80	—	—	—	—	—	—	—	120
Infectious diseases peculiar to the intestines, unspecified	360	60	30	—	—	—	—	—	—	—	30
Typhoid and paratyphoid fevers	362	60	—	—	—	—	—	—	—	—	—
Infectious diseases peculiar to the intestines, n.e.c. ..	369	120	30	—	—	—	—	—	—	—	80
Other infectious and parasitic diseases	39	700	350	70	30	—	—	—	—	—	240
Other infectious and parasitic diseases, unspecified	390	20	—	—	—	—	—	—	—	—	—
Pediculosis and phthirus infestation (lice)	391	30	30	—	—	—	—	—	—	—	—
Scabies and other acariases	392	640	300	70	20	—	—	—	—	—	240
Neoplasms, tumors, and cancers	4	40	—	—	—	—	—	—	—	—	—
Malignant neoplasms and tumors (cancers, carcinomas, sarcomas)	41	20	—	—	—	—	—	—	—	—	—
Symptoms, signs, and ill-defined conditions	5	5,400	2,030	660	520	330	20	90	—	—	1,750
Symptoms, signs, and ill-defined conditions, unspecified	50	90	40	—	—	—	—	—	—	—	40
Symptoms	51	5,180	1,970	620	500	320	20	90	—	—	1,670

See footnotes at end of table.

TABLE R46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, private industry, 2012² — Continued

Nature	Nature code ³	Private industry ⁴	Race or ethnic origin ⁵								Not reported
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	
Symptoms, unspecified	510	60	—	—	—	—	—	—	—	—	50
General symptoms	511	3,410	1,310	520	260	300	—	—	90	—	910
General symptoms, unspecified	5110	30	—	—	—	—	—	—	—	—	—
Loss of consciousness—not heat related	5111	1,650	570	130	130	260	—	—	90	—	470
Convulsions, seizures	5112	500	100	250	40	—	—	—	—	—	100
Malaise and fatigue	5113	30	—	—	—	—	—	—	—	—	20
Dizziness—general	5114	540	250	70	50	20	—	—	—	—	140
Inflammation, swelling—general	5115	100	50	—	20	—	—	—	—	—	30
Numbness—general	5116	80	60	—	—	—	—	—	—	—	—
Multiple general symptoms	5118	380	220	40	—	—	—	—	—	—	100
General symptoms, n.e.c.	5119	100	40	30	—	—	—	—	—	—	20
Symptoms involving nervous and musculoskeletal systems	512	80	—	—	30	—	—	—	—	—	50
Earache	5122	30	—	—	30	—	—	—	—	—	—
Symptoms involving skin and other integumentary tissue	513	30	—	—	—	—	—	—	—	—	—
Symptoms involving head and neck	514	600	110	30	80	—	—	—	—	—	360
Headache, except migraine	5141	550	100	30	70	—	—	—	—	—	340
Symptoms involving head and neck, n.e.c.	5149	40	—	—	—	—	—	—	—	—	—
Symptoms involving cardiovascular system	515	140	130	—	—	—	—	—	—	—	—
Unspecified tachycardia (rapid heartbeat)	5151	120	120	—	—	—	—	—	—	—	—
Symptoms involving respiratory system and chest	516	610	310	30	90	—	—	—	—	—	180
Symptoms involving respiratory system and chest, unspecified	5160	250	180	—	—	—	—	—	—	—	50
Chest pain	5164	150	20	—	50	—	—	—	—	—	60
Multiple symptoms involving respiratory system and chest	5168	20	—	—	—	—	—	—	—	—	—
Symptoms involving respiratory system and chest, n.e.c.	5169	180	100	—	20	—	—	—	—	—	50
Symptoms involving digestive and urinary system	517	140	50	—	30	—	—	—	—	—	50
Nausea and vomiting—general	5171	40	30	—	—	—	—	—	—	—	—
Abdominal pain, unspecified	5174	90	20	—	20	—	—	—	—	—	40
Multiple symptoms	518	100	30	—	—	—	—	—	—	—	50
Abnormal findings	52	80	—	30	—	—	—	—	—	—	40
Other abnormal findings	529	70	—	—	—	—	—	—	—	—	40
Symptoms, signs, and ill-defined conditions, n.e.c.	59	40	20	—	20	—	—	—	—	—	—
Other diseases, conditions, and disorders	6	2,830	720	290	310	80	20	—	—	—	1,410
Damage to prosthetic and orthopedic devices	61	50	40	—	—	—	—	—	—	—	—
Damage to orthopedic devices	612	40	40	—	—	—	—	—	—	—	—
Damage to pins, rods, plates, and screws	6122	40	—	—	—	—	—	—	—	—	—
Mental disorders and syndromes	62	2,780	680	290	310	80	20	—	—	—	1,400
Mental disorders and syndromes, unspecified	620	150	20	40	—	—	—	—	—	—	90
Anxiety, stress	621	2,610	650	260	310	70	20	—	—	—	1,300
Anxiety, stress, unspecified	6210	1,630	400	150	230	60	—	—	—	—	780
Post-traumatic stress disorder	6211	560	140	80	20	—	—	—	—	—	310

See footnotes at end of table.

TABLE R46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, private industry, 2012² — Continued

Nature	Nature code ³	Private industry ⁴	Race or ethnic origin ⁵								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported
Adjustment disorder	6212	20	—	—	—	—	—	—	—	—	—
Anxiety or panic disorder	6213	130	20	—	30	—	—	—	—	—	70
Anxiety, stress, n.e.c.	6219	270	100	20	—	—	—	—	—	—	130
Exposures to disease—no illness incurred	7	280	120	30	—	—	—	—	—	—	100
Multiple diseases, conditions, and disorders	8	510	200	150	30	—	—	—	—	—	130
Nonclassifiable	9999	3,640	630	140	830	70	—	—	—	—	1,970

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOI) for reference year 2012. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

⁵ Race and ethnicity data do not add to total. Some cases may be counted as both Multi-race and Hispanic and other race.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.