

TABLE R50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, private industry, 2012²

Part of body	Part of body code ³	Private industry ⁴	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Total		918,720	—	110	21,170	90,500	203,370	198,930	223,430	139,430	28,080	13,710
Head	1	66,880	—	—	2,820	7,920	17,720	13,710	13,340	8,180	2,040	1,150
Head, unspecified	10	14,870	—	—	520	1,730	4,190	2,620	2,880	2,080	580	260
Cranial region, including skull	11	13,980	—	—	1,000	1,560	2,990	3,350	2,520	1,810	540	210
Cranial region, unspecified	110	380	—	—	40	30	90	90	60	40	—	—
Brain	111	9,940	—	—	880	1,220	1,990	2,330	1,820	1,200	370	140
Scalp	112	2,980	—	—	70	210	780	800	510	450	150	—
Skull	113	410	—	—	—	40	70	120	90	90	—	—
Multiple cranial region locations	118	160	—	—	—	40	20	—	20	—	—	—
Cranial region, n.e.c.	119	120	—	—	—	30	40	—	20	30	—	—
Ear(s)	12	1,090	—	—	—	40	100	340	480	80	—	—
Face	13	35,980	—	—	1,270	4,460	10,210	7,220	7,280	4,010	880	640
Face, unspecified	130	3,580	—	—	80	510	1,010	700	630	470	120	70
Forehead	131	2,530	—	—	60	240	830	390	570	340	80	—
Eye(s)	132	21,370	—	—	740	2,680	5,970	4,540	4,550	2,240	210	440
Nose, nasal cavity	133	2,320	—	—	40	250	670	360	470	310	160	70
Nose, except internal location of diseases or disorders	1330	2,310	—	—	40	250	670	360	460	300	160	70
Cheek(s)	134	410	—	—	—	20	140	60	80	100	—	—
Jaw, chin	135	1,120	—	—	220	170	170	210	240	80	—	—
Mouth	136	2,370	—	—	90	440	760	430	280	250	80	30
Mouth, unspecified	1360	200	—	—	—	20	50	70	30	20	—	—
Lip(s)	1361	500	—	—	20	40	110	120	70	140	—	—
Tongue	1362	20	—	—	—	—	—	—	—	20	—	—
Tooth (teeth)	1363	1,140	—	—	70	350	200	210	160	50	70	30
Multiple mouth locations	1368	460	—	—	—	20	370	30	30	—	—	—
Mouth, n.e.c.	1369	50	—	—	—	—	30	—	—	—	—	—
Multiple face locations	138	1,930	—	—	40	130	500	500	370	170	210	—
Face, n.e.c.	139	360	—	—	—	—	170	30	80	50	—	—
Multiple head locations	18	780	—	—	—	120	200	130	140	160	20	—
Head, n.e.c.	19	180	—	—	—	—	30	60	40	30	—	—
Neck, including throat	2	12,380	—	—	150	1,160	2,670	3,120	2,580	2,140	350	190
Neck, except internal location of diseases or disorders ...	20	12,280	—	—	150	1,160	2,640	3,100	2,580	2,090	350	190
Internal neck location, unspecified	21	90	—	—	—	—	30	—	—	—	—	—
Trunk	3	235,260	—	—	3,490	20,420	55,960	57,410	56,820	32,190	6,060	2,900
Trunk, unspecified	30	1,530	—	—	—	40	320	690	270	130	60	—
Chest, including ribs, internal organs	31	14,470	—	—	190	800	2,850	3,010	3,800	2,850	850	120
Chest, except internal location of diseases or disorders	310	13,500	—	—	180	770	2,640	2,790	3,570	2,630	820	110
Internal chest location, unspecified	311	100	—	—	—	—	—	50	—	20	—	—
Heart	313	420	—	—	—	—	130	60	100	120	—	—
Lung(s), pleura	315	440	—	—	—	30	70	100	130	80	20	—
Back, including spine, spinal cord	32	178,190	—	—	2,770	16,850	44,560	45,700	41,780	21,250	3,030	2,250
Back, including spine, spinal cord, unspecified	320	71,730	—	—	1,330	6,890	17,810	18,750	16,070	8,630	1,100	1,150
Thoracic region	321	7,830	—	—	260	990	2,020	2,120	1,580	660	50	150
Lumbar region	322	91,300	—	—	1,080	8,350	22,990	22,830	22,450	11,050	1,700	870
Sacral region	323	440	—	—	—	30	90	110	110	80	—	—

See footnotes at end of table.

TABLE R50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, private industry, 2012² — Continued

Part of body	Part of body code ³	Private industry ⁴	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Coccygeal region	324	1,390	—	—	40	70	280	550	240	180	20	—
Multiple back regions	328	5,220	—	—	70	510	1,320	1,280	1,240	600	150	60
Back, including spine, spinal cord, n.e.c.	329	280	—	—	—	—	60	60	90	60	—	—
Abdomen	33	20,510	—	—	250	1,290	4,000	4,420	6,110	3,640	610	190
Abdomen, except internal location of diseases or disorders	330	19,560	—	—	240	1,220	3,740	4,110	5,920	3,560	580	190
Internal abdominal location, unspecified	331	440	—	—	—	—	160	100	110	50	20	—
Stomach organ	332	70	—	—	—	—	20	—	20	—	—	—
Intestines, peritoneum	335	300	—	—	—	40	80	100	60	—	—	—
Intestines, peritoneum, unspecified	3350	120	—	—	—	30	20	50	20	—	—	—
Peritoneum	3351	50	—	—	—	—	—	—	20	—	—	—
Large intestine, colon, rectum	3353	40	—	—	—	—	—	—	—	—	—	—
Intestines, peritoneum, n.e.c.	3359	70	—	—	—	—	—	—	—	—	—	—
Pelvic region	34	16,060	—	—	150	1,260	3,400	2,590	3,820	3,230	1,380	240
Pelvic region, unspecified	340	120	—	—	—	—	50	20	20	20	—	—
Hip(s)	341	7,210	—	—	80	530	800	930	1,760	1,960	1,090	60
Pelvis	342	790	—	—	—	—	220	90	280	70	110	—
Buttock(s)	343	1,340	—	—	—	90	390	170	340	290	50	—
Groin	344	6,040	—	—	50	540	1,820	1,250	1,300	780	130	160
External reproductive tract structures	345	210	—	—	—	70	60	—	20	40	—	—
External reproductive tract structures, unspecified ..	3450	20	—	—	—	—	—	—	—	—	—	—
Scrotum	3451	160	—	—	—	70	40	—	—	40	—	—
Internal reproductive tract structures	346	60	—	—	—	—	—	—	20	20	—	—
Testis (testes)	3462	40	—	—	—	—	—	—	20	—	—	—
Uterus	3464	20	—	—	—	—	—	—	—	—	—	—
Multiple pelvic region locations	348	230	—	—	—	—	40	90	60	30	—	—
Pelvic region, n.e.c.	349	50	—	—	—	—	—	—	20	—	—	—
Multiple trunk locations	38	4,350	—	—	130	180	820	980	1,020	1,060	80	80
Trunk, n.e.c.	39	150	—	—	—	—	20	20	30	20	40	—
Upper extremities	4	289,940	—	50	8,110	32,440	61,770	59,690	71,690	44,210	8,060	3,920
Upper extremities, unspecified	40	460	—	—	—	30	70	90	160	60	20	30
Shoulder(s), including clavicle(s), scapula(e)	41	69,020	—	—	760	4,370	10,950	14,380	21,010	13,810	2,760	980
Arm(s)	42	42,200	—	—	920	2,880	8,110	10,410	11,230	6,750	1,290	600
Arm(s), unspecified	420	13,740	—	—	340	990	2,810	3,420	3,630	1,960	440	140
Upper arm(s)	421	5,620	—	—	30	160	550	1,360	2,030	1,230	230	30
Elbow(s)	422	13,170	—	—	150	910	2,550	3,320	3,470	2,060	370	330
Forearm(s)	423	7,060	—	—	370	640	1,770	1,600	1,390	1,060	150	80
Multiple arm locations	428	1,910	—	—	—	170	240	550	550	330	50	20
Multiple arm locations, unspecified	4280	250	—	—	—	20	50	20	50	90	20	—
Elbow(s) and arm(s)	4281	790	—	—	—	70	100	210	280	120	20	—
Multiple arm locations, n.e.c.	4289	870	—	—	—	80	90	320	220	120	—	—
Arm(s), n.e.c.	429	700	—	—	—	—	190	160	170	100	60	—
Wrist(s)	43	38,600	—	—	920	3,760	8,160	7,570	9,780	6,480	1,250	680
Hand(s)	44	123,560	—	40	5,070	19,770	31,680	24,300	24,950	14,160	2,170	1,430
Hand(s), unspecified	440	29,250	—	—	1,020	4,480	8,260	5,540	5,530	3,390	570	450
Hand(s), except finger(s)	441	5,940	—	—	400	700	1,460	1,180	1,520	540	120	20
Finger(s), fingernail(s)	442	81,890	—	40	3,370	13,450	20,660	16,100	16,540	9,470	1,380	880
Finger(s), fingernail(s), unspecified	4420	58,660	—	40	2,620	9,530	14,310	11,880	11,760	6,860	970	690
Fingernail(s), nailbed(s)	4421	1,590	—	—	30	110	530	240	420	240	20	—

See footnotes at end of table.

TABLE R50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, private industry, 2012² — Continued

Part of body	Part of body code ³	Private industry ⁴	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Fingertip(s)	4422	7,390	—	—	340	1,590	1,930	1,210	1,360	700	160	100
Finger(s), fingernail(s), n.e.c.	4429	14,240	—	—	370	2,210	3,890	2,770	3,000	1,670	230	90
Hand(s) and finger(s)	448	3,660	—	—	170	570	720	650	890	550	90	—
Hand(s), n.e.c.	449	2,810	—	—	100	570	570	820	460	210	20	60
Multiple upper extremities locations	48	15,970	—	—	450	1,620	2,790	2,910	4,500	2,930	560	210
Multiple upper extremities locations, unspecified	480	600	—	—	—	20	140	110	130	110	60	—
Hand(s) and arms(s)	481	1,640	—	—	130	120	380	280	510	180	40	20
Hand(s) and arm(s), unspecified	4810	700	—	—	120	40	200	170	110	70	—	—
Hand(s) and elbow(s)	4811	110	—	—	—	—	—	20	30	20	—	—
Hand(s) and arm(s), n.e.c.	4819	840	—	—	—	70	170	90	370	90	30	—
Hand(s) and wrist(s)	482	3,130	—	—	60	450	590	500	670	690	120	40
Wrist(s) and arm(s)	483	2,070	—	—	60	120	340	490	710	270	60	20
Wrist(s) and arm(s), unspecified	4830	1,030	—	—	—	30	130	210	530	110	20	—
Wrist(s) and elbow(s)	4831	460	—	—	—	30	90	150	80	60	30	—
Wrist(s) and arm(s), n.e.c.	4839	580	—	—	60	60	120	130	100	100	—	—
Shoulder(s) and arm(s)	484	5,180	—	—	30	620	650	820	1,560	1,220	230	60
Multiple upper extremities locations, n.e.c.	489	3,360	—	—	160	290	680	710	920	470	60	60
Upper extremities, n.e.c.	49	130	—	—	—	—	—	30	50	20	—	—
Lower extremities	5	204,220	—	60	4,910	20,870	44,270	42,030	51,030	32,290	6,420	2,350
Lower extremities, unspecified	50	470	—	—	90	—	80	160	50	60	—	—
Leg(s)	51	107,900	—	—	1,730	9,100	21,350	21,230	29,390	19,500	4,340	1,270
Leg(s), unspecified	510	12,070	—	—	250	1,580	2,860	2,020	2,910	1,910	390	150
Thigh(s)	511	4,930	—	—	70	490	690	1,130	1,380	980	160	20
Knee(s)	512	78,360	—	—	1,110	5,940	15,670	15,170	21,910	14,710	3,190	670
Lower leg(s)	513	8,760	—	—	240	710	1,550	1,960	2,380	1,330	230	370
Multiple leg locations	518	2,940	—	—	50	270	500	610	660	440	330	60
Multiple leg locations, unspecified	5180	430	—	—	20	—	200	30	110	50	—	—
Knee(s) and leg(s)	5181	1,830	—	—	30	170	190	380	400	340	310	20
Multiple leg locations, n.e.c.	5189	670	—	—	—	100	110	210	150	50	—	40
Leg(s), n.e.c.	519	840	—	—	—	100	80	340	140	130	30	—
Ankle(s)	52	44,860	—	50	1,160	5,050	10,510	10,450	10,880	5,410	930	430
Foot (feet)	53	42,920	—	—	1,760	6,050	10,760	8,180	8,810	5,880	980	490
Foot (feet), unspecified	530	27,950	—	—	1,180	4,120	7,060	5,270	5,900	3,500	580	330
Sole(s)	531	2,420	—	—	30	270	570	720	480	320	20	20
Sole(s), unspecified	5310	260	—	—	—	100	60	50	30	—	—	—
Ball(s) of the foot	5311	20	—	—	—	—	—	—	—	—	—	—
Arch(es), instep(s)	5312	130	—	—	—	20	30	40	20	20	—	—
Heel(s)	5313	1,950	—	—	20	150	470	620	420	240	20	—
Sole(s), n.e.c.	5319	60	—	—	—	—	—	—	—	50	—	—
Toes(s), toenail(s)	532	9,870	—	—	480	1,400	2,370	1,730	1,940	1,460	340	140
Multiple foot (feet) locations	538	550	—	—	30	40	170	120	140	40	—	—
Foot (feet), n.e.c.	539	2,120	—	—	40	220	580	330	350	550	30	—
Multiple lower extremities locations	58	8,050	—	—	160	660	1,570	2,010	1,890	1,430	180	150
Multiple lower extremities locations, unspecified	580	270	—	—	—	—	90	60	80	20	—	—
Foot (feet) and leg(s)	581	1,240	—	—	30	80	170	410	230	280	30	—
Foot(feet) and leg(s), unspecified	5810	220	—	—	30	—	40	60	30	40	—	—
Foot(feet) and knee(s)	5811	670	—	—	—	50	70	330	140	60	20	—
Foot(feet) and leg(s), n.e.c.	5819	350	—	—	—	20	60	20	60	180	—	—
Foot (feet) and ankle(s)	582	2,690	—	—	80	260	740	500	710	320	40	30

See footnotes at end of table.

TABLE R50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, private industry, 2012² — Continued

Part of body	Part of body code ³	Private industry ⁴	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Ankle(s) and leg(s)	583	2,620	—	—	40	250	340	640	530	640	70	100
Ankle(s) and leg(s), unspecified	5830	320	—	—	—	20	90	50	70	80	—	—
Ankle(s) and knee(s)	5831	1,840	—	—	20	150	190	550	340	480	50	50
Ankle(s) and leg(s), n.e.c.	5839	450	—	—	20	90	50	40	120	80	—	50
Multiple lower extremities locations, n.e.c.	589	1,240	—	—	—	60	230	410	330	170	20	—
Lower extremities, n.e.c.	59	20	—	—	—	—	—	—	—	—	—	—
Body systems	6	17,770	—	—	390	1,930	4,730	3,570	3,870	2,530	430	330
Multiple body parts	8	83,900	—	—	1,250	4,870	14,590	18,070	22,660	16,840	4,540	1,080
Multiple body parts, unspecified	80	7,410	—	—	100	450	1,380	1,340	1,870	1,460	580	230
Head and neck	81	2,360	—	—	20	170	420	930	460	310	40	—
Head, neck, and trunk	82	740	—	—	—	20	170	110	140	260	30	—
Head and trunk	83	980	—	—	20	50	180	100	360	200	60	—
Neck and back	84	6,930	—	—	110	510	1,660	1,600	2,070	810	120	50
Shoulder(s) and back	85	3,890	—	—	30	240	780	660	1,200	760	180	40
Hip(s) and leg(s)	86	1,440	—	—	100	100	170	200	370	360	140	—
Upper and lower limb(s)	87	6,430	—	—	180	320	980	1,130	1,750	1,470	560	40
Other multiple body parts	89	53,720	—	—	690	3,000	8,850	11,990	14,430	11,210	2,840	690
Whole body	891	810	—	—	—	80	180	110	150	110	170	—
Multiple body parts, n.e.c.	899	52,910	—	—	690	2,920	8,680	11,880	14,280	11,100	2,670	690

See footnotes at end of table.

TABLE R50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, private industry, 2012² — Continued

Part of body	Part of body code ³	Private industry ⁴	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Nonclassifiable	9999	8,360	—	—	50	890	1,650	1,330	1,440	1,050	180	1,780

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2012. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.