

TABLE R51. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and race or ethnic origin of worker, private industry, 2012²

Part of body	Part of body code ³	Private industry ⁴	Race or ethnic origin ⁵								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported
Total		918,720	367,380	71,200	122,900	13,460	2,900	4,240	800	1,100	334,750
Head	1	66,880	27,450	4,560	9,890	960	170	260	20	—	23,560
Head, unspecified	10	14,870	5,100	1,130	2,120	190	70	40	—	—	6,210
Cranial region, including skull	11	13,980	6,730	730	1,220	180	30	90	—	—	4,990
Cranial region, unspecified	110	380	130	30	—	—	—	40	—	—	160
Brain	111	9,940	5,190	560	490	110	20	40	—	—	3,520
Scalp	112	2,980	1,110	130	620	60	—	—	—	—	1,050
Skull	113	410	220	—	50	—	—	—	—	—	120
Multiple cranial region locations	118	160	30	—	40	—	—	—	—	—	70
Cranial region, n.e.c.	119	120	40	—	—	—	—	—	—	—	60
Ear(s)	12	1,090	250	—	420	—	—	—	—	—	390
Face	13	35,980	14,920	2,610	6,030	550	60	130	—	—	11,660
Face, unspecified	130	3,580	1,440	390	460	50	20	20	—	—	1,190
Forehead	131	2,530	1,120	290	310	50	—	—	—	—	750
Eye(s)	132	21,370	8,650	1,310	3,830	340	30	90	—	—	7,130
Nose, nasal cavity	133	2,320	1,190	130	270	—	—	—	—	—	720
Nose, except internal location of diseases or disorders	1330	2,310	1,180	120	270	—	—	—	—	—	710
Cheek(s)	134	410	160	50	60	—	—	—	—	—	130
Jaw, chin	135	1,120	460	40	120	—	—	—	—	—	490
Mouth	136	2,370	960	140	660	—	—	—	—	—	570
Mouth, unspecified	1360	200	60	—	20	—	—	—	—	—	100
Lip(s)	1361	500	180	50	120	—	—	—	—	—	150
Tongue	1362	20	—	—	—	—	—	—	—	—	—
Tooth (teeth)	1363	1,140	660	70	140	—	—	—	—	—	250
Multiple mouth locations	1368	460	20	20	370	—	—	—	—	—	40
Mouth, n.e.c.	1369	50	30	—	—	—	—	—	—	—	20
Multiple face locations	138	1,930	820	260	230	30	—	—	—	—	590
Face, n.e.c.	139	360	120	—	100	20	—	—	—	—	100
Multiple head locations	18	780	380	40	80	30	—	—	—	—	250
Head, n.e.c.	19	180	80	30	—	—	—	—	—	—	60
Neck, including throat	2	12,380	4,880	1,300	960	180	40	80	—	—	4,950
Neck, except internal location of diseases or disorders ...	20	12,280	4,810	1,280	960	180	40	80	—	—	4,940
Internal neck location, unspecified	21	90	70	—	—	—	—	—	—	—	—
Trunk	3	235,260	91,700	17,990	32,210	3,260	710	820	170	300	88,130
Trunk, unspecified	30	1,530	500	110	580	—	20	—	—	—	290
Chest, including ribs, internal organs	31	14,470	6,380	660	1,930	270	50	20	—	—	5,160
Chest, except internal location of diseases or disorders	310	13,500	5,870	640	1,850	260	50	—	—	—	4,800
Internal chest location, unspecified	311	100	50	—	—	—	—	—	—	—	40
Heart	313	420	220	—	40	—	—	—	—	—	150
Lung(s), pleura	315	440	240	20	30	—	—	—	—	—	150
Back, including spine, spinal cord	32	178,190	67,180	15,080	24,000	2,660	540	580	60	280	67,810

See footnotes at end of table.

TABLE R51. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and race or ethnic origin of worker, private industry, 2012² — Continued

Part of body	Part of body code ³	Private industry ⁴	Race or ethnic origin ⁵								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported
Back, including spine, spinal cord, unspecified	320	71,730	27,620	6,760	10,310	1,160	150	240	20	210	25,260
Thoracic region	321	7,830	2,980	570	590	60	60	20	—	—	3,540
Lumbar region	322	91,300	33,570	7,050	12,200	1,290	300	300	40	70	36,490
Sacral region	323	440	190	50	30	—	—	—	—	—	160
Coccygeal region	324	1,390	780	100	170	20	—	—	—	—	310
Multiple back regions	328	5,220	1,890	530	680	130	—	—	—	—	1,970
Back, including spine, spinal cord, n.e.c.	329	280	160	30	20	—	—	—	—	—	70
Abdomen	33	20,510	8,640	770	3,000	100	90	40	—	—	7,860
Abdomen, except internal location of diseases or disorders	330	19,560	8,240	740	2,900	100	90	40	—	—	7,450
Internal abdominal location, unspecified	331	440	190	20	50	—	—	—	—	—	180
Stomach organ	332	70	50	—	—	—	—	—	—	—	—
Intestines, peritoneum	335	300	160	—	40	—	—	—	—	—	100
Intestines, peritoneum, unspecified	3350	120	80	—	—	—	—	—	—	—	30
Peritoneum	3351	50	50	—	—	—	—	—	—	—	—
Large intestine, colon, rectum	3353	40	20	—	—	—	—	—	—	—	—
Intestines, peritoneum, n.e.c.	3359	70	—	—	—	—	—	—	—	—	60
Pelvic region	34	16,060	6,910	1,060	2,170	150	20	170	—	—	5,580
Pelvic region, unspecified	340	120	50	—	20	—	—	—	—	—	40
Hip(s)	341	7,210	2,960	450	890	60	—	20	—	—	2,830
Pelvis	342	790	470	60	40	—	—	—	—	—	210
Buttock(s)	343	1,340	740	110	190	30	—	—	—	—	270
Groin	344	6,040	2,380	420	980	50	—	140	—	—	2,050
External reproductive tract structures	345	210	120	—	30	—	—	—	—	—	60
External reproductive tract structures, unspecified ..	3450	20	—	—	—	—	—	—	—	—	20
Scrotum	3451	160	110	—	20	—	—	—	—	—	20
Internal reproductive tract structures	346	60	40	—	—	—	—	—	—	—	—
Testis (testes)	3462	40	—	—	—	—	—	—	—	—	—
Uterus	3464	20	20	—	—	—	—	—	—	—	—
Multiple pelvic region locations	348	230	110	—	—	—	—	—	—	—	100
Pelvic region, n.e.c.	349	50	30	—	—	—	—	—	—	—	—
Multiple trunk locations	38	4,350	2,050	290	500	70	—	—	—	—	1,350
Trunk, n.e.c.	39	150	40	20	20	—	—	—	—	—	80
Upper extremities	4	289,940	119,420	20,410	40,590	4,850	960	1,560	140	280	101,720
Upper extremities, unspecified	40	460	110	30	80	—	—	—	—	—	240
Shoulder(s), including clavicle(s), scapula(e)	41	69,020	29,650	4,910	7,110	840	310	560	30	50	25,550
Arm(s)	42	42,200	17,300	2,870	5,340	580	130	230	20	—	15,730
Arm(s), unspecified	420	13,740	5,330	1,040	2,390	210	70	110	—	—	4,590
Upper arm(s)	421	5,620	3,070	230	340	30	—	20	—	—	1,920
Elbow(s)	422	13,170	5,340	680	1,450	210	30	70	—	—	5,360
Forearm(s)	423	7,060	2,730	510	800	60	20	20	—	—	2,910
Multiple arm locations	428	1,910	670	370	300	60	—	—	—	—	500
Multiple arm locations, unspecified	4280	250	110	20	—	—	—	—	—	—	100
Elbow(s) and arm(s)	4281	790	320	90	180	20	—	—	—	—	180
Multiple arm locations, n.e.c.	4289	870	250	270	100	30	—	—	—	—	210

See footnotes at end of table.

TABLE R51. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and race or ethnic origin of worker, private industry, 2012² — Continued

Part of body	Part of body code ³	Private industry ⁴	Race or ethnic origin ⁵									
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported	
Arm(s), n.e.c.	429	700	150	30	60	—	—	—	—	—	—	450
Wrist(s)	43	38,600	15,850	2,460	4,280	970	130	150	—	60	14,680	
Hand(s)	44	123,560	50,130	8,580	21,510	2,230	340	590	60	140	39,970	
Hand(s), unspecified	440	29,250	11,050	1,890	4,110	640	50	120	30	40	11,310	
Hand(s), except finger(s)	441	5,940	2,590	420	630	40	50	—	—	—	2,190	
Finger(s), fingernail(s)	442	81,890	33,640	5,890	15,430	1,470	230	430	30	90	24,680	
Finger(s), fingernail(s), unspecified	4420	58,660	23,750	4,640	11,450	1,030	130	290	—	70	17,300	
Fingernail(s), nailbed(s)	4421	1,590	660	70	300	40	—	—	—	—	530	
Fingertip(s)	4422	7,390	3,770	450	1,120	150	20	40	—	—	1,830	
Finger(s), fingernail(s), n.e.c.	4429	14,240	5,470	730	2,560	250	80	100	—	20	5,020	
Hand(s) and finger(s)	448	3,660	1,570	240	710	20	—	20	—	—	1,080	
Hand(s), n.e.c.	449	2,810	1,280	130	640	50	—	—	—	—	700	
Multiple upper extremities locations	48	15,970	6,300	1,560	2,240	220	60	30	20	—	5,530	
Multiple upper extremities locations, unspecified	480	600	230	50	40	20	—	—	—	—	240	
Hand(s) and arms(s)	481	1,640	790	80	260	40	—	—	—	—	460	
Hand(s) and arm(s), unspecified	4810	700	200	60	130	30	—	—	—	—	290	
Hand(s) and elbow(s)	4811	110	40	—	—	—	—	—	—	—	50	
Hand(s) and arm(s), n.e.c.	4819	840	550	20	120	20	—	—	—	—	120	
Hand(s) and wrist(s)	482	3,130	800	590	520	50	20	—	—	—	1,130	
Wrist(s) and arm(s)	483	2,070	1,100	150	220	—	—	—	—	—	580	
Wrist(s) and arm(s), unspecified	4830	1,030	600	70	140	—	—	—	—	—	220	
Wrist(s) and elbow(s)	4831	460	220	30	40	—	—	—	—	—	160	
Wrist(s) and arm(s), n.e.c.	4839	580	280	50	40	—	—	—	—	—	200	
Shoulder(s) and arm(s)	484	5,180	2,100	410	700	70	—	—	—	—	1,880	
Multiple upper extremities locations, n.e.c.	489	3,360	1,270	260	510	40	20	—	—	—	1,250	
Upper extremities, n.e.c.	49	130	80	—	—	—	—	—	—	—	30	
Lower extremities	5	204,220	81,410	16,500	25,540	2,160	730	990	380	450	76,070	
Lower extremities, unspecified	50	470	80	50	80	—	—	—	—	—	260	
Leg(s)	51	107,900	45,390	8,750	12,900	1,110	400	470	30	380	38,470	
Leg(s), unspecified	510	12,070	5,100	930	1,510	70	20	60	—	300	4,060	
Thigh(s)	511	4,930	2,090	450	680	60	—	20	—	—	1,610	
Knee(s)	512	78,360	33,600	6,210	8,740	830	290	370	—	70	28,260	
Lower leg(s)	513	8,760	3,220	780	1,180	110	70	20	—	20	3,350	
Multiple leg locations	518	2,940	1,130	340	500	30	—	—	—	—	930	
Multiple leg locations, unspecified	5180	430	50	190	90	—	—	—	—	—	100	
Knee(s) and leg(s)	5181	1,830	790	120	270	30	—	—	—	—	620	
Multiple leg locations, n.e.c.	5189	670	300	30	140	—	—	—	—	—	200	
Leg(s), n.e.c.	519	840	240	40	300	—	—	—	—	—	250	
Ankle(s)	52	44,860	16,320	3,390	5,650	520	150	240	340	40	18,200	
Foot (feet)	53	42,920	16,580	3,480	5,930	440	110	250	—	20	16,110	
Foot (feet), unspecified	530	27,950	10,990	2,540	3,240	280	80	210	—	—	10,610	
Sole(s)	531	2,420	820	120	350	20	—	—	—	20	1,080	
Sole(s), unspecified	5310	260	70	—	40	—	—	—	—	—	140	
Ball(s) of the foot	5311	20	20	—	—	—	—	—	—	—	—	
Arch(es), instep(s)	5312	130	30	—	—	—	—	—	—	—	80	

See footnotes at end of table.

TABLE R51. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and race or ethnic origin of worker, private industry, 2012² — Continued

Part of body	Part of body code ³	Private industry ⁴	Race or ethnic origin ⁵									
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported	
Heel(s)	5313	1,950	660	100	310	20	—	—	—	—	—	850
Sole(s), n.e.c.	5319	60	50	—	—	—	—	—	—	—	—	—
Toes(s), toenail(s)	532	9,870	3,350	690	2,130	120	—	—	20	—	—	3,560
Multiple foot (feet) locations	538	550	260	50	50	—	—	—	—	—	—	190
Foot (feet), n.e.c.	539	2,120	1,160	90	170	—	—	—	—	—	—	670
Multiple lower extremities locations	58	8,050	3,030	830	970	90	70	30	—	—	—	3,020
Multiple lower extremities locations, unspecified	580	270	80	20	—	—	—	—	—	—	—	150
Foot (feet) and leg(s)	581	1,240	570	60	150	—	—	—	—	—	—	450
Foot(feet) and leg(s), unspecified	5810	220	60	—	30	—	—	—	—	—	—	120
Foot(feet) and knee(s)	5811	670	460	30	60	—	—	—	—	—	—	120
Foot(feet) and leg(s), n.e.c.	5819	350	60	20	60	—	—	—	—	—	—	220
Foot (feet) and ankle(s)	582	2,690	750	210	500	20	—	—	—	—	—	1,190
Ankle(s) and leg(s)	583	2,620	1,240	180	250	30	60	20	—	—	—	840
Ankle(s) and leg(s), unspecified	5830	320	60	50	50	20	—	—	—	—	—	100
Ankle(s) and knee(s)	5831	1,840	960	100	160	—	—	20	—	—	—	580
Ankle(s) and leg(s), n.e.c.	5839	450	220	30	30	—	—	—	—	—	—	150
Multiple lower extremities locations, n.e.c.	589	1,240	390	370	70	20	—	—	—	—	—	390
Lower extremities, n.e.c.	59	20	—	—	—	—	—	—	—	—	—	—
Body systems	6	17,770	6,290	1,630	1,480	610	40	200	—	20	—	7,510
Multiple body parts	8	83,900	33,740	8,310	10,940	1,310	230	310	80	30	—	28,950
Multiple body parts, unspecified	80	7,410	2,060	530	1,260	160	20	—	60	—	—	3,310
Head and neck	81	2,360	1,210	130	280	70	—	—	—	—	—	670
Head, neck, and trunk	82	740	370	60	40	—	—	—	—	—	—	260
Head and trunk	83	980	560	20	110	—	—	—	—	—	—	280
Neck and back	84	6,930	2,720	790	940	80	—	20	—	—	—	2,370
Shoulder(s) and back	85	3,890	1,060	410	560	150	—	20	—	—	—	1,690
Hip(s) and leg(s)	86	1,440	500	290	100	—	—	—	—	—	—	550
Upper and lower limb(s)	87	6,430	2,730	600	880	70	30	40	—	—	—	2,080
Other multiple body parts	89	53,720	22,540	5,490	6,780	750	170	220	20	20	—	17,740
Whole body	891	810	460	40	60	—	—	—	—	—	—	240
Multiple body parts, n.e.c.	899	52,910	22,080	5,450	6,720	740	170	220	20	20	—	17,500
Nonclassifiable	9999	8,360	2,480	510	1,310	140	20	30	—	—	—	3,860

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2012. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

⁵ Race and ethnicity data do not add to total. Some cases may be counted as both Multi-race and Hispanic and other race.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.