

TABLE R53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, private industry, 2012²

Part of body	Part of body code ³	Private industry ⁴	Summary occupational groups ⁵					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Total		918,720	28,430	7,490	22,030	50,780	224,260	58,980
Head	1	66,880	2,010	560	2,150	2,860	15,340	5,260
Head, unspecified	10	14,870	400	100	510	540	3,860	2,050
Cranial region, including skull	11	13,980	680	250	720	860	3,240	1,410
Cranial region, unspecified	110	380	–	–	–	–	100	20
Brain	111	9,940	560	70	600	670	2,230	1,180
Scalp	112	2,980	100	180	90	170	710	190
Skull	113	410	–	–	–	–	100	20
Multiple cranial region locations	118	160	–	–	20	–	70	–
Cranial region, n.e.c.	119	120	–	–	–	–	40	–
Ear(s)	12	1,090	–	–	60	–	460	40
Face	13	35,980	890	200	840	1,410	7,600	1,670
Face, unspecified	130	3,580	130	50	150	220	1,000	130
Forehead	131	2,530	120	–	80	130	400	330
Eye(s)	132	21,370	330	100	150	560	3,710	810
Nose, nasal cavity	133	2,320	130	–	260	110	540	150
Nose, except internal location of diseases or disorders	1330	2,310	130	–	260	100	540	150
Cheek(s)	134	410	–	–	–	20	100	–
Jaw, chin	135	1,120	20	–	40	110	380	90
Mouth	136	2,370	80	–	40	70	790	70
Mouth, unspecified	1360	200	–	–	–	40	30	20
Lip(s)	1361	500	30	–	–	20	220	20
Tongue	1362	20	–	–	–	–	–	–
Tooth (teeth)	1363	1,140	60	–	20	–	180	30
Multiple mouth locations	1368	460	–	–	–	–	340	–
Mouth, n.e.c.	1369	50	–	–	–	–	–	–
Multiple face locations	138	1,930	60	–	70	150	610	60
Face, n.e.c.	139	360	–	–	60	30	60	–
Multiple head locations	18	780	20	–	30	40	150	80
Head, n.e.c.	19	180	–	–	–	–	40	–
Neck, including throat	2	12,380	740	70	500	1,150	2,570	1,000
Neck, except internal location of diseases or disorders	20	12,280	740	70	500	1,150	2,540	990
Internal neck location, unspecified	21	90	–	–	–	–	20	–
Trunk	3	235,260	5,870	1,750	4,040	16,390	60,570	16,260
Trunk, unspecified	30	1,530	80	–	50	30	230	30
Chest, including ribs, internal organs	31	14,470	400	60	340	590	3,200	920
Chest, except internal location of diseases or disorders	310	13,500	360	50	280	570	3,050	830

See footnotes at end of table.

TABLE R53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, private industry, 2012² — Continued

Part of body	Summary occupational groups ⁵					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Total	65,730	14,820	70,300	85,330	110,130	177,640
Head	4,230	1,990	5,390	6,940	9,330	10,610
Head, unspecified	1,600	170	660	1,390	1,100	2,430
Cranial region, including skull	1,160	150	650	1,330	1,060	2,460
Cranial region, unspecified	—	—	30	—	70	100
Brain	890	50	400	880	740	1,690
Scalp	190	50	180	380	220	530
Skull	40	—	50	40	20	100
Multiple cranial region locations	—	40	—	—	—	—
Cranial region, n.e.c.	30	—	—	—	—	20
Ear(s)	20	—	70	50	90	280
Face	1,400	1,640	3,920	4,110	6,930	5,240
Face, unspecified	150	50	370	180	480	660
Forehead	150	70	90	200	290	660
Eye(s)	740	1,190	3,010	2,990	5,060	2,620
Nose, nasal cavity	150	70	50	240	170	430
Nose, except internal location of diseases or disorders	150	70	50	230	170	430
Cheek(s)	—	50	50	—	60	80
Jaw, chin	20	50	140	80	100	80
Mouth	50	100	120	240	520	260
Mouth, unspecified	—	—	—	40	—	20
Lip(s)	—	—	30	30	60	40
Tongue	—	—	—	—	—	—
Tooth (teeth)	20	20	80	160	430	140
Multiple mouth locations	—	—	—	—	20	30
Mouth, n.e.c.	—	—	—	—	—	—
Multiple face locations	110	40	60	130	210	400
Face, n.e.c.	—	20	30	50	40	40
Multiple head locations	30	30	90	50	80	180
Head, n.e.c.	30	—	—	—	60	20
Neck, including throat	740	240	580	1,040	1,040	2,710
Neck, except internal location of diseases or disorders	740	240	570	1,040	990	2,710
Internal neck location, unspecified	—	—	—	—	50	—
Trunk	16,320	3,190	16,630	20,890	22,800	50,170
Trunk, unspecified	100	60	420	270	110	150
Chest, including ribs, internal organs	720	350	1,770	1,550	1,120	3,430
Chest, except internal location of diseases or disorders	670	350	1,580	1,430	1,020	3,280

See footnotes at end of table.

TABLE R53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, private industry, 2012² — Continued

Part of body	Part of body code ³	Private industry ⁴	Summary occupational groups ⁵					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Internal chest location, unspecified	311	100	—	—	—	—	30	30
Heart	313	420	—	—	50	—	40	30
Lung(s), pleura	315	440	20	—	—	—	80	20
Back, including spine, spinal cord ..	32	178,190	4,010	1,120	3,000	14,130	47,890	12,760
Back, including spine, spinal cord, unspecified	320	71,730	1,780	430	1,320	5,170	19,250	5,650
Thoracic region	321	7,830	60	20	140	730	2,010	780
Lumbar region	322	91,300	1,990	610	1,290	7,480	24,150	5,910
Sacral region	323	440	—	—	—	70	190	—
Coccygeal region	324	1,390	40	—	40	50	390	100
Multiple back regions	328	5,220	110	40	160	620	1,860	280
Back, including spine, spinal cord, n.e.c.	329	280	20	—	50	—	50	30
Abdomen	33	20,510	340	290	250	520	3,980	1,230
Abdomen, except internal location of diseases or disorders	330	19,560	330	280	170	480	3,860	1,200
Internal abdominal location, unspecified	331	440	—	—	—	—	30	—
Stomach organ	332	70	—	—	—	—	20	—
Intestines, peritoneum	335	300	—	—	70	40	60	—
Intestines, peritoneum, unspecified	3350	120	—	—	—	20	30	—
Peritoneum	3351	50	—	—	—	—	—	—
Large intestine, colon, rectum	3353	40	—	—	—	—	30	—
Intestines, peritoneum, n.e.c.	3359	70	—	—	60	—	—	—
Pelvic region	34	16,060	890	260	240	710	3,800	1,020
Pelvic region, unspecified	340	120	—	—	—	—	30	—
Hip(s)	341	7,210	610	120	100	400	1,880	690
Pelvis	342	790	170	40	—	50	50	30
Buttock(s)	343	1,340	20	20	—	130	590	100
Groin	344	6,040	70	80	110	110	1,140	200
External reproductive tract structures	345	210	—	—	—	—	40	—
External reproductive tract structures, unspecified	3450	20	—	—	—	—	—	—
Scrotum	3451	160	—	—	—	—	30	—
Internal reproductive tract structures	346	60	—	—	—	—	30	—
Testis (testes)	3462	40	—	—	—	—	—	—
Uterus	3464	20	—	—	—	—	—	—
Multiple pelvic region locations ..	348	230	—	—	—	—	20	—
Pelvic region, n.e.c.	349	50	—	—	—	—	—	—

See footnotes at end of table.

TABLE R53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, private industry, 2012² — Continued

Part of body	Summary occupational groups ⁵					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Internal chest location, unspecified	—	—	—	—	—	—
Heart	—	—	140	80	—	40
Lung(s), pleura	30	—	40	40	70	100
Back, including spine, spinal cord ..	13,120	2,080	11,290	15,180	16,640	36,700
Back, including spine, spinal cord, unspecified	4,740	940	6,000	6,820	6,680	12,740
Thoracic region	680	80	170	470	850	1,820
Lumbar region	7,000	970	4,840	7,550	8,480	20,950
Sacral region	30	—	—	30	20	60
Coccygeal region	380	—	—	50	120	190
Multiple back regions	260	70	260	230	460	870
Back, including spine, spinal cord, n.e.c.	30	—	—	—	20	60
Abdomen	1,120	310	1,810	2,330	3,140	5,170
Abdomen, except internal location of diseases or disorders	1,020	290	1,760	2,170	3,000	4,960
Internal abdominal location, unspecified	80	—	30	40	100	110
Stomach organ	—	—	—	—	—	—
Intestines, peritoneum	—	—	—	—	20	80
Intestines, peritoneum, unspecified	—	—	—	—	—	40
Peritoneum	—	—	—	—	—	50
Large intestine, colon, rectum	—	—	—	—	—	—
Intestines, peritoneum, n.e.c.	—	—	—	—	—	—
Pelvic region	1,100	280	1,130	1,350	1,500	3,750
Pelvic region, unspecified	—	—	—	—	—	30
Hip(s)	520	60	220	290	440	1,870
Pelvis	40	60	190	30	60	60
Buttock(s)	90	—	220	30	60	60
Groin	430	130	440	870	840	1,620
External reproductive tract structures	—	20	—	30	80	30
External reproductive tract structures, unspecified	—	—	—	—	—	—
Scrotum	—	—	—	30	70	—
Internal reproductive tract structures	—	—	20	—	—	—
Testis (testes)	—	—	—	—	—	—
Uterus	—	—	—	—	—	—
Multiple pelvic region locations ..	—	—	20	80	—	50
Pelvic region, n.e.c.	—	—	—	—	20	20

See footnotes at end of table.

TABLE R53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, private industry, 2012² — Continued

Part of body	Part of body code ³	Private industry ⁴	Summary occupational groups ⁵					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Multiple trunk locations	38	4,350	150	20	150	400	1,420	290
Trunk, n.e.c.	39	150	—	—	—	20	50	—
Upper extremities	4	289,940	6,400	2,030	5,170	12,250	73,140	13,230
Upper extremities, unspecified	40	460	20	—	—	30	150	—
Shoulder(s), including clavicle(s), scapula(e)	41	69,020	1,550	540	1,470	3,860	15,930	3,380
Arm(s)	42	42,200	960	350	1,000	1,810	9,930	2,630
Arm(s), unspecified	420	13,740	240	90	380	480	3,800	790
Upper arm(s)	421	5,620	180	50	90	340	750	490
Elbow(s)	422	13,170	310	70	320	670	3,100	660
Forearm(s)	423	7,060	100	50	60	250	1,620	580
Multiple arm locations	428	1,910	120	90	140	60	400	40
Multiple arm locations, unspecified	4280	250	—	—	—	—	50	20
Elbow(s) and arm(s)	4281	790	80	—	—	20	210	—
Multiple arm locations, n.e.c.	4289	870	30	80	130	40	150	—
Arm(s), n.e.c.	429	700	—	—	20	20	260	70
Wrist(s)	43	38,600	1,100	350	700	2,270	9,440	2,430
Hand(s)	44	123,560	1,960	600	1,220	3,390	33,510	3,950
Hand(s), unspecified	440	29,250	640	130	380	890	8,030	1,120
Hand(s), except finger(s)	441	5,940	160	20	40	80	1,380	330
Finger(s), fingernail(s)	442	81,890	1,110	390	760	2,210	22,440	2,300
Finger(s), fingernail(s), unspecified	4420	58,660	810	190	480	1,480	16,100	1,640
Fingernail(s), nailbed(s)	4421	1,590	—	80	20	30	520	40
Fingertip(s)	4422	7,390	90	40	90	80	1,870	150
Finger(s), fingernail(s), n.e.c.	4429	14,240	200	90	170	610	3,940	480
Hand(s) and finger(s)	448	3,660	50	30	20	120	1,050	130
Hand(s), n.e.c.	449	2,810	—	20	20	100	620	70
Multiple upper extremities locations	48	15,970	820	200	770	880	4,130	820
Multiple upper extremities locations, unspecified	480	600	30	20	—	20	130	60
Hand(s) and arms(s)	481	1,640	20	—	20	60	480	70
Hand(s) and arm(s), unspecified	4810	700	—	—	—	30	290	60
Hand(s) and elbow(s)	4811	110	—	—	—	—	30	—
Hand(s) and arm(s), n.e.c.	4819	840	—	—	—	20	150	—
Hand(s) and wrist(s)	482	3,130	80	130	280	160	880	210
Wrist(s) and arm(s)	483	2,070	430	—	140	90	370	70
Wrist(s) and arm(s), unspecified	4830	1,030	410	—	130	20	90	—
Wrist(s) and elbow(s)	4831	460	—	—	—	40	100	20
Wrist(s) and arm(s), n.e.c.	4839	580	—	—	—	30	180	50

See footnotes at end of table.

TABLE R53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, private industry, 2012² — Continued

Part of body	Summary occupational groups ⁵					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Multiple trunk locations	150	100	210	210	280	960
Trunk, n.e.c.	—	—	—	—	—	20
Upper extremities	20,550	3,980	22,660	29,630	50,360	49,950
Upper extremities, unspecified	30	—	—	20	90	100
Shoulder(s), including clavicle(s), scapula(e)	4,900	760	5,300	6,910	8,020	16,300
Arm(s)	3,010	540	3,190	4,620	5,790	8,320
Arm(s), unspecified	790	290	1,390	1,400	1,640	2,450
Upper arm(s)	370	—	330	870	790	1,340
Elbow(s)	1,300	150	890	1,270	1,760	2,650
Forearm(s)	430	80	430	810	1,250	1,390
Multiple arm locations	90	20	100	210	290	360
Multiple arm locations, unspecified	20	—	—	40	50	60
Elbow(s) and arm(s)	60	—	30	40	180	140
Multiple arm locations, n.e.c.	—	—	70	120	70	160
Arm(s), n.e.c.	30	—	40	70	60	140
Wrist(s)	4,870	330	1,880	2,690	6,090	6,400
Hand(s)	6,620	2,200	11,710	14,040	27,920	16,090
Hand(s), unspecified	1,570	600	2,590	3,990	5,170	4,070
Hand(s), except finger(s)	530	70	670	630	1,160	860
Finger(s), fingernail(s)	4,250	1,450	7,960	8,350	19,910	10,480
Finger(s), fingernail(s), unspecified	3,370	1,030	5,550	5,750	14,040	7,950
Fingernail(s), nailbed(s)	30	—	140	140	390	180
Fingertip(s)	200	60	680	1,130	2,080	920
Finger(s), fingernail(s), n.e.c.	650	340	1,580	1,330	3,400	1,440
Hand(s) and finger(s)	140	—	210	540	1,040	330
Hand(s), n.e.c.	130	50	280	530	630	350
Multiple upper extremities locations	1,120	140	560	1,350	2,440	2,720
Multiple upper extremities locations, unspecified	30	—	30	20	40	210
Hand(s) and arms(s)	80	—	40	110	280	480
Hand(s) and arm(s), unspecified	50	—	30	20	110	80
Hand(s) and elbow(s)	—	—	—	—	20	—
Hand(s) and arm(s), n.e.c.	20	—	—	80	150	390
Hand(s) and wrist(s)	330	20	70	150	540	280
Wrist(s) and arm(s)	130	20	40	120	280	370
Wrist(s) and arm(s), unspecified	50	—	—	70	150	80
Wrist(s) and elbow(s)	20	—	20	30	60	150
Wrist(s) and arm(s), n.e.c.	60	—	—	20	70	140

See footnotes at end of table.

TABLE R53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, private industry, 2012² — Continued

Part of body	Part of body code ³	Private industry ⁴	Summary occupational groups ⁵					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Shoulder(s) and arm(s)	484	5,180	160	—	150	270	1,230	260
Multiple upper extremities locations, n.e.c.	489	3,360	90	30	170	290	1,060	140
Upper extremities, n.e.c.	49	130	—	—	—	—	50	—
Lower extremities	5	204,220	7,980	1,950	6,690	9,030	45,540	15,190
Lower extremities, unspecified	50	470	90	—	—	20	140	20
Leg(s)	51	107,900	4,220	1,330	3,430	5,050	24,190	7,750
Leg(s), unspecified	510	12,070	300	70	230	270	2,700	740
Thigh(s)	511	4,930	760	250	270	160	620	160
Knee(s)	512	78,360	2,490	830	2,560	4,290	18,350	6,140
Lower leg(s)	513	8,760	240	150	230	210	1,740	490
Multiple leg locations	518	2,940	380	20	120	110	540	170
Multiple leg locations, unspecified	5180	430	—	—	—	—	90	—
Knee(s) and leg(s)	5181	1,830	340	—	70	70	300	100
Multiple leg locations, n.e.c.	5189	670	30	—	50	30	160	60
Leg(s), n.e.c.	519	840	50	—	20	20	250	50
Ankle(s)	52	44,860	1,870	380	1,800	2,250	10,690	3,370
Foot (feet)	53	42,920	1,630	160	1,190	1,320	8,530	3,740
Foot (feet), unspecified	530	27,950	1,260	100	820	930	5,860	2,060
Sole(s)	531	2,420	80	—	60	60	170	160
Sole(s), unspecified	5310	260	—	—	—	—	20	20
Ball(s) of the foot	5311	20	—	—	—	—	—	—
Arch(es), instep(s)	5312	130	—	—	20	—	—	—
Heel(s)	5313	1,950	30	—	30	40	140	120
Sole(s), n.e.c.	5319	60	—	—	—	—	—	—
Toes(s), toenail(s)	532	9,870	210	50	160	230	1,870	1,380
Multiple foot (feet) locations	538	550	20	—	60	—	100	40
Foot (feet), n.e.c.	539	2,120	60	—	90	90	530	110
Multiple lower extremities locations	58	8,050	170	70	260	390	1,970	320
Multiple lower extremities locations, unspecified	580	270	—	—	—	50	30	—
Foot (feet) and leg(s)	581	1,240	20	—	40	30	170	20
Foot(feet) and leg(s), unspecified	5810	220	—	—	—	—	50	—
Foot(feet) and knee(s)	5811	670	—	—	20	—	60	20
Foot(feet) and leg(s), n.e.c.	5819	350	—	—	—	—	60	—
Foot (feet) and ankle(s)	582	2,690	40	—	60	130	750	70
Ankle(s) and leg(s)	583	2,620	80	20	70	120	750	130
Ankle(s) and leg(s), unspecified	5830	320	—	—	20	—	100	40
Ankle(s) and knee(s)	5831	1,840	60	20	40	100	520	80
Ankle(s) and leg(s), n.e.c.	5839	450	—	—	—	20	140	—

See footnotes at end of table.

TABLE R53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, private industry, 2012² — Continued

Part of body	Summary occupational groups ⁵					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Shoulder(s) and arm(s)	330	20	260	740	840	910
Multiple upper extremities locations, n.e.c.	230	80	130	220	450	470
Upper extremities, n.e.c.	—	—	—	—	—	30
Lower extremities	15,670	3,970	18,240	18,310	18,290	42,910
Lower extremities, unspecified	—	—	20	—	20	120
Leg(s)	7,710	2,250	9,540	10,650	9,930	21,570
Leg(s), unspecified	910	490	1,300	770	960	3,320
Thigh(s)	290	50	530	380	750	690
Knee(s)	5,570	1,340	6,560	8,240	6,950	14,830
Lower leg(s)	580	260	960	960	960	1,970
Multiple leg locations	320	100	150	200	230	610
Multiple leg locations, unspecified	190	60	—	—	—	50
Knee(s) and leg(s)	80	30	100	160	100	460
Multiple leg locations, n.e.c. ...	40	—	50	20	120	100
Leg(s), n.e.c.	30	20	40	110	70	160
Ankle(s)	3,850	860	3,940	3,740	2,870	9,150
Foot (feet)	3,450	740	4,260	3,220	4,910	9,710
Foot (feet), unspecified	2,250	430	2,940	1,950	3,030	6,260
Sole(s)	170	40	670	110	190	710
Sole(s), unspecified	—	30	20	—	50	90
Ball(s) of the foot	—	—	—	—	—	—
Arch(es), instep(s)	20	—	—	20	—	30
Heel(s)	130	—	650	90	130	580
Sole(s), n.e.c.	—	—	—	—	—	—
Toes(s), toenail(s)	860	250	560	970	1,120	2,200
Multiple foot (feet) locations	30	—	20	40	70	160
Foot (feet), n.e.c.	140	20	70	150	500	380
Multiple lower extremities locations	660	120	470	690	560	2,360
Multiple lower extremities locations, unspecified	20	—	100	—	20	30
Foot (feet) and leg(s)	60	—	80	80	100	630
Foot(feet) and leg(s), unspecified	—	—	—	—	50	60
Foot(feet) and knee(s)	50	—	60	60	30	330
Foot(feet) and leg(s), n.e.c. ...	—	—	—	20	20	240
Foot (feet) and ankle(s)	320	40	170	370	200	520
Ankle(s) and leg(s)	220	50	110	120	180	760
Ankle(s) and leg(s), unspecified	20	—	—	—	20	90
Ankle(s) and knee(s)	120	40	70	90	100	600
Ankle(s) and leg(s), n.e.c.	80	—	30	—	70	70

See footnotes at end of table.

TABLE R53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, private industry, 2012² — Continued

Part of body	Part of body code ³	Private industry ⁴	Summary occupational groups ⁵					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Multiple lower extremities locations, n.e.c.	589	1,240	30	40	90	50	270	90
Lower extremities, n.e.c.	59	20	—	—	—	—	—	—
Body systems	6	17,770	1,450	390	550	1,400	3,650	1,540
Multiple body parts	8	83,900	3,800	720	2,710	6,850	21,610	5,890
Multiple body parts, unspecified	80	7,410	260	130	200	430	2,040	710
Head and neck	81	2,360	110	40	110	190	380	160
Head, neck, and trunk	82	740	200	—	—	30	100	40
Head and trunk	83	980	30	—	40	40	190	40
Neck and back	84	6,930	270	30	200	600	1,660	380
Shoulder(s) and back	85	3,890	40	20	70	350	1,040	380
Hip(s) and leg(s)	86	1,440	30	—	30	120	580	90
Upper and lower limb(s)	87	6,430	210	100	170	570	1,820	630
Other multiple body parts	89	53,720	2,640	390	1,870	4,520	13,810	3,460
Whole body	891	810	30	—	—	20	130	20
Multiple body parts, n.e.c.	899	52,910	2,620	380	1,870	4,500	13,680	3,440
Nonclassifiable	9999	8,360	180	—	210	840	1,830	620

See footnotes at end of table.

TABLE R53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, private industry, 2012² — Continued

Part of body	Summary occupational groups ⁵					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Multiple lower extremities locations, n.e.c.	40	20	20	110	70	420
Lower extremities, n.e.c.	—	—	—	—	—	—
Body systems	1,400	210	1,360	2,020	1,330	2,430
Multiple body parts	6,330	1,080	5,070	5,890	6,390	17,340
Multiple body parts, unspecified	610	240	340	380	400	1,550
Head and neck	100	30	90	460	120	570
Head, neck, and trunk	50	—	70	40	—	180
Head and trunk	30	30	90	60	30	380
Neck and back	380	80	300	510	610	1,900
Shoulder(s) and back	320	80	200	230	380	790
Hip(s) and leg(s)	60	20	60	30	70	340
Upper and lower limb(s)	650	50	380	420	500	920
Other multiple body parts	4,120	540	3,540	3,750	4,280	10,710
Whole body	20	—	90	80	60	350
Multiple body parts, n.e.c.	4,100	540	3,450	3,670	4,220	10,360
Nonclassifiable	500	160	380	610	580	1,520

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2012. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

⁵ *Standard Occupational Classification Manual*, 2010, Office of Management and Budget.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.