

TABLE R78. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and hours on the job before event occurred, private industry, 2012²

Nature	Nature code ³	Private industry ⁴	Hours on the job before event occurred										
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	Not reported
Total		918,720	5,030	74,670	89,350	189,830	146,970	126,040	63,810	18,330	6,550	890	197,240
Traumatic injuries and disorders	1	882,800	4,910	72,490	87,030	185,640	143,450	123,080	62,170	18,000	6,440	860	178,720
Traumatic injuries and disorders, unspecified	10	14,610	150	1,220	1,350	3,110	2,150	1,890	710	340	90	–	3,600
Traumatic injuries to bones, nerves, spinal cord	11	75,790	730	7,510	7,010	16,240	12,090	12,120	6,650	1,580	880	110	10,870
Traumatic injuries to bones, nerves, spinal cord, unspecified	110	510	–	60	20	60	240	30	–	–	–	–	80
Fractures	111	73,810	730	7,310	6,780	15,950	11,680	11,940	6,560	1,560	880	50	10,370
Traumatic injuries to spinal cord	112	80	–	–	–	20	30	20	–	–	–	–	–
Traumatic injuries to spinal cord, n.e.c.	1129	70	–	–	–	–	20	–	–	–	–	–	–
Traumatic injuries to nerves, except the spinal cord	113	1,220	–	120	170	180	120	120	60	–	–	–	360
Traumatic injuries to nerves, except the spinal cord, unspecified	1130	110	–	–	–	40	–	–	–	–	–	–	20
Pinched nerve	1131	1,010	–	110	140	130	110	100	50	–	–	–	300
Traumatic injuries to nerves, except the spinal cord, n.e.c.	1139	90	–	–	20	–	–	–	–	–	–	–	40
Multiple traumatic injuries to bones, nerves, spinal cord	118	80	–	–	–	20	–	–	–	–	–	–	–
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	119	90	–	–	–	20	–	–	–	–	–	–	40
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	12	371,530	1,700	29,210	38,400	76,950	61,140	49,180	25,130	7,620	2,840	430	78,920
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	120	1,800	–	70	70	260	570	470	60	30	–	–	240
Dislocations	121	8,140	40	650	770	1,700	1,460	1,040	580	180	30	20	1,680
Dislocations, unspecified	1210	940	–	110	30	240	130	100	30	40	–	–	250
Herniated discs	1211	2,900	–	190	420	450	460	340	140	40	–	–	840
Dislocation of joints	1212	4,140	30	340	310	980	820	570	400	110	–	–	560
Dislocations, n.e.c.	1219	160	–	–	–	30	50	20	20	–	–	–	20
Cartilage fractures and tears	122	3,930	50	310	340	720	610	620	510	90	–	–	660
Cartilage fractures and tears, unspecified	1220	180	–	–	–	20	60	–	40	–	–	–	30
Meniscus tears	1221	3,540	50	290	320	670	470	580	470	90	–	–	590
Cartilage fractures and tears, n.e.c.	1229	200	–	–	20	30	80	30	–	–	–	–	40
Sprains, strains, tears	123	342,920	1,590	27,190	36,260	71,370	56,180	45,420	22,940	7,070	2,690	390	71,820
Sprains, strains, tears, unspecified	1230	23,610	100	1,810	2,450	5,150	3,730	2,870	1,320	320	110	40	5,720
Major tears to muscles, tendons, ligaments	1231	18,990	50	1,280	1,600	4,140	2,450	2,610	1,590	340	150	50	4,730
Sprains	1232	82,890	480	6,650	8,370	17,480	13,610	11,010	6,100	1,500	660	130	16,900
Strains	1233	211,290	920	16,860	22,850	43,430	35,090	28,250	13,640	4,800	1,660	170	43,600
Multiple sprains, strains, tears	1238	6,150	50	590	980	1,170	1,310	680	290	100	110	–	870
Hernias due to traumatic incidents	124	12,720	–	670	770	2,510	1,840	1,380	890	230	90	–	4,330
Whiplash	125	860	–	110	130	100	90	210	120	–	–	–	90

See footnotes at end of table.

TABLE R78. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and hours on the job before event occurred, private industry, 2012² — Continued

Nature	Nature code ³	Private industry ⁴	Hours on the job before event occurred										
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	Not reported
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	128	700	—	180	60	280	50	20	30	20	—	—	50
Traumatic injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	129	460	—	30	—	20	330	—	—	—	—	—	40
Open wounds	13	95,070	120	6,840	10,250	22,420	17,340	14,080	6,240	1,820	240	100	15,620
Open wounds, unspecified	130	870	—	40	90	90	110	50	80	30	—	—	360
Amputations, avulsions, enucleations	131	7,180	—	530	660	1,390	1,590	1,100	380	310	—	—	1,200
Amputations, avulsions, enucleations, unspecified	1310	300	—	20	90	70	40	20	30	—	—	—	—
Amputations	1311	5,120	—	350	410	1,070	1,160	650	290	260	—	—	910
Avulsions, enucleations	1312	1,590	—	150	140	210	340	410	50	40	—	—	240
Amputations, avulsions, enucleations, n.e.c.	1319	170	—	—	20	40	50	—	—	—	—	—	40
Cuts, lacerations	132	73,150	90	5,350	8,230	17,330	13,740	10,580	4,790	1,260	200	90	11,490
Puncture wounds, except gunshot wounds	133	13,510	—	890	1,250	3,530	1,870	2,250	960	210	20	—	2,520
Gunshot wounds	134	50	—	—	—	20	—	—	—	—	—	—	—
Multiple types of open wounds	138	180	—	—	—	40	—	60	—	—	—	—	30
Open wounds, n.e.c.	139	120	—	30	—	20	20	30	—	—	—	—	—
Surface wounds and bruises	14	85,530	750	7,380	9,170	18,310	14,710	12,710	6,460	1,590	540	50	13,850
Surface wounds and bruises, unspecified	140	380	—	20	20	60	80	30	30	—	—	—	110
Abrasions, scratches	141	8,080	50	780	820	1,540	1,650	1,090	520	130	30	—	1,470
Blisters	142	350	—	—	50	30	—	—	—	—	—	—	250
Bruises, contusions	143	75,070	660	6,430	8,140	16,430	12,750	11,130	5,810	1,380	500	50	11,780
Multiple surface wounds and bruises	148	1,180	20	140	100	190	120	370	60	60	—	—	120
Surface wounds and bruises, n.e.c. ...	149	470	—	20	40	70	110	90	30	—	—	—	120
Burns and corrosions	15	19,830	20	1,350	1,600	4,590	3,260	3,150	1,140	460	80	40	4,160
Burns and corrosions, unspecified	150	670	—	40	30	110	90	110	—	—	—	—	270
Chemical burns and corrosions	151	3,320	—	120	210	590	520	810	330	110	—	—	610
Chemical burns and corrosions, unspecified	1510	2,880	—	100	180	510	490	730	260	50	—	—	550
First degree chemical burns and corrosions	1511	110	—	—	—	20	—	30	—	—	—	—	30
Second degree chemical burns and corrosions	1512	160	—	—	—	—	30	—	50	30	—	—	—
Chemical burns and corrosions, n.e.c.	1519	160	—	—	20	50	—	30	30	—	—	—	20
Heat (thermal) burns	152	13,780	—	1,060	1,290	3,430	2,430	1,920	660	290	40	40	2,610
Heat (thermal) burns, unspecified ..	1520	9,580	—	890	820	2,330	1,680	1,280	480	180	30	40	1,840
First degree heat (thermal) burns ..	1521	800	—	—	100	150	100	120	50	—	—	—	270
Second degree heat (thermal) burns	1522	2,580	—	110	330	750	460	350	120	90	—	—	360
Third or fourth degree heat (thermal) burns	1523	400	—	30	20	100	70	130	—	—	—	—	40
Heat (thermal) burns, n.e.c.	1529	430	—	—	20	100	130	40	20	—	—	—	100
Electrical burns	153	740	—	130	40	190	110	110	—	20	—	—	130
Electrical burns, unspecified	1530	540	—	—	40	150	100	100	—	20	—	—	120

See footnotes at end of table.

TABLE R78. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and hours on the job before event occurred, private industry, 2012² — Continued

Nature	Nature code ³	Private industry ⁴	Hours on the job before event occurred											
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	Not reported	
First degree electrical burns	1531	30	—	—	—	—	—	—	—	—	—	—	—	—
Second degree electrical burns	1532	30	—	—	—	—	—	—	—	—	—	—	—	—
Third or fourth degree electrical burns	1533	50	—	—	—	20	—	—	—	—	—	—	—	—
Electrical burns, n.e.c.	1539	100	—	90	—	—	—	—	—	—	—	—	—	—
Other burns	159	1,310	—	—	30	270	100	200	110	40	—	—	—	550
Other burns, unspecified	1590	250	—	—	—	120	20	40	—	—	—	—	—	50
Other burns, first degree	1591	970	—	—	20	140	80	130	100	20	—	—	—	470
Other burns, second degree	1592	50	—	—	—	—	—	20	—	—	—	—	—	—
Other burns, n.e.c.	1599	30	—	—	—	—	—	—	—	—	—	—	—	20
Intracranial injuries	16	9,430	120	920	1,010	1,980	2,070	1,150	590	160	30	—	—	1,380
Intracranial injuries, unspecified	160	770	—	40	50	210	110	100	60	—	—	—	—	180
Cerebral and other intracranial hemorrhages	161	170	—	—	—	20	20	—	—	—	—	—	—	120
Concussions	162	8,430	100	870	960	1,720	1,940	1,040	520	150	30	—	—	1,080
Multiple types of intracranial injuries ..	168	20	—	—	—	—	—	—	—	—	—	—	—	—
Intracranial injuries, n.e.c.	169	40	—	—	—	30	—	—	—	—	—	—	—	—
Effects of environmental conditions	17	3,550	—	100	90	430	540	610	710	250	70	—	—	740
Effects of reduced temperature	171	190	—	30	—	30	20	—	—	—	—	—	—	80
Frostbite	1711	180	—	30	—	30	20	—	—	—	—	—	—	70
Effects of heat and light	172	3,240	—	70	70	380	470	590	690	250	70	—	—	650
Effects of heat and light, unspecified	1720	120	—	—	—	20	—	20	—	30	—	—	—	20
Heat stroke	1721	350	—	—	—	20	30	20	70	30	—	—	—	160
Heat syncope	1722	210	—	—	—	40	60	30	—	—	—	—	—	50
Heat fatigue	1723	150	—	—	—	30	20	20	—	—	—	—	—	60
Heat exhaustion, prostration	1725	1,840	—	30	40	200	200	470	500	110	60	—	—	230
Multiple effects of heat and light	1728	30	—	—	—	—	—	—	—	—	—	—	—	—
Effects of heat and light, n.e.c.	1729	510	—	—	—	60	140	30	100	60	—	—	—	100
Effects of air or water pressure	173	100	—	—	—	—	50	—	—	—	—	—	—	—
Aero-otitis media	1731	40	—	—	—	—	—	—	—	—	—	—	—	—
Effects of air or water pressure, n.e.c.	1739	50	—	—	—	—	50	—	—	—	—	—	—	—
Effects of environmental conditions, n.e.c.	179	20	—	—	—	—	—	—	—	—	—	—	—	—
Multiple traumatic injuries and disorders	18	28,180	360	2,400	2,550	6,590	4,550	4,470	2,630	660	470	40	—	3,450
Multiple traumatic injuries and disorders, unspecified	180	1,210	20	200	130	220	130	150	150	—	—	20	—	180
Cuts and abrasions or bruises	181	4,490	50	460	420	750	870	850	430	80	40	—	—	540
Sprains and other injuries	182	12,210	180	870	950	3,210	1,920	2,010	920	280	280	—	—	1,580
Sprains and other injuries, unspecified	1820	470	—	20	20	90	80	160	40	—	—	—	—	50
Sprains and bruises	1821	9,690	150	760	810	2,520	1,530	1,520	720	240	250	—	—	1,210
Sprains and cuts	1822	780	30	40	60	240	110	140	80	—	—	—	—	70
Sprains and other injuries, n.e.c.	1829	1,260	—	50	60	360	200	190	80	30	—	—	—	260
Fractures and other injuries	183	6,180	80	510	690	1,120	1,120	850	790	150	120	—	—	750
Fractures and other injuries, unspecified	1830	1,050	—	150	80	220	250	150	70	20	20	—	—	90

See footnotes at end of table.

TABLE R78. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and hours on the job before event occurred, private industry, 2012² — Continued

Nature	Nature code ³	Private industry ⁴	Hours on the job before event occurred										
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	Not reported
Fractures (except skull fractures) and concussions	1831	290	—	20	—	40	40	120	—	—	20	—	—
Fractures (except rib, trunk fractures) and internal injuries	1832	70	—	—	—	—	20	20	—	—	—	—	30
Fractures and burns	1833	30	—	—	—	—	—	—	—	—	—	—	—
Fractures and dislocations	1834	220	—	—	—	40	40	60	40	—	—	—	20
Fractures and other injuries, n.e.c.	1839	4,530	60	320	590	800	770	490	680	130	70	—	610
Burns and other injuries, except fractures	184	160	—	20	—	30	40	30	—	20	—	—	—
Burns and other injuries, n.e.c.	1849	120	—	20	—	30	—	30	—	20	—	—	—
Multiple traumatic injuries and disorders, n.e.c.	189	3,930	40	350	350	1,260	460	580	330	130	30	—	400
Other traumatic injuries and disorders ...	19	179,280	970	15,560	15,600	35,010	25,610	23,710	11,910	3,500	1,190	90	46,130
Other traumatic injuries and disorders, unspecified	190	190	—	20	—	40	20	20	—	—	—	—	60
Asphyxiations, strangulations, suffocations	191	680	—	—	—	90	—	50	—	510	—	—	20
Electrocutions, electric shocks	193	980	—	60	60	300	140	200	70	70	—	—	90
Internal injuries to organs and blood vessels of the trunk	194	120	—	30	30	—	—	20	—	—	—	—	20
Dermatitis and reactions affecting the skin—acute	195	2,150	—	190	100	360	230	160	70	40	20	—	970
Dermatitis and reactions affecting the skin—acute, unspecified	1950	980	—	110	40	170	110	70	40	—	—	—	430
Allergic dermatitis—acute	1951	660	—	50	30	130	50	60	—	20	—	—	290
Irritant dermatitis—acute	1952	300	—	20	20	40	20	30	20	—	—	—	150
Hives, urticaria—acute	1953	110	—	—	—	—	50	—	—	—	—	—	30
Dermatitis and reactions affecting the skin—acute, n.e.c.	1959	90	—	—	—	20	—	—	—	—	—	—	60
Other poisoning, toxic, noxious, or allergenic effects	196	6,460	90	740	390	1,460	1,170	710	500	90	40	—	1,270
Poisoning, toxic, noxious, or allergenic effect, unspecified	1960	2,040	—	350	120	660	270	240	60	—	—	—	330
Poisoning, including poisoning-related asphyxia	1961	710	—	—	20	60	310	60	30	—	—	—	200
Anaphylactic shock, anaphylaxis ...	1962	20	—	—	—	—	—	—	—	—	—	—	—
Other respiratory system symptoms—toxic, noxious, or allergenic effect	1963	1,190	—	170	120	240	170	120	90	20	—	—	240
Coughing and throat irritation—toxic, noxious, or allergenic effect	1964	150	—	—	—	40	—	20	—	—	—	—	50
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	1965	560	—	80	30	130	160	—	20	—	—	—	110
Other or unspecified allergic reactions	1966	1,060	—	70	40	220	140	150	260	—	—	—	150
Nausea, vomiting— toxic, noxious, or allergenic effect	1967	200	—	20	40	20	—	—	—	—	—	—	50

See footnotes at end of table.

TABLE R78. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and hours on the job before event occurred, private industry, 2012² — Continued

Nature	Nature code ³	Private industry ⁴	Hours on the job before event occurred										
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	Not reported
Multiple poisoning, toxic, noxious, or allergenic effects	1968	210	—	—	—	40	60	30	—	20	—	—	30
Other poisoning, toxic, noxious, or allergenic effects, n.e.c.	1969	330	60	—	—	20	30	60	30	—	—	—	110
Nonspecified injuries and disorders ...	197	167,780	870	14,430	14,940	32,590	23,880	22,500	11,220	2,780	1,130	90	43,360
Crushing injuries	1971	9,210	—	720	1,070	2,280	1,340	1,320	660	170	40	—	1,600
Soreness, pain, hurt—nonspecified injury	1972	135,140	730	11,930	12,380	25,440	19,400	17,370	8,570	2,230	1,010	80	36,010
Swelling, inflammation, irritation—nonspecified injury	1973	17,840	90	1,280	1,130	3,790	2,430	2,830	1,720	320	70	—	4,190
Numbness—nonspecified injury	1974	880	20	60	50	170	100	80	30	—	—	—	370
Multiple nonspecified injuries and disorders	1978	2,490	—	250	150	550	370	280	190	30	—	—	650
Nonspecified injuries and disorders, n.e.c.	1979	2,230	—	210	150	360	240	620	50	40	—	—	560
Other traumatic injuries and disorders, n.e.c.	199	920	—	90	80	150	150	60	30	—	—	—	340
Traumatic shock	1991	50	—	—	—	—	—	—	—	—	—	—	30
Traumatic injuries and disorders, n.e.c.	1999	870	—	80	80	150	140	50	30	—	—	—	310
Diseases and disorders of body systems	2	21,480	80	1,170	1,190	2,240	1,910	1,630	790	220	70	—	12,160
Systemic diseases and disorders, unspecified	20	30	—	—	—	—	—	—	—	—	—	—	—
Nervous system and sense organs diseases	22	9,980	20	490	440	660	610	520	320	50	30	—	6,840
Degenerative diseases of the central nervous system	222	90	—	—	—	—	—	—	—	—	—	—	60
Other disorders of the central nervous system	223	190	—	—	—	60	50	20	—	—	—	—	30
Seizure disorder, epilepsy	2231	130	—	—	—	50	40	20	—	—	—	—	—
Migraine	2232	40	—	—	—	—	—	—	—	—	—	—	20
Disorders of the peripheral nervous system	224	8,510	20	420	270	380	410	300	160	30	30	—	6,500
Disorders of the peripheral nervous system, unspecified	2240	110	—	—	—	20	—	—	—	—	—	—	80
Carpal tunnel syndrome	2241	7,590	20	380	250	320	320	290	140	30	20	—	5,830
Inflammatory and toxic neuropathy, toxic polyneuropathy	2242	20	—	—	—	—	—	—	—	—	—	—	—
Disorders of the peripheral nervous system, n.e.c.	2249	790	—	20	20	30	90	—	20	—	—	—	590
Disorders of the eye, adnexa, vision ..	225	990	—	40	150	210	140	150	130	—	—	—	150
Disorders of the eye, adnexa, vision, unspecified	2250	110	—	—	40	40	—	—	—	—	—	—	—
Conjunctivitis—non-viral	2251	570	—	30	100	110	80	60	100	—	—	—	90

See footnotes at end of table.

TABLE R78. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and hours on the job before event occurred, private industry, 2012² — Continued

Nature	Nature code ³	Private industry ⁴	Hours on the job before event occurred											
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	Not reported	
Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion)	2252	40	-	-	-	-	-	-	-	-	-	-	-	-
Blindness, low vision	2254	30	-	-	-	-	-	-	-	-	-	-	-	20
Disorders of the eye, adnexa, vision, n.e.c.	2259	210	-	-	-	60	30	50	20	-	-	-	-	30
Disorders of the ear, mastoid process, hearing	226	190	-	-	20	-	-	-	20	-	-	-	-	100
Disorders of the ear, mastoid process, hearing, unspecified	2260	20	-	-	-	-	-	-	-	-	-	-	-	-
Deafness, hearing loss and impairment	2261	110	-	-	-	-	-	-	20	-	-	-	-	50
Tinnitus	2262	50	-	-	-	-	-	-	-	-	-	-	-	-
Circulatory system diseases	23	520	-	50	60	100	110	60	40	-	-	-	-	90
Hypertensive disease	232	20	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease, including heart attack	233	270	-	20	40	40	70	50	20	-	-	-	-	30
Ischemic heart disease, unspecified	2330	30	-	-	-	30	-	-	-	-	-	-	-	-
Myocardial infarction (heart attack)	2331	240	-	20	40	-	70	40	20	-	-	-	-	30
Other forms of heart disease	235	20	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular disease	236	120	-	20	30	30	-	-	-	-	-	-	-	30
Stroke	2361	90	-	-	30	20	-	-	-	-	-	-	-	20
Transient ischemia attacks	2362	20	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of arteries, arterioles, capillaries	237	30	-	-	-	-	-	-	-	-	-	-	-	-
Aneurysm—nontraumatic	2372	30	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the veins, lymphatics	238	20	-	-	-	-	20	-	-	-	-	-	-	-
Respiratory system diseases	24	880	-	40	40	60	40	50	-	-	-	-	-	630
Respiratory system diseases, unspecified	240	90	-	-	-	-	-	20	-	-	-	-	-	60
Acute respiratory infections (including common cold)	241	60	-	-	-	-	-	-	-	-	-	-	-	20
Other diseases of upper respiratory tract	242	40	-	-	-	-	-	-	-	-	-	-	-	30
Chronic conditions of upper respiratory tract	2422	20	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia, influenza	243	470	-	-	-	-	-	-	-	-	-	-	-	450
Pneumonia	2431	20	-	-	-	-	-	-	-	-	-	-	-	-
Influenza—common	2432	370	-	-	-	-	-	-	-	-	-	-	-	360
Influenza—novel	2433	80	-	-	-	-	-	-	-	-	-	-	-	70
Chronic obstructive pulmonary disease and allied conditions	244	170	-	20	30	30	-	20	-	-	-	-	-	40
Asthma, except intrinsic	2443	100	-	20	20	-	-	20	-	-	-	-	-	20
Chronic obstructive pulmonary diseases and allied conditions, n.e.c.	2449	40	-	-	-	20	-	-	-	-	-	-	-	-
Pneumoconioses	245	30	-	-	-	-	-	-	-	-	-	-	-	30

See footnotes at end of table.

TABLE R78. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and hours on the job before event occurred, private industry, 2012² — Continued

Nature	Nature code ³	Private industry ⁴	Hours on the job before event occurred											
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	Not reported	
Coal workers pneumoconiosis	2451	20	—	—	—	—	—	—	—	—	—	—	—	20
Other respiratory system diseases	249	30	—	—	—	—	—	—	—	—	—	—	—	—
Digestive system diseases and disorders	25	670	—	30	40	160	40	140	—	—	—	—	—	240
Hernia—nontraumatic	253	650	—	30	40	160	30	140	—	—	—	—	—	230
Genitourinary system diseases and disorders	26	30	—	—	—	20	—	—	—	—	—	—	—	—
Genitourinary system diseases and disorders, n.e.c.	269	20	—	—	—	20	—	—	—	—	—	—	—	—
Musculoskeletal system and connective tissue diseases and disorders	27	7,760	60	460	520	1,090	740	680	350	110	30	—	—	3,700
Musculoskeletal system and connective tissue diseases and disorders, unspecified	270	190	—	—	—	30	—	—	—	—	—	—	—	130
Arthropathies and related disorders (arthritis)	271	140	—	—	—	30	—	20	—	—	—	—	—	70
Dorsopathies	272	550	—	40	50	150	40	30	80	—	—	—	—	140
Sciatica	2721	260	—	20	—	90	20	—	20	—	—	—	—	90
Lumbago	2722	60	—	—	—	—	—	—	30	—	—	—	—	—
Disc disorders, except dislocation ..	2723	60	—	—	—	—	—	—	—	—	—	—	—	30
Dorsopathies, n.e.c.	2729	170	—	20	20	40	20	20	30	—	—	—	—	20
Soft tissue disorders, except the back	273	6,770	60	400	460	860	670	610	260	110	20	—	—	3,310
Soft tissue disorder, except the back, unspecified	2730	300	—	—	—	40	20	20	—	—	—	—	—	190
Bursitis	2731	550	—	20	40	100	40	70	60	—	—	—	—	200
Stenosing tenosynovitis	2732	980	—	50	70	90	70	50	—	—	—	—	—	570
Other tenosynovitis, synovitis	2733	410	—	50	40	50	40	80	20	—	—	—	—	130
Epicondylitis	2734	1,130	—	90	70	70	160	70	40	—	—	—	—	620
Other or unspecified tendonitis (tendinitis)	2735	2,600	—	120	150	440	260	200	120	60	—	—	—	1,250
Ganglion or cystic tumor	2736	320	—	30	—	20	30	20	—	—	—	—	—	210
Multiple soft tissue disorders	2738	110	—	—	30	—	—	—	—	—	—	—	—	50
Soft tissue disorder, except the back, n.e.c.	2739	370	—	40	40	30	40	90	—	20	—	—	—	100
Osteopathies, chondropathies, and acquired deformities	274	90	—	—	—	—	—	—	—	—	—	—	—	60
Osteopathies, chondropathies, and acquired deformities, unspecified	2740	80	—	—	—	—	—	—	—	—	—	—	—	—
Musculoskeletal system and connective tissue diseases and disorders, n.e.c.	279	20	—	—	—	—	—	—	—	—	—	—	—	—
Disorders of the skin and subcutaneous tissue	28	1,500	—	100	80	110	360	170	60	50	—	—	—	560
Disorders of the skin and subcutaneous tissue, unspecified	280	20	—	—	—	—	—	—	—	—	—	—	—	—
Infections of the skin and subcutaneous tissue	281	1,350	—	100	60	110	350	130	50	50	—	—	—	500

See footnotes at end of table.

TABLE R78. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and hours on the job before event occurred, private industry, 2012² — Continued

Nature	Nature code ³	Private industry ⁴	Hours on the job before event occurred											Not reported
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours		
Infections of the skin and subcutaneous tissue, unspecified	2810	270	—	—	—	30	70	30	—	—	20	—	—	100
Cellulitis and abscess	2811	680	—	90	60	70	140	90	40	30	—	—	—	160
Methicillin-resistant staphylococcus aureus (MRSA) infection	2813	110	—	—	—	—	—	—	—	—	—	—	—	90
Other staphylococcus skin infection	2814	260	—	—	—	—	110	—	—	—	—	—	—	140
Infections of the skin and subcutaneous tissue, n.e.c.	2819	40	—	—	—	—	20	—	—	—	—	—	—	—
Other diseases and disorders of the skin and subcutaneous tissue	289	120	—	—	20	—	—	30	—	—	—	—	—	50
Other diseases and disorders of the skin and subcutaneous tissue, n.e.c.	2899	80	—	—	—	—	—	20	—	—	—	—	—	40
Other systemic diseases and disorders	29	100	—	—	—	—	—	—	—	—	—	—	—	90
Endocrine, nutritional, metabolic, and immunity disorders	291	100	—	—	—	—	—	—	—	—	—	—	—	80
Diseases and disorders of other endocrine glands	2912	60	—	—	—	—	—	—	—	—	—	—	—	—
Endocrine, nutritional, metabolic, and immunity disorders, n.e.c.	2919	30	—	—	—	—	—	—	—	—	—	—	—	20
Infectious and parasitic diseases	3	1,740	—	90	60	120	100	90	180	—	—	—	—	1,080
Infectious and parasitic diseases, unspecified	30	170	—	—	—	—	—	—	—	—	—	—	—	—
Bacterial diseases	31	270	—	—	20	—	—	—	—	—	—	—	—	220
Bacterial diseases, unspecified	310	80	—	—	—	—	—	—	—	—	—	—	—	80
Tuberculosis	311	30	—	—	—	—	—	—	—	—	—	—	—	20
Other bacterial diseases	319	150	—	—	20	—	—	—	—	—	—	—	—	120
Diphtheria, whooping cough	3192	90	—	—	—	—	—	—	—	—	—	—	—	70
Streptococcal sore throat and scarlatina	3193	20	—	—	—	—	—	—	—	—	—	—	—	—
Other bacterial diseases, n.e.c.	3199	40	—	—	—	—	—	—	—	—	—	—	—	30
Viral diseases	32	300	—	—	—	70	20	—	—	—	—	—	—	160
Viral diseases, unspecified	320	50	—	—	—	—	—	—	—	—	—	—	—	—
Viral diseases accompanied by exanthem (eruptive fever)	323	120	—	—	—	—	—	—	—	—	—	—	—	90
Chickenpox, varicella	3233	90	—	—	—	—	—	—	—	—	—	—	—	60
Herpes zoster, shingles	3234	20	—	—	—	—	—	—	—	—	—	—	—	20
Viral diseases of the conjunctiva	326	20	—	—	—	—	—	—	—	—	—	—	—	—
Viral conjunctivitis (ophthalmia)	3261	20	—	—	—	—	—	—	—	—	—	—	—	—
Other diseases due to viruses	329	80	—	—	—	20	—	—	—	—	—	—	—	50
Foot and mouth disease	3294	20	—	—	—	—	—	—	—	—	—	—	—	—
Other diseases due to viruses, n.e.c.	3299	60	—	—	—	—	—	—	—	—	—	—	—	30
Mycoses (fungal infections)	34	30	—	—	—	—	—	—	—	—	—	—	—	—
Dermatophytosis (including athletes foot, tinea)	341	20	—	—	—	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R78. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and hours on the job before event occurred, private industry, 2012² — Continued

Nature	Nature code ³	Private industry ⁴	Hours on the job before event occurred										
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	Not reported
Infectious diseases peculiar to the intestines	36	270	-	-	-	-	30	-	-	-	-	-	210
Infectious diseases peculiar to the intestines, unspecified	360	60	-	-	-	-	-	-	-	-	-	-	40
Typhoid and paratyphoid fevers	362	60	-	-	-	-	-	-	-	-	-	-	60
Infectious diseases peculiar to the intestines, n.e.c.	369	120	-	-	-	-	-	-	-	-	-	-	110
Other infectious and parasitic diseases	39	700	-	70	-	30	40	60	-	-	-	-	470
Other infectious and parasitic diseases, unspecified	390	20	-	-	-	-	-	-	-	-	-	-	-
Pediculosis and phthirus infestation (lice)	391	30	-	-	-	-	-	-	-	-	-	-	20
Scabies and other acariases	392	640	-	60	-	30	40	50	-	-	-	-	420
Neoplasms, tumors, and cancers	4	40	-	-	-	-	-	-	-	-	-	-	40
Malignant neoplasms and tumors (cancers, carcinomas, sarcomas)	41	20	-	-	-	-	-	-	-	-	-	-	20
Symptoms, signs, and ill-defined conditions	5	5,400	-	500	650	1,020	770	820	490	30	20	-	1,080
Symptoms, signs, and ill-defined conditions, unspecified	50	90	-	-	-	-	-	-	-	-	-	-	30
Symptoms	51	5,180	-	470	640	960	750	810	470	20	20	-	1,040
Symptoms, unspecified	510	60	-	30	-	-	-	-	-	-	-	-	-
General symptoms	511	3,410	-	310	490	680	550	320	390	20	-	-	640
General symptoms, unspecified	5110	30	-	-	-	-	-	-	-	-	-	-	20
Loss of consciousness—not heat related	5111	1,650	-	220	230	280	280	170	320	-	-	-	120
Convulsions, seizures	5112	500	-	20	50	30	110	20	-	-	-	-	260
Malaise and fatigue	5113	30	-	-	-	-	-	-	-	-	-	-	-
Dizziness—general	5114	540	-	30	120	140	80	40	40	-	-	-	80
Inflammation, swelling—general	5115	100	-	-	-	30	30	-	-	-	-	-	20
Numbness—general	5116	80	-	-	20	-	-	30	-	-	-	-	20
Multiple general symptoms	5118	380	-	-	40	140	40	50	-	-	-	-	100
General symptoms, n.e.c.	5119	100	-	-	-	40	-	20	-	-	-	-	20
Symptoms involving nervous and musculoskeletal systems	512	80	-	-	-	-	-	-	-	-	-	-	70
Earache	5122	30	-	-	-	-	-	-	-	-	-	-	-
Symptoms involving skin and other integumentary tissue	513	30	-	-	-	-	-	-	-	-	-	-	-
Symptoms involving head and neck ..	514	600	-	30	50	90	60	310	20	-	-	-	40
Headache, except migraine	5141	550	-	20	40	90	60	290	-	-	-	-	30
Symptoms involving head and neck, n.e.c.	5149	40	-	-	-	-	-	-	-	-	-	-	-
Symptoms involving cardiovascular system	515	140	-	-	-	-	-	-	-	-	-	-	120
Unspecified tachycardia (rapid heartbeat)	5151	120	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE R78. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and hours on the job before event occurred, private industry, 2012² — Continued

Nature	Nature code ³	Private industry ⁴	Hours on the job before event occurred										
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	Not reported
Symptoms involving respiratory system and chest	516	610	—	60	60	110	100	120	50	—	—	—	110
Symptoms involving respiratory system and chest, unspecified	5160	250	—	40	40	30	20	50	20	—	—	—	50
Chest pain	5164	150	—	20	—	—	40	30	20	—	—	—	—
Multiple symptoms involving respiratory system and chest	5168	20	—	—	—	—	—	—	—	—	—	—	—
Symptoms involving respiratory system and chest, n.e.c.	5169	180	—	—	—	50	30	30	—	—	—	—	40
Symptoms involving digestive and urinary system	517	140	—	—	20	50	—	20	—	—	—	—	30
Nausea and vomiting—general	5171	40	—	—	—	—	—	—	—	—	—	—	—
Abdominal pain, unspecified	5174	90	—	—	20	30	—	—	—	—	—	—	—
Multiple symptoms	518	100	—	—	—	—	—	—	—	—	—	—	20
Abnormal findings	52	80	—	30	—	30	—	—	—	—	—	—	—
Other abnormal findings	529	70	—	—	—	30	—	—	—	—	—	—	—
Symptoms, signs, and ill-defined conditions, n.e.c.	59	40	—	—	—	—	—	—	—	—	—	—	—
Other diseases, conditions, and disorders	6	2,830	—	210	230	520	310	220	70	50	—	—	1,210
Damage to prosthetic and orthopedic devices	61	50	—	30	—	—	—	—	—	—	—	—	—
Damage to orthopedic devices	612	40	—	—	—	—	—	—	—	—	—	—	—
Damage to pins, rods, plates, and screws	6122	40	—	—	—	—	—	—	—	—	—	—	—
Mental disorders and syndromes	62	2,780	—	170	230	520	300	220	70	50	—	—	1,210
Mental disorders and syndromes, unspecified	620	150	—	—	—	40	—	—	—	—	—	—	80
Anxiety, stress	621	2,610	—	170	230	480	300	210	60	50	—	—	1,110
Anxiety, stress, unspecified	6210	1,630	—	160	70	320	150	90	40	30	—	—	780
Post-traumatic stress disorder	6211	560	—	—	150	90	130	60	—	20	—	—	100
Adjustment disorder	6212	20	—	—	—	—	—	—	—	—	—	—	20
Anxiety or panic disorder	6213	130	—	—	—	20	—	20	—	—	—	—	60
Anxiety, stress, n.e.c.	6219	270	—	—	—	40	—	50	—	—	—	—	160
Exposures to disease—no illness incurred	7	280	—	20	20	40	20	20	—	20	—	—	130
Multiple diseases, conditions, and disorders	8	510	—	20	30	100	100	120	50	—	—	—	80

See footnotes at end of table.

TABLE R78. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and hours on the job before event occurred, private industry, 2012² — Continued

Nature	Nature code ³	Private industry ⁴	Hours on the job before event occurred										Not reported
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	
Nonclassifiable	9999	3,640	–	160	140	160	310	50	50	–	–	–	2,740

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2012. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.