

TABLE R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, private industry, 2013

| Part of body | Part of body code ² | Private industry ³ | Source of injury or illness ⁴ | | | | |
|--|--------------------------------|-------------------------------|--|------------|------------------------|-----------|---------------------|
| | | | Chemicals and chemical products | Containers | Furniture and fixtures | Machinery | Parts and materials |
| Total | | 917,090 | 11,580 | 107,490 | 41,090 | 50,670 | 76,130 |
| Head | 1 | 69,680 | 3,660 | 3,520 | 5,600 | 2,890 | 6,640 |
| Head, unspecified | 10 | 15,080 | 60 | 950 | 2,400 | 1,090 | 1,250 |
| Cranial region, including skull | 11 | 15,000 | — | 970 | 1,900 | 770 | 1,170 |
| Cranial region, unspecified | 110 | 250 | — | 20 | — | 20 | 20 |
| Brain | 111 | 11,880 | — | 780 | 1,420 | 640 | 800 |
| Scalp | 112 | 2,120 | — | 120 | 420 | 90 | 290 |
| Skull | 113 | 540 | — | 30 | 20 | — | 20 |
| Multiple cranial region locations | 118 | 100 | — | — | — | — | 30 |
| Cranial region, n.e.c. | 119 | 110 | — | — | 20 | — | — |
| Ear(s) | 12 | 1,330 | — | 50 | — | 30 | 370 |
| Face | 13 | 37,230 | 3,540 | 1,500 | 1,240 | 970 | 3,720 |
| Face, unspecified | 130 | 3,720 | 230 | 110 | 190 | 140 | 370 |
| Forehead | 131 | 2,790 | — | 170 | 380 | 230 | 360 |
| Eye(s) | 132 | 22,120 | 3,190 | 870 | 180 | 220 | 2,000 |
| Nose, nasal cavity | 133 | 2,190 | — | 140 | 300 | 20 | 250 |
| Nose, except internal location of diseases or disorders | 1330 | 2,180 | — | 140 | 300 | 20 | 250 |
| Cheek(s) | 134 | 570 | — | 20 | — | — | 110 |
| Jaw, chin | 135 | 1,130 | — | — | — | — | 70 |
| Mouth | 136 | 2,560 | — | 90 | 80 | 80 | 290 |
| Mouth, unspecified | 1360 | 410 | — | — | — | — | 50 |
| Lip(s) | 1361 | 720 | — | — | — | 20 | 100 |
| Tongue | 1362 | 20 | — | — | — | — | — |
| Tooth (teeth) | 1363 | 1,280 | — | 70 | 60 | 40 | 130 |
| Multiple mouth locations | 1368 | 110 | — | — | — | 20 | — |
| Multiple face locations | 138 | 1,900 | 90 | 70 | 50 | 250 | 230 |
| Face, n.e.c. | 139 | 250 | — | — | 40 | — | 40 |
| Multiple head locations | 18 | 830 | 50 | 40 | 20 | — | 70 |
| Head, n.e.c. | 19 | 210 | — | — | 30 | — | 60 |
| Neck, including throat | 2 | 13,430 | 20 | 1,410 | 810 | 560 | 720 |
| Neck, except internal location of diseases or disorders ... | 20 | 13,400 | — | 1,410 | 810 | 560 | 720 |
| Larynx | 23 | 20 | — | — | — | — | — |
| Trunk | 3 | 226,640 | 340 | 49,630 | 11,550 | 7,930 | 18,860 |
| Trunk, unspecified | 30 | 840 | — | 100 | 30 | 30 | 30 |
| Chest, including ribs, internal organs | 31 | 13,830 | 220 | 1,910 | 460 | 400 | 860 |
| Chest, except internal location of diseases or disorders | 310 | 13,000 | 40 | 1,890 | 460 | 390 | 850 |
| Internal chest location, unspecified | 311 | 100 | — | — | — | — | — |
| Heart | 313 | 210 | — | 20 | — | — | — |
| Bronchus | 314 | 70 | — | — | — | — | — |
| Lung(s), pleura | 315 | 440 | 180 | — | — | — | — |
| Back, including spine, spinal cord | 32 | 170,450 | 50 | 37,690 | 9,300 | 6,060 | 12,960 |
| Back, including spine, spinal cord, unspecified | 320 | 69,680 | 20 | 13,920 | 3,580 | 3,380 | 6,060 |

See footnotes at end of table.

TABLE R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, private industry, 2013 — Continued

| Part of body | Source of injury or illness ⁴ | | | | | | | All other sources ⁵ |
|--|--|-----------|----------|-------------------------------|---------------------------|--|---------|--------------------------------|
| | Floors, walkways, or ground surfaces | Handtools | Vehicles | Person--injured or ill worker | | Person--other than injured or ill worker | | |
| | | | | Total | Worker motion or position | Total | Patient | |
| Total | 143,460 | 42,480 | 87,480 | 143,070 | 136,200 | 68,900 | 48,250 | 124,760 |
| Head | 8,770 | 2,170 | 6,480 | 510 | 150 | 4,880 | 2,200 | 23,300 |
| Head, unspecified | 3,180 | 220 | 2,010 | 180 | 70 | 870 | 330 | 2,310 |
| Cranial region, including skull | 3,340 | 130 | 2,850 | 120 | — | 1,080 | 590 | 2,200 |
| Cranial region, unspecified | 20 | — | 60 | — | — | — | — | 90 |
| Brain | 2,850 | 70 | 2,270 | 110 | — | 1,000 | 560 | 1,610 |
| Scalp | 330 | 40 | 480 | — | — | 30 | — | 260 |
| Skull | 90 | — | 40 | — | — | — | — | 220 |
| Multiple cranial region locations | — | — | — | — | — | 20 | — | 20 |
| Cranial region, n.e.c. | 50 | — | — | — | — | — | — | — |
| Ear(s) | 90 | — | 100 | 50 | 50 | 40 | 30 | 560 |
| Face | 1,950 | 1,790 | 1,320 | 150 | 20 | 2,740 | 1,180 | 18,090 |
| Face, unspecified | 300 | 270 | 190 | — | — | 590 | 300 | 1,270 |
| Forehead | 420 | 60 | 510 | — | — | 110 | 60 | 500 |
| Eye(s) | 180 | 490 | 280 | 110 | — | 710 | 320 | 13,880 |
| Nose, nasal cavity | 300 | 150 | 50 | — | — | 400 | 190 | 520 |
| Nose, except internal location of diseases or disorders | 300 | 150 | 50 | — | — | 400 | 190 | 510 |
| Cheek(s) | 80 | 80 | 30 | — | — | 50 | 30 | 180 |
| Jaw, chin | 140 | 40 | 30 | — | — | 180 | 120 | 610 |
| Mouth | 250 | 460 | 120 | — | — | 480 | 70 | 680 |
| Mouth, unspecified | 30 | 190 | — | — | — | 30 | — | 80 |
| Lip(s) | 20 | 40 | 30 | — | — | 70 | 30 | 430 |
| Tongue | — | — | — | — | — | — | — | — |
| Tooth (teeth) | 180 | 200 | 80 | — | — | 360 | 20 | 140 |
| Multiple mouth locations | — | 30 | — | — | — | 20 | — | — |
| Multiple face locations | 250 | 240 | 100 | — | — | 200 | 90 | 360 |
| Face, n.e.c. | 20 | — | — | — | — | 20 | — | 90 |
| Multiple head locations | 180 | — | 200 | — | — | 130 | 60 | 110 |
| Head, n.e.c. | 30 | — | — | — | — | 30 | — | 20 |
| Neck, including throat | 1,060 | 80 | 4,460 | 1,390 | 1,350 | 1,650 | 1,220 | 1,090 |
| Neck, except internal location of diseases or disorders ... | 1,060 | 80 | 4,460 | 1,390 | 1,350 | 1,650 | 1,220 | 1,080 |
| Larynx | — | — | — | — | — | — | — | — |
| Trunk | 23,820 | 3,930 | 17,120 | 38,530 | 37,470 | 29,310 | 23,530 | 20,990 |
| Trunk, unspecified | 190 | — | 90 | 140 | 140 | 120 | 100 | 70 |
| Chest, including ribs, internal organs | 2,510 | 270 | 2,440 | 1,220 | 710 | 1,140 | 750 | 2,000 |
| Chest, except internal location of diseases or disorders | 2,510 | 270 | 2,430 | 920 | 690 | 1,110 | 740 | 1,720 |
| Internal chest location, unspecified | — | — | — | 70 | — | — | — | 30 |
| Heart | — | — | — | 130 | — | 30 | — | 20 |
| Bronchus | — | — | — | — | — | — | — | 70 |
| Lung(s), pleura | — | — | — | 90 | — | — | — | 150 |
| Back, including spine, spinal cord | 15,420 | 2,730 | 12,160 | 32,400 | 32,090 | 25,140 | 20,440 | 12,960 |
| Back, including spine, spinal cord, unspecified | 6,990 | 1,090 | 5,790 | 12,990 | 12,870 | 8,940 | 6,760 | 5,080 |

See footnotes at end of table.

TABLE R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, private industry, 2013 — Continued

| Part of body | Part of body code ² | Private industry ³ | Source of injury or illness ⁴ | | | | |
|--|--------------------------------|-------------------------------|--|---------------|------------------------|---------------|---------------------|
| | | | Chemicals and chemical products | Containers | Furniture and fixtures | Machinery | Parts and materials |
| Thoracic region | 321 | 8,360 | — | 1,880 | 360 | 230 | 590 |
| Lumbar region | 322 | 85,100 | — | 20,890 | 5,090 | 2,320 | 6,040 |
| Sacral region | 323 | 230 | — | 50 | — | — | — |
| Coccygeal region | 324 | 1,410 | — | 90 | 80 | — | — |
| Multiple back regions | 328 | 5,420 | — | 830 | 190 | 110 | 240 |
| Back, including spine, spinal cord, n.e.c. | 329 | 250 | — | 20 | — | — | — |
| Abdomen | 33 | 20,820 | 40 | 7,290 | 810 | 970 | 3,730 |
| Abdomen, except internal location of diseases or disorders | 330 | 19,970 | 30 | 6,960 | 800 | 960 | 3,700 |
| Internal abdominal location, unspecified | 331 | 410 | — | 120 | — | — | 30 |
| Stomach organ | 332 | 50 | — | — | — | — | — |
| Intestines, peritoneum | 335 | 380 | — | 200 | — | — | — |
| Intestines, peritoneum, unspecified | 3350 | 360 | — | 200 | — | — | — |
| Pelvic region | 34 | 16,920 | 20 | 2,270 | 720 | 340 | 1,010 |
| Pelvic region, unspecified | 340 | 210 | — | — | — | — | — |
| Hip(s) | 341 | 8,070 | — | 680 | 350 | 140 | 130 |
| Pelvis | 342 | 1,150 | — | 60 | — | — | 50 |
| Buttock(s) | 343 | 1,100 | — | 60 | 70 | 20 | 20 |
| Groin | 344 | 5,910 | — | 1,420 | 290 | 170 | 770 |
| External reproductive tract structures | 345 | 190 | — | — | — | — | 30 |
| External reproductive tract structures, unspecified .. | 3450 | 20 | — | — | — | — | — |
| Scrotum | 3451 | 90 | — | — | — | — | 20 |
| Penis | 3452 | 20 | — | — | — | — | — |
| External reproductive tract structures, n.e.c. | 3459 | 40 | — | — | — | — | — |
| Internal reproductive tract structures | 346 | 20 | — | — | — | — | — |
| Multiple pelvic region locations | 348 | 170 | — | — | — | — | — |
| Pelvic region, n.e.c. | 349 | 110 | — | — | — | — | — |
| Multiple trunk locations | 38 | 3,580 | — | 360 | 220 | 120 | 270 |
| Trunk, n.e.c. | 39 | 200 | — | — | — | — | — |
| Upper extremities | 4 | 286,320 | 1,490 | 34,280 | 11,410 | 31,770 | 31,290 |
| Upper extremities, unspecified | 40 | 440 | — | 70 | 20 | — | 20 |
| Shoulder(s), including clavicle(s), scapula(e) | 41 | 68,500 | 40 | 14,010 | 2,580 | 2,340 | 7,330 |
| Arm(s) | 42 | 43,580 | 290 | 5,310 | 2,000 | 3,160 | 4,900 |
| Arm(s), unspecified | 420 | 14,880 | 170 | 1,570 | 710 | 1,040 | 1,530 |
| Upper arm(s) | 421 | 5,050 | — | 1,100 | 380 | 330 | 770 |
| Elbow(s) | 422 | 14,220 | — | 1,780 | 660 | 800 | 1,580 |
| Forearm(s) | 423 | 7,300 | 90 | 580 | 160 | 850 | 810 |
| Multiple arm locations | 428 | 1,550 | — | 180 | 70 | 120 | 100 |
| Multiple arm locations, unspecified | 4280 | 250 | — | 20 | — | — | — |
| Elbow(s) and arm(s) | 4281 | 680 | — | 120 | — | 50 | 60 |
| Multiple arm locations, n.e.c. | 4289 | 620 | — | 50 | 50 | 70 | 30 |
| Arm(s), n.e.c. | 429 | 590 | — | 110 | 20 | 20 | 120 |
| Wrist(s) | 43 | 37,500 | 20 | 3,910 | 1,500 | 1,180 | 2,190 |
| Hand(s) | 44 | 121,500 | 1,020 | 9,460 | 4,700 | 24,450 | 16,160 |
| Hand(s), unspecified | 440 | 32,400 | 660 | 2,640 | 1,550 | 4,480 | 3,480 |
| Hand(s), except finger(s) | 441 | 4,380 | 80 | 270 | 90 | 550 | 720 |

See footnotes at end of table.

TABLE R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, private industry, 2013 — Continued

| Part of body | Source of injury or illness ⁴ | | | | | | | All other sources ⁵ |
|--|--|---------------|---------------|-------------------------------|---------------------------|--|---------------|--------------------------------|
| | Floors, walkways, or ground surfaces | Handtools | Vehicles | Person--injured or ill worker | | Person--other than injured or ill worker | | |
| | | | | Total | Worker motion or position | Total | Patient | |
| Thoracic region | 730 | 120 | 540 | 1,230 | 1,220 | 1,450 | 1,170 | 880 |
| Lumbar region | 6,030 | 1,470 | 5,060 | 17,190 | 17,010 | 13,220 | 11,210 | 6,640 |
| Sacral region | 40 | — | 30 | 50 | 50 | 40 | 30 | — |
| Coccygeal region | 910 | — | 50 | 30 | 30 | — | — | 60 |
| Multiple back regions | 700 | 50 | 570 | 910 | 910 | 1,430 | 1,220 | 290 |
| Back, including spine, spinal cord, n.e.c. | 20 | — | 110 | — | — | 50 | 40 | — |
| Abdomen | 380 | 820 | 970 | 1,740 | 1,570 | 1,360 | 1,070 | 2,610 |
| Abdomen, except internal location of diseases or disorders | 380 | 820 | 970 | 1,480 | 1,340 | 1,320 | 1,060 | 2,450 |
| Internal abdominal location, unspecified | — | — | — | 170 | 170 | — | — | 70 |
| Stomach organ | — | — | — | 30 | — | — | — | 20 |
| Intestines, peritoneum | — | — | — | 50 | 50 | 40 | — | 70 |
| Intestines, peritoneum, unspecified | — | — | — | 50 | 50 | 40 | — | 60 |
| Pelvic region | 4,540 | 90 | 1,030 | 2,540 | 2,520 | 1,060 | 790 | 2,920 |
| Pelvic region, unspecified | 100 | — | — | — | — | — | — | 60 |
| Hip(s) | 3,240 | 20 | 520 | 1,410 | 1,400 | 620 | 510 | 750 |
| Pelvis | 340 | — | 130 | 30 | 20 | — | — | 440 |
| Buttock(s) | 490 | — | 40 | 200 | 200 | 50 | 20 | 110 |
| Groin | 240 | 50 | 290 | 800 | 790 | 310 | 200 | 1,510 |
| External reproductive tract structures | — | 30 | 20 | — | — | 20 | 20 | 40 |
| External reproductive tract structures, unspecified .. | — | — | — | — | — | — | — | — |
| Scrotum | — | — | — | — | — | — | — | — |
| Penis | — | — | — | — | — | — | — | — |
| External reproductive tract structures, n.e.c. | — | — | — | — | — | — | — | — |
| Internal reproductive tract structures | — | — | — | — | — | — | — | — |
| Multiple pelvic region locations | 70 | — | — | 40 | 40 | 20 | 20 | — |
| Pelvic region, n.e.c. | 50 | — | — | 50 | 40 | — | — | — |
| Multiple trunk locations | 680 | — | 420 | 480 | 420 | 430 | 350 | 410 |
| Trunk, n.e.c. | 100 | — | — | — | — | 60 | 50 | 20 |
| Upper extremities | 31,420 | 32,950 | 17,770 | 32,530 | 31,900 | 16,950 | 12,480 | 40,670 |
| Upper extremities, unspecified | 20 | 20 | 20 | 150 | 150 | 20 | — | 90 |
| Shoulder(s), including clavicle(s), scapula(e) | 9,140 | 1,890 | 5,200 | 9,920 | 9,740 | 7,320 | 5,790 | 7,530 |
| Arm(s) | 7,550 | 2,310 | 2,700 | 4,960 | 4,670 | 2,500 | 1,610 | 6,970 |
| Arm(s), unspecified | 2,320 | 540 | 920 | 1,580 | 1,350 | 1,130 | 630 | 3,130 |
| Upper arm(s) | 590 | 110 | 300 | 530 | 530 | 380 | 320 | 410 |
| Elbow(s) | 3,460 | 400 | 940 | 2,260 | 2,210 | 490 | 300 | 1,430 |
| Forearm(s) | 900 | 1,110 | 410 | 290 | 280 | 370 | 250 | 1,620 |
| Multiple arm locations | 220 | 130 | 110 | 260 | 260 | 90 | 80 | 230 |
| Multiple arm locations, unspecified | 20 | 20 | 20 | 70 | 60 | — | — | 90 |
| Elbow(s) and arm(s) | 90 | 110 | 40 | 80 | 80 | 50 | 50 | 50 |
| Multiple arm locations, n.e.c. | 120 | — | 40 | 110 | 110 | 20 | 20 | 100 |
| Arm(s), n.e.c. | 50 | 20 | 20 | 40 | 40 | 40 | 30 | 140 |
| Wrist(s) | 8,000 | 1,430 | 1,610 | 10,870 | 10,820 | 2,780 | 2,140 | 3,200 |
| Hand(s) | 4,180 | 26,870 | 6,300 | 3,880 | 3,810 | 2,730 | 1,660 | 21,210 |
| Hand(s), unspecified | 2,100 | 5,220 | 1,830 | 1,590 | 1,580 | 770 | 420 | 7,870 |
| Hand(s), except finger(s) | 190 | 1,150 | 270 | 100 | 90 | 130 | 110 | 820 |

See footnotes at end of table.

TABLE R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, private industry, 2013 — Continued

| Part of body | Part of body code ² | Private industry ³ | Source of injury or illness ⁴ | | | | |
|---|--------------------------------|-------------------------------|--|---------------|------------------------|--------------|---------------------|
| | | | Chemicals and chemical products | Containers | Furniture and fixtures | Machinery | Parts and materials |
| Finger(s), fingernail(s) | 442 | 80,110 | 140 | 6,170 | 3,000 | 18,660 | 11,150 |
| Finger(s), fingernail(s), unspecified | 4420 | 60,310 | 120 | 4,900 | 2,250 | 13,310 | 8,410 |
| Fingernail(s), nailed(s) | 4421 | 870 | — | 120 | 20 | 180 | 90 |
| Fingertip(s) | 4422 | 7,640 | — | 350 | 150 | 2,590 | 1,180 |
| Finger(s), fingernail(s), n.e.c. | 4429 | 11,290 | — | 800 | 570 | 2,580 | 1,470 |
| Hand(s) and finger(s) | 448 | 2,810 | 130 | 290 | 50 | 500 | 400 |
| Hand(s), n.e.c. | 449 | 1,780 | 20 | 100 | 20 | 270 | 420 |
| Multiple upper extremities locations | 48 | 14,680 | 100 | 1,470 | 620 | 620 | 680 |
| Multiple upper extremities locations, unspecified | 480 | 340 | — | 70 | — | — | — |
| Hand(s) and arms(s) | 481 | 1,670 | 50 | 70 | 30 | 70 | 90 |
| Hand(s) and arm(s), unspecified | 4810 | 850 | 20 | — | — | 40 | 30 |
| Hand(s) and elbow(s) | 4811 | 190 | — | — | — | — | 30 |
| Hand(s) and arm(s), n.e.c. | 4819 | 630 | 30 | 50 | — | 30 | 20 |
| Hand(s) and wrist(s) | 482 | 3,210 | 30 | 210 | 180 | 150 | 110 |
| Wrist(s) and arm(s) | 483 | 1,230 | — | 100 | 30 | 70 | 50 |
| Wrist(s) and arm(s), unspecified | 4830 | 420 | — | 20 | — | 20 | — |
| Wrist(s) and elbow(s) | 4831 | 370 | — | 40 | — | 40 | — |
| Wrist(s) and arm(s), n.e.c. | 4839 | 440 | — | 40 | — | — | 40 |
| Shoulder(s) and arm(s) | 484 | 4,870 | — | 760 | 270 | 140 | 240 |
| Multiple upper extremities locations, n.e.c. | 489 | 3,360 | — | 260 | 100 | 180 | 180 |
| Upper extremities, n.e.c. | 49 | 140 | — | 40 | — | 20 | — |
| Lower extremities | 5 | 202,280 | 580 | 12,540 | 8,770 | 5,380 | 14,140 |
| Lower extremities, unspecified | 50 | 240 | — | — | — | — | 20 |
| Leg(s) | 51 | 106,030 | 210 | 5,570 | 4,060 | 2,490 | 4,600 |
| Leg(s), unspecified | 510 | 12,450 | 90 | 830 | 470 | 540 | 960 |
| Thigh(s) | 511 | 4,440 | — | 260 | 210 | 120 | 230 |
| Knee(s) | 512 | 77,490 | — | 3,590 | 2,820 | 1,300 | 2,410 |
| Lower leg(s) | 513 | 8,840 | 70 | 690 | 430 | 470 | 780 |
| Multiple leg locations | 518 | 2,450 | 30 | 170 | 130 | 30 | 200 |
| Multiple leg locations, unspecified | 5180 | 240 | — | — | — | — | 20 |
| Knee(s) and leg(s) | 5181 | 1,580 | 20 | 140 | 50 | 20 | 160 |
| Multiple leg locations, n.e.c. | 5189 | 630 | — | 20 | 70 | — | 20 |
| Leg(s), n.e.c. | 519 | 370 | — | 20 | — | 20 | 20 |
| Ankle(s) | 52 | 45,620 | 110 | 1,670 | 1,120 | 720 | 1,460 |
| Foot (feet) | 53 | 43,570 | 220 | 4,880 | 3,420 | 1,940 | 7,530 |
| Foot (feet), unspecified | 530 | 27,920 | 200 | 2,980 | 1,660 | 1,150 | 4,510 |
| Sole(s) | 531 | 2,570 | — | 80 | 50 | 50 | 540 |
| Sole(s), unspecified | 5310 | 560 | — | — | — | — | 500 |
| Ball(s) of the foot | 5311 | 20 | — | — | — | — | — |
| Arch(es), instep(s) | 5312 | 150 | — | — | — | — | — |
| Heel(s) | 5313 | 1,800 | — | 70 | 40 | 50 | 30 |
| Multiple sole locations | 5318 | 50 | — | — | — | — | — |
| Toes(s), toenail(s) | 532 | 10,620 | — | 1,630 | 1,340 | 550 | 2,210 |
| Multiple foot (feet) locations | 538 | 1,260 | — | 100 | 340 | 90 | 40 |
| Foot (feet), n.e.c. | 539 | 1,200 | — | 90 | 30 | 100 | 230 |
| Multiple lower extremities locations | 58 | 6,760 | 40 | 410 | 170 | 230 | 500 |

See footnotes at end of table.

TABLE R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, private industry, 2013 — Continued

| Part of body | Source of injury or illness ⁴ | | | | | | | All other sources ⁵ |
|---|--|--------------|---------------|-------------------------------|---------------------------|--|--------------|--------------------------------|
| | Floors, walkways, or ground surfaces | Handtools | Vehicles | Person--injured or ill worker | | Person--other than injured or ill worker | | |
| | | | | Total | Worker motion or position | Total | Patient | |
| Finger(s), fingernail(s) | 1,800 | 19,880 | 4,030 | 1,590 | 1,540 | 1,660 | 970 | 11,760 |
| Finger(s), fingernail(s), unspecified | 1,230 | 15,310 | 3,260 | 1,150 | 1,130 | 1,080 | 620 | 9,040 |
| Fingernail(s), nailbed(s) | 40 | 170 | 30 | - | - | 30 | 30 | 180 |
| Fingertip(s) | 80 | 1,960 | 340 | 50 | 50 | 20 | - | 910 |
| Finger(s), fingernail(s), n.e.c. | 450 | 2,430 | 400 | 380 | 350 | 530 | 300 | 1,630 |
| Hand(s) and finger(s) | 50 | 250 | 110 | 510 | 500 | 100 | 80 | 450 |
| Hand(s), n.e.c. | 40 | 370 | 60 | 100 | 100 | 70 | 70 | 320 |
| Multiple upper extremities locations | 2,530 | 420 | 1,920 | 2,730 | 2,710 | 1,590 | 1,260 | 1,680 |
| Multiple upper extremities locations, unspecified | 60 | - | 80 | 60 | 60 | - | - | 30 |
| Hand(s) and arms(s) | 240 | 40 | 80 | 330 | 330 | 100 | 80 | 550 |
| Hand(s) and arm(s), unspecified | 90 | 20 | 50 | 90 | 90 | 60 | 50 | 410 |
| Hand(s) and elbow(s) | 60 | - | - | 30 | 30 | 20 | - | 30 |
| Hand(s) and arm(s), n.e.c. | 100 | - | - | 210 | 210 | 20 | 20 | 110 |
| Hand(s) and wrist(s) | 490 | 270 | 440 | 670 | 670 | 270 | 210 | 370 |
| Wrist(s) and arm(s) | 270 | 20 | 100 | 260 | 260 | 120 | 100 | 170 |
| Wrist(s) and arm(s), unspecified | 120 | - | 70 | 70 | 70 | 30 | 20 | 60 |
| Wrist(s) and elbow(s) | 90 | - | - | 120 | 120 | - | - | 20 |
| Wrist(s) and arm(s), n.e.c. | 60 | - | 30 | 70 | 70 | 80 | 70 | 90 |
| Shoulder(s) and arm(s) | 890 | 40 | 430 | 810 | 790 | 860 | 710 | 270 |
| Multiple upper extremities locations, n.e.c. | 580 | 40 | 800 | 600 | 600 | 230 | 150 | 290 |
| Upper extremities, n.e.c. | - | - | - | - | - | - | - | - |
| Lower extremities | 49,280 | 2,670 | 20,750 | 58,950 | 58,470 | 5,440 | 2,770 | 18,810 |
| Lower extremities, unspecified | 60 | - | 50 | 30 | 30 | - | - | 50 |
| Leg(s) | 28,790 | 1,610 | 9,460 | 33,260 | 32,890 | 4,100 | 2,220 | 9,420 |
| Leg(s), unspecified | 3,180 | 330 | 1,910 | 1,730 | 1,690 | 260 | 130 | 1,660 |
| Thigh(s) | 920 | 350 | 470 | 840 | 840 | 180 | 130 | 810 |
| Knee(s) | 22,150 | 590 | 5,550 | 28,710 | 28,380 | 3,370 | 1,790 | 5,470 |
| Lower leg(s) | 1,840 | 330 | 1,110 | 1,380 | 1,380 | 140 | 100 | 1,240 |
| Multiple leg locations | 550 | - | 370 | 550 | 550 | 150 | 70 | 200 |
| Multiple leg locations, unspecified | 90 | - | - | 50 | 50 | - | - | 30 |
| Knee(s) and leg(s) | 370 | - | 170 | 450 | 450 | 110 | 60 | 70 |
| Multiple leg locations, n.e.c. | 90 | - | 190 | 60 | 60 | 40 | - | 100 |
| Leg(s), n.e.c. | 150 | - | 60 | 50 | 50 | - | - | 30 |
| Ankle(s) | 13,790 | 150 | 3,220 | 19,010 | 18,950 | 710 | 290 | 2,460 |
| Foot (feet) | 4,460 | 880 | 7,330 | 5,340 | 5,300 | 480 | 180 | 6,080 |
| Foot (feet), unspecified | 2,830 | 670 | 4,860 | 4,090 | 4,060 | 380 | 140 | 4,240 |
| Sole(s) | 630 | 30 | 240 | 340 | 340 | 20 | - | 280 |
| Sole(s), unspecified | - | - | - | - | - | - | - | - |
| Ball(s) of the foot | - | - | - | - | - | - | - | - |
| Arch(es), instep(s) | 20 | - | - | 70 | 60 | - | - | 30 |
| Heel(s) | 600 | 30 | 220 | 240 | 240 | 20 | - | 210 |
| Multiple sole locations | - | - | - | - | - | - | - | - |
| Toes(s), toenail(s) | 720 | 150 | 1,860 | 740 | 730 | 60 | 20 | 1,340 |
| Multiple foot (feet) locations | 60 | - | 160 | 50 | 50 | - | - | 90 |
| Foot (feet), n.e.c. | 220 | 30 | 220 | 120 | 120 | 20 | - | 140 |
| Multiple lower extremities locations | 2,170 | 30 | 680 | 1,310 | 1,300 | 140 | 80 | 800 |

See footnotes at end of table.

TABLE R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, private industry, 2013 — Continued

| Part of body | Part of body code ² | Private industry ³ | Source of injury or illness ⁴ | | | | |
|---|--------------------------------|-------------------------------|--|--------------|------------------------|--------------|---------------------|
| | | | Chemicals and chemical products | Containers | Furniture and fixtures | Machinery | Parts and materials |
| Multiple lower extremities locations, unspecified | 580 | 170 | — | — | — | — | — |
| Foot (feet) and leg(s) | 581 | 960 | 40 | 20 | 80 | 60 | 40 |
| Foot(feet) and leg(s), unspecified | 5810 | 270 | 30 | — | — | — | 20 |
| Foot(feet) and knee(s) | 5811 | 350 | — | — | 30 | 60 | — |
| Foot(feet) and leg(s), n.e.c. | 5819 | 330 | — | — | 40 | — | 20 |
| Foot (feet) and ankle(s) | 582 | 2,420 | — | 200 | 40 | 90 | 240 |
| Ankle(s) and leg(s) | 583 | 2,380 | — | 120 | 20 | 50 | 180 |
| Ankle(s) and leg(s), unspecified | 5830 | 480 | — | — | — | 20 | 80 |
| Ankle(s) and knee(s) | 5831 | 1,510 | — | 90 | — | 20 | 60 |
| Ankle(s) and leg(s), n.e.c. | 5839 | 390 | — | 20 | — | — | 40 |
| Multiple lower extremities locations, n.e.c. | 589 | 840 | — | 70 | 20 | 20 | 30 |
| Lower extremities, n.e.c. | 59 | 50 | — | — | — | — | 20 |
| Body systems | 6 | 18,570 | 4,040 | 40 | 100 | 390 | 1,030 |
| Multiple body parts | 8 | 89,870 | 1,330 | 5,440 | 2,720 | 1,540 | 3,150 |
| Multiple body parts, unspecified | 80 | 8,040 | 200 | 310 | 220 | 150 | 440 |
| Head and neck | 81 | 2,310 | 50 | 170 | 170 | 50 | 100 |
| Head, neck, and trunk | 82 | 520 | — | 30 | — | 40 | 20 |
| Head and trunk | 83 | 1,330 | 20 | — | 30 | — | 20 |
| Neck and back | 84 | 7,430 | — | 370 | 210 | 90 | 200 |
| Shoulder(s) and back | 85 | 3,750 | — | 620 | 200 | 100 | 220 |
| Hip(s) and leg(s) | 86 | 1,740 | — | 110 | 40 | 20 | 20 |
| Upper and lower limb(s) | 87 | 5,670 | 70 | 110 | 70 | 70 | 120 |
| Other multiple body parts | 89 | 59,080 | 980 | 3,710 | 1,760 | 1,020 | 2,020 |
| Whole body | 891 | 740 | 100 | 40 | — | — | — |
| Multiple body parts, n.e.c. | 899 | 58,340 | 880 | 3,670 | 1,760 | 1,020 | 1,980 |
| Other body parts | 9 | 30 | — | 20 | — | — | — |
| Prosthetic and orthopedic devices | 91 | 30 | — | 20 | — | — | — |
| Nonclassifiable | 9999 | 10,270 | 120 | 610 | 120 | 220 | 290 |

See footnotes at end of table.

TABLE R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, private industry, 2013 — Continued

| Part of body | Source of injury or illness ⁴ | | | | | | | All other sources ⁵ |
|---|--|-----------|----------|-------------------------------|---------------------------|--|---------|--------------------------------|
| | Floors, walkways, or ground surfaces | Handtools | Vehicles | Person--injured or ill worker | | Person--other than injured or ill worker | | |
| | | | | Total | Worker motion or position | Total | Patient | |
| Multiple lower extremities locations, unspecified | 60 | — | — | — | — | — | — | 60 |
| Foot (feet) and leg(s) | 240 | — | 90 | 90 | 90 | 30 | 20 | 230 |
| Foot(feet) and leg(s), unspecified | 50 | — | 30 | 30 | 30 | — | — | 90 |
| Foot(feet) and knee(s) | 140 | — | — | 50 | 50 | — | — | 20 |
| Foot(feet) and leg(s), n.e.c. | 50 | — | 50 | — | — | — | — | 130 |
| Foot (feet) and ankle(s) | 510 | — | 310 | 610 | 600 | 50 | — | 310 |
| Ankle(s) and leg(s) | 1,030 | — | 160 | 460 | 460 | 40 | 30 | 130 |
| Ankle(s) and leg(s), unspecified | 160 | — | 20 | 40 | 40 | — | — | 40 |
| Ankle(s) and knee(s) | 750 | — | 80 | 400 | 400 | 20 | 20 | 40 |
| Ankle(s) and leg(s), n.e.c. | 120 | — | 50 | 30 | 30 | — | — | 40 |
| Multiple lower extremities locations, n.e.c. | 330 | — | 120 | 140 | 140 | 30 | 20 | 70 |
| Lower extremities, n.e.c. | — | — | — | — | — | — | — | — |
| Body systems | 390 | 30 | 230 | 4,180 | 130 | 2,060 | 500 | 6,060 |
| Multiple body parts | 27,640 | 620 | 19,590 | 6,480 | 6,280 | 8,280 | 5,390 | 8,350 |
| Multiple body parts, unspecified | 1,690 | 20 | 1,780 | 780 | 750 | 920 | 300 | 1,150 |
| Head and neck | 410 | 20 | 770 | 20 | 20 | 220 | 100 | 280 |
| Head, neck, and trunk | 50 | — | 250 | — | — | 50 | 40 | 30 |
| Head and trunk | 670 | — | 270 | — | — | 60 | 30 | 200 |
| Neck and back | 1,180 | 30 | 3,720 | 550 | 550 | 730 | 600 | 280 |
| Shoulder(s) and back | 610 | 40 | 500 | 410 | 410 | 810 | 660 | 170 |
| Hip(s) and leg(s) | 630 | — | 130 | 170 | 170 | 90 | 50 | 170 |
| Upper and lower limb(s) | 3,300 | 20 | 470 | 460 | 460 | 240 | 100 | 600 |
| Other multiple body parts | 19,090 | 480 | 11,690 | 4,080 | 3,910 | 5,150 | 3,510 | 5,480 |
| Whole body | 30 | — | 140 | — | — | 30 | 20 | 330 |
| Multiple body parts, n.e.c. | 19,060 | 480 | 11,550 | 4,070 | 3,910 | 5,120 | 3,490 | 5,140 |
| Other body parts | — | — | — | — | — | — | — | — |
| Prosthetic and orthopedic devices | — | — | — | — | — | — | — | — |
| Nonclassifiable | 1,070 | 40 | 1,080 | 490 | 450 | 320 | 160 | 5,500 |

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Data shown in columns correspond to the following Source codes: Chemicals and chemical products = 1; Containers = 21; Furniture and fixtures = 22; Machinery = 3; Parts and materials = 4; Floors, walkways, or ground surfaces = 66; Handtools = 71-73; Vehicles = 8; Person--injured or ill worker = 56; Worker motion or position = 562; Person--other than injured or ill worker = 57; Health care patient = 574; All other sources = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁵ Includes nonclassifiable responses.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.