

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by nature of injury or illness, gender, and length of service with employer, private industry, 2013

Nature	Nature code <sup>2</sup>	Private industry <sup>3</sup>	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Total .....		917,090	562,790	350,510	3,790	96,620	170,020	301,180	333,110	16,170
<b>Traumatic injuries and disorders</b> .....	1	881,320	545,800	332,240	3,280	94,270	164,510	289,750	318,570	14,210
Traumatic injuries and disorders, unspecified .....	10	1,030	580	440	-	130	110	500	160	130
Traumatic injuries to bones, nerves, spinal cord .....	11	86,680	56,840	29,510	330	9,110	13,180	28,880	34,000	1,510
Traumatic injuries to bones, nerves, spinal cord, unspecified .....	110	6,210	4,760	1,420	30	440	940	2,850	1,390	590
Fractures .....	111	77,990	50,600	27,090	300	8,490	11,940	24,820	31,820	900
Traumatic injuries to spinal cord .....	112	210	80	130	-	-	30	120	60	-
Paralysis, paraplegia, quadriplegia .....	1121	20	20	-	-	-	-	-	20	-
Traumatic injuries to spinal cord, n.e.c. ....	1129	180	60	120	-	-	20	120	40	-
Traumatic injuries to nerves, except the spinal cord ..	113	2,060	1,270	790	-	180	200	1,000	680	-
Traumatic injuries to nerves, except the spinal cord, unspecified .....	1130	140	90	60	-	-	20	60	60	-
Pinched nerve .....	1131	1,820	1,110	710	-	160	150	900	600	-
Traumatic injuries to nerves, except the spinal cord, n.e.c. ....	1139	100	70	30	-	-	40	30	20	-
Multiple traumatic injuries to bones, nerves, spinal cord .....	118	110	100	-	-	-	-	50	-	-
Traumatic injuries to bones, nerves, spinal cord, n.e.c. ....	119	100	30	60	-	-	20	40	30	-
Traumatic injuries to muscles, tendons, ligaments, joints, etc. ....	12	358,410	216,140	140,440	1,830	30,610	63,230	118,070	139,720	6,770
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified .....	120	2,650	1,680	970	-	140	540	660	1,180	140
Dislocations .....	121	8,070	5,530	2,510	20	1,050	1,390	2,190	3,340	100
Dislocations, unspecified .....	1210	790	410	360	20	110	120	160	380	30
Herniated discs .....	1211	2,630	1,870	760	-	330	430	590	1,270	20
Dislocation of joints .....	1212	4,490	3,170	1,320	-	570	800	1,410	1,650	60
Dislocations, n.e.c. ....	1219	160	100	60	-	50	30	30	50	-
Cartilage fractures and tears .....	122	4,970	3,890	1,080	-	120	880	1,910	2,040	20
Cartilage fractures and tears, unspecified .....	1220	410	320	90	-	-	20	130	250	-
Meniscus tears .....	1221	4,470	3,510	950	-	120	850	1,730	1,750	20
Cartilage fractures and tears, n.e.c. ....	1229	100	60	40	-	-	-	50	30	-
Sprains, strains, tears .....	123	327,060	190,510	134,770	1,770	28,370	58,490	108,650	125,860	5,700
Sprains, strains, tears, unspecified .....	1230	27,910	15,530	10,800	1,580	2,070	4,060	8,480	11,390	1,900
Major tears to muscles, tendons, ligaments .....	1231	17,960	13,800	4,060	100	1,160	2,060	5,980	8,540	210
Sprains .....	1232	79,670	44,910	34,730	40	9,060	16,400	25,040	28,160	1,010
Strains .....	1233	196,990	113,610	83,320	60	15,870	35,310	67,360	75,980	2,470
Multiple sprains, strains, tears .....	1238	4,540	2,670	1,870	-	210	650	1,780	1,790	110
Hernias due to traumatic incidents .....	124	13,500	12,840	640	30	750	1,780	4,290	6,530	150
Whiplash .....	125	1,700	1,400	300	-	70	130	220	630	660
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc. ....	128	330	210	120	-	110	20	120	90	-
Traumatic injuries to muscles, tendons, ligaments, joints, etc., n.e.c. ....	129	120	70	40	-	-	-	50	50	-
Open wounds .....	13	98,060	75,000	22,930	120	13,990	22,360	32,300	28,480	920
Open wounds, unspecified .....	130	1,720	1,230	480	-	700	120	520	360	20
Amputations, avulsions, enucleations .....	131	7,780	6,550	1,220	-	830	1,620	2,510	2,740	80

See footnotes at end of table.

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by nature of injury or illness, gender, and length of service with employer, private industry, 2013 — Continued

Nature	Nature code <sup>2</sup>	Private industry <sup>3</sup>	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Amputations, avulsions, enucleations, unspecified	1310	60	50	—	—	20	20	—	—	—
Amputations	1311	6,160	5,580	570	—	690	1,210	2,160	2,020	80
Avulsions, enucleations	1312	1,440	810	630	—	110	320	330	690	—
Amputations, avulsions, enucleations, n.e.c.	1319	110	110	—	—	—	70	—	20	—
Cuts, lacerations	132	71,150	55,210	15,870	70	9,670	16,140	24,040	20,580	700
Puncture wounds, except gunshot wounds	133	17,100	11,750	5,320	40	2,780	4,430	5,130	4,650	120
Gunshot wounds	134	120	120	—	—	—	—	50	60	—
Multiple types of open wounds	138	80	50	30	—	—	30	—	40	—
Open wounds, n.e.c.	139	110	80	20	—	—	—	30	50	—
Surface wounds and bruises	14	82,980	44,980	37,510	490	10,980	16,780	25,380	28,600	1,250
Surface wounds and bruises, unspecified	140	300	220	80	—	50	50	50	90	—
Abrasions, scratches	141	8,630	6,610	2,020	—	1,490	1,700	2,890	2,430	120
Blisters	142	60	50	—	—	—	20	—	20	—
Bruises, contusions	143	72,710	37,410	34,820	470	9,150	14,810	22,010	25,670	1,060
Multiple surface wounds and bruises	148	740	350	390	—	90	120	230	290	—
Surface wounds and bruises, n.e.c.	149	540	340	200	—	190	70	180	100	—
Burns and corrosions	15	18,660	13,070	5,550	40	3,390	4,520	6,060	4,510	190
Burns and corrosions, unspecified	150	480	300	150	30	50	100	190	70	60
Chemical burns and corrosions	151	2,790	2,270	520	—	570	570	870	770	—
Chemical burns and corrosions, unspecified	1510	2,460	2,010	450	—	530	450	770	710	—
First degree chemical burns and corrosions	1511	70	20	50	—	—	—	40	—	—
Second degree chemical burns and corrosions	1512	70	70	—	—	20	20	—	—	—
Third or fourth degree chemical burns and corrosions	1513	100	90	—	—	—	—	—	20	—
Chemical burns and corrosions, n.e.c.	1519	100	90	—	—	—	20	50	20	—
Heat (thermal) burns	152	13,780	9,020	4,760	—	2,500	3,590	4,410	3,180	90
Heat (thermal) burns, unspecified	1520	10,320	6,590	3,730	—	2,050	2,580	3,220	2,400	70
First degree heat (thermal) burns	1521	790	620	170	—	50	460	190	90	—
Second degree heat (thermal) burns	1522	2,090	1,400	680	—	360	480	810	420	—
Third or fourth degree heat (thermal) burns	1523	260	220	30	—	—	—	100	140	—
Heat (thermal) burns, n.e.c.	1529	320	190	130	—	30	70	100	130	—
Electrical burns	153	560	520	30	—	60	60	190	250	—
Electrical burns, unspecified	1530	400	360	30	—	60	40	140	150	—
First degree electrical burns	1531	50	50	—	—	—	—	—	20	—
Second degree electrical burns	1532	60	60	—	—	—	—	—	50	—
Electrical burns, n.e.c.	1539	40	40	—	—	—	—	—	20	—
Other burns	159	1,050	960	90	—	210	200	390	230	20
Other burns, unspecified	1590	250	200	40	—	20	40	130	60	—
Other burns, first degree	1591	720	680	40	—	180	150	250	140	—
Other burns, second degree	1592	60	50	—	—	—	—	—	20	—
Other burns, n.e.c.	1599	30	20	—	—	—	—	—	—	—
Intracranial injuries	16	11,520	5,830	5,660	30	1,030	2,690	3,740	3,980	90
Intracranial injuries, unspecified	160	750	490	260	—	50	140	160	390	—
Cerebral and other intracranial hemorrhages	161	30	30	—	—	—	20	—	—	—
Concussions	162	10,690	5,280	5,380	30	980	2,520	3,560	3,550	80
Multiple types of intracranial injuries	168	40	30	20	—	—	—	—	30	—
Multiple intracranial injuries, unspecified	1680	20	20	—	—	—	—	—	20	—
Multiple intracranial injuries, n.e.c.	1689	20	—	—	—	—	—	—	—	—
Effects of environmental conditions	17	2,590	1,980	580	20	560	660	620	740	20

See footnotes at end of table.

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by nature of injury or illness, gender, and length of service with employer, private industry, 2013 — Continued

Nature	Nature code <sup>2</sup>	Private industry <sup>3</sup>	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Effects of reduced temperature .....	171	110	80	30	—	20	20	40	30	—
Frostbite .....	1711	100	80	20	—	20	20	40	20	—
Effects of heat and light .....	172	2,360	1,850	480	20	530	620	540	660	20
Effects of heat and light, unspecified .....	1720	210	180	40	—	60	30	50	70	—
Heat stroke .....	1721	150	140	—	—	50	—	70	20	—
Heat syncope .....	1722	110	70	40	—	—	30	20	40	—
Heat fatigue .....	1723	250	240	20	—	100	—	70	80	—
Heat exhaustion, prostration .....	1725	1,230	850	360	20	180	480	230	320	20
Effects of heat and light, n.e.c. ....	1729	400	370	20	—	130	50	100	120	—
Effects of air or water pressure .....	173	90	30	60	—	—	—	30	40	—
Effects of air or water pressure, unspecified .....	1730	20	20	—	—	—	—	—	—	—
Aero-otitis media .....	1731	40	—	40	—	—	—	—	—	—
Effects of air or water pressure, n.e.c. ....	1739	30	—	20	—	—	—	—	30	—
Multiple traumatic injuries and disorders .....	18	23,700	13,130	10,570	—	1,990	4,230	7,270	9,870	350
Multiple traumatic injuries and disorders, unspecified .....	180	1,270	710	560	—	50	360	300	480	80
Cuts and abrasions or bruises .....	181	4,030	2,690	1,340	—	340	930	1,130	1,530	90
Sprains and other injuries .....	182	10,070	4,690	5,380	—	890	1,640	3,350	4,080	120
Sprains and other injuries, unspecified .....	1820	210	90	120	—	—	50	80	70	—
Sprains and bruises .....	1821	7,810	3,480	4,330	—	760	1,230	2,240	3,470	100
Sprains and cuts .....	1822	720	570	150	—	40	150	260	280	—
Sprains and other injuries, n.e.c. ....	1829	1,330	550	770	—	90	210	760	260	—
Fractures and other injuries .....	183	5,300	3,370	1,930	—	420	710	1,710	2,410	50
Fractures and other injuries, unspecified .....	1830	660	390	270	—	50	70	280	240	20
Fractures (except skull fractures) and concussions .....	1831	200	150	50	—	—	50	40	100	—
Fractures (except rib, trunk fractures) and internal injuries .....	1832	130	120	—	—	—	—	20	100	—
Fractures and burns .....	1833	40	40	—	—	—	—	30	—	—
Fractures and dislocations .....	1834	360	230	130	—	30	30	150	150	—
Fractures and other injuries, n.e.c. ....	1839	3,910	2,450	1,460	—	330	550	1,190	1,820	30
Burns and other injuries, except fractures .....	184	170	150	20	—	30	50	30	60	—
Burns and other injuries, except fractures, unspecified .....	1840	30	20	—	—	—	—	20	—	—
Burns and other injuries, n.e.c. ....	1849	140	130	—	—	30	40	20	50	—
Intracranial injuries and injuries to internal organs .....	185	70	—	—	—	—	—	—	70	—
Multiple traumatic injuries and disorders, n.e.c. ....	189	2,790	1,460	1,330	—	260	540	750	1,230	—
Other traumatic injuries and disorders .....	19	197,690	118,240	79,040	410	22,480	36,760	66,930	68,530	2,980
Other traumatic injuries and disorders, unspecified ...	190	330	210	120	—	40	40	160	90	—
Asphyxiations, strangulations, suffocations .....	191	80	40	30	—	—	—	30	30	—
Electrocutions, electric shocks .....	193	1,530	1,230	300	—	120	320	790	290	—
Internal injuries to organs and blood vessels of the trunk .....	194	450	420	30	—	300	30	50	70	—
Dermatitis and reactions affecting the skin—acute ....	195	2,950	1,630	1,320	—	450	650	710	1,060	80
Dermatitis and reactions affecting the skin—acute, unspecified .....	1950	1,370	900	470	—	210	370	360	420	—
Allergic dermatitis—acute .....	1951	1,010	480	530	—	110	180	210	450	—
Irritant dermatitis—acute .....	1952	430	170	250	—	90	80	100	150	—
Hives, urticaria—acute .....	1953	50	30	20	—	—	—	—	20	—
Dermatitis and reactions affecting the skin—acute, n.e.c. ....	1959	80	50	30	—	30	—	30	—	—

See footnotes at end of table.

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by nature of injury or illness, gender, and length of service with employer, private industry, 2013 — Continued

Nature	Nature code <sup>2</sup>	Private industry <sup>3</sup>	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Other poisoning, toxic, noxious, or allergenic effects	196	7,080	3,430	3,630	20	1,110	1,300	2,410	2,160	100
Poisoning, toxic, noxious, or allergenic effect, unspecified	1960	2,220	1,450	750	20	290	430	840	600	70
Poisoning, including poisoning-related asphyxia	1961	660	380	280	-	30	180	190	250	-
Anaphylactic shock, anaphylaxis	1962	50	-	40	-	-	-	40	-	-
Other respiratory system symptoms—toxic, noxious, or allergenic effect	1963	1,700	780	920	-	280	160	740	510	-
Coughing and throat irritation— toxic, noxious, or allergenic effect	1964	70	20	50	-	-	-	40	30	-
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	1965	540	110	430	-	50	40	100	330	20
Other or unspecified allergic reactions	1966	980	280	700	-	410	100	190	290	-
Nausea, vomiting— toxic, noxious, or allergenic effect	1967	100	40	70	-	-	20	20	50	-
Multiple poisoning, toxic, noxious, or allergenic effects	1968	360	270	90	-	-	140	200	20	-
Other poisoning, toxic, noxious, or allergenic effects, n.e.c.	1969	380	80	300	-	30	230	40	80	-
Nonspecified injuries and disorders	197	184,760	110,900	73,490	370	20,440	34,370	62,480	64,710	2,750
Crushing injuries	1971	9,820	8,000	1,790	40	1,470	2,590	2,800	2,820	150
Soreness, pain, hurt—nonspecified injury	1972	153,970	87,990	65,670	310	16,440	27,630	53,220	54,580	2,090
Swelling, inflammation, irritation—nonspecified injury	1973	17,180	12,680	4,470	30	2,200	3,460	5,250	5,820	440
Numbness—nonspecified injury	1974	750	430	320	-	80	140	170	340	20
Multiple nonspecified injuries and disorders	1978	1,890	1,080	810	-	160	330	670	730	-
Nonspecified injuries and disorders, n.e.c.	1979	1,150	720	430	-	80	220	380	420	50
Other traumatic injuries and disorders, n.e.c.	199	520	390	130	-	20	40	320	110	30
Traumatic injuries and disorders, n.e.c.	1999	510	380	130	-	20	40	320	110	30
<b>Diseases and disorders of body systems</b>	<b>2</b>	<b>20,470</b>	<b>10,570</b>	<b>9,880</b>	<b>20</b>	<b>1,110</b>	<b>2,860</b>	<b>6,010</b>	<b>10,210</b>	<b>270</b>
Systemic diseases and disorders, unspecified	20	30	30	-	-	-	-	-	20	-
Nervous system and sense organs diseases	22	8,360	3,710	4,650	-	320	840	2,510	4,610	70
Degenerative diseases of the central nervous system	222	20	-	-	-	-	-	-	-	-
Other disorders of the central nervous system	223	490	420	70	-	20	90	160	220	-
Seizure disorder, epilepsy	2231	440	390	50	-	-	80	130	220	-
Migraine	2232	50	30	20	-	20	-	30	-	-
Disorders of the peripheral nervous system	224	6,720	2,470	4,250	-	120	520	1,930	4,110	50
Disorders of the peripheral nervous system, unspecified	2240	200	100	100	-	-	-	90	100	-
Carpal tunnel syndrome	2241	6,440	2,330	4,110	-	120	500	1,820	3,950	50
Inflammatory and toxic neuropathy, toxic polyneuropathy	2242	20	-	-	-	-	-	-	-	-
Disorders of the peripheral nervous system, n.e.c.	2249	60	20	40	-	-	-	-	40	-
Disorders of the eye, adnexa, vision	225	930	640	290	-	110	210	350	240	20
Disorders of the eye, adnexa, vision, unspecified	2250	170	160	-	-	20	40	40	60	-
Conjunctivitis—non-viral	2251	390	210	180	-	70	60	180	70	-
Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion)	2252	50	50	-	-	-	-	40	-	-
Cataracts	2253	20	20	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by nature of injury or illness, gender, and length of service with employer, private industry, 2013 — Continued

Nature	Nature code <sup>2</sup>	Private industry <sup>3</sup>	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Blindness, low vision .....	2254	30	20	—	—	—	—	—	—	—
Visual disturbances .....	2256	20	—	—	—	—	—	—	—	—
Disorders of the eye, adnexa, vision, n.e.c. ....	2259	240	160	80	—	20	90	60	70	—
Disorders of the ear, mastoid process, hearing .....	226	190	150	30	—	60	20	70	30	—
Deafness, hearing loss and impairment .....	2261	120	120	—	—	20	—	70	20	—
Disorders of the ear, mastoid process, and hearing, n.e.c. ....	2269	50	20	30	—	40	—	—	—	—
Circulatory system diseases .....	23	430	310	120	—	—	70	180	180	—
Circulatory system diseases, unspecified .....	230	20	—	—	—	—	—	—	—	—
Hypertensive disease .....	232	30	20	—	—	—	—	20	—	—
Ischemic heart disease, including heart attack .....	233	170	150	20	—	—	40	70	60	—
Myocardial infarction (heart attack) .....	2331	160	140	20	—	—	40	70	50	—
Diseases of pulmonary circulation .....	234	20	20	—	—	—	—	—	—	—
Pulmonary embolism .....	2342	20	20	—	—	—	—	—	—	—
Cerebrovascular disease .....	236	130	70	60	—	—	—	40	70	—
Stroke .....	2361	100	70	30	—	—	—	40	50	—
Diseases of the veins, lymphatics .....	238	30	20	—	—	—	—	20	—	—
Phlebitis, thrombosis .....	2383	20	—	—	—	—	—	—	—	—
Respiratory system diseases .....	24	920	450	470	—	80	190	160	420	80
Respiratory system diseases, unspecified .....	240	110	90	20	—	—	—	30	80	—
Acute respiratory infections (including common cold) .....	241	330	110	220	—	30	30	20	210	50
Other diseases of upper respiratory tract .....	242	50	—	40	—	—	—	—	20	—
Allergic rhinitis .....	2421	20	—	20	—	—	—	—	20	—
Pneumonia, influenza .....	243	170	50	110	—	30	20	50	60	—
Pneumonia .....	2431	40	30	—	—	—	—	—	—	—
Influenza—common .....	2432	80	20	60	—	—	20	30	30	—
Influenza—novel .....	2433	50	—	40	—	—	—	—	20	—
Chronic obstructive pulmonary disease and allied conditions .....	244	140	60	70	—	20	50	40	30	—
Chronic bronchitis .....	2441	20	—	—	—	—	—	—	—	—
Asthma, except intrinsic .....	2443	50	—	50	—	—	—	40	—	—
Chronic obstructive pulmonary diseases and allied conditions, n.e.c. ....	2449	60	50	20	—	—	50	—	—	—
Pneumoconioses .....	245	40	40	—	—	—	—	—	—	—
Coal workers pneumoconiosis .....	2451	40	40	—	—	—	—	—	—	—
Other respiratory system diseases .....	249	90	80	—	—	—	70	—	—	—
Atelectasis, collapsed lung .....	2494	70	70	—	—	—	—	—	—	—
Digestive system diseases and disorders .....	25	710	650	60	—	20	60	140	480	—
Hernia—nontraumatic .....	253	700	650	50	—	20	60	140	480	—
Genitourinary system diseases and disorders .....	26	20	—	—	—	—	—	—	—	—
Musculoskeletal system and connective tissue diseases and disorders .....	27	8,670	4,430	4,240	—	460	1,500	2,530	4,130	50
Musculoskeletal system and connective tissue diseases and disorders, unspecified .....	270	140	80	60	—	—	20	30	80	—
Arthropathies and related disorders (arthritis) .....	271	490	410	90	—	—	360	30	100	—
Dorsopathies .....	272	670	450	210	—	—	100	150	410	—
Sciatica .....	2721	230	140	90	—	—	60	70	90	—
Lumbago .....	2722	100	20	80	—	—	—	40	50	—
Disc disorders, except dislocation .....	2723	30	20	—	—	—	—	—	20	—

See footnotes at end of table.

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by nature of injury or illness, gender, and length of service with employer, private industry, 2013 — Continued

Nature	Nature code <sup>2</sup>	Private industry <sup>3</sup>	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Dorsopathies, n.e.c. ....	2729	290	260	30	-	-	30	-	250	-
Soft tissue disorders, except the back .....	273	7,240	3,370	3,870	-	450	1,020	2,310	3,430	40
Soft tissue disorder, except the back, unspecified .....	2730	750	310	440	-	-	20	290	420	20
Bursitis .....	2731	660	380	280	-	70	100	110	370	-
Stenosing tenosynovitis .....	2732	1,000	300	700	-	30	90	330	550	-
Other tenosynovitis, synovitis .....	2733	510	300	210	-	30	90	130	250	-
Epicondylitis .....	2734	1,310	640	660	-	90	210	420	590	-
Other or unspecified tendonitis (tendinitis) .....	2735	2,290	1,140	1,140	-	160	360	810	950	-
Ganglion or cystic tumor .....	2736	310	110	200	-	40	60	90	100	-
Multiple soft tissue disorders .....	2738	70	-	50	-	-	20	20	30	-
Soft tissue disorder, except the back, n.e.c. ....	2739	350	170	180	-	-	50	110	170	-
Osteopathies, chondropathies, and acquired deformities .....	274	20	20	-	-	-	-	-	-	-
Osteopathies, chondropathies, and acquired deformities, n.e.c. ....	2749	20	20	-	-	-	-	-	-	-
Musculoskeletal system and connective tissue diseases and disorders, n.e.c. ....	279	110	110	-	-	-	-	-	100	-
Disorders of the skin and subcutaneous tissue .....	28	1,190	880	300	-	190	180	450	350	-
Disorders of the skin and subcutaneous tissue, unspecified .....	280	20	20	-	-	-	-	-	20	-
Infections of the skin and subcutaneous tissue .....	281	1,120	840	280	-	190	180	430	320	-
Infections of the skin and subcutaneous tissue, unspecified .....	2810	200	180	-	-	30	50	80	40	-
Cellulitis and abscess .....	2811	550	430	120	-	40	90	170	240	-
Methicillin-resistant staphylococcus aureus (MRSA) infection .....	2813	240	100	140	-	80	40	100	-	-
Other staphylococcus skin infection .....	2814	60	60	-	-	-	-	20	-	-
Infections of the skin and subcutaneous tissue, n.e.c. ....	2819	70	70	-	-	-	-	50	20	-
Other diseases and disorders of the skin and subcutaneous tissue .....	289	40	20	20	-	-	-	-	-	-
Other diseases and disorders of the skin and subcutaneous tissue, n.e.c. ....	2899	30	-	-	-	-	-	-	-	-
Other systemic diseases and disorders .....	29	130	110	20	-	20	20	20	20	60
Endocrine, nutritional, metabolic, and immunity disorders .....	291	120	100	20	-	-	-	20	20	60
Diseases and disorders of other endocrine glands .....	2912	20	-	-	-	-	-	-	-	-
Endocrine, nutritional, metabolic, and immunity disorders, n.e.c. ....	2919	100	90	20	-	-	-	-	20	60
<b>Infectious and parasitic diseases</b> .....	<b>3</b>	<b>2,250</b>	<b>490</b>	<b>1,760</b>	<b>-</b>	<b>260</b>	<b>430</b>	<b>790</b>	<b>720</b>	<b>50</b>
Infectious and parasitic diseases, unspecified .....	30	30	-	-	-	-	-	-	-	-
Bacterial diseases .....	31	230	80	150	-	50	20	100	60	-
Tuberculosis .....	311	60	-	60	-	-	-	-	20	-
Other bacterial diseases .....	319	170	80	90	-	50	20	50	40	-
Diphtheria, whooping cough .....	3192	70	-	60	-	-	-	-	40	-
Septicemia .....	3197	20	20	-	-	-	-	-	-	-
Other bacterial diseases, n.e.c. ....	3199	70	40	30	-	30	-	20	-	-
Viral diseases .....	32	300	40	250	-	20	60	70	140	-

See footnotes at end of table.

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by nature of injury or illness, gender, and length of service with employer, private industry, 2013 — Continued

Nature	Nature code <sup>2</sup>	Private industry <sup>3</sup>	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Viral diseases, unspecified .....	320	20	—	20	—	—	—	—	20	—
Viral diseases accompanied by exanthem (eruptive fever) .....	323	100	20	80	—	—	40	30	30	—
Chickenpox, varicella .....	3233	70	—	60	—	—	40	—	20	—
Herpes zoster, shingles .....	3234	30	—	20	—	—	—	—	—	—
Viral diseases of the conjunctiva .....	326	90	20	70	—	20	20	30	30	—
Viral conjunctivitis (ophthalmia) .....	3261	90	20	70	—	20	20	20	30	—
Other diseases due to viruses .....	329	80	—	80	—	—	—	—	—	—
Other arthropod-borne diseases .....	33	70	70	—	—	—	—	—	50	—
Mycoses (fungal infections) .....	34	80	40	40	—	—	20	—	40	—
Dermatophytosis (including athlete's foot, tinea) .....	341	50	—	40	—	—	20	—	20	—
Coccidioidomycosis .....	342	20	20	—	—	—	—	—	—	—
Helminthiasis (worm infections) .....	35	20	20	—	—	—	—	—	—	—
Infectious diseases peculiar to the intestines .....	36	170	20	150	—	—	30	100	40	—
Other salmonella infections .....	363	50	—	50	—	—	—	50	—	—
Other bacterial food poisoning (including botulism and staphylococcal food poisoning) .....	364	40	—	40	—	—	—	20	—	—
Infectious diseases peculiar to the intestines, n.e.c. ..	369	70	—	50	—	—	—	20	40	—
Other infectious and parasitic diseases .....	39	1,360	220	1,150	—	180	270	480	380	—
Scabies and other acariases .....	392	1,320	210	1,110	—	180	260	460	370	—
<b>Symptoms, signs, and ill-defined conditions .....</b>	<b>5</b>	<b>4,590</b>	<b>2,490</b>	<b>2,100</b>	<b>—</b>	<b>580</b>	<b>930</b>	<b>1,360</b>	<b>1,400</b>	<b>330</b>
Symptoms, signs, and ill-defined conditions, unspecified .....	50	90	40	50	—	—	—	40	40	—
Symptoms .....	51	4,350	2,410	1,940	—	570	840	1,290	1,330	320
Symptoms, unspecified .....	510	270	190	90	—	20	—	—	20	230
General symptoms .....	511	2,680	1,500	1,180	—	450	550	800	820	80
General symptoms, unspecified .....	5110	70	30	40	—	—	—	40	—	—
Loss of consciousness—not heat related .....	5111	1,260	630	630	—	290	290	400	240	40
Convulsions, seizures .....	5112	110	80	40	—	40	—	40	—	20
Dizziness—general .....	5114	590	400	190	—	50	180	240	120	—
Inflammation, swelling—general .....	5115	110	30	80	—	—	—	30	60	—
Numbness—general .....	5116	80	20	50	—	20	20	20	30	—
Multiple general symptoms .....	5118	130	20	110	—	—	30	—	60	20
General symptoms, n.e.c. .....	5119	320	280	40	—	—	20	30	270	—
Symptoms involving nervous and musculoskeletal systems .....	512	70	—	70	—	—	—	—	70	—
Earache .....	5122	70	—	70	—	—	—	—	70	—
Symptoms involving skin and other integumentary tissue .....	513	50	40	—	—	—	—	—	50	—
Symptoms involving skin and other integumentary tissue, n.e.c. .....	5139	50	40	—	—	—	—	—	40	—
Symptoms involving head and neck .....	514	310	180	130	—	50	50	130	80	—
Headache, except migraine .....	5141	250	150	100	—	20	50	130	50	—
Multiple symptoms involving head and neck .....	5148	20	—	20	—	20	—	—	—	—
Symptoms involving head and neck, n.e.c. .....	5149	30	20	—	—	—	—	—	20	—
Symptoms involving cardiovascular system .....	515	40	30	—	—	—	20	—	20	—
Symptoms involving cardiovascular system, n.e.c. ..	5159	20	20	—	—	—	—	—	—	—
Symptoms involving respiratory system and chest .....	516	580	310	270	—	30	110	210	220	—

See footnotes at end of table.

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by nature of injury or illness, gender, and length of service with employer, private industry, 2013 — Continued

Nature	Nature code <sup>2</sup>	Private industry <sup>3</sup>	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Symptoms involving respiratory system and chest, unspecified .....	5160	250	130	120	—	30	70	70	70	—
Chest pain .....	5164	120	110	20	—	—	20	30	80	—
Multiple symptoms involving respiratory system and chest .....	5168	80	—	70	—	—	—	70	—	—
Symptoms involving respiratory system and chest, n.e.c. ....	5169	120	60	60	—	—	20	40	60	—
Symptoms involving digestive and urinary system .....	517	180	80	100	—	—	80	80	20	—
Nausea and vomiting—general .....	5171	40	20	20	—	—	20	—	—	—
Multiple symptoms involving digestive or urinary system .....	5178	20	—	20	—	—	—	20	—	—
Symptoms involving digestive and urinary system, n.e.c. ....	5179	100	40	50	—	—	40	40	—	—
Multiple symptoms .....	518	160	90	70	—	—	30	70	50	—
Abnormal findings .....	52	30	20	20	—	—	—	—	—	—
Other abnormal findings .....	529	20	—	—	—	—	—	—	—	—
Multiple symptoms, signs, and ill-defined conditions .....	58	100	20	80	—	—	80	—	—	—
Symptoms, signs, and ill-defined conditions, n.e.c. ....	59	20	—	20	—	—	—	—	—	—
<b>Other diseases, conditions, and disorders</b> .....	<b>6</b>	<b>4,060</b>	<b>950</b>	<b>3,070</b>	<b>40</b>	<b>220</b>	<b>370</b>	<b>2,040</b>	<b>1,300</b>	<b>120</b>
Other diseases, conditions, and disorders, unspecified .....	60	100	60	40	—	—	—	30	60	—
Damage to prosthetic and orthopedic devices .....	61	30	—	30	—	—	—	—	20	—
Damage to prosthetic devices and aids .....	611	30	—	20	—	—	—	—	20	—
Mental disorders and syndromes .....	62	3,920	880	3,000	40	210	370	2,010	1,210	120
Mental disorders and syndromes, unspecified .....	620	150	40	100	20	—	30	40	50	20
Anxiety, stress .....	621	3,690	780	2,890	20	200	330	1,910	1,150	100
Anxiety, stress, unspecified .....	6210	2,750	460	2,260	20	—	240	1,710	700	90
Post-traumatic stress disorder .....	6211	550	210	340	—	160	40	100	240	—
Adjustment disorder .....	6212	40	—	40	—	—	—	—	30	—
Anxiety or panic disorder .....	6213	160	50	110	—	—	—	50	80	—
Anxiety, stress, n.e.c. ....	6219	200	50	140	—	—	30	40	100	—
Depression or depressive episode .....	622	70	60	—	—	—	—	60	—	—
<b>Exposures to disease—no illness incurred</b> .....	<b>7</b>	<b>350</b>	<b>70</b>	<b>280</b>	<b>—</b>	<b>—</b>	<b>70</b>	<b>150</b>	<b>120</b>	<b>—</b>
<b>Multiple diseases, conditions, and disorders</b> .....	<b>8</b>	<b>430</b>	<b>160</b>	<b>260</b>	<b>—</b>	<b>30</b>	<b>70</b>	<b>50</b>	<b>260</b>	<b>20</b>
<b>Nonclassifiable</b> .....	<b>9999</b>	<b>3,630</b>	<b>2,260</b>	<b>920</b>	<b>440</b>	<b>140</b>	<b>770</b>	<b>1,020</b>	<b>520</b>	<b>1,170</b>

<sup>1</sup> Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

<sup>2</sup> Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

<sup>3</sup> Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.  
Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.