

TABLE R86. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and day of the week event occurred, private industry, 2013

Part of body	Part of body code ²	Private industry ³	Day of week						
			Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
Total		917,090	56,660	167,260	157,310	159,950	155,600	141,630	78,680
Head	1	69,680	4,180	12,930	12,410	12,170	12,010	10,650	5,330
Head, unspecified	10	15,080	990	2,440	2,940	2,580	2,380	2,260	1,500
Cranial region, including skull	11	15,000	950	2,930	2,800	2,550	2,350	2,310	1,100
Cranial region, unspecified	110	250	—	30	40	60	30	50	40
Brain	111	11,880	810	2,610	2,330	1,970	1,590	1,790	780
Scalp	112	2,120	120	200	350	420	460	420	150
Skull	113	540	—	50	40	50	230	30	130
Multiple cranial region locations	118	100	—	—	30	—	30	—	—
Cranial region, n.e.c.	119	110	—	30	20	50	—	—	—
Ear(s)	12	1,330	50	150	260	240	70	200	360
Face	13	37,230	2,120	7,230	6,220	6,630	6,960	5,780	2,290
Face, unspecified	130	3,720	340	930	630	800	410	410	220
Forehead	131	2,790	170	660	360	600	360	410	230
Eye(s)	132	22,120	1,160	4,070	3,850	3,650	4,650	3,440	1,300
Nose, nasal cavity	133	2,190	60	400	240	540	510	300	140
Nose, except internal location of diseases or disorders	1330	2,180	60	400	240	540	510	290	140
Cheek(s)	134	570	20	180	60	140	90	50	20
Jaw, chin	135	1,130	160	80	290	100	280	130	80
Mouth	136	2,560	50	670	530	260	400	500	150
Mouth, unspecified	1360	410	20	60	240	20	—	40	—
Lip(s)	1361	720	—	80	120	50	140	300	30
Tongue	1362	20	—	—	—	20	—	—	—
Tooth (teeth)	1363	1,280	20	520	160	130	240	120	90
Multiple mouth locations	1368	110	—	—	—	20	—	30	20
Multiple face locations	138	1,900	130	160	240	490	250	490	140
Face, n.e.c.	139	250	20	80	20	40	20	60	—
Multiple head locations	18	830	50	160	140	120	210	100	50
Head, n.e.c.	19	210	—	20	40	60	50	—	30
Neck, including throat	2	13,430	830	2,460	2,130	2,580	2,390	1,520	1,520
Neck, except internal location of diseases or disorders	20	13,400	820	2,450	2,130	2,580	2,390	1,510	1,520
Larynx	23	20	—	—	—	—	—	—	—
Trunk	3	226,640	13,830	41,520	39,840	38,270	37,640	35,580	19,970
Trunk, unspecified	30	840	60	130	120	150	110	200	70
Chest, including ribs, internal organs	31	13,830	720	1,970	3,030	1,910	2,580	2,220	1,410
Chest, except internal location of diseases or disorders	310	13,000	690	1,900	2,800	1,780	2,420	2,040	1,380
Internal chest location, unspecified	311	100	—	—	70	—	—	20	—
Heart	313	210	—	—	60	40	40	40	—
Bronchus	314	70	—	—	—	40	20	—	—
Lung(s), pleura	315	440	20	40	90	60	90	120	—
Back, including spine, spinal cord	32	170,450	10,960	32,110	29,190	29,550	27,960	25,430	15,250
Back, including spine, spinal cord, unspecified	320	69,680	4,370	13,390	12,750	12,140	11,470	9,920	5,640
Thoracic region	321	8,360	650	1,460	1,240	1,280	1,570	1,040	1,120
Lumbar region	322	85,100	5,490	15,910	14,180	15,010	13,370	13,210	7,940

See footnotes at end of table.

TABLE R86. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and day of the week event occurred, private industry, 2013 — Continued

Part of body	Part of body code ²	Private industry ³	Day of week						
			Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
Sacral region	323	230	30	30	40	50	50	30	—
Coccygeal region	324	1,410	60	260	180	140	400	230	130
Multiple back regions	328	5,420	360	1,050	800	880	1,030	960	340
Back, including spine, spinal cord, n.e.c.	329	250	—	20	—	50	70	30	60
Abdomen	33	20,820	1,120	3,560	4,470	3,010	3,570	3,570	1,520
Abdomen, except internal location of diseases or disorders	330	19,970	1,070	3,460	4,410	2,890	3,380	3,510	1,250
Internal abdominal location, unspecified	331	410	30	80	20	60	120	40	60
Stomach organ	332	50	—	—	—	—	—	—	—
Intestines, peritoneum	335	380	—	30	20	50	60	—	200
Intestines, peritoneum, unspecified	3350	360	—	20	20	50	60	—	200
Pelvic region	34	16,920	780	3,100	2,480	2,840	2,700	3,590	1,430
Pelvic region, unspecified	340	210	—	—	80	60	20	20	—
Hip(s)	341	8,070	350	1,210	1,470	1,280	1,300	1,630	820
Pelvis	342	1,150	60	390	120	300	160	100	30
Buttock(s)	343	1,100	60	360	80	120	160	220	80
Groin	344	5,910	290	990	680	930	1,010	1,570	450
External reproductive tract structures ..	345	190	—	30	30	80	—	30	—
External reproductive tract structures, unspecified	3450	20	—	—	—	—	—	—	—
Scrotum	3451	90	—	—	20	40	—	—	—
Penis	3452	20	—	—	—	—	—	—	—
External reproductive tract structures, n.e.c.	3459	40	—	—	—	30	—	—	—
Internal reproductive tract structures ...	346	20	—	—	—	—	—	—	—
Multiple pelvic region locations	348	170	—	60	—	50	—	—	20
Pelvic region, n.e.c.	349	110	—	40	—	—	30	—	—
Multiple trunk locations	38	3,580	190	610	540	770	710	480	290
Trunk, n.e.c.	39	200	—	20	20	40	—	100	—
Upper extremities	4	286,320	18,370	52,770	49,420	49,930	48,670	42,710	24,450
Upper extremities, unspecified	40	440	90	150	30	50	60	30	30
Shoulder(s), including clavicle(s), scapula(e)	41	68,500	4,240	12,340	12,330	11,590	12,450	10,360	5,180
Arm(s)	42	43,580	2,910	8,800	6,910	7,970	7,070	6,480	3,440
Arm(s), unspecified	420	14,880	960	3,370	2,270	2,730	2,360	2,160	1,040
Upper arm(s)	421	5,050	340	900	970	930	750	770	390
Elbow(s)	422	14,220	1,010	2,900	2,050	2,390	2,370	2,320	1,180
Forearm(s)	423	7,300	490	1,250	1,320	1,510	1,220	900	610
Multiple arm locations	428	1,550	100	310	210	280	230	290	120
Multiple arm locations, unspecified ..	4280	250	—	40	70	30	60	50	—
Elbow(s) and arm(s)	4281	680	70	120	70	150	120	90	60
Multiple arm locations, n.e.c.	4289	620	30	150	70	100	60	150	50
Arm(s), n.e.c.	429	590	20	70	80	140	140	40	100
Wrist(s)	43	37,500	2,760	6,910	6,920	6,790	6,020	5,220	2,890
Hand(s)	44	121,500	7,500	21,510	20,130	21,260	20,710	18,440	11,940
Hand(s), unspecified	440	32,400	2,310	5,180	5,230	6,300	5,530	4,590	3,260
Hand(s), except finger(s)	441	4,380	340	850	810	740	670	600	370
Finger(s), fingernail(s)	442	80,110	4,650	14,700	13,470	13,480	13,520	12,430	7,870

See footnotes at end of table.

TABLE R86. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and day of the week event occurred, private industry, 2013 — Continued

Part of body	Part of body code ²	Private industry ³	Day of week						
			Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
Finger(s), fingernail(s), unspecified ..	4420	60,310	3,720	10,100	10,010	10,520	10,180	9,180	6,600
Fingernail(s), nailbed(s)	4421	870	30	180	220	160	70	190	20
Fingertip(s)	4422	7,640	310	1,680	1,590	990	1,470	1,110	480
Finger(s), fingernail(s), n.e.c.	4429	11,290	590	2,730	1,650	1,810	1,790	1,940	770
Hand(s) and finger(s)	448	2,810	100	370	380	410	710	600	230
Hand(s), n.e.c.	449	1,780	90	410	240	330	280	220	210
Multiple upper extremities locations	48	14,680	880	3,040	3,070	2,210	2,340	2,170	970
Multiple upper extremities locations, unspecified	480	340	20	90	20	70	80	50	—
Hand(s) and arms(s)	481	1,670	80	370	380	210	280	250	100
Hand(s) and arm(s), unspecified	4810	850	50	240	140	90	160	120	50
Hand(s) and elbow(s)	4811	190	—	50	50	40	30	—	—
Hand(s) and arm(s), n.e.c.	4819	630	30	80	180	80	90	120	40
Hand(s) and wrist(s)	482	3,210	200	560	870	590	400	380	220
Wrist(s) and arm(s)	483	1,230	90	190	240	190	190	200	120
Wrist(s) and arm(s), unspecified	4830	420	40	40	100	80	30	90	40
Wrist(s) and elbow(s)	4831	370	30	70	70	40	70	50	40
Wrist(s) and arm(s), n.e.c.	4839	440	20	80	70	70	90	60	50
Shoulder(s) and arm(s)	484	4,870	300	1,200	1,060	710	820	440	340
Multiple upper extremities locations, n.e.c.	489	3,360	200	630	500	450	560	850	170
Upper extremities, n.e.c.	49	140	—	20	20	60	20	—	—
Lower extremities	5	202,280	12,510	36,160	33,520	35,240	34,340	32,250	18,260
Lower extremities, unspecified	50	240	20	50	70	20	40	40	—
Leg(s)	51	106,030	6,600	19,130	18,120	18,420	17,440	17,400	8,920
Leg(s), unspecified	510	12,450	600	2,310	1,990	2,350	2,310	1,920	980
Thigh(s)	511	4,440	220	600	530	750	890	970	490
Knee(s)	512	77,490	5,220	14,330	13,540	13,110	11,970	12,580	6,740
Lower leg(s)	513	8,840	410	1,360	1,670	1,650	1,740	1,450	550
Multiple leg locations	518	2,450	140	430	330	500	500	410	140
Multiple leg locations, unspecified ...	5180	240	—	30	60	—	110	20	—
Knee(s) and leg(s)	5181	1,580	120	250	200	410	210	270	120
Multiple leg locations, n.e.c.	5189	630	—	150	70	80	180	120	20
Leg(s), n.e.c.	519	370	—	110	60	50	40	70	30
Ankle(s)	52	45,620	2,860	8,400	7,270	7,670	7,980	7,070	4,380
Foot (feet)	53	43,570	2,650	7,210	6,990	8,080	7,570	6,680	4,400
Foot (feet), unspecified	530	27,920	1,650	4,630	4,720	4,770	4,980	4,130	3,040
Sole(s)	531	2,570	160	330	520	700	390	360	120
Sole(s), unspecified	5310	560	80	40	120	180	70	30	30
Ball(s) of the foot	5311	20	—	—	—	—	—	—	—
Arch(es), instep(s)	5312	150	30	20	30	30	—	30	—
Heel(s)	5313	1,800	50	280	360	480	270	290	70
Multiple sole locations	5318	50	—	—	—	—	40	—	—
Toes(s), toenail(s)	532	10,620	760	1,990	1,470	2,020	1,890	1,470	1,030
Multiple foot (feet) locations	538	1,260	30	80	90	400	120	510	40
Foot (feet), n.e.c.	539	1,200	50	180	200	190	190	210	180
Multiple lower extremities locations	58	6,760	380	1,370	1,060	1,040	1,310	1,060	540
Multiple lower extremities locations, unspecified	580	170	—	50	—	20	20	60	—
Foot (feet) and leg(s)	581	960	90	180	150	140	200	120	80

See footnotes at end of table.

TABLE R86. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and day of the week event occurred, private industry, 2013 — Continued

Part of body	Part of body code ²	Private industry ³	Day of week						
			Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
Foot(feet) and leg(s), unspecified	5810	270	40	40	30	70	50	30	20
Foot(feet) and knee(s)	5811	350	—	70	80	30	90	50	40
Foot(feet) and leg(s), n.e.c.	5819	330	50	70	40	40	60	40	30
Foot (feet) and ankle(s)	582	2,420	130	390	340	430	420	510	200
Ankle(s) and leg(s)	583	2,380	90	620	380	310	520	280	160
Ankle(s) and leg(s), unspecified	5830	480	—	170	40	40	190	20	20
Ankle(s) and knee(s)	5831	1,510	90	360	290	210	250	210	100
Ankle(s) and leg(s), n.e.c.	5839	390	—	100	60	60	80	50	30
Multiple lower extremities locations, n.e.c.	589	840	50	130	180	150	150	80	90
Lower extremities, n.e.c.	59	50	—	—	—	—	—	—	20
Body systems	6	18,570	1,060	2,980	2,970	4,000	4,000	2,330	1,230
Multiple body parts	8	89,870	5,220	16,460	15,410	15,860	14,690	15,150	7,100
Multiple body parts, unspecified	80	8,040	570	1,520	1,250	1,370	1,360	1,300	670
Head and neck	81	2,310	110	780	420	390	300	170	140
Head, neck, and trunk	82	520	80	100	70	110	50	70	30
Head and trunk	83	1,330	30	240	240	360	270	130	60
Neck and back	84	7,430	450	1,160	1,420	1,470	1,200	1,240	490
Shoulder(s) and back	85	3,750	250	670	750	580	680	460	370
Hip(s) and leg(s)	86	1,740	60	220	240	680	200	240	100
Upper and lower limb(s)	87	5,670	370	1,150	1,040	830	1,000	940	340
Other multiple body parts	89	59,080	3,300	10,630	9,980	10,040	9,640	10,590	4,890
Whole body	891	740	20	140	90	30	140	220	90
Multiple body parts, n.e.c.	899	58,340	3,290	10,480	9,890	10,010	9,500	10,370	4,810

See footnotes at end of table.

TABLE R86. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and day of the week event occurred, private industry, 2013 — Continued

Part of body	Part of body code ²	Private industry ³	Day of week						
			Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
Other body parts	9	30	-	-	-	-	-	-	-
Prosthetic and orthopedic devices	91	30	-	-	-	-	-	-	-
Nonclassifiable	9999	10,270	670	1,990	1,620	1,900	1,850	1,440	800

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.
Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.