

TABLE R93. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and time of day event occurred, private industry, 2013

Part of body	Part of body code ²	Private industry ³	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Total		917,090	27,680	85,240	250,180	199,940	102,900	55,450	195,710
Head	1	69,680	1,940	5,930	19,550	16,880	7,670	4,560	13,160
Head, unspecified	10	15,080	370	1,260	3,910	2,880	1,870	1,110	3,690
Cranial region, including skull	11	15,000	350	1,450	4,410	4,150	1,700	880	2,060
Cranial region, unspecified	110	250	—	20	80	50	60	20	—
Brain	111	11,880	280	1,220	3,540	3,120	1,360	630	1,730
Scalp	112	2,120	50	170	550	700	190	190	270
Skull	113	540	—	20	170	240	50	20	20
Multiple cranial region locations	118	100	—	—	40	—	20	—	—
Cranial region, n.e.c.	119	110	—	—	50	30	20	—	—
Ear(s)	12	1,330	20	70	290	540	90	100	220
Face	13	37,230	1,180	2,950	10,690	9,170	3,880	2,400	6,970
Face, unspecified	130	3,720	30	260	1,030	780	870	210	540
Forehead	131	2,790	40	160	1,170	540	320	210	350
Eye(s)	132	22,120	850	1,650	5,840	5,360	1,880	1,330	5,220
Nose, nasal cavity	133	2,190	70	270	500	590	280	310	160
Nose, except internal location of diseases or disorders	1330	2,180	70	270	500	590	280	310	160
Cheek(s)	134	570	—	70	300	80	30	30	50
Jaw, chin	135	1,130	30	90	380	290	100	160	90
Mouth	136	2,560	100	180	700	1,010	110	80	380
Mouth, unspecified	1360	410	—	30	40	270	20	—	30
Lip(s)	1361	720	—	30	70	390	40	30	160
Tongue	1362	20	—	—	—	—	—	—	—
Tooth (teeth)	1363	1,280	90	110	520	330	50	20	170
Multiple mouth locations	1368	110	—	—	50	30	—	—	—
Multiple face locations	138	1,900	40	210	740	450	210	80	160
Face, n.e.c.	139	250	—	40	50	60	60	—	20
Multiple head locations	18	830	20	130	200	130	100	40	210
Head, n.e.c.	19	210	—	70	50	20	30	40	—
Neck, including throat	2	13,430	390	1,310	4,030	3,000	1,250	810	2,640
Neck, except internal location of diseases or disorders	20	13,400	390	1,310	4,010	3,000	1,250	800	2,640
Larynx	23	20	—	—	20	—	—	—	—
Trunk	3	226,640	7,310	22,640	65,810	44,060	23,000	12,630	51,190
Trunk, unspecified	30	840	60	70	190	170	100	40	220
Chest, including ribs, internal organs	31	13,830	410	1,490	4,180	3,130	1,810	690	2,120
Chest, except internal location of diseases or disorders	310	13,000	380	1,420	4,020	2,960	1,680	660	1,880
Internal chest location, unspecified	311	100	—	—	70	—	—	—	20
Heart	313	210	—	20	60	60	40	—	20
Bronchus	314	70	—	—	—	—	—	—	60
Lung(s), pleura	315	440	20	30	40	100	80	20	150
Back, including spine, spinal cord	32	170,450	5,440	17,380	48,790	32,640	17,230	9,800	39,170
Back, including spine, spinal cord, unspecified	320	69,680	1,680	6,410	19,530	12,780	5,770	3,080	20,420
Thoracic region	321	8,360	420	900	2,630	1,510	910	620	1,370

See footnotes at end of table.

TABLE R93. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and time of day event occurred, private industry, 2013 — Continued

Part of body	Part of body code ²	Private industry ³	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Lumbar region	322	85,100	3,060	9,240	25,070	16,580	9,130	5,540	16,460
Sacral region	323	230	—	—	50	80	30	—	40
Coccygeal region	324	1,410	30	130	340	400	210	120	180
Multiple back regions	328	5,420	210	670	1,120	1,280	1,160	420	570
Back, including spine, spinal cord, n.e.c.	329	250	30	20	40	—	30	—	120
Abdomen	33	20,820	780	1,930	5,630	4,150	1,470	990	5,870
Abdomen, except internal location of diseases or disorders	330	19,970	780	1,860	5,530	4,010	1,430	960	5,380
Internal abdominal location, unspecified	331	410	—	—	60	90	—	—	230
Stomach organ	332	50	—	—	20	—	—	—	—
Intestines, peritoneum	335	380	—	60	—	40	20	—	250
Intestines, peritoneum, unspecified	3350	360	—	50	—	30	20	—	250
Pelvic region	34	16,920	450	1,280	6,020	3,410	1,830	890	3,040
Pelvic region, unspecified	340	210	—	20	80	70	—	—	20
Hip(s)	341	8,070	240	690	2,560	1,500	1,000	550	1,540
Pelvis	342	1,150	20	50	370	480	140	50	40
Buttock(s)	343	1,100	20	80	490	240	80	40	160
Groin	344	5,910	150	410	2,330	1,020	540	230	1,230
External reproductive tract structures ..	345	190	—	—	100	30	—	20	—
External reproductive tract structures, unspecified	3450	20	—	—	—	—	—	—	—
Scrotum	3451	90	—	—	50	—	—	—	—
Penis	3452	20	—	—	—	—	—	—	—
External reproductive tract structures, n.e.c.	3459	40	—	—	30	—	—	—	—
Internal reproductive tract structures ...	346	20	—	—	—	—	—	—	—
Multiple pelvic region locations	348	170	—	—	90	30	20	—	—
Pelvic region, n.e.c.	349	110	—	20	—	40	20	—	30
Multiple trunk locations	38	3,580	160	490	890	540	530	220	760
Trunk, n.e.c.	39	200	—	—	120	20	30	—	20
Upper extremities	4	286,320	8,280	25,900	74,430	62,360	33,930	17,190	64,250
Upper extremities, unspecified	40	440	30	20	90	60	30	—	200
Shoulder(s), including clavicle(s), scapula(e)	41	68,500	2,490	7,400	17,110	13,910	7,280	4,010	16,290
Arm(s)	42	43,580	1,450	3,950	11,170	10,770	4,530	2,640	9,060
Arm(s), unspecified	420	14,880	390	1,160	3,590	3,760	1,720	850	3,410
Upper arm(s)	421	5,050	150	450	1,450	1,140	580	310	970
Elbow(s)	422	14,220	410	1,240	3,780	3,430	1,240	850	3,270
Forearm(s)	423	7,300	460	720	1,850	2,030	780	450	1,010
Multiple arm locations	428	1,550	40	210	350	310	160	150	320
Multiple arm locations, unspecified ..	4280	250	—	—	40	100	20	20	60
Elbow(s) and arm(s)	4281	680	20	100	190	120	60	70	120
Multiple arm locations, n.e.c.	4289	620	—	110	130	90	90	60	140
Arm(s), n.e.c.	429	590	—	160	150	90	60	30	90
Wrist(s)	43	37,500	960	3,080	7,590	6,250	4,320	2,770	12,520
Hand(s)	44	121,500	3,030	9,890	34,490	28,140	16,140	6,840	22,970
Hand(s), unspecified	440	32,400	720	2,010	9,260	7,370	3,920	1,920	7,200

See footnotes at end of table.

TABLE R93. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and time of day event occurred, private industry, 2013 — Continued

Part of body	Part of body code ²	Private industry ³	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Hand(s), except finger(s)	441	4,380	60	370	1,140	1,120	700	300	710
Finger(s), fingernail(s)	442	80,110	2,160	7,200	23,160	18,430	10,890	4,260	14,020
Finger(s), fingernail(s), unspecified ..	4420	60,310	1,690	5,180	16,750	13,980	8,400	3,320	11,000
Fingernail(s), nailbed(s)	4421	870	20	100	200	180	150	110	110
Fingertip(s)	4422	7,640	140	920	2,560	1,750	1,000	300	960
Finger(s), fingernail(s), n.e.c.	4429	11,290	300	1,000	3,640	2,520	1,330	540	1,950
Hand(s) and finger(s)	448	2,810	90	210	590	630	330	250	710
Hand(s), n.e.c.	449	1,780	—	100	340	600	300	110	330
Multiple upper extremities locations	48	14,680	320	1,520	3,910	3,200	1,620	920	3,180
Multiple upper extremities locations, unspecified	480	340	—	20	60	100	80	20	60
Hand(s) and arms(s)	481	1,670	50	170	530	380	130	70	330
Hand(s) and arm(s), unspecified	4810	850	40	50	310	210	50	40	160
Hand(s) and elbow(s)	4811	190	—	20	90	30	—	—	30
Hand(s) and arm(s), n.e.c.	4819	630	20	110	130	140	70	30	140
Hand(s) and wrist(s)	482	3,210	50	310	760	790	300	140	860
Wrist(s) and arm(s)	483	1,230	40	100	260	280	180	90	270
Wrist(s) and arm(s), unspecified	4830	420	—	30	80	120	60	40	90
Wrist(s) and elbow(s)	4831	370	—	50	100	60	30	20	100
Wrist(s) and arm(s), n.e.c.	4839	440	20	20	90	100	90	40	80
Shoulder(s) and arm(s)	484	4,870	120	560	1,140	1,050	590	440	970
Multiple upper extremities locations, n.e.c.	489	3,360	50	340	1,160	610	340	170	680
Upper extremities, n.e.c.	49	140	—	30	60	—	—	—	20
Lower extremities	5	202,280	6,770	18,570	55,810	46,750	23,500	13,000	37,880
Lower extremities, unspecified	50	240	—	30	120	20	—	—	40
Leg(s)	51	106,030	3,400	10,360	28,260	23,350	12,350	7,040	21,270
Leg(s), unspecified	510	12,450	450	1,000	2,730	2,810	1,290	780	3,390
Thigh(s)	511	4,440	190	560	1,160	840	550	310	830
Knee(s)	512	77,490	2,370	7,610	21,090	17,000	9,030	4,960	15,420
Lower leg(s)	513	8,840	310	870	2,640	2,080	1,110	570	1,250
Multiple leg locations	518	2,450	60	260	580	490	290	400	350
Multiple leg locations, unspecified ...	5180	240	—	20	70	60	—	—	70
Knee(s) and leg(s)	5181	1,580	50	210	390	340	190	180	210
Multiple leg locations, n.e.c.	5189	630	—	30	110	90	100	220	70
Leg(s), n.e.c.	519	370	—	60	60	120	80	20	20
Ankle(s)	52	45,620	1,630	3,980	12,880	10,760	5,600	2,860	7,910
Foot (feet)	53	43,570	1,530	3,300	12,820	11,350	4,660	2,470	7,450
Foot (feet), unspecified	530	27,920	950	1,970	8,440	7,340	3,250	1,590	4,370
Sole(s)	531	2,570	60	210	760	410	230	110	790
Sole(s), unspecified	5310	560	—	40	150	150	50	—	160
Ball(s) of the foot	5311	20	—	—	—	—	—	—	—
Arch(es), instep(s)	5312	150	—	—	20	30	—	20	50
Heel(s)	5313	1,800	40	170	570	220	160	90	560
Multiple sole locations	5318	50	—	—	—	20	—	—	—
Toes(s), toenail(s)	532	10,620	370	780	2,520	3,260	980	650	2,060
Multiple foot (feet) locations	538	1,260	100	80	790	100	80	60	40
Foot (feet), n.e.c.	539	1,200	50	250	310	230	120	60	180
Multiple lower extremities locations	58	6,760	210	890	1,720	1,260	880	610	1,200

See footnotes at end of table.

TABLE R93. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and time of day event occurred, private industry, 2013 — Continued

Part of body	Part of body code ²	Private industry ³	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Multiple lower extremities locations, unspecified	580	170	—	—	70	20	—	20	40
Foot (feet) and leg(s)	581	960	40	90	290	150	90	40	260
Foot(feet) and leg(s), unspecified	5810	270	—	30	100	40	40	20	50
Foot(feet) and knee(s)	5811	350	—	50	90	40	20	—	140
Foot(feet) and leg(s), n.e.c.	5819	330	30	—	100	70	30	20	80
Foot (feet) and ankle(s)	582	2,420	60	220	490	410	380	320	550
Ankle(s) and leg(s)	583	2,380	70	450	610	510	280	200	260
Ankle(s) and leg(s), unspecified	5830	480	—	90	150	120	—	40	60
Ankle(s) and knee(s)	5831	1,510	50	310	330	310	210	120	180
Ankle(s) and leg(s), n.e.c.	5839	390	20	50	130	70	60	40	—
Multiple lower extremities locations, n.e.c.	589	840	30	130	270	180	120	40	90
Lower extremities, n.e.c.	59	50	—	—	—	20	—	—	—
Body systems	6	18,570	340	1,020	3,920	4,430	2,050	870	5,930
Multiple body parts	8	89,870	2,540	9,220	24,990	20,850	10,990	5,800	15,490
Multiple body parts, unspecified	80	8,040	210	740	1,950	1,700	520	580	2,340
Head and neck	81	2,310	80	160	530	530	330	130	550
Head, neck, and trunk	82	520	20	60	210	50	60	30	90
Head and trunk	83	1,330	—	130	340	250	130	310	150
Neck and back	84	7,430	190	500	1,960	1,760	890	430	1,690
Shoulder(s) and back	85	3,750	120	420	1,050	820	330	250	760
Hip(s) and leg(s)	86	1,740	50	180	660	360	190	70	230
Upper and lower limb(s)	87	5,670	160	450	1,750	1,330	840	320	820
Other multiple body parts	89	59,080	1,690	6,570	16,540	14,040	7,710	3,670	8,860
Whole body	891	740	—	160	290	70	40	20	160
Multiple body parts, n.e.c.	899	58,340	1,680	6,410	16,250	13,980	7,670	3,650	8,700

See footnotes at end of table.

TABLE R93. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and time of day event occurred, private industry, 2013 — Continued

Part of body	Part of body code ²	Private industry ³	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Other body parts	9	30	—	—	20	—	—	—	—
Prosthetic and orthopedic devices	91	30	—	—	20	—	—	—	—
Nonclassifiable	9999	10,270	100	650	1,620	1,600	520	600	5,170

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.
Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.