

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, private industry, 2015

Part of body	Part of body code ²	Private industry ³	Event or exposure leading to injury or illness ⁴							
			Contact with objects				Falls, slips, trips			
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall
Total		902,160	232,120	135,280	50,160	33,400	238,610	50,490	149,180	34,140
Head	1	74,180	39,310	23,300	9,430	410	15,570	2,730	12,670	30
Head, unspecified	10	18,710	9,720	5,110	4,030	350	6,620	1,360	5,180	—
Cranial region, including skull	11	18,060	8,440	4,950	3,280	50	5,500	860	4,580	—
Cranial region, unspecified	110	320	90	40	50	—	110	—	90	—
Brain	111	15,040	6,820	4,030	2,640	—	4,580	700	3,850	—
Scalp	112	2,140	1,340	770	530	40	510	90	420	—
Skull	113	430	140	90	40	—	240	60	180	—
Multiple cranial region locations	118	40	20	—	—	—	—	—	—	—
Cranial region, n.e.c.	119	90	20	20	—	—	60	—	40	—
Ear(s)	12	930	320	220	30	—	20	20	—	—
Face	13	35,450	20,430	12,740	1,980	—	3,230	450	2,740	20
Face, unspecified	130	3,720	1,030	700	320	—	730	60	670	—
Forehead	131	3,050	1,950	1,230	670	—	780	120	650	—
Eye(s)	132	20,600	13,880	7,820	470	—	210	20	180	—
Nose, nasal cavity	133	2,730	1,360	1,050	300	—	530	60	470	—
Nose, except internal location of diseases or disorders	1330	2,470	1,360	1,050	300	—	530	60	470	—
Sinus(es)	1334	260	—	—	—	—	—	—	—	—
Cheek(s)	134	390	200	190	—	—	40	—	30	—
Jaw, chin	135	730	280	220	50	—	140	20	120	—
Mouth	136	2,430	1,210	1,080	80	—	360	40	320	—
Mouth, unspecified	1360	690	250	240	—	—	30	—	30	—
Lip(s)	1361	670	360	300	60	—	60	—	60	—
Tooth (teeth)	1363	970	550	490	20	—	270	40	220	—
Multiple mouth locations	1368	80	40	40	—	—	—	—	—	—
Multiple face locations	138	1,580	420	390	40	—	390	120	260	—
Face, n.e.c.	139	210	100	70	40	—	30	—	30	—
Multiple head locations	18	760	270	220	50	—	140	30	110	—
Head, n.e.c.	19	270	140	70	70	—	60	—	50	—
Neck, including throat	2	12,430	1,560	980	460	20	1,470	210	1,100	160
Neck, except internal location of diseases or disorders ...	20	12,420	1,560	980	460	20	1,470	210	1,100	160
Trunk	3	209,360	9,980	6,320	2,350	680	40,620	10,450	24,340	5,230
Trunk, unspecified	30	1,320	120	100	—	—	520	90	390	40
Chest, including ribs, internal organs	31	15,790	2,330	1,430	460	290	5,680	2,310	3,220	100
Chest, except internal location of diseases or disorders	310	13,550	2,330	1,430	460	290	5,670	2,310	3,210	100
Internal chest location, unspecified	311	50	—	—	—	—	—	—	—	—
Heart	313	710	—	—	—	—	—	—	—	—
Bronchus	314	30	—	—	—	—	—	—	—	—
Lung(s), pleura	315	1,450	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, private industry, 2015 — Continued

Part of body	Event or exposure leading to injury or illness ⁴											
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				All other events ⁵
	Total	In lifting or lowering	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
Total	300,600	94,420	21,230	40,250	46,360	31,130	1,270	38,440	16,160	9,930	12,020	4,520
Head	350	50	20	7,280	3,860	2,790	240	7,350	4,710	1,400	1,150	220
Head, unspecified	90	—	—	30	1,020	640	—	1,140	770	290	50	90
Cranial region, including skull	110	—	—	20	2,170	1,740	20	1,770	1,360	340	50	20
Cranial region, unspecified	30	—	—	20	70	60	—	—	—	—	—	—
Brain	80	—	—	—	1,870	1,510	20	1,650	1,270	340	20	—
Scalp	—	—	—	—	210	150	—	80	50	—	20	—
Skull	—	—	—	—	20	—	—	20	20	—	—	—
Multiple cranial region locations	—	—	—	—	—	—	—	—	—	—	—	—
Cranial region, n.e.c.	—	—	—	—	—	—	—	—	—	—	—	—
Ear(s)	—	—	—	370	70	20	—	130	60	30	50	—
Face	130	40	—	6,790	550	340	190	4,030	2,300	710	990	110
Face, unspecified	—	—	—	660	100	40	90	1,090	700	100	270	20
Forehead	—	—	—	30	110	60	—	140	110	—	20	20
Eye(s)	60	30	—	5,340	100	90	30	920	490	260	160	60
Nose, nasal cavity	—	—	—	270	30	20	—	470	370	90	—	—
Nose, except internal location of diseases or disorders	—	—	—	—	30	20	—	470	370	90	—	—
Sinus(es)	—	—	—	260	—	—	—	—	—	—	—	—
Cheek(s)	—	—	—	40	—	—	—	100	70	—	20	—
Jaw, chin	40	—	—	30	—	—	—	240	150	30	50	—
Mouth	—	—	—	130	60	40	—	660	140	150	370	—
Mouth, unspecified	—	—	—	100	—	—	—	310	40	—	260	—
Lip(s)	—	—	—	20	—	—	—	200	40	—	80	—
Tooth (teeth)	—	—	—	—	30	20	—	110	50	60	—	—
Multiple mouth locations	—	—	—	—	—	—	—	30	—	—	—	—
Multiple face locations	—	—	—	270	110	80	20	380	250	40	80	—
Face, n.e.c.	—	—	—	20	—	—	—	40	20	—	—	—
Multiple head locations	—	—	—	70	50	40	20	210	180	20	—	—
Head, n.e.c.	—	—	—	—	—	—	—	70	40	20	—	—
Neck, including throat	4,540	1,210	270	40	3,780	3,410	—	920	590	250	60	90
Neck, except internal location of diseases or disorders ...	4,530	1,210	270	40	3,780	3,410	—	920	590	250	60	90
Trunk	140,220	58,940	2,070	2,580	9,220	6,730	70	5,620	2,270	2,020	1,310	1,050
Trunk, unspecified	390	160	—	110	90	60	—	90	20	40	30	—
Chest, including ribs, internal organs	3,580	820	80	1,680	1,090	750	20	1,340	530	270	530	60
Chest, except internal location of diseases or disorders	2,860	820	80	170	1,090	750	20	1,340	530	260	530	60
Internal chest location, unspecified	30	—	—	20	—	—	—	—	—	—	—	—
Heart	660	—	—	40	—	—	—	—	—	—	—	—
Bronchus	—	—	—	30	—	—	—	—	—	—	—	—
Lung(s), pleura	30	—	—	1,410	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, private industry, 2015 — Continued

Part of body	Part of body code ²	Private industry ³	Event or exposure leading to injury or illness ⁴							
			Contact with objects				Falls, slips, trips			
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall
Back, including spine, spinal cord	32	155,740	4,970	3,340	1,120	150	25,650	5,760	14,950	4,480
Back, including spine, spinal cord, unspecified	320	59,360	1,880	1,320	430	50	9,780	2,570	5,140	1,880
Thoracic region	321	8,160	800	680	60	—	990	170	670	120
Lumbar region	322	81,970	2,120	1,220	600	80	12,480	2,580	7,300	2,390
Sacral region	323	270	—	—	—	—	160	20	140	—
Coccygeal region	324	1,300	30	20	—	—	1,190	230	950	—
Multiple back regions	328	4,450	150	100	20	—	980	160	700	90
Back, including spine, spinal cord, n.e.c.	329	220	—	—	—	—	80	30	50	—
Abdomen	33	18,290	790	600	140	20	520	70	340	80
Abdomen, except internal location of diseases or disorders	330	17,620	770	600	120	20	520	70	340	80
Internal abdominal location, unspecified	331	360	—	—	—	—	—	—	—	—
Stomach organ	332	20	—	—	—	—	—	—	—	—
Intestines, peritoneum	335	260	—	—	—	—	—	—	—	—
Intestines, peritoneum, unspecified	3350	230	—	—	—	—	—	—	—	—
Large intestine, colon, rectum	3353	30	—	—	—	—	—	—	—	—
Other digestive structures	336	30	—	—	—	—	—	—	—	—
Liver	3361	30	—	—	—	—	—	—	—	—
Pelvic region	34	14,770	1,480	700	510	190	6,730	1,660	4,630	380
Pelvic region, unspecified	340	200	70	60	—	—	80	30	30	—
Hip(s)	341	7,370	590	230	180	150	4,500	930	3,360	180
Pelvis	342	940	360	100	—	20	400	210	180	—
Buttock(s)	343	1,320	100	20	40	—	990	360	630	—
Groin	344	4,360	300	240	40	—	600	90	340	170
External reproductive tract structures	345	200	50	30	—	—	50	—	—	—
External reproductive tract structures, unspecified ..	3450	30	—	—	—	—	—	—	—	—
Scrotum	3451	100	20	20	—	—	20	—	—	—
Penis	3452	20	—	—	—	—	—	—	—	—
External female genital region	3453	20	—	—	—	—	20	—	—	—
Multiple external reproductive tract structures	3458	20	—	—	—	—	—	—	—	—
Multiple pelvic region locations	348	320	30	—	—	—	100	40	60	—
Pelvic region, n.e.c.	349	50	—	—	—	—	—	—	—	—
Multiple trunk locations	38	3,280	270	130	90	30	1,470	530	780	150
Trunk, n.e.c.	39	170	20	—	—	—	70	—	40	—
Upper extremities	4	294,420	119,110	63,590	23,420	27,910	52,870	10,320	38,400	3,390
Upper extremities, unspecified	40	590	80	50	20	—	110	—	90	—
Shoulder(s), including clavicle(s), scapula(e)	41	72,270	4,490	3,440	690	250	18,840	4,190	12,010	2,270
Arm(s)	42	45,760	9,970	4,830	3,350	1,390	12,830	2,390	9,870	390
Arm(s), unspecified	420	14,060	2,610	1,510	460	460	4,100	670	3,210	190
Upper arm(s)	421	6,170	520	300	80	110	1,430	180	1,160	70
Elbow(s)	422	14,360	2,990	790	2,040	60	5,380	1,040	4,180	100
Forearm(s)	423	8,640	3,640	2,130	720	700	1,410	400	920	30
Multiple arm locations	428	2,110	120	70	40	—	420	100	310	—

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, private industry, 2015 — Continued

Part of body	Event or exposure leading to injury or illness ⁴											
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				All other events ⁵
	Total	In lifting or lowering	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
Back, including spine, spinal cord	114,600	46,880	1,610	40	6,900	5,290	40	2,690	760	1,350	560	840
Back, including spine, spinal cord, unspecified	42,370	18,040	580	—	3,590	3,000	20	1,220	270	460	480	500
Thoracic region	5,900	2,060	120	—	300	180	—	110	60	40	—	30
Lumbar region	63,050	25,650	860	20	2,790	1,920	—	1,200	370	760	60	310
Sacral region	100	50	—	—	—	—	—	—	—	—	—	—
Coccygeal region	50	30	—	—	—	—	—	20	—	—	—	—
Multiple back regions	2,990	1,000	40	—	190	180	—	130	50	80	—	—
Back, including spine, spinal cord, n.e.c.	120	40	—	—	—	—	—	—	—	—	—	—
Abdomen	15,090	8,680	250	580	310	200	—	920	730	140	50	90
Abdomen, except internal location of diseases or disorders	14,780	8,600	150	230	310	200	—	920	730	140	50	80
Internal abdominal location, unspecified	190	50	70	160	—	—	—	—	—	—	—	—
Stomach organ	—	—	—	—	—	—	—	—	—	—	—	—
Intestines, peritoneum	100	30	20	150	—	—	—	—	—	—	—	—
Intestines, peritoneum, unspecified	90	20	—	130	—	—	—	—	—	—	—	—
Large intestine, colon, rectum	—	—	—	20	—	—	—	—	—	—	—	—
Other digestive structures	—	—	—	30	—	—	—	—	—	—	—	—
Liver	—	—	—	30	—	—	—	—	—	—	—	—
Pelvic region	5,430	1,920	100	110	570	250	—	400	140	160	100	50
Pelvic region, unspecified	50	—	—	—	—	—	—	—	—	—	—	—
Hip(s)	1,710	350	60	—	360	210	—	200	60	130	—	20
Pelvis	110	50	—	—	30	—	—	30	—	—	—	—
Buttock(s)	100	20	—	70	20	—	—	50	—	—	40	—
Groin	3,290	1,420	40	30	40	—	—	80	40	20	20	30
External reproductive tract structures	80	—	—	—	—	—	—	20	—	—	20	—
External reproductive tract structures, unspecified ..	20	—	—	—	—	—	—	—	—	—	—	—
Scrotum	60	—	—	—	—	—	—	—	—	—	—	—
Penis	—	—	—	—	—	—	—	—	—	—	—	—
External female genital region	—	—	—	—	—	—	—	—	—	—	—	—
Multiple external reproductive tract structures	—	—	—	—	—	—	—	—	—	—	—	—
Multiple pelvic region locations	50	30	—	—	120	20	—	—	—	—	—	—
Pelvic region, n.e.c.	40	20	—	—	—	—	—	—	—	—	—	—
Multiple trunk locations	1,100	460	20	40	260	180	—	140	50	60	30	—
Trunk, n.e.c.	40	—	—	—	—	—	—	30	30	—	—	—
Upper extremities	92,480	26,750	17,280	10,880	5,050	3,030	300	12,440	3,930	3,420	5,020	1,290
Upper extremities, unspecified	260	30	120	30	—	—	—	100	—	—	100	—
Shoulder(s), including clavicle(s), scapula(e)	45,020	15,170	2,700	20	1,770	1,160	20	1,830	780	880	160	280
Arm(s)	14,760	4,880	1,980	3,240	1,540	800	130	3,190	760	800	1,610	100
Arm(s), unspecified	3,450	1,070	500	1,680	620	210	100	1,480	370	260	850	20
Upper arm(s)	3,750	1,570	150	110	60	20	—	280	100	60	120	20
Elbow(s)	5,060	1,440	860	70	500	290	—	320	50	80	190	30
Forearm(s)	1,340	490	210	1,270	300	250	30	640	180	80	370	—
Multiple arm locations	990	210	260	90	60	30	—	420	30	310	70	—

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, private industry, 2015 — Continued

Part of body	Part of body code ²	Private industry ³	Event or exposure leading to injury or illness ⁴							
			Contact with objects				Falls, slips, trips			
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall
Multiple arm locations, unspecified	4280	190	20	—	—	—	80	70	—	—
Elbow(s) and arm(s)	4281	1,460	70	40	30	—	270	20	250	—
Multiple arm locations, n.e.c.	4289	470	40	30	—	—	70	20	50	—
Arm(s), n.e.c.	429	420	80	30	—	50	90	—	90	—
Wrist(s)	43	34,210	4,760	3,020	940	620	10,680	2,280	8,100	240
Hand(s)	44	124,540	97,660	51,070	18,070	25,150	6,050	830	4,820	290
Hand(s), unspecified	440	33,630	19,960	11,370	4,500	3,360	2,710	460	2,060	130
Hand(s), except finger(s)	441	4,380	3,720	2,640	670	330	140	20	110	—
Finger(s), fingernail(s)	442	81,520	71,070	35,560	12,380	20,720	2,810	350	2,280	150
Finger(s), fingernail(s), unspecified	4420	62,660	54,150	27,950	9,150	15,140	2,310	330	1,880	70
Fingernail(s), nailbed(s)	4421	930	870	330	90	440	—	—	—	—
Fingertip(s)	4422	7,380	7,040	2,840	1,240	2,780	40	—	20	—
Finger(s), fingernail(s), n.e.c.	4429	10,550	9,010	4,440	1,900	2,360	440	20	360	60
Hand(s) and finger(s)	448	3,650	2,010	980	290	650	340	—	330	—
Hand(s), n.e.c.	449	1,360	900	520	220	100	50	—	50	—
Multiple upper extremities locations	48	16,800	2,090	1,150	360	490	4,300	610	3,430	190
Multiple upper extremities locations, unspecified	480	160	30	—	20	—	40	—	40	—
Hand(s) and arms(s)	481	1,880	240	140	30	70	510	50	290	120
Hand(s) and arm(s), unspecified	4810	800	130	80	20	30	110	40	70	—
Hand(s) and elbow(s)	4811	360	—	—	—	—	230	—	130	80
Hand(s) and arm(s), n.e.c.	4819	710	100	50	—	40	170	—	80	40
Hand(s) and wrist(s)	482	3,770	740	300	160	230	650	—	620	20
Wrist(s) and arm(s)	483	2,240	300	70	90	120	740	90	640	—
Wrist(s) and arm(s), unspecified	4830	700	60	—	30	—	190	—	180	—
Wrist(s) and elbow(s)	4831	620	40	—	40	—	340	40	300	—
Wrist(s) and arm(s), n.e.c.	4839	920	200	60	30	110	200	30	160	—
Shoulder(s) and arm(s)	484	5,890	260	190	30	—	1,610	330	1,240	40
Multiple upper extremities locations, n.e.c.	489	2,860	510	440	20	50	760	140	610	20
Upper extremities, n.e.c.	49	240	50	40	—	—	70	—	70	—
Lower extremities	5	202,460	53,850	34,960	13,500	3,880	87,050	16,720	44,200	23,520
Lower extremities, unspecified	50	370	110	80	20	—	120	20	90	—
Leg(s)	51	103,770	18,940	9,750	6,630	1,500	44,910	7,340	26,960	9,350
Leg(s), unspecified	510	11,990	4,050	2,460	750	310	3,920	1,360	1,610	650
Thigh(s)	511	4,610	1,330	930	270	90	1,360	230	940	170
Knee(s)	512	73,810	8,950	3,590	4,380	550	34,800	3,950	22,200	7,870
Lower leg(s)	513	10,520	3,930	2,310	1,050	520	3,630	1,580	1,480	420
Multiple leg locations	518	2,470	540	400	120	20	1,050	200	610	220
Multiple leg locations, unspecified	5180	80	20	—	—	—	30	—	20	—
Knee(s) and leg(s)	5181	1,940	450	330	100	—	790	150	450	180
Multiple leg locations, n.e.c.	5189	450	70	50	—	—	230	50	140	40
Leg(s), n.e.c.	519	370	140	60	70	—	140	—	110	—
Ankle(s)	52	45,780	6,000	3,360	1,920	630	28,140	5,420	11,550	10,260
Foot (feet)	53	43,310	26,990	20,330	4,710	1,600	8,490	2,350	2,920	2,840

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, private industry, 2015 — Continued

Part of body	Event or exposure leading to injury or illness ⁴											
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				All other events ⁵
	Total	In lifting or lowering	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
Multiple arm locations, unspecified	50	20	—	30	—	—	—	—	—	—	—	—
Elbow(s) and arm(s)	670	120	160	20	40	—	—	390	20	310	50	—
Multiple arm locations, n.e.c.	260	60	80	40	20	20	—	20	—	—	20	—
Arm(s), n.e.c.	170	110	—	20	—	—	—	50	40	—	—	—
Wrist(s)	16,220	3,440	7,510	450	600	400	—	1,350	640	490	210	160
Hand(s)	7,790	1,570	2,760	6,360	820	450	100	5,060	1,390	900	2,750	700
Hand(s), unspecified	3,400	880	1,120	4,300	400	240	70	2,540	540	170	1,810	240
Hand(s), except finger(s)	230	40	90	130	50	—	—	100	20	—	60	—
Finger(s), fingernail(s)	3,660	620	1,280	1,050	320	150	20	2,150	760	660	720	440
Finger(s), fingernail(s), unspecified	2,920	500	1,020	900	300	140	20	1,750	460	590	690	310
Fingernail(s), nailbed(s)	20	—	—	—	—	—	—	—	—	—	—	—
Fingertip(s)	110	70	20	60	—	—	—	60	40	—	—	90
Finger(s), fingernail(s), n.e.c.	620	50	230	90	20	20	—	330	250	60	20	40
Hand(s) and finger(s)	410	20	210	600	40	40	—	230	70	50	120	—
Hand(s), n.e.c.	90	—	60	290	—	—	—	40	—	—	30	—
Multiple upper extremities locations	8,330	1,620	2,190	780	300	200	30	900	360	330	210	60
Multiple upper extremities locations, unspecified	60	—	—	—	—	—	—	—	—	—	—	—
Hand(s) and arms(s)	430	30	260	380	30	—	30	220	30	60	130	30
Hand(s) and arm(s), unspecified	170	—	90	230	—	—	20	100	—	30	50	30
Hand(s) and elbow(s)	100	—	50	—	—	—	—	—	—	—	—	—
Hand(s) and arm(s), n.e.c.	160	—	120	140	—	—	—	120	—	20	80	—
Hand(s) and wrist(s)	1,950	160	830	230	50	20	—	140	60	70	—	—
Wrist(s) and arm(s)	1,020	300	240	60	20	—	—	100	60	20	20	—
Wrist(s) and arm(s), unspecified	380	210	110	20	—	—	—	40	20	—	—	—
Wrist(s) and elbow(s)	200	50	70	20	—	—	—	—	—	—	—	—
Wrist(s) and arm(s), n.e.c.	450	40	50	20	—	—	—	50	40	—	—	—
Shoulder(s) and arm(s)	3,670	930	470	30	90	70	—	220	70	110	20	—
Multiple upper extremities locations, n.e.c.	1,200	180	390	70	100	80	—	210	130	50	30	—
Upper extremities, n.e.c.	90	40	20	—	—	—	—	20	—	20	—	—
Lower extremities	45,270	3,430	320	4,140	6,270	1,240	90	5,240	1,480	1,620	2,130	560
Lower extremities, unspecified	50	20	—	40	40	20	—	—	—	—	—	—
Leg(s)	31,450	2,980	200	1,140	3,160	880	60	3,760	980	980	1,790	340
Leg(s), unspecified	1,850	460	—	540	750	150	40	750	290	60	390	70
Thigh(s)	920	200	—	150	130	60	—	700	60	50	580	—
Knee(s)	26,280	2,010	180	160	1,690	560	—	1,690	500	790	390	240
Lower leg(s)	1,750	130	—	170	520	90	—	490	100	50	340	20
Multiple leg locations	590	150	—	110	70	—	—	110	30	20	60	—
Multiple leg locations, unspecified	—	—	—	—	—	—	—	—	—	—	—	—
Knee(s) and leg(s)	500	140	—	30	60	—	—	100	30	20	50	—
Multiple leg locations, n.e.c.	70	—	—	70	—	—	—	—	—	—	—	—
Leg(s), n.e.c.	60	—	—	—	—	—	—	30	—	—	20	—
Ankle(s)	9,650	300	50	260	930	190	—	710	250	350	110	80
Foot (feet)	3,280	90	60	2,070	1,710	120	—	640	210	230	200	120

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, private industry, 2015 — Continued

Part of body	Part of body code ²	Private industry ³	Event or exposure leading to injury or illness ⁴							
			Contact with objects				Falls, slips, trips			
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall
Foot (feet), unspecified	530	28,130	16,330	11,870	3,120	1,090	5,560	950	2,230	2,090
Sole(s)	531	2,840	960	280	660	—	1,400	1,010	260	70
Sole(s), unspecified	5310	310	250	—	250	—	20	—	—	—
Ball(s) of the foot	5311	30	30	—	20	—	—	—	—	—
Arch(es), instep(s)	5312	170	60	40	20	—	90	20	60	—
Heel(s)	5313	2,320	610	220	380	—	1,290	980	200	50
Toes(s), toenail(s)	532	10,240	8,250	6,950	770	460	1,280	330	300	620
Multiple foot (feet) locations	538	1,110	830	750	40	30	90	30	40	—
Foot (feet), n.e.c.	539	990	620	480	120	20	160	20	90	40
Multiple lower extremities locations	58	9,140	1,790	1,420	220	130	5,310	1,560	2,650	1,070
Multiple lower extremities locations, unspecified	580	450	20	—	—	—	340	50	40	250
Foot (feet) and leg(s)	581	1,690	190	160	20	—	950	590	280	60
Foot(feet) and leg(s), unspecified	5810	730	30	30	—	—	420	380	20	—
Foot(feet) and knee(s)	5811	360	100	90	20	—	240	40	160	40
Foot(feet) and leg(s), n.e.c.	5819	590	60	50	—	—	290	170	90	—
Foot (feet) and ankle(s)	582	2,880	870	680	80	80	1,250	320	560	370
Ankle(s) and leg(s)	583	3,060	410	290	90	30	2,280	480	1,440	350
Ankle(s) and leg(s), unspecified	5830	550	100	80	—	—	330	70	250	—
Ankle(s) and knee(s)	5831	1,710	130	60	50	—	1,400	260	850	270
Ankle(s) and leg(s), n.e.c.	5839	800	180	150	20	—	550	140	340	70
Multiple lower extremities locations, n.e.c.	589	1,050	310	280	—	20	490	120	330	40
Lower extremities, n.e.c.	59	100	20	—	—	—	70	40	30	—
Body systems	6	16,560	140	100	30	—	580	150	180	—
Multiple body parts	8	86,410	7,170	5,420	890	460	39,130	9,600	27,440	1,710
Multiple body parts, unspecified	80	6,720	620	380	80	30	2,730	760	1,880	30
Head and neck	81	2,330	830	570	190	70	450	100	340	—
Head, neck, and trunk	82	580	—	—	—	—	350	60	290	—
Head and trunk	83	1,150	110	90	—	—	800	310	480	—
Neck and back	84	7,970	310	250	40	—	1,380	220	900	190
Shoulder(s) and back	85	3,200	180	150	20	—	830	260	490	70
Hip(s) and leg(s)	86	1,530	230	160	40	20	780	170	550	60
Upper and lower limb(s)	87	4,720	360	260	60	30	3,480	650	2,670	110
Other multiple body parts	89	58,210	4,520	3,560	450	300	28,330	7,070	19,840	1,220
Whole body	891	560	20	—	—	—	110	40	70	—
Multiple body parts, n.e.c.	899	57,650	4,500	3,560	440	290	28,220	7,030	19,770	1,220

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, private industry, 2015 — Continued

Part of body	Event or exposure leading to injury or illness ⁴											
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				All other events ⁵
	Total	In lifting or lowering	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
Foot (feet), unspecified	2,560	60	50	1,850	1,210	100	—	510	200	150	150	90
Sole(s)	350	—	—	30	60	—	—	40	—	—	30	—
Sole(s), unspecified	—	—	—	20	—	—	—	—	—	—	—	—
Ball(s) of the foot	—	—	—	—	—	—	—	—	—	—	—	—
Arch(es), instep(s)	—	—	—	—	—	—	—	—	—	—	—	—
Heel(s)	320	—	—	—	50	—	—	40	—	—	30	—
Toes(s), toenail(s)	230	20	—	90	300	—	—	60	—	50	—	20
Multiple foot (feet) locations	30	—	—	50	110	—	—	—	—	—	—	—
Foot (feet), n.e.c.	110	—	—	50	30	—	—	20	—	—	—	—
Multiple lower extremities locations	840	40	—	630	420	40	—	120	30	60	30	20
Multiple lower extremities locations, unspecified	60	—	—	—	—	—	—	20	—	—	—	—
Foot (feet) and leg(s)	20	—	—	320	190	—	—	20	—	—	—	—
Foot(feet) and leg(s), unspecified	—	—	—	90	180	—	—	—	—	—	—	—
Foot(feet) and knee(s)	—	—	—	—	—	—	—	—	—	—	—	—
Foot(feet) and leg(s), n.e.c.	—	—	—	220	—	—	—	—	—	—	—	—
Foot (feet) and ankle(s)	430	—	—	210	110	—	—	20	—	20	—	—
Ankle(s) and leg(s)	210	—	—	30	80	20	—	50	—	30	—	—
Ankle(s) and leg(s), unspecified	60	—	—	20	30	20	—	—	—	—	—	—
Ankle(s) and knee(s)	140	—	—	—	20	—	—	30	—	20	—	—
Ankle(s) and leg(s), n.e.c.	20	—	—	—	30	—	—	—	—	—	—	—
Multiple lower extremities locations, n.e.c.	120	20	—	60	30	—	—	30	—	—	20	—
Lower extremities, n.e.c.	—	—	—	—	—	—	—	—	—	—	—	—
Body systems	2,720	—	—	11,680	210	200	50	1,040	340	—	600	140
Multiple body parts	14,020	3,540	1,160	3,030	17,330	13,210	480	5,100	2,710	1,140	1,210	140
Multiple body parts, unspecified	1,010	140	190	340	1,460	1,060	30	490	120	90	260	40
Head and neck	80	—	—	150	390	320	—	410	210	190	—	—
Head, neck, and trunk	30	—	—	—	170	110	—	—	—	—	—	—
Head and trunk	—	—	—	—	150	110	—	60	50	—	—	—
Neck and back	1,780	490	70	30	4,100	3,450	—	300	160	130	—	20
Shoulder(s) and back	1,640	470	40	—	430	290	—	120	40	60	20	—
Hip(s) and leg(s)	370	120	—	—	130	20	—	20	—	—	—	—
Upper and lower limb(s)	180	—	70	200	260	140	40	190	50	30	120	—
Other multiple body parts	8,920	2,300	790	2,290	10,250	7,700	320	3,520	2,070	620	790	80
Whole body	20	—	—	100	220	180	—	100	—	—	70	—
Multiple body parts, n.e.c.	8,900	2,290	790	2,190	10,030	7,520	320	3,420	2,050	610	720	80

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, private industry, 2015 — Continued

Part of body	Part of body code ²	Private industry ³	Event or exposure leading to injury or illness ⁴							
			Contact with objects				Falls, slips, trips			
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall
Nonclassifiable	9999	6,330	990	600	70	40	1,320	310	870	90

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, private industry, 2015 — Continued

Part of body	Event or exposure leading to injury or illness ⁴											
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				All other events ⁵
	Total	In lifting or lowering	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
Nonclassifiable	1,000	500	110	630	650	530	–	720	120	70	540	1,030

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Data shown in columns correspond to Event codes based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁵ Includes nonclassifiable responses.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: U.S. Bureau of Labor Statistics, Survey of Occupational Injuries and Illnesses, in cooperation with participating state agencies.