

TABLE R46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, private industry, 2015

Nature	Nature code ²	Private industry ³	Race or ethnic origin ⁴								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported
Total		902,160	347,200	73,590	125,360	14,530	2,490	4,040	460	1,130	333,370
Traumatic injuries and disorders	1	874,250	337,670	71,210	121,230	13,140	2,420	3,950	460	1,120	323,080
Traumatic injuries and disorders, unspecified	10	770	250	30	50	—	—	—	—	—	450
Traumatic injuries to bones, nerves, spinal cord	11	90,440	42,100	5,310	13,080	1,120	160	500	40	60	28,070
Traumatic injuries to bones, nerves, spinal cord, unspecified	110	6,530	1,620	290	2,130	200	20	20	—	—	2,230
Fractures	111	81,180	38,800	4,870	10,700	910	110	470	30	50	25,240
Traumatic injuries to spinal cord	112	140	70	—	—	—	—	—	—	—	60
Traumatic injuries to spinal cord, unspecified	1120	40	—	—	—	—	—	—	—	—	30
Traumatic injuries to spinal cord, n.e.c.	1129	100	70	—	—	—	—	—	—	—	20
Traumatic injuries to nerves, except the spinal cord ..	113	2,410	1,550	140	230	—	30	—	—	—	430
Traumatic injuries to nerves, except the spinal cord, unspecified	1130	340	70	30	180	—	—	—	—	—	60
Pinched nerve	1131	2,030	1,470	100	40	—	30	—	—	—	370
Traumatic injuries to nerves, except the spinal cord, n.e.c.	1139	40	20	—	—	—	—	—	—	—	—
Multiple traumatic injuries to bones, nerves, spinal cord	118	110	30	—	—	—	—	—	—	—	70
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	119	70	20	—	—	—	—	—	—	—	40
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	12	353,940	130,280	27,610	44,710	4,380	910	1,110	150	600	144,170
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	120	1,730	810	70	320	40	—	20	—	—	470
Dislocations	121	8,920	4,500	580	1,090	60	—	30	—	—	2,660
Dislocations, unspecified	1210	780	380	30	110	—	—	—	—	—	250
Herniated discs	1211	3,460	1,970	190	490	—	—	—	—	—	800
Dislocation of joints	1212	4,300	1,950	320	440	40	—	20	—	—	1,520
Multiple types of dislocations	1218	30	—	—	—	—	—	—	—	—	—
Dislocations, n.e.c.	1219	350	190	40	50	—	—	—	—	—	70
Cartilage fractures and tears	122	5,460	2,860	320	510	20	—	—	—	—	1,730
Cartilage fractures and tears, unspecified	1220	270	210	—	—	—	—	—	—	—	60
Meniscus tears	1221	4,920	2,560	310	500	20	—	—	—	—	1,520
Cartilage fractures and tears, n.e.c.	1229	270	90	20	—	—	—	—	—	—	150
Sprains, strains, tears	123	324,700	115,800	26,020	40,960	4,220	870	1,050	130	570	135,070
Sprains, strains, tears, unspecified	1230	28,510	7,910	1,740	2,470	280	100	70	—	—	15,920
Major tears to muscles, tendons, ligaments	1231	18,600	9,450	1,220	1,630	120	—	40	—	—	6,110
Sprains	1232	82,920	31,440	7,130	11,100	960	240	340	30	100	31,570
Strains	1233	189,760	65,470	15,530	24,880	2,820	500	560	80	460	79,460
Multiple sprains, strains, tears	1238	4,910	1,530	400	870	40	20	40	—	—	2,010
Hernias due to traumatic incidents	124	11,310	5,320	370	1,750	30	20	—	—	20	3,770
Whiplash	125	1,290	820	150	50	20	—	—	—	—	240
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	128	300	100	40	—	—	—	—	—	—	150

See footnotes at end of table.

TABLE R46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, private industry, 2015 — Continued

Nature	Nature code ²	Private industry ³	Race or ethnic origin ⁴								Multi-race	Not reported
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race			
Traumatic injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	129	230	70	50	30	—	—	—	—	—	—	80
Open wounds	13	102,420	42,100	6,160	17,900	1,660	230	780	60	210	—	33,330
Open wounds, unspecified	130	1,380	580	30	260	—	—	—	—	—	—	490
Amputations, avulsions, enucleations	131	7,540	3,780	700	1,240	160	30	—	—	—	—	1,620
Amputations, avulsions, enucleations, unspecified	1310	360	200	—	100	—	—	—	—	—	—	40
Amputations	1311	5,360	2,750	510	890	40	20	—	—	—	—	1,140
Avulsions, enucleations	1312	1,690	780	170	200	120	—	—	—	—	—	420
Amputations, avulsions, enucleations, n.e.c.	1319	130	50	—	50	—	—	—	—	—	—	20
Cuts, lacerations	132	78,790	31,010	4,410	14,120	1,250	150	700	50	200	—	26,890
Puncture wounds, except gunshot wounds	133	14,300	6,550	950	2,210	240	30	70	—	—	—	4,240
Gunshot wounds	134	150	20	60	—	—	—	—	—	—	—	30
Multiple types of open wounds	138	200	120	—	—	—	—	—	—	—	—	40
Open wounds, n.e.c.	139	60	30	—	—	—	—	—	—	—	—	20
Surface wounds and bruises	14	86,650	28,350	8,600	11,360	1,130	340	290	—	90	—	36,480
Surface wounds and bruises, unspecified	140	670	470	50	30	—	—	—	—	—	—	100
Abrasions, scratches	141	7,980	3,370	590	1,330	190	30	20	—	20	—	2,430
Blisters	142	240	170	50	—	—	—	—	—	—	—	20
Bruises, contusions	143	76,290	23,700	7,810	9,780	910	300	270	—	60	—	33,450
Multiple surface wounds and bruises	148	1,030	540	70	140	—	—	—	—	—	—	270
Surface wounds and bruises, n.e.c.	149	430	110	20	70	—	—	—	—	—	—	220
Burns and corrosions	15	20,630	6,970	1,580	3,530	490	30	260	—	—	—	7,760
Burns and corrosions, unspecified	150	750	200	90	100	—	—	—	—	—	—	340
Chemical burns and corrosions	151	3,200	1,390	240	530	40	—	20	—	—	—	970
Chemical burns and corrosions, unspecified	1510	2,760	1,150	200	440	40	—	20	—	—	—	910
First degree chemical burns and corrosions	1511	60	40	—	—	—	—	—	—	—	—	—
Second degree chemical burns and corrosions	1512	210	130	20	20	—	—	—	—	—	—	30
Third or fourth degree chemical burns and corrosions	1513	20	—	—	—	—	—	—	—	—	—	—
Chemical burns and corrosions, n.e.c.	1519	140	60	20	40	—	—	—	—	—	—	20
Heat (thermal) burns	152	15,010	4,530	1,100	2,700	410	30	210	—	—	—	6,030
Heat (thermal) burns, unspecified	1520	10,370	3,310	770	2,120	230	30	210	—	—	—	3,700
First degree heat (thermal) burns	1521	910	170	40	70	—	—	—	—	—	—	630
Second degree heat (thermal) burns	1522	2,850	760	210	370	140	—	—	—	—	—	1,380
Third or fourth degree heat (thermal) burns	1523	560	180	60	80	—	—	—	—	—	—	220
Heat (thermal) burns, n.e.c.	1529	320	110	20	50	—	—	—	—	—	—	120
Electrical burns	153	580	210	20	100	20	—	30	—	—	—	200
Electrical burns, unspecified	1530	450	130	—	100	20	—	30	—	—	—	160
Second degree electrical burns	1532	100	60	—	—	—	—	—	—	—	—	30
Other burns	159	1,090	640	120	90	—	—	—	—	—	—	210
Other burns, unspecified	1590	280	80	70	40	—	—	—	—	—	—	80
Other burns, first degree	1591	710	520	40	40	—	—	—	—	—	—	110
Other burns, second degree	1592	60	30	—	—	—	—	—	—	—	—	20
Other burns, n.e.c.	1599	30	—	20	—	—	—	—	—	—	—	—
Intracranial injuries	16	14,810	6,060	1,190	1,280	140	40	70	—	20	—	6,000
Intracranial injuries, unspecified	160	1,000	410	130	80	20	—	—	—	—	—	330

See footnotes at end of table.

TABLE R46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, private industry, 2015 — Continued

Nature	Nature code ²	Private industry ³	Race or ethnic origin ⁴									
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported	
Cerebral and other intracranial hemorrhages	161	100	60	—	—	—	—	—	—	—	—	30
Concussions	162	13,660	5,570	1,050	1,200	110	40	70	—	—	—	5,610
Multiple types of intracranial injuries	168	20	20	—	—	—	—	—	—	—	—	—
Intracranial injuries, n.e.c.	169	50	—	—	—	—	—	—	—	—	—	30
Effects of environmental conditions	17	2,200	880	210	210	—	—	—	—	—	—	890
Effects of environmental conditions, unspecified	170	20	—	—	20	—	—	—	—	—	—	—
Effects of reduced temperature	171	220	30	70	50	—	—	—	—	—	—	60
Effects of reduced temperature, unspecified	1710	30	—	—	—	—	—	—	—	—	—	—
Frostbite	1711	170	30	40	40	—	—	—	—	—	—	50
Effects of heat and light	172	1,920	830	140	150	—	—	—	—	—	—	790
Effects of heat and light, unspecified	1720	360	80	50	20	—	—	—	—	—	—	220
Heat stroke	1721	150	100	—	—	—	—	—	—	—	—	40
Heat syncope	1722	280	180	—	30	—	—	—	—	—	—	50
Heat fatigue	1723	70	—	—	—	—	—	—	—	—	—	50
Heat exhaustion, prostration	1725	840	360	60	90	—	—	—	—	—	—	330
Multiple effects of heat and light	1728	30	20	—	—	—	—	—	—	—	—	—
Effects of heat and light, n.e.c.	1729	190	80	—	—	—	—	—	—	—	—	80
Effects of air or water pressure	173	30	—	—	—	—	—	—	—	—	—	20
Effects of air or water pressure, unspecified	1730	20	—	—	—	—	—	—	—	—	—	—
Multiple traumatic injuries and disorders	18	22,800	7,550	2,250	3,620	310	100	70	20	—	—	8,880
Multiple traumatic injuries and disorders, unspecified	180	970	250	70	190	—	—	—	—	—	—	460
Cuts and abrasions or bruises	181	3,540	1,370	320	680	40	—	—	—	—	—	1,090
Sprains and other injuries	182	10,110	3,110	1,130	1,600	170	40	30	—	—	—	4,020
Sprains and other injuries, unspecified	1820	370	90	40	50	—	—	—	—	—	—	200
Sprains and bruises	1821	8,070	2,480	950	1,430	140	40	—	—	—	—	3,020
Sprains and cuts	1822	680	250	30	70	—	—	—	—	—	—	320
Sprains and other injuries, n.e.c.	1829	990	300	110	60	30	—	—	—	—	—	480
Fractures and other injuries	183	3,970	1,590	440	540	30	—	—	—	—	—	1,360
Fractures and other injuries, unspecified	1830	570	160	20	150	—	—	—	—	—	—	240
Fractures (except skull fractures) and concussions	1831	280	80	—	20	—	—	—	—	—	—	170
Fractures (except rib, trunk fractures) and internal injuries	1832	90	50	—	—	—	—	—	—	—	—	30
Fractures and burns	1833	50	—	—	—	—	—	—	—	—	—	30
Fractures and dislocations	1834	340	230	20	30	—	—	—	—	—	—	70
Fractures and other injuries, n.e.c.	1839	2,640	1,060	390	330	20	—	—	—	—	—	820
Burns and other injuries, except fractures	184	110	50	—	—	—	—	—	—	—	—	30
Burns and other injuries, except fractures, unspecified	1840	20	—	—	—	—	—	—	—	—	—	—
Burns and other injuries, n.e.c.	1849	80	50	—	—	—	—	—	—	—	—	20
Multiple traumatic injuries and disorders, n.e.c.	189	4,090	1,170	280	610	70	40	20	—	—	—	1,900
Other traumatic injuries and disorders	19	179,580	73,120	18,280	25,490	3,890	580	870	170	130	—	57,050
Other traumatic injuries and disorders, unspecified ...	190	520	220	60	50	—	—	—	—	—	—	190
Asphyxiations, strangulations, suffocations	191	40	—	—	—	—	—	—	—	—	—	—
Electrocutions, electric shocks	193	1,910	970	260	230	—	—	—	—	—	—	430
Internal injuries to organs and blood vessels of the trunk	194	220	150	—	20	—	—	—	—	—	—	50

See footnotes at end of table.

TABLE R46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, private industry, 2015 — Continued

Nature	Nature code ²	Private industry ³	Race or ethnic origin ⁴								Not reported
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	
Dermatitis and reactions affecting the skin—acute	195	2,930	1,030	260	630	40	—	—	—	—	940
Dermatitis and reactions affecting the skin—acute, unspecified	1950	1,290	400	110	240	20	—	—	—	—	510
Allergic dermatitis—acute	1951	880	250	90	290	—	—	—	—	—	240
Irritant dermatitis—acute	1952	470	170	40	100	20	—	—	—	—	140
Hives, urticaria—acute	1953	180	150	—	—	—	—	—	—	—	—
Multiple types of dermatitis and skin reactions—acute	1958	60	40	—	—	—	—	—	—	—	20
Dermatitis and reactions affecting the skin—acute, n.e.c.	1959	50	30	—	—	—	—	—	—	—	20
Other poisoning, toxic, noxious, or allergenic effects	196	6,330	2,480	490	760	40	—	—	—	—	2,530
Poisoning, toxic, noxious, or allergenic effect, unspecified	1960	1,850	550	160	290	20	—	—	—	—	830
Poisoning, including poisoning-related asphyxia	1961	420	140	50	60	—	—	—	—	—	180
Anaphylactic shock, anaphylaxis	1962	40	20	—	—	—	—	—	—	—	20
Other respiratory system symptoms—toxic, noxious, or allergenic effect	1963	1,540	620	140	230	—	—	—	—	—	540
Coughing and throat irritation— toxic, noxious, or allergenic effect	1964	240	60	20	30	—	—	—	—	—	130
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	1965	450	70	20	20	—	—	—	—	—	330
Other or unspecified allergic reactions	1966	790	360	70	60	—	—	—	—	—	300
Nausea, vomiting— toxic, noxious, or allergenic effect	1967	190	30	40	70	—	—	—	—	—	50
Multiple poisoning, toxic, noxious, or allergenic effects	1968	630	550	—	—	—	—	—	—	—	70
Other poisoning, toxic, noxious, or allergenic effects, n.e.c.	1969	170	80	—	—	—	—	—	—	—	70
Nonspecified injuries and disorders	197	167,220	68,090	17,170	23,750	3,790	560	840	160	130	52,730
Crushing injuries	1971	8,570	3,540	500	1,760	90	50	40	20	—	2,570
Soreness, pain, hurt—nonspecified injury	1972	136,300	55,650	14,810	18,640	3,200	410	700	130	110	42,650
Swelling, inflammation, irritation—nonspecified injury	1973	18,030	7,360	1,500	2,660	430	80	100	—	—	5,890
Numbness—nonspecified injury	1974	730	290	40	170	—	—	—	—	—	210
Multiple nonspecified injuries and disorders	1978	2,020	720	100	310	40	—	—	—	—	840
Nonspecified injuries and disorders, n.e.c.	1979	1,570	530	220	200	—	—	—	—	—	580
Other traumatic injuries and disorders, n.e.c.	199	400	160	20	40	—	—	—	—	—	170
Traumatic injuries and disorders, n.e.c.	1999	380	140	20	40	—	—	—	—	—	170
Diseases and disorders of body systems	2	17,690	6,710	1,490	2,360	1,200	50	80	—	—	5,790
Systemic diseases and disorders, unspecified	20	50	—	—	—	—	—	—	—	—	—
Nervous system and sense organs diseases	22	6,480	2,550	450	930	440	20	40	—	—	2,050
Inflammatory diseases of the central nervous system	221	20	—	—	—	—	—	—	—	—	—
Degenerative diseases of the central nervous system	222	30	20	—	—	—	—	—	—	—	—
Other disorders of the central nervous system	223	240	140	20	20	—	—	—	—	—	60

See footnotes at end of table.

TABLE R46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, private industry, 2015 — Continued

Nature	Nature code ²	Private industry ³	Race or ethnic origin ⁴								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported
Other disorders of the central nervous system, unspecified	2230	30	30	—	—	—	—	—	—	—	—
Seizure disorder, epilepsy	2231	60	30	—	—	—	—	—	—	—	20
Migraine	2232	130	70	—	—	—	—	—	—	—	40
Disorders of the peripheral nervous system	224	5,230	2,140	310	780	420	20	30	—	—	1,520
Disorders of the peripheral nervous system, unspecified	2240	180	20	—	50	20	—	—	—	—	80
Carpal tunnel syndrome	2241	4,920	2,090	300	720	390	20	30	—	—	1,370
Inflammatory and toxic neuropathy, toxic polyneuropathy	2242	30	—	—	—	—	—	—	—	—	—
Disorders of the peripheral nervous system, n.e.c.	2249	100	20	—	—	—	—	—	—	—	70
Disorders of the eye, adnexa, vision	225	650	200	70	110	20	—	—	—	—	240
Disorders of the eye, adnexa, vision, unspecified ..	2250	40	—	—	—	—	—	—	—	—	—
Conjunctivitis—non-viral	2251	420	110	60	100	20	—	—	—	—	130
Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion)	2252	110	20	—	—	—	—	—	—	—	80
Blindness, low vision	2254	20	20	—	—	—	—	—	—	—	—
Visual disturbances	2256	20	—	—	—	—	—	—	—	—	—
Disorders of the eye, adnexa, vision, n.e.c.	2259	30	20	—	—	—	—	—	—	—	—
Disorders of the ear, mastoid process, hearing	226	320	50	40	—	—	—	—	—	—	220
Disorders of the ear, mastoid process, hearing, unspecified	2260	150	—	—	—	—	—	—	—	—	140
Deafness, hearing loss and impairment	2261	90	40	—	—	—	—	—	—	—	40
Tinnitus	2262	50	—	30	—	—	—	—	—	—	—
Disorders of the ear, mastoid process, and hearing, n.e.c.	2269	30	—	—	—	—	—	—	—	—	30
Circulatory system diseases	23	790	350	—	30	260	—	—	—	—	130
Circulatory system diseases, unspecified	230	20	—	—	—	—	—	—	—	—	—
Ischemic heart disease, including heart attack	233	650	300	—	—	260	—	—	—	—	70
Ischemic heart disease, unspecified	2330	20	—	—	—	—	—	—	—	—	—
Myocardial infarction (heart attack)	2331	630	290	—	—	260	—	—	—	—	60
Cerebrovascular disease	236	80	20	—	—	—	—	—	—	—	40
Stroke	2361	50	20	—	—	—	—	—	—	—	20
Transient ischemia attacks	2362	20	—	—	—	—	—	—	—	—	—
Diseases of the veins, lymphatics	238	30	—	—	—	—	—	—	—	—	—
Respiratory system diseases	24	2,210	750	260	260	—	—	—	—	—	610
Respiratory system diseases, unspecified	240	20	—	—	—	—	—	—	—	—	20
Acute respiratory infections (including common cold) ..	241	1,410	460	230	240	—	—	—	—	—	480
Other diseases of upper respiratory tract	242	280	230	—	—	—	—	—	—	—	40
Allergic rhinitis	2421	50	—	—	—	—	—	—	—	—	—
Pneumonia, influenza	243	390	—	—	—	—	—	—	—	—	30
Influenza—common	2432	370	—	—	—	—	—	—	—	—	20
Chronic obstructive pulmonary disease and allied conditions	244	70	20	20	—	—	—	—	—	—	20
Chronic bronchitis	2441	30	—	—	—	—	—	—	—	—	—
Asthma, except intrinsic	2443	30	20	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, private industry, 2015 — Continued

Nature	Nature code ²	Private industry ³	Race or ethnic origin ⁴								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported
Other respiratory system diseases	249	30	20	—	—	—	—	—	—	—	—
Digestive system diseases and disorders	25	300	130	—	90	—	—	—	—	—	70
Hernia—nontraumatic	253	290	130	—	90	—	—	—	—	—	60
Musculoskeletal system and connective tissue diseases and disorders	27	6,960	2,540	690	940	140	20	30	—	—	2,610
Musculoskeletal system and connective tissue diseases and disorders, unspecified	270	130	30	—	—	—	—	—	—	—	70
Arthropathies and related disorders (arthritis)	271	110	50	20	—	—	—	—	—	—	40
Dorsopathies	272	590	270	30	50	—	—	—	—	—	220
Sciatica	2721	190	40	—	20	—	—	—	—	—	110
Lumbago	2722	80	30	—	20	—	—	—	—	—	20
Disc disorders, except dislocation	2723	250	170	—	—	—	—	—	—	—	70
Dorsopathies, n.e.c.	2729	60	30	—	—	—	—	—	—	—	20
Soft tissue disorders, except the back	273	6,130	2,180	620	860	130	20	30	—	—	2,280
Soft tissue disorder, except the back, unspecified	2730	290	130	—	50	20	—	—	—	—	80
Bursitis	2731	600	240	40	40	—	—	—	—	—	270
Stenosing tenosynovitis	2732	1,010	350	70	90	20	—	—	—	—	470
Other tenosynovitis, synovitis	2733	340	60	30	50	—	—	—	—	—	180
Epicondylitis	2734	760	290	30	160	20	—	—	—	—	270
Other or unspecified tendonitis (tendinitis)	2735	2,470	830	440	330	30	—	20	—	—	820
Ganglion or cystic tumor	2736	290	130	—	80	—	—	—	—	—	60
Multiple soft tissue disorders	2738	140	70	—	—	—	—	—	—	—	50
Soft tissue disorder, except the back, n.e.c.	2739	230	90	—	50	—	—	—	—	—	70
Disorders of the skin and subcutaneous tissue	28	840	360	70	120	—	—	—	—	—	280
Infections of the skin and subcutaneous tissue	281	780	320	70	100	—	—	—	—	—	270
Infections of the skin and subcutaneous tissue, unspecified	2810	80	30	—	—	—	—	—	—	—	40
Cellulitis and abscess	2811	390	120	20	70	—	—	—	—	—	170
Methicillin-resistant staphylococcus aureus (MRSA) infection	2813	90	70	—	—	—	—	—	—	—	—
Other staphylococcus skin infection	2814	50	50	—	—	—	—	—	—	—	—
Infections of the skin and subcutaneous tissue, n.e.c.	2819	160	50	40	—	—	—	—	—	—	50
Diseases of sebaceous glands	283	20	20	—	—	—	—	—	—	—	—
Sebaceous cyst	2832	20	20	—	—	—	—	—	—	—	—
Other diseases and disorders of the skin and subcutaneous tissue	289	30	—	—	—	—	—	—	—	—	—
Other systemic diseases and disorders	29	40	—	—	—	—	—	—	—	—	20
Endocrine, nutritional, metabolic, and immunity disorders	291	30	—	—	—	—	—	—	—	—	20
Endocrine, nutritional, metabolic, and immunity disorders, n.e.c.	2919	30	—	—	—	—	—	—	—	—	—
Infectious and parasitic diseases	3	2,100	920	230	160	40	—	—	—	—	750
Infectious and parasitic diseases, unspecified	30	30	—	—	—	—	—	—	—	—	—
Bacterial diseases	31	80	30	—	—	—	—	—	—	—	40

See footnotes at end of table.

TABLE R46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, private industry, 2015 — Continued

Nature	Nature code ²	Private industry ³	Race or ethnic origin ⁴								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported
Bacterial diseases, unspecified	310	20	—	—	—	—	—	—	—	—	—
Other bacterial diseases	319	50	30	—	—	—	—	—	—	—	20
Diphtheria, whooping cough	3192	20	—	—	—	—	—	—	—	—	—
Other bacterial diseases, n.e.c	3199	20	20	—	—	—	—	—	—	—	—
Viral diseases	32	370	150	60	80	—	—	—	—	—	60
Viral diseases, unspecified	320	100	—	—	70	—	—	—	—	—	—
Viral diseases accompanied by exanthem (eruptive fever)	323	210	130	20	20	—	—	—	—	—	40
Chickenpox, varicella	3233	160	120	20	—	—	—	—	—	—	—
Herpes zoster, shingles	3234	40	—	—	—	—	—	—	—	—	20
Viral hepatitis	325	30	20	—	—	—	—	—	—	—	—
Type C viral hepatitis	3253	20	—	—	—	—	—	—	—	—	—
Other diseases due to viruses	329	20	—	—	—	—	—	—	—	—	—
Other diseases due to viruses, n.e.c.	3299	20	—	—	—	—	—	—	—	—	—
Other arthropod-borne diseases	33	280	270	—	—	—	—	—	—	—	—
Lyme disease	333	270	270	—	—	—	—	—	—	—	—
Mycoses (fungal infections)	34	40	—	—	—	—	—	—	—	—	40
Dermatophytosis (including athletes foot, tinea)	341	40	—	—	—	—	—	—	—	—	40
Infectious diseases peculiar to the intestines	36	410	120	—	—	—	—	—	—	—	290
Infectious diseases peculiar to the intestines, unspecified	360	50	—	—	—	—	—	—	—	—	40
Other bacterial food poisoning (including botulism and staphylococcal food poisoning)	364	210	—	—	—	—	—	—	—	—	210
Infectious diseases peculiar to the intestines, n.e.c. ..	369	120	110	—	—	—	—	—	—	—	20
Other infectious and parasitic diseases	39	890	340	160	60	30	—	—	—	—	300
Other infectious and parasitic diseases, unspecified	390	30	—	—	—	—	—	—	—	—	—
Pediculosis and phthirus infestation (lice)	391	40	—	—	—	—	—	—	—	—	20
Scabies and other acariases	392	820	330	150	50	30	—	—	—	—	260
Symptoms, signs, and ill-defined conditions	5	3,930	1,170	350	970	100	—	—	—	—	1,330
Symptoms, signs, and ill-defined conditions, unspecified	50	200	40	—	90	—	—	—	—	—	70
Symptoms	51	3,670	1,120	340	880	90	—	—	—	—	1,230
Symptoms, unspecified	510	30	—	—	—	—	—	—	—	—	—
General symptoms	511	2,550	850	260	510	40	—	—	—	—	870
General symptoms, unspecified	5110	70	30	—	—	—	—	—	—	—	30
Loss of consciousness—not heat related	5111	1,470	550	130	380	—	—	—	—	—	390
Convulsions, seizures	5112	340	90	60	40	—	—	—	—	—	140
Dizziness—general	5114	360	90	40	50	—	—	—	—	—	170
Inflammation, swelling—general	5115	40	—	—	—	—	—	—	—	—	40
Numbness—general	5116	40	—	—	—	—	—	—	—	—	30
Multiple general symptoms	5118	140	70	40	—	—	—	—	—	—	20
General symptoms, n.e.c.	5119	80	—	—	—	—	—	—	—	—	50
Symptoms involving nervous and musculoskeletal systems	512	230	—	—	210	—	—	—	—	—	—
Earache	5122	20	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, private industry, 2015 — Continued

Nature	Nature code ²	Private industry ³	Race or ethnic origin ⁴								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported
Symptoms involving nervous and musculoskeletal systems, n.e.c.	5129	200	—	—	—	—	—	—	—	—	—
Symptoms involving head and neck	514	290	110	30	20	—	—	—	—	—	120
Headache, except migraine	5141	250	100	20	—	—	—	—	—	—	100
Symptoms involving head and neck, n.e.c.	5149	30	—	—	—	—	—	—	—	—	—
Symptoms involving cardiovascular system	515	90	—	—	20	30	—	—	—	—	30
Symptoms involving cardiovascular system, unspecified	5150	30	—	—	—	—	—	—	—	—	—
Symptoms involving cardiovascular system, n.e.c.	5159	40	—	—	—	—	—	—	—	—	—
Symptoms involving respiratory system and chest	516	380	120	20	90	—	—	—	—	—	130
Symptoms involving respiratory system and chest, unspecified	5160	100	40	—	40	—	—	—	—	—	30
Hyperventilation	5161	40	—	—	—	—	—	—	—	—	20
Chest pain	5164	90	—	—	—	—	—	—	—	—	60
Multiple symptoms involving respiratory system and chest	5168	40	30	—	—	—	—	—	—	—	—
Symptoms involving respiratory system and chest, n.e.c.	5169	110	40	—	30	—	—	—	—	—	30
Symptoms involving digestive and urinary system	517	40	—	—	—	—	—	—	—	—	—
Multiple symptoms	518	50	—	—	—	—	—	—	—	—	40
Abnormal findings	52	20	—	—	—	—	—	—	—	—	—
Other abnormal findings	529	20	—	—	—	—	—	—	—	—	—
Multiple symptoms, signs, and ill-defined conditions	58	20	—	—	—	—	—	—	—	—	—
Symptoms, signs, and ill-defined conditions, n.e.c.	59	20	—	—	—	—	—	—	—	—	—
Other diseases, conditions, and disorders	6	2,570	500	280	300	40	—	—	—	—	1,450
Damage to prosthetic and orthopedic devices	61	30	—	—	—	—	—	—	—	—	—
Mental disorders and syndromes	62	2,530	490	280	290	30	—	—	—	—	1,430
Mental disorders and syndromes, unspecified	620	80	30	—	—	—	—	—	—	—	40
Anxiety, stress	621	2,430	450	270	280	30	—	—	—	—	1,370
Anxiety, stress, unspecified	6210	1,710	300	220	230	—	—	—	—	—	940
Post-traumatic stress disorder	6211	430	90	40	50	20	—	—	—	—	230
Anxiety or panic disorder	6213	100	—	—	—	—	—	—	—	—	80
Anxiety, stress, n.e.c.	6219	180	50	—	—	—	—	—	—	—	110
Depression or depressive episode	622	20	—	—	—	—	—	—	—	—	—
Exposures to disease—no illness incurred	7	270	130	—	20	—	—	—	—	—	110
Multiple diseases, conditions, and disorders	8	70	30	—	—	—	—	—	—	—	30
Nonclassifiable	9999	1,270	70	20	330	—	—	—	—	—	840

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Race and ethnicity data do not add to total. Some cases may be counted as both multi-race and Hispanic and other race.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.
Source: U.S. Bureau of Labor Statistics, Survey of Occupational Injuries and Illnesses, in cooperation with participating state agencies.