

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, private industry, 2015

Nature	Nature code ²	Private industry ³	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Total		902,160	556,370	341,130	4,660	103,010	183,470	293,100	306,050	16,530
Traumatic injuries and disorders	1	874,250	544,510	325,310	4,430	101,200	177,970	284,700	294,990	15,390
Traumatic injuries and disorders, unspecified	10	770	490	280	-	70	50	220	190	250
Traumatic injuries to bones, nerves, spinal cord	11	90,440	59,100	30,970	370	10,780	16,730	28,620	32,600	1,710
Traumatic injuries to bones, nerves, spinal cord, unspecified	110	6,530	3,720	2,790	20	1,050	1,010	2,110	1,940	410
Fractures	111	81,180	53,260	27,570	340	9,430	14,900	25,950	29,710	1,180
Traumatic injuries to spinal cord	112	140	110	30	-	-	20	70	50	-
Traumatic injuries to spinal cord, unspecified	1120	40	20	-	-	-	-	-	20	-
Traumatic injuries to spinal cord, n.e.c.	1129	100	80	20	-	-	-	50	30	-
Traumatic injuries to nerves, except the spinal cord ..	113	2,410	1,930	480	-	270	780	390	850	120
Traumatic injuries to nerves, except the spinal cord, unspecified	1130	340	280	60	-	40	-	30	150	120
Pinched nerve	1131	2,030	1,620	410	-	230	780	330	700	-
Traumatic injuries to nerves, except the spinal cord, n.e.c.	1139	40	30	-	-	-	-	30	-	-
Multiple traumatic injuries to bones, nerves, spinal cord	118	110	50	60	-	-	-	60	20	-
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	119	70	20	40	-	-	-	30	20	-
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	12	353,940	218,360	133,390	2,200	32,510	67,960	116,880	131,090	5,500
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	120	1,730	1,040	670	20	120	310	530	730	40
Dislocations	121	8,920	6,280	2,600	40	910	1,610	3,230	2,960	220
Dislocations, unspecified	1210	780	590	150	30	260	110	180	170	60
Herniated discs	1211	3,460	2,480	980	-	70	580	1,520	1,280	-
Dislocation of joints	1212	4,300	2,900	1,390	-	540	870	1,450	1,400	50
Multiple types of dislocations	1218	30	-	-	-	-	-	30	-	-
Dislocations, n.e.c.	1219	350	280	80	-	40	50	50	110	110
Cartilage fractures and tears	122	5,460	4,240	1,220	-	340	530	1,690	2,880	20
Cartilage fractures and tears, unspecified	1220	270	240	30	-	-	-	60	190	-
Meniscus tears	1221	4,920	3,900	1,020	-	340	480	1,470	2,610	-
Cartilage fractures and tears, n.e.c.	1229	270	110	170	-	-	30	160	70	-
Sprains, strains, tears	123	324,700	195,290	127,300	2,110	30,370	63,480	106,980	118,750	5,110
Sprains, strains, tears, unspecified	1230	28,510	15,580	11,340	1,590	2,050	4,380	9,190	11,230	1,660
Major tears to muscles, tendons, ligaments	1231	18,600	14,290	4,200	110	1,230	2,670	5,480	8,920	300
Sprains	1232	82,920	49,340	33,520	60	9,290	18,170	28,740	25,780	940
Strains	1233	189,760	113,580	75,840	350	17,350	37,460	61,580	71,170	2,200
Multiple sprains, strains, tears	1238	4,910	2,510	2,400	-	450	800	2,000	1,660	-
Hernias due to traumatic incidents	124	11,310	10,750	540	30	650	1,710	3,660	5,170	120
Whiplash	125	1,290	410	870	-	70	240	630	350	-
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	128	300	180	120	-	20	40	80	150	-
Traumatic injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	129	230	160	60	-	-	30	80	100	-
Open wounds	13	102,420	78,070	24,130	220	17,440	22,920	34,080	26,090	1,900
Open wounds, unspecified	130	1,380	1,060	310	-	240	230	380	480	40

See footnotes at end of table.

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, private industry, 2015 — Continued

Nature	Nature code ²	Private industry ³	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Amputations, avulsions, enucleations	131	7,540	6,370	1,150	20	1,260	1,640	2,580	2,030	30
Amputations, avulsions, enucleations, unspecified	1310	360	200	160	-	30	170	90	70	-
Amputations	1311	5,360	4,860	480	20	880	970	1,870	1,600	30
Avulsions, enucleations	1312	1,690	1,200	480	-	320	470	540	350	-
Amputations, avulsions, enucleations, n.e.c.	1319	130	100	20	-	20	30	70	-	-
Cuts, lacerations	132	78,790	60,920	17,700	170	13,980	17,230	26,120	19,820	1,640
Puncture wounds, except gunshot wounds	133	14,300	9,450	4,820	30	1,870	3,730	4,860	3,680	160
Gunshot wounds	134	150	120	30	-	-	30	70	20	30
Multiple types of open wounds	138	200	90	110	-	80	30	40	50	-
Open wounds, n.e.c.	139	60	60	-	-	-	20	30	-	-
Surface wounds and bruises	14	86,650	46,340	39,520	790	9,210	18,920	27,530	28,940	2,060
Surface wounds and bruises, unspecified	140	670	540	130	-	50	40	400	180	-
Abrasions, scratches	141	7,980	5,560	2,420	-	620	1,940	3,260	2,080	70
Blisters	142	240	210	30	-	-	50	20	160	-
Bruises, contusions	143	76,290	39,240	36,260	780	8,410	16,660	23,370	25,870	1,980
Multiple surface wounds and bruises	148	1,030	550	490	-	70	100	310	550	-
Surface wounds and bruises, n.e.c.	149	430	240	190	-	30	130	170	100	-
Burns and corrosions	15	20,630	14,200	6,390	40	3,430	4,950	7,780	4,210	250
Burns and corrosions, unspecified	150	750	510	220	20	50	180	190	300	30
Chemical burns and corrosions	151	3,200	2,610	590	-	630	800	1,040	720	20
Chemical burns and corrosions, unspecified	1510	2,760	2,210	540	-	490	710	900	650	20
First degree chemical burns and corrosions	1511	60	50	-	-	-	20	20	-	-
Second degree chemical burns and corrosions	1512	210	190	20	-	120	-	40	30	-
Third or fourth degree chemical burns and corrosions	1513	20	20	-	-	-	-	20	-	-
Chemical burns and corrosions, n.e.c.	1519	140	130	-	-	-	50	60	30	-
Heat (thermal) burns	152	15,010	9,520	5,480	-	2,520	3,710	5,790	2,800	190
Heat (thermal) burns, unspecified	1520	10,370	6,510	3,840	-	1,920	2,480	4,150	1,680	140
First degree heat (thermal) burns	1521	910	600	310	-	60	170	310	370	-
Second degree heat (thermal) burns	1522	2,850	1,880	980	-	330	940	1,040	530	20
Third or fourth degree heat (thermal) burns	1523	560	350	210	-	200	40	210	110	-
Heat (thermal) burns, n.e.c.	1529	320	180	140	-	-	100	80	100	-
Electrical burns	153	580	550	20	-	80	60	230	220	-
Electrical burns, unspecified	1530	450	430	20	-	60	50	160	180	-
Second degree electrical burns	1532	100	90	-	-	-	-	60	30	-
Other burns	159	1,090	1,010	80	-	160	200	540	180	-
Other burns, unspecified	1590	280	260	20	-	30	60	170	20	-
Other burns, first degree	1591	710	690	-	-	110	110	370	120	-
Other burns, second degree	1592	60	40	20	-	-	30	-	30	-
Other burns, n.e.c.	1599	30	-	20	-	-	-	-	-	-
Intracranial injuries	16	14,810	7,610	7,160	50	2,370	3,710	4,690	3,920	130
Intracranial injuries, unspecified	160	1,000	560	440	-	100	270	400	230	-
Cerebral and other intracranial hemorrhages	161	100	40	60	-	-	-	30	60	-
Concussions	162	13,660	6,980	6,630	50	2,260	3,410	4,250	3,620	130
Multiple types of intracranial injuries	168	20	-	-	-	-	-	-	-	-
Intracranial injuries, n.e.c.	169	50	-	30	-	-	30	-	-	-
Effects of environmental conditions	17	2,200	1,830	350	20	480	610	580	480	50
Effects of environmental conditions, unspecified	170	20	-	-	-	20	-	-	-	-
Effects of reduced temperature	171	220	170	50	-	70	60	50	40	-

See footnotes at end of table.

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, private industry, 2015 — Continued

Nature	Nature code ²	Private industry ³	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Effects of reduced temperature, unspecified	1710	30	30	—	—	—	—	30	—	—
Frostbite	1711	170	120	50	—	60	60	20	40	—
Effects of heat and light	172	1,920	1,630	270	20	400	540	520	410	50
Effects of heat and light, unspecified	1720	360	310	50	—	20	220	60	60	—
Heat stroke	1721	150	120	30	—	—	20	80	40	—
Heat syncope	1722	280	220	60	—	170	20	40	20	20
Heat fatigue	1723	70	70	—	—	40	—	—	—	—
Heat exhaustion, prostration	1725	840	720	100	20	130	210	230	250	20
Multiple effects of heat and light	1728	30	30	—	—	—	—	—	—	—
Effects of heat and light, n.e.c.	1729	190	160	30	—	20	50	90	30	—
Effects of air or water pressure	173	30	—	20	—	—	—	—	20	—
Effects of air or water pressure, unspecified	1730	20	—	20	—	—	—	—	—	—
Multiple traumatic injuries and disorders	18	22,800	12,970	9,830	—	2,720	4,020	7,300	8,590	170
Multiple traumatic injuries and disorders, unspecified	180	970	550	430	—	70	170	300	410	20
Cuts and abrasions or bruises	181	3,540	2,310	1,230	—	460	590	1,100	1,330	50
Sprains and other injuries	182	10,110	4,950	5,160	—	1,550	1,720	3,090	3,690	70
Sprains and other injuries, unspecified	1820	370	230	140	—	40	30	100	200	—
Sprains and bruises	1821	8,070	3,740	4,330	—	1,030	1,410	2,610	2,950	60
Sprains and cuts	1822	680	470	210	—	240	110	90	230	—
Sprains and other injuries, n.e.c.	1829	990	510	490	—	240	160	280	310	—
Fractures and other injuries	183	3,970	2,960	1,000	—	330	850	1,170	1,620	—
Fractures and other injuries, unspecified	1830	570	420	150	—	30	120	210	210	—
Fractures (except skull fractures) and concussions	1831	280	200	80	—	40	60	100	80	—
Fractures (except rib, trunk fractures) and internal injuries	1832	90	80	—	—	30	—	40	20	—
Fractures and burns	1833	50	40	—	—	—	—	20	—	—
Fractures and dislocations	1834	340	290	50	—	20	30	150	130	—
Fractures and other injuries, n.e.c.	1839	2,640	1,930	700	—	210	610	630	1,170	—
Burns and other injuries, except fractures	184	110	60	50	—	—	20	50	20	—
Burns and other injuries, except fractures, unspecified	1840	20	—	—	—	—	—	—	—	—
Burns and other injuries, n.e.c.	1849	80	40	40	—	—	—	50	20	—
Multiple traumatic injuries and disorders, n.e.c.	189	4,090	2,130	1,960	—	290	670	1,580	1,530	30
Other traumatic injuries and disorders	19	179,580	105,550	73,290	740	22,200	38,110	57,020	58,860	3,380
Other traumatic injuries and disorders, unspecified ...	190	520	300	220	—	50	170	110	190	—
Asphyxiations, strangulations, suffocations	191	40	20	30	—	—	—	—	—	—
Electrocutions, electric shocks	193	1,910	1,640	250	—	280	440	570	600	20
Internal injuries to organs and blood vessels of the trunk	194	220	200	20	—	70	40	70	40	—
Dermatitis and reactions affecting the skin—acute	195	2,930	1,670	1,260	—	580	620	800	890	40
Dermatitis and reactions affecting the skin—acute, unspecified	1950	1,290	580	700	—	240	290	450	280	20
Allergic dermatitis—acute	1951	880	660	220	—	150	140	160	420	20
Irritant dermatitis—acute	1952	470	350	120	—	140	50	150	140	—
Hives, urticaria—acute	1953	180	20	160	—	40	90	20	30	—
Multiple types of dermatitis and skin reactions—acute	1958	60	30	20	—	—	20	20	—	—
Dermatitis and reactions affecting the skin—acute, n.e.c.	1959	50	20	30	—	—	30	—	—	—

See footnotes at end of table.

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, private industry, 2015 — Continued

Nature	Nature code ²	Private industry ³	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Other poisoning, toxic, noxious, or allergenic effects	196	6,330	3,070	3,250	—	1,270	1,000	2,020	1,990	50
Poisoning, toxic, noxious, or allergenic effect, unspecified	1960	1,850	1,220	620	—	460	350	580	440	20
Poisoning, including poisoning-related asphyxia	1961	420	220	210	—	60	70	200	100	—
Anaphylactic shock, anaphylaxis	1962	40	—	40	—	—	—	—	—	—
Other respiratory system symptoms—toxic, noxious, or allergenic effect	1963	1,540	620	930	—	200	240	570	520	—
Coughing and throat irritation— toxic, noxious, or allergenic effect	1964	240	100	140	—	—	30	80	110	—
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	1965	450	240	210	—	40	110	120	180	—
Other or unspecified allergic reactions	1966	790	410	380	—	190	110	280	210	—
Nausea, vomiting— toxic, noxious, or allergenic effect	1967	190	70	120	—	—	40	60	90	—
Multiple poisoning, toxic, noxious, or allergenic effects	1968	630	60	570	—	240	20	70	310	—
Other poisoning, toxic, noxious, or allergenic effects, n.e.c.	1969	170	130	30	—	30	40	60	40	—
Nonspecified injuries and disorders	197	167,220	98,450	68,070	710	19,860	35,790	53,350	54,970	3,260
Crushing injuries	1971	8,570	6,910	1,620	40	1,650	2,040	2,550	2,190	150
Soreness, pain, hurt—nonspecified injury	1972	136,300	77,160	58,520	620	15,930	28,680	43,710	45,000	2,970
Swelling, inflammation, irritation—nonspecified injury	1973	18,030	12,300	5,710	20	1,920	4,090	5,670	6,270	90
Numbness—nonspecified injury	1974	730	390	340	—	30	180	270	250	—
Multiple nonspecified injuries and disorders	1978	2,020	740	1,270	20	170	370	670	770	40
Nonspecified injuries and disorders, n.e.c.	1979	1,570	950	600	—	160	440	480	480	—
Other traumatic injuries and disorders, n.e.c.	199	400	210	190	—	90	40	100	170	—
Traumatic injuries and disorders, n.e.c.	1999	380	190	190	—	60	40	100	170	—
Diseases and disorders of body systems	2	17,690	7,940	9,710	40	1,070	3,380	5,220	7,880	140
Systemic diseases and disorders, unspecified	20	50	—	30	—	—	—	—	20	—
Nervous system and sense organs diseases	22	6,480	2,550	3,920	20	280	670	2,010	3,460	70
Inflammatory diseases of the central nervous system	221	20	—	20	—	—	—	—	—	—
Degenerative diseases of the central nervous system	222	30	20	—	—	—	—	—	—	—
Other disorders of the central nervous system	223	240	40	200	—	80	60	50	40	—
Other disorders of the central nervous system, unspecified	2230	30	—	—	—	—	—	30	—	—
Seizure disorder, epilepsy	2231	60	30	30	—	20	—	—	20	—
Migraine	2232	130	—	130	—	60	40	—	—	—
Disorders of the peripheral nervous system	224	5,230	1,810	3,400	—	80	350	1,590	3,160	50
Disorders of the peripheral nervous system, unspecified	2240	180	80	100	—	—	—	50	120	—
Carpal tunnel syndrome	2241	4,920	1,680	3,230	—	70	340	1,520	2,940	50
Inflammatory and toxic neuropathy, toxic polyneuropathy	2242	30	20	—	—	—	—	—	20	—
Disorders of the peripheral nervous system, n.e.c.	2249	100	30	60	—	—	—	—	80	—
Disorders of the eye, adnexa, vision	225	650	460	190	—	90	230	220	110	—
Disorders of the eye, adnexa, vision, unspecified	2250	40	40	—	—	—	—	20	—	—
Conjunctivitis—non-viral	2251	420	250	170	—	50	190	100	80	—

See footnotes at end of table.

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, private industry, 2015 — Continued

Nature	Nature code ²	Private industry ³	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion)	2252	110	100	—	—	—	20	80	—	—
Blindness, low vision	2254	20	20	—	—	—	—	—	—	—
Visual disturbances	2256	20	—	—	—	—	—	—	—	—
Disorders of the eye, adnexa, vision, n.e.c.	2259	30	30	—	—	—	—	20	—	—
Disorders of the ear, mastoid process, hearing	226	320	210	110	—	30	20	130	130	—
Disorders of the ear, mastoid process, hearing, unspecified	2260	150	150	—	—	—	—	100	50	—
Deafness, hearing loss and impairment	2261	90	50	40	—	—	20	20	50	—
Tinnitus	2262	50	—	30	—	—	—	—	30	—
Disorders of the ear, mastoid process, and hearing, n.e.c.	2269	30	—	—	—	—	—	—	—	—
Circulatory system diseases	23	790	680	110	—	20	70	100	600	—
Circulatory system diseases, unspecified	230	20	—	—	—	—	—	—	—	—
Ischemic heart disease, including heart attack	233	650	610	40	—	—	60	50	530	—
Ischemic heart disease, unspecified	2330	20	—	—	—	—	—	—	—	—
Myocardial infarction (heart attack)	2331	630	600	30	—	—	60	40	530	—
Cerebrovascular disease	236	80	30	50	—	—	—	30	40	—
Stroke	2361	50	20	30	—	—	—	30	20	—
Transient ischemia attacks	2362	20	—	—	—	—	—	—	—	—
Diseases of the veins, lymphatics	238	30	20	—	—	—	—	—	—	—
Respiratory system diseases	24	2,210	530	1,680	—	250	1,410	420	120	—
Respiratory system diseases, unspecified	240	20	—	—	—	—	—	—	—	—
Acute respiratory infections (including common cold)	241	1,410	50	1,360	—	240	1,110	—	40	—
Other diseases of upper respiratory tract	242	280	40	240	—	—	260	—	20	—
Allergic rhinitis	2421	50	40	—	—	—	40	—	—	—
Pneumonia, influenza	243	390	370	—	—	—	20	350	—	—
Influenza—common	2432	370	360	—	—	—	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions	244	70	30	40	—	—	—	40	30	—
Chronic bronchitis	2441	30	—	—	—	—	—	20	—	—
Asthma, except intrinsic	2443	30	—	20	—	—	—	20	—	—
Other respiratory system diseases	249	30	20	—	—	—	—	—	—	—
Digestive system diseases and disorders	25	300	270	40	—	—	50	100	150	—
Hernia—nontraumatic	253	290	260	30	—	—	40	90	150	—
Musculoskeletal system and connective tissue diseases and disorders	27	6,960	3,290	3,660	—	410	930	2,320	3,270	40
Musculoskeletal system and connective tissue diseases and disorders, unspecified	270	130	100	30	—	—	20	50	60	—
Arthropathies and related disorders (arthritis)	271	110	80	30	—	—	—	30	80	—
Dorsopathies	272	590	440	150	—	140	50	200	190	—
Sciatica	2721	190	100	90	—	—	30	60	100	—
Lumbago	2722	80	60	30	—	—	—	20	40	—
Disc disorders, except dislocation	2723	250	240	—	—	130	—	90	30	—
Dorsopathies, n.e.c.	2729	60	40	20	—	—	—	30	20	—
Soft tissue disorders, except the back	273	6,130	2,670	3,450	—	260	850	2,040	2,940	40
Soft tissue disorder, except the back, unspecified	2730	290	70	210	—	20	—	130	100	—
Bursitis	2731	600	490	110	—	30	80	240	250	—
Stenosing tenosynovitis	2732	1,010	310	700	—	20	200	230	560	—

See footnotes at end of table.

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, private industry, 2015 — Continued

Nature	Nature code ²	Private industry ³	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Other tenosynovitis, synovitis	2733	340	140	200	—	20	70	110	140	—
Epicondylitis	2734	760	420	340	—	20	90	210	440	—
Other or unspecified tendonitis (tendinitis)	2735	2,470	940	1,530	—	130	240	950	1,140	—
Ganglion or cystic tumor	2736	290	110	170	—	—	50	80	140	—
Multiple soft tissue disorders	2738	140	60	80	—	—	50	20	50	—
Soft tissue disorder, except the back, n.e.c.	2739	230	120	110	—	—	60	70	110	—
Disorders of the skin and subcutaneous tissue	28	840	580	260	—	110	230	240	230	20
Infections of the skin and subcutaneous tissue	281	780	550	230	—	100	210	240	210	20
Infections of the skin and subcutaneous tissue, unspecified	2810	80	60	20	—	30	20	30	—	—
Cellulitis and abscess	2811	390	300	90	—	50	60	130	130	—
Methicillin-resistant staphylococcus aureus (MRSA) infection	2813	90	50	40	—	—	—	30	40	—
Other staphylococcus skin infection	2814	50	50	—	—	—	50	—	—	—
Infections of the skin and subcutaneous tissue, n.e.c.	2819	160	90	70	—	20	80	40	20	—
Diseases of sebaceous glands	283	20	—	20	—	—	—	—	—	—
Sebaceous cyst	2832	20	—	20	—	—	—	—	—	—
Other diseases and disorders of the skin and subcutaneous tissue	289	30	20	—	—	—	—	—	20	—
Other systemic diseases and disorders	29	40	30	20	—	—	—	20	20	—
Endocrine, nutritional, metabolic, and immunity disorders	291	30	20	—	—	—	—	—	20	—
Endocrine, nutritional, metabolic, and immunity disorders, n.e.c.	2919	30	20	—	—	—	—	—	—	—
Infectious and parasitic diseases	3	2,100	600	1,500	—	110	320	710	730	230
Infectious and parasitic diseases, unspecified	30	30	—	20	—	—	—	—	—	—
Bacterial diseases	31	80	20	60	—	—	—	40	20	—
Bacterial diseases, unspecified	310	20	—	20	—	—	—	20	—	—
Other bacterial diseases	319	50	—	30	—	—	—	20	20	—
Diphtheria, whooping cough	3192	20	—	20	—	—	—	—	—	—
Other bacterial diseases, n.e.c.	3199	20	—	—	—	—	—	—	—	—
Viral diseases	32	370	150	220	—	—	110	110	130	20
Viral diseases, unspecified	320	100	100	—	—	—	—	70	—	—
Viral diseases accompanied by exanthem (eruptive fever)	323	210	30	170	—	—	100	20	80	—
Chickenpox, varicella	3233	160	—	150	—	—	90	—	50	—
Herpes zoster, shingles	3234	40	20	20	—	—	—	—	20	—
Viral hepatitis	325	30	—	—	—	—	—	—	—	20
Type C viral hepatitis	3253	20	—	—	—	—	—	—	—	—
Other diseases due to viruses	329	20	—	20	—	—	—	20	—	—
Other diseases due to viruses, n.e.c.	3299	20	—	20	—	—	—	—	—	—
Other arthropod-borne diseases	33	280	280	—	—	—	—	—	270	—
Lyme disease	333	270	270	—	—	—	—	—	270	—
Mycoses (fungal infections)	34	40	30	—	—	—	20	—	—	—
Dermatophytosis (including athlete's foot, tinea)	341	40	30	—	—	—	20	—	—	—
Infectious diseases peculiar to the intestines	36	410	30	380	—	50	—	130	20	200

See footnotes at end of table.

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, private industry, 2015 — Continued

Nature	Nature code ²	Private industry ³	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Infectious diseases peculiar to the intestines, unspecified	360	50	—	50	—	—	—	40	—	—
Other bacterial food poisoning (including botulism and staphylococcal food poisoning)	364	210	—	210	—	—	—	—	—	200
Infectious diseases peculiar to the intestines, n.e.c. ..	369	120	—	120	—	30	—	90	—	—
Other infectious and parasitic diseases	39	890	80	800	—	50	160	410	260	—
Other infectious and parasitic diseases, unspecified	390	30	—	—	—	—	—	—	—	—
Pediculosis and phthirus infestation (lice)	391	40	—	30	—	—	—	30	—	—
Scabies and other acariases	392	820	60	750	—	50	150	370	250	—
Symptoms, signs, and ill-defined conditions	5	3,930	1,770	2,160	—	470	1,000	1,150	1,220	80
Symptoms, signs, and ill-defined conditions, unspecified	50	200	160	30	—	—	70	100	20	—
Symptoms	51	3,670	1,570	2,100	—	460	930	1,040	1,170	80
Symptoms, unspecified	510	30	20	—	—	—	—	—	20	—
General symptoms	511	2,550	1,020	1,520	—	310	530	760	880	60
General symptoms, unspecified	5110	70	30	40	—	40	—	—	—	—
Loss of consciousness—not heat related	5111	1,470	470	990	—	140	270	430	580	40
Convulsions, seizures	5112	340	170	170	—	70	110	90	70	—
Dizziness—general	5114	360	190	170	—	30	50	130	130	—
Inflammation, swelling—general	5115	40	—	40	—	—	—	—	30	—
Numbness—general	5116	40	—	30	—	—	—	20	—	—
Multiple general symptoms	5118	140	80	70	—	20	80	40	—	—
General symptoms, n.e.c.	5119	80	70	—	—	—	20	20	40	—
Symptoms involving nervous and musculoskeletal systems	512	230	220	—	—	—	210	—	—	—
Earache	5122	20	—	—	—	—	—	—	—	—
Symptoms involving nervous and musculoskeletal systems, n.e.c.	5129	200	—	—	—	—	—	—	—	—
Symptoms involving head and neck	514	290	60	230	—	40	80	100	80	—
Headache, except migraine	5141	250	50	200	—	30	80	80	60	—
Symptoms involving head and neck, n.e.c.	5149	30	—	—	—	—	—	—	—	—
Symptoms involving cardiovascular system	515	90	40	50	—	40	—	—	30	—
Symptoms involving cardiovascular system, unspecified	5150	30	20	—	—	—	—	—	—	—
Symptoms involving cardiovascular system, n.e.c.	5159	40	20	—	—	—	—	—	—	—
Symptoms involving respiratory system and chest	516	380	180	190	—	60	50	120	120	20
Symptoms involving respiratory system and chest, unspecified	5160	100	50	50	—	—	40	30	30	—
Hyperventilation	5161	40	—	40	—	—	—	20	—	—
Chest pain	5164	90	70	20	—	30	—	—	40	—
Multiple symptoms involving respiratory system and chest	5168	40	—	20	—	—	—	20	—	—
Symptoms involving respiratory system and chest, n.e.c.	5169	110	40	70	—	—	—	50	50	—
Symptoms involving digestive and urinary system	517	40	—	30	—	—	20	—	—	—
Multiple symptoms	518	50	20	30	—	—	20	—	—	—
Abnormal findings	52	20	20	—	—	—	—	—	20	—
Other abnormal findings	529	20	—	—	—	—	—	—	20	—

See footnotes at end of table.

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, private industry, 2015 — Continued

Nature	Nature code ²	Private industry ³	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Multiple symptoms, signs, and ill-defined conditions	58	20	—	—	—	—	—	—	—	—
Symptoms, signs, and ill-defined conditions, n.e.c.	59	20	—	20	—	—	—	—	—	—
Other diseases, conditions, and disorders	6	2,570	800	1,740	30	90	610	1,010	770	100
Damage to prosthetic and orthopedic devices	61	30	—	—	—	—	—	—	—	—
Mental disorders and syndromes	62	2,530	780	1,720	30	90	590	990	760	100
Mental disorders and syndromes, unspecified	620	80	40	30	—	—	30	—	40	—
Anxiety, stress	621	2,430	730	1,670	20	90	550	980	710	90
Anxiety, stress, unspecified	6210	1,710	380	1,310	20	50	430	620	520	80
Post-traumatic stress disorder	6211	430	270	160	—	—	120	210	80	—
Anxiety or panic disorder	6213	100	50	50	—	20	—	20	60	—
Anxiety, stress, n.e.c.	6219	180	30	140	—	—	—	120	40	—
Depression or depressive episode	622	20	—	—	—	—	—	—	—	—
Exposures to disease—no illness incurred	7	270	60	210	—	—	30	110	110	—
Multiple diseases, conditions, and disorders	8	70	30	40	—	—	20	—	30	—
Nonclassifiable	9999	1,270	660	450	160	50	140	180	320	580

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.
Source: U.S. Bureau of Labor Statistics, Survey of Occupational Injuries and Illnesses, in cooperation with participating state agencies.