

TABLE R50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, private industry, 2015

Part of body	Part of body code ²	Private industry ³	Age							
			16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Total		902,160	23,560	86,590	190,500	187,950	210,200	152,590	33,850	16,810
Head	1	74,180	2,560	9,900	17,420	14,530	14,320	10,540	3,650	1,250
Head, unspecified	10	18,710	730	2,380	4,030	2,680	3,830	3,280	1,460	320
Cranial region, including skull	11	18,060	820	2,610	3,870	3,790	3,350	2,620	730	250
Cranial region, unspecified	110	320	—	—	110	40	80	80	—	—
Brain	111	15,040	770	2,430	3,190	3,280	2,780	1,920	450	210
Scalp	112	2,140	40	130	490	410	410	490	140	30
Skull	113	430	20	30	60	50	60	70	130	—
Multiple cranial region locations	118	40	—	—	—	—	—	30	—	—
Cranial region, n.e.c.	119	90	—	—	—	—	20	30	—	—
Ear(s)	12	930	—	150	170	180	260	110	—	40
Face	13	35,450	940	4,660	9,110	7,690	6,700	4,350	1,410	590
Face, unspecified	130	3,720	80	260	790	720	710	460	450	250
Forehead	131	3,050	50	550	600	460	750	450	170	20
Eye(s)	132	20,600	580	2,470	5,870	4,770	3,730	2,530	400	260
Nose, nasal cavity	133	2,730	90	500	580	420	660	290	160	20
Nose, except internal location of diseases or disorders	1330	2,470	90	280	580	420	630	290	160	20
Sinus(es)	1334	260	—	220	—	—	—	—	—	—
Cheek(s)	134	390	—	50	120	70	70	60	—	—
Jaw, chin	135	730	30	130	230	130	130	80	—	—
Mouth	136	2,430	80	450	550	790	310	150	80	—
Mouth, unspecified	1360	690	—	290	30	300	30	30	—	—
Lip(s)	1361	670	—	50	270	160	100	40	20	—
Tooth (teeth)	1363	970	30	110	240	300	160	80	50	—
Multiple mouth locations	1368	80	—	—	—	30	—	—	—	—
Multiple face locations	138	1,580	20	230	300	300	320	290	120	—
Face, n.e.c.	139	210	—	40	60	30	30	50	—	—
Multiple head locations	18	760	50	90	160	110	130	150	30	40
Head, n.e.c.	19	270	—	—	80	80	60	20	20	—
Neck, including throat	2	12,430	80	830	2,540	3,370	2,780	2,080	290	460
Neck, except internal location of diseases or disorders ...	20	12,420	80	830	2,540	3,360	2,780	2,070	290	460
Trunk	3	209,360	2,960	17,810	48,280	49,190	47,450	33,570	6,620	3,460
Trunk, unspecified	30	1,320	—	60	410	380	210	190	40	20
Chest, including ribs, internal organs	31	15,790	160	2,160	2,490	2,990	3,700	3,260	800	230
Chest, except internal location of diseases or disorders	310	13,550	140	1,040	2,440	2,640	3,430	2,860	770	230
Internal chest location, unspecified	311	50	—	—	—	—	30	—	—	—
Heart	313	710	—	—	—	100	220	350	20	—
Bronchus	314	30	—	—	20	—	—	—	—	—
Lung(s), pleura	315	1,450	—	1,120	20	240	—	30	—	—
Back, including spine, spinal cord	32	155,740	2,260	13,330	39,340	38,130	34,830	21,940	3,630	2,270
Back, including spine, spinal cord, unspecified	320	59,360	840	5,170	14,810	14,460	12,980	8,590	1,340	1,180
Thoracic region	321	8,160	220	980	2,610	1,850	1,430	910	130	40
Lumbar region	322	81,970	1,130	6,630	20,360	20,660	18,770	11,470	1,970	970
Sacral region	323	270	—	60	40	60	40	50	20	—
Coccygeal region	324	1,300	20	90	470	160	260	220	60	30

See footnotes at end of table.

TABLE R50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, private industry, 2015 — Continued

Part of body	Part of body code ²	Private industry ³	Age							
			16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Multiple back regions	328	4,450	60	400	990	890	1,320	630	120	30
Back, including spine, spinal cord, n.e.c.	329	220	—	—	50	40	30	90	—	—
Abdomen	33	18,290	270	1,100	3,030	4,260	4,840	3,690	430	670
Abdomen, except internal location of diseases or disorders	330	17,620	210	1,070	2,970	4,140	4,730	3,580	430	490
Internal abdominal location, unspecified	331	360	—	—	20	30	20	90	—	180
Stomach organ	332	20	—	—	—	—	—	—	—	—
Intestines, peritoneum	335	260	60	20	20	70	70	20	—	—
Intestines, peritoneum, unspecified	3350	230	60	20	—	70	60	—	—	—
Large intestine, colon, rectum	3353	30	—	—	—	—	—	—	—	—
Other digestive structures	336	30	—	—	—	—	—	—	—	—
Liver	3361	30	—	—	—	—	—	—	—	—
Pelvic region	34	14,770	230	930	2,340	2,760	3,020	3,610	1,620	260
Pelvic region, unspecified	340	200	—	20	20	50	50	40	30	—
Hip(s)	341	7,370	80	290	900	1,360	1,390	1,830	1,420	100
Pelvis	342	940	50	30	120	290	100	270	40	30
Buttock(s)	343	1,320	—	110	440	190	250	250	50	20
Groin	344	4,360	80	420	770	760	1,080	1,060	70	110
External reproductive tract structures	345	200	—	20	40	50	50	20	—	—
External reproductive tract structures, unspecified ..	3450	30	—	—	—	—	—	—	—	—
Scrotum	3451	100	—	—	—	30	40	—	—	—
Penis	3452	20	—	—	—	—	—	—	—	—
External female genital region	3453	20	—	—	—	—	—	—	—	—
Multiple external reproductive tract structures	3458	20	—	—	—	—	—	—	—	—
Multiple pelvic region locations	348	320	—	30	30	50	70	130	—	—
Pelvic region, n.e.c.	349	50	—	—	—	—	—	20	—	—
Multiple trunk locations	38	3,280	20	210	640	650	800	840	100	—
Trunk, n.e.c.	39	170	—	—	30	20	60	40	—	—
Upper extremities	4	294,420	10,750	29,300	60,120	59,390	69,060	49,560	10,590	5,610
Upper extremities, unspecified	40	590	—	60	70	110	160	70	—	90
Shoulder(s), including clavicle(s), scapula(e)	41	72,270	940	3,750	11,300	15,670	19,830	16,040	3,740	990
Arm(s)	42	45,760	1,020	3,690	7,910	10,210	11,930	8,780	1,520	680
Arm(s), unspecified	420	14,060	560	740	2,540	2,790	3,910	2,860	470	180
Upper arm(s)	421	6,170	70	430	930	1,280	1,640	1,300	390	120
Elbow(s)	422	14,360	140	1,120	2,440	3,560	3,750	2,650	420	280
Forearm(s)	423	8,640	180	1,020	1,620	1,990	2,040	1,530	200	70
Multiple arm locations	428	2,110	20	370	310	490	510	350	20	20
Multiple arm locations, unspecified	4280	190	—	—	30	40	70	40	—	—
Elbow(s) and arm(s)	4281	1,460	20	340	220	350	270	220	—	20
Multiple arm locations, n.e.c.	4289	470	—	20	60	100	170	90	—	—
Arm(s), n.e.c.	429	420	—	—	70	100	80	80	—	—
Wrist(s)	43	34,210	580	2,830	7,290	7,000	8,820	5,870	1,340	480
Hand(s)	44	124,540	7,730	17,900	30,660	22,650	23,660	15,760	3,170	3,000
Hand(s), unspecified	440	33,630	2,390	5,220	8,250	5,800	5,910	4,170	870	1,030
Hand(s), except finger(s)	441	4,380	120	810	1,390	660	960	340	80	—
Finger(s), fingernail(s)	442	81,520	5,030	10,730	19,920	15,210	15,920	10,750	2,100	1,850
Finger(s), fingernail(s), unspecified	4420	62,660	4,030	8,120	15,200	12,080	11,930	8,230	1,850	1,220
Fingernail(s), nailbed(s)	4421	930	70	100	250	230	120	150	—	—
Fingertip(s)	4422	7,380	370	1,200	1,910	1,070	1,780	940	90	20

See footnotes at end of table.

TABLE R50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, private industry, 2015 — Continued

Part of body	Part of body code ²	Private industry ³	Age							
			16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Finger(s), fingernail(s), n.e.c.	4429	10,550	570	1,310	2,570	1,830	2,090	1,430	150	610
Hand(s) and finger(s)	448	3,650	130	830	750	670	670	390	120	100
Hand(s), n.e.c.	449	1,360	50	310	360	310	200	120	—	—
Multiple upper extremities locations	48	16,800	480	1,060	2,800	3,720	4,620	2,970	800	350
Multiple upper extremities locations, unspecified	480	160	—	—	20	60	30	20	—	—
Hand(s) and arms(s)	481	1,880	120	180	380	420	470	200	100	20
Hand(s) and arm(s), unspecified	4810	800	70	90	170	140	250	40	20	20
Hand(s) and elbow(s)	4811	360	—	—	60	160	80	40	—	—
Hand(s) and arm(s), n.e.c.	4819	710	50	80	140	110	140	110	60	—
Hand(s) and wrist(s)	482	3,770	80	300	670	660	1,110	660	210	90
Wrist(s) and arm(s)	483	2,240	50	220	600	310	570	410	70	—
Wrist(s) and arm(s), unspecified	4830	700	30	100	90	320	60	—	—	—
Wrist(s) and elbow(s)	4831	620	—	40	80	130	120	190	40	—
Wrist(s) and arm(s), n.e.c.	4839	920	—	70	440	90	130	170	20	—
Shoulder(s) and arm(s)	484	5,890	—	250	620	1,700	1,620	1,280	200	190
Multiple upper extremities locations, n.e.c.	489	2,860	210	90	510	570	830	390	220	30
Upper extremities, n.e.c.	49	240	—	—	90	30	30	70	—	—
Lower extremities	5	202,460	5,380	20,910	41,980	39,590	49,050	34,680	7,430	3,390
Lower extremities, unspecified	50	370	20	50	40	50	90	100	—	—
Leg(s)	51	103,770	2,000	8,490	18,630	19,960	26,340	21,830	4,620	1,860
Leg(s), unspecified	510	11,990	330	1,390	2,940	2,230	2,710	1,770	460	150
Thigh(s)	511	4,610	170	450	590	800	1,370	840	230	160
Knee(s)	512	73,810	1,250	5,720	12,340	14,130	19,000	16,610	3,430	1,330
Lower leg(s)	513	10,520	230	770	2,220	2,160	2,550	1,980	410	170
Multiple leg locations	518	2,470	20	140	390	600	670	520	80	40
Multiple leg locations, unspecified	5180	80	—	—	20	30	—	—	—	—
Knee(s) and leg(s)	5181	1,940	—	120	350	420	540	430	50	—
Multiple leg locations, n.e.c.	5189	450	—	20	30	150	100	90	30	30
Leg(s), n.e.c.	519	370	—	—	140	50	60	110	—	—
Ankle(s)	52	45,780	1,170	5,760	11,160	9,820	10,590	5,190	1,410	660
Foot (feet)	53	43,310	1,860	5,990	10,060	8,100	9,490	6,010	1,040	770
Foot (feet), unspecified	530	28,130	1,320	3,810	6,550	5,330	6,030	3,770	770	540
Sole(s)	531	2,840	150	160	350	500	760	830	30	70
Sole(s), unspecified	5310	310	20	50	60	70	70	30	—	—
Ball(s) of the foot	5311	30	—	—	—	—	—	—	—	—
Arch(es), instep(s)	5312	170	—	—	70	30	50	—	—	—
Heel(s)	5313	2,320	130	110	220	400	610	780	20	50
Toes(s), toenail(s)	532	10,240	350	1,460	2,730	1,930	2,280	1,150	210	120
Multiple foot (feet) locations	538	1,110	—	430	170	180	160	130	—	—
Foot (feet), n.e.c.	539	990	20	130	250	170	260	120	20	30
Multiple lower extremities locations	58	9,140	330	620	2,080	1,630	2,500	1,550	350	100
Multiple lower extremities locations, unspecified	580	450	—	30	20	60	70	270	—	—
Foot (feet) and leg(s)	581	1,690	80	90	540	170	590	180	30	—
Foot(feet) and leg(s), unspecified	5810	730	20	20	170	90	370	50	—	—
Foot(feet) and knee(s)	5811	360	—	20	80	60	70	110	20	—
Foot(feet) and leg(s), n.e.c.	5819	590	—	40	290	30	150	20	—	—
Foot (feet) and ankle(s)	582	2,880	170	260	660	520	850	370	50	—
Ankle(s) and leg(s)	583	3,060	20	160	630	640	780	570	210	50
Ankle(s) and leg(s), unspecified	5830	550	—	20	50	90	220	40	120	—

See footnotes at end of table.

TABLE R50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, private industry, 2015 — Continued

Part of body	Part of body code ²	Private industry ³	Age							
			16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Ankle(s) and knee(s)	5831	1,710	—	90	400	350	360	390	80	30
Ankle(s) and leg(s), n.e.c.	5839	800	—	50	180	200	200	150	—	20
Multiple lower extremities locations, n.e.c.	589	1,050	50	80	230	240	210	140	60	40
Lower extremities, n.e.c.	59	100	—	—	20	40	30	—	—	—
Body systems	6	16,560	410	2,230	3,510	3,180	4,040	2,270	410	520
Multiple body parts	8	86,410	1,330	5,070	15,600	17,500	21,960	19,050	4,720	1,170
Multiple body parts, unspecified	80	6,720	60	360	970	1,420	2,070	1,240	370	250
Head and neck	81	2,330	90	210	620	460	430	290	200	20
Head, neck, and trunk	82	580	—	—	80	80	260	110	30	—
Head and trunk	83	1,150	40	90	220	190	290	190	130	—
Neck and back	84	7,970	90	550	1,520	2,210	1,960	1,390	160	90
Shoulder(s) and back	85	3,200	30	200	580	850	980	420	40	90
Hip(s) and leg(s)	86	1,530	—	70	160	270	410	470	110	20
Upper and lower limb(s)	87	4,720	60	330	710	850	1,150	1,280	280	60
Other multiple body parts	89	58,210	950	3,240	10,730	11,170	14,400	13,670	3,410	640
Whole body	891	560	—	50	100	90	170	70	70	—
Multiple body parts, n.e.c.	899	57,650	950	3,200	10,630	11,070	14,230	13,590	3,340	640
Nonclassifiable	9999	6,330	90	540	1,050	1,200	1,540	840	130	950

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: U.S. Bureau of Labor Statistics, Survey of Occupational Injuries and Illnesses, in cooperation with participating state agencies.