

TABLE R52. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness, gender, and length of service with employer, private industry, 2015

| Part of body | Part of body code ² | Private industry ³ | Gender | | | Length of service with employer | | | | |
|--|--------------------------------|-------------------------------|---------|---------|--------------|---------------------------------|---------------|-------------|-------------------|--------------|
| | | | Male | Female | Not reported | Less than 3 months | 3 - 11 months | 1 - 5 years | More than 5 years | Not reported |
| Total | | 902,160 | 556,370 | 341,130 | 4,660 | 103,010 | 183,470 | 293,100 | 306,050 | 16,530 |
| Head | 1 | 74,180 | 46,450 | 27,340 | 390 | 9,350 | 17,960 | 24,000 | 21,750 | 1,120 |
| Head, unspecified | 10 | 18,710 | 10,360 | 8,200 | 140 | 1,990 | 4,620 | 6,310 | 5,530 | 270 |
| Cranial region, including skull | 11 | 18,060 | 9,460 | 8,500 | 100 | 2,740 | 4,370 | 5,600 | 5,130 | 220 |
| Cranial region, unspecified | 110 | 320 | 130 | 140 | 50 | 70 | 20 | 50 | 130 | 60 |
| Brain | 111 | 15,040 | 7,700 | 7,290 | 50 | 2,380 | 3,770 | 4,770 | 3,980 | 130 |
| Scalp | 112 | 2,140 | 1,360 | 780 | - | 230 | 520 | 600 | 780 | 20 |
| Skull | 113 | 430 | 220 | 210 | - | 50 | 40 | 180 | 150 | - |
| Multiple cranial region locations | 118 | 40 | 30 | - | - | - | - | - | 30 | - |
| Cranial region, n.e.c. | 119 | 90 | 20 | 60 | - | - | - | - | 60 | - |
| Ear(s) | 12 | 930 | 660 | 260 | - | 140 | 120 | 310 | 300 | 60 |
| Face | 13 | 35,450 | 25,420 | 9,880 | 140 | 4,250 | 8,660 | 11,490 | 10,480 | 570 |
| Face, unspecified | 130 | 3,720 | 2,490 | 1,240 | - | 290 | 680 | 940 | 1,590 | 220 |
| Forehead | 131 | 3,050 | 1,960 | 1,050 | 30 | 270 | 870 | 810 | 1,030 | 60 |
| Eye(s) | 132 | 20,600 | 16,070 | 4,480 | 50 | 2,880 | 4,720 | 7,250 | 5,570 | 180 |
| Nose, nasal cavity | 133 | 2,730 | 1,450 | 1,250 | 20 | 290 | 810 | 750 | 830 | 50 |
| Nose, except internal location of diseases or disorders | 1330 | 2,470 | 1,420 | 1,030 | 20 | 290 | 560 | 750 | 820 | 40 |
| Sinus(es) | 1334 | 260 | 40 | 220 | - | - | 250 | - | - | - |
| Cheek(s) | 134 | 390 | 260 | 130 | - | 20 | 110 | 110 | 140 | - |
| Jaw, chin | 135 | 730 | 440 | 290 | - | 90 | 180 | 270 | 180 | - |
| Mouth | 136 | 2,430 | 1,600 | 820 | 20 | 180 | 890 | 770 | 560 | 30 |
| Mouth, unspecified | 1360 | 690 | 360 | 320 | - | - | 470 | 110 | 70 | 20 |
| Lip(s) | 1361 | 670 | 490 | 180 | - | 90 | 180 | 230 | 170 | - |
| Tooth (teeth) | 1363 | 970 | 680 | 290 | - | 60 | 230 | 390 | 280 | - |
| Multiple mouth locations | 1368 | 80 | 60 | 30 | - | - | - | 40 | 30 | - |
| Multiple face locations | 138 | 1,580 | 1,030 | 550 | - | 210 | 370 | 530 | 470 | - |
| Face, n.e.c. | 139 | 210 | 130 | 80 | - | 20 | 30 | 50 | 90 | - |
| Multiple head locations | 18 | 760 | 410 | 340 | - | 220 | 130 | 210 | 200 | - |
| Head, n.e.c. | 19 | 270 | 130 | 150 | - | 20 | 50 | 90 | 110 | - |
| Neck, including throat | 2 | 12,430 | 6,130 | 6,170 | 130 | 1,320 | 2,270 | 3,990 | 4,330 | 510 |
| Neck, except internal location of diseases or disorders ... | 20 | 12,420 | 6,130 | 6,160 | 130 | 1,320 | 2,270 | 3,980 | 4,330 | 510 |
| Trunk | 3 | 209,360 | 135,600 | 72,770 | 990 | 20,090 | 41,220 | 71,270 | 72,940 | 3,830 |
| Trunk, unspecified | 30 | 1,320 | 740 | 560 | 20 | 110 | 330 | 570 | 290 | 20 |
| Chest, including ribs, internal organs | 31 | 15,790 | 10,890 | 4,820 | 80 | 1,750 | 3,880 | 4,420 | 5,470 | 270 |
| Chest, except internal location of diseases or disorders | 310 | 13,550 | 10,120 | 3,360 | 70 | 1,470 | 2,670 | 4,300 | 4,850 | 260 |
| Internal chest location, unspecified | 311 | 50 | 40 | - | - | 20 | - | - | - | - |
| Heart | 313 | 710 | 620 | 80 | - | 40 | 60 | 50 | 560 | - |
| Bronchus | 314 | 30 | 20 | - | - | - | - | 20 | - | - |
| Lung(s), pleura | 315 | 1,450 | 90 | 1,360 | - | 230 | 1,140 | 40 | 40 | - |
| Back, including spine, spinal cord | 32 | 155,740 | 97,620 | 57,370 | 740 | 14,760 | 30,920 | 54,760 | 52,490 | 2,810 |
| Back, including spine, spinal cord, unspecified | 320 | 59,360 | 38,880 | 20,380 | 100 | 5,740 | 12,330 | 21,890 | 18,400 | 1,000 |
| Thoracic region | 321 | 8,160 | 4,760 | 3,330 | 70 | 1,230 | 1,430 | 3,110 | 2,260 | 140 |
| Lumbar region | 322 | 81,970 | 50,780 | 30,640 | 550 | 7,170 | 15,850 | 27,700 | 29,630 | 1,610 |
| Sacral region | 323 | 270 | 130 | 130 | - | 30 | 60 | 100 | 80 | - |

See footnotes at end of table.

TABLE R52. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness, gender, and length of service with employer, private industry, 2015 — Continued

| Part of body | Part of body code ² | Private industry ³ | Gender | | | Length of service with employer | | | | |
|--|--------------------------------|-------------------------------|----------------|----------------|--------------|---------------------------------|---------------|---------------|-------------------|--------------|
| | | | Male | Female | Not reported | Less than 3 months | 3 - 11 months | 1 - 5 years | More than 5 years | Not reported |
| Coccygeal region | 324 | 1,300 | 680 | 610 | — | 80 | 310 | 500 | 370 | 40 |
| Multiple back regions | 328 | 4,450 | 2,270 | 2,180 | — | 480 | 930 | 1,400 | 1,610 | 20 |
| Back, including spine, spinal cord, n.e.c. | 329 | 220 | 130 | 90 | — | 20 | — | 50 | 140 | — |
| Abdomen | 33 | 18,290 | 15,000 | 3,230 | 60 | 1,330 | 2,800 | 6,160 | 7,560 | 450 |
| Abdomen, except internal location of diseases or disorders | 330 | 17,620 | 14,690 | 2,870 | 60 | 1,270 | 2,730 | 5,970 | 7,380 | 280 |
| Internal abdominal location, unspecified | 331 | 360 | 170 | 190 | — | — | 30 | 50 | 110 | 160 |
| Stomach organ | 332 | 20 | — | — | — | — | — | — | — | — |
| Intestines, peritoneum | 335 | 260 | 120 | 150 | — | 50 | 40 | 140 | 40 | — |
| Intestines, peritoneum, unspecified | 3350 | 230 | 100 | 120 | — | 50 | 40 | 120 | 30 | — |
| Large intestine, colon, rectum | 3353 | 30 | — | 20 | — | — | — | 20 | — | — |
| Other digestive structures | 336 | 30 | 20 | — | — | — | — | — | — | 20 |
| Liver | 3361 | 30 | — | — | — | — | — | — | — | 20 |
| Pelvic region | 34 | 14,770 | 9,390 | 5,300 | 80 | 1,780 | 2,550 | 4,380 | 5,800 | 250 |
| Pelvic region, unspecified | 340 | 200 | 130 | 30 | 40 | 20 | 20 | 50 | 80 | 40 |
| Hip(s) | 341 | 7,370 | 3,730 | 3,640 | — | 930 | 1,260 | 2,080 | 3,030 | 70 |
| Pelvis | 342 | 940 | 700 | 250 | — | 70 | 70 | 200 | 570 | 30 |
| Buttock(s) | 343 | 1,320 | 530 | 780 | — | 260 | 390 | 310 | 340 | — |
| Groin | 344 | 4,360 | 3,900 | 450 | 20 | 370 | 720 | 1,590 | 1,610 | 80 |
| External reproductive tract structures | 345 | 200 | 130 | 40 | 20 | 30 | 40 | 40 | 70 | 20 |
| External reproductive tract structures, unspecified .. | 3450 | 30 | — | — | 20 | — | — | — | — | 20 |
| Scrotum | 3451 | 100 | 100 | — | — | 20 | 30 | 30 | 30 | — |
| Penis | 3452 | 20 | 20 | — | — | — | — | — | — | — |
| External female genital region | 3453 | 20 | — | 20 | — | — | — | — | — | — |
| Multiple external reproductive tract structures | 3458 | 20 | — | 20 | — | — | — | — | 20 | — |
| Multiple pelvic region locations | 348 | 320 | 250 | 70 | — | 110 | 50 | 90 | 70 | — |
| Pelvic region, n.e.c. | 349 | 50 | — | 40 | — | — | — | 30 | — | — |
| Multiple trunk locations | 38 | 3,280 | 1,880 | 1,400 | — | 340 | 690 | 960 | 1,280 | 20 |
| Trunk, n.e.c. | 39 | 170 | 70 | 90 | — | 20 | 50 | 20 | 60 | — |
| Upper extremities | 4 | 294,420 | 185,880 | 107,150 | 1,390 | 35,460 | 58,200 | 96,330 | 99,520 | 4,920 |
| Upper extremities, unspecified | 40 | 590 | 230 | 350 | — | 70 | 80 | 240 | 110 | 80 |
| Shoulder(s), including clavicle(s), scapula(e) | 41 | 72,270 | 45,840 | 25,950 | 480 | 5,090 | 12,960 | 23,020 | 30,330 | 870 |
| Arm(s) | 42 | 45,760 | 27,040 | 18,460 | 270 | 4,360 | 7,470 | 16,270 | 16,970 | 690 |
| Arm(s), unspecified | 420 | 14,060 | 7,390 | 6,670 | — | 1,510 | 2,020 | 6,330 | 4,030 | 170 |
| Upper arm(s) | 421 | 6,170 | 4,010 | 2,110 | 60 | 590 | 950 | 1,460 | 3,040 | 130 |
| Elbow(s) | 422 | 14,360 | 8,840 | 5,380 | 140 | 1,000 | 2,680 | 4,950 | 5,490 | 240 |
| Forearm(s) | 423 | 8,640 | 5,410 | 3,160 | 70 | 960 | 1,470 | 2,790 | 3,290 | 120 |
| Multiple arm locations | 428 | 2,110 | 1,120 | 990 | — | 280 | 260 | 620 | 940 | — |
| Multiple arm locations, unspecified | 4280 | 190 | 100 | 90 | — | 20 | 30 | 80 | 60 | — |
| Elbow(s) and arm(s) | 4281 | 1,460 | 790 | 670 | — | 220 | 120 | 400 | 710 | — |
| Multiple arm locations, n.e.c. | 4289 | 470 | 230 | 230 | — | 40 | 110 | 150 | 160 | — |
| Arm(s), n.e.c. | 429 | 420 | 280 | 140 | — | 30 | 90 | 120 | 180 | — |
| Wrist(s) | 43 | 34,210 | 15,930 | 18,170 | 110 | 3,330 | 6,420 | 11,080 | 13,010 | 360 |
| Hand(s) | 44 | 124,540 | 88,490 | 35,540 | 510 | 20,750 | 28,280 | 40,730 | 32,100 | 2,680 |
| Hand(s), unspecified | 440 | 33,630 | 23,130 | 10,420 | 90 | 5,630 | 8,400 | 10,890 | 8,120 | 600 |
| Hand(s), except finger(s) | 441 | 4,380 | 3,010 | 1,260 | 100 | 630 | 1,040 | 1,500 | 1,090 | 120 |
| Finger(s), fingernail(s) | 442 | 81,520 | 58,830 | 22,360 | 330 | 13,840 | 17,890 | 26,420 | 21,440 | 1,920 |
| Finger(s), fingernail(s), unspecified | 4420 | 62,660 | 44,560 | 17,810 | 290 | 10,530 | 13,780 | 20,350 | 16,620 | 1,360 |

See footnotes at end of table.

TABLE R52. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness, gender, and length of service with employer, private industry, 2015 — Continued

| Part of body | Part of body code ² | Private industry ³ | Gender | | | Length of service with employer | | | | |
|---|--------------------------------|-------------------------------|----------------|---------------|--------------|---------------------------------|---------------|---------------|-------------------|--------------|
| | | | Male | Female | Not reported | Less than 3 months | 3 - 11 months | 1 - 5 years | More than 5 years | Not reported |
| Fingernail(s), nailbed(s) | 4421 | 930 | 680 | 210 | 30 | 150 | 170 | 290 | 280 | 30 |
| Fingertip(s) | 4422 | 7,380 | 6,020 | 1,360 | - | 1,770 | 1,360 | 2,640 | 1,610 | - |
| Finger(s), fingernail(s), n.e.c. | 4429 | 10,550 | 7,570 | 2,980 | - | 1,390 | 2,580 | 3,140 | 2,930 | 510 |
| Hand(s) and finger(s) | 448 | 3,650 | 2,480 | 1,170 | - | 450 | 730 | 1,400 | 1,040 | 30 |
| Hand(s), n.e.c. | 449 | 1,360 | 1,040 | 320 | - | 210 | 220 | 520 | 400 | 20 |
| Multiple upper extremities locations | 48 | 16,800 | 8,210 | 8,570 | 20 | 1,840 | 2,920 | 4,910 | 6,900 | 230 |
| Multiple upper extremities locations, unspecified | 480 | 160 | 80 | 80 | - | - | 40 | 20 | 80 | - |
| Hand(s) and arms(s) | 481 | 1,880 | 850 | 1,020 | - | 270 | 460 | 640 | 490 | - |
| Hand(s) and arm(s), unspecified | 4810 | 800 | 380 | 420 | - | 90 | 260 | 250 | 200 | - |
| Hand(s) and elbow(s) | 4811 | 360 | 190 | 170 | - | 40 | 140 | 80 | 100 | - |
| Hand(s) and arm(s), n.e.c. | 4819 | 710 | 280 | 430 | - | 140 | 60 | 310 | 190 | - |
| Hand(s) and wrist(s) | 482 | 3,770 | 1,680 | 2,090 | - | 300 | 780 | 1,210 | 1,430 | 50 |
| Wrist(s) and arm(s) | 483 | 2,240 | 1,190 | 1,050 | - | 560 | 430 | 490 | 730 | 30 |
| Wrist(s) and arm(s), unspecified | 4830 | 700 | 310 | 390 | - | 20 | 280 | 130 | 260 | - |
| Wrist(s) and elbow(s) | 4831 | 620 | 330 | 290 | - | 160 | 80 | 160 | 200 | - |
| Wrist(s) and arm(s), n.e.c. | 4839 | 920 | 550 | 370 | - | 380 | 70 | 200 | 260 | 20 |
| Shoulder(s) and arm(s) | 484 | 5,890 | 2,970 | 2,910 | - | 360 | 710 | 1,770 | 2,940 | 110 |
| Multiple upper extremities locations, n.e.c. | 489 | 2,860 | 1,440 | 1,410 | - | 330 | 500 | 760 | 1,230 | 30 |
| Upper extremities, n.e.c. | 49 | 240 | 130 | 110 | - | 20 | 60 | 70 | 90 | - |
| Lower extremities | 5 | 202,460 | 127,510 | 73,740 | 1,200 | 25,760 | 42,330 | 63,090 | 67,630 | 3,640 |
| Lower extremities, unspecified | 50 | 370 | 210 | 140 | - | 20 | 50 | 100 | 180 | 20 |
| Leg(s) | 51 | 103,770 | 67,080 | 36,000 | 690 | 11,960 | 20,430 | 30,030 | 39,270 | 2,080 |
| Leg(s), unspecified | 510 | 11,990 | 8,990 | 2,980 | 20 | 1,600 | 2,710 | 3,260 | 3,980 | 430 |
| Thigh(s) | 511 | 4,610 | 3,340 | 1,220 | 50 | 500 | 1,150 | 1,310 | 1,510 | 140 |
| Knee(s) | 512 | 73,810 | 45,340 | 28,000 | 470 | 8,170 | 13,410 | 21,690 | 29,330 | 1,210 |
| Lower leg(s) | 513 | 10,520 | 7,550 | 2,830 | 130 | 1,410 | 2,630 | 2,960 | 3,250 | 270 |
| Multiple leg locations | 518 | 2,470 | 1,640 | 820 | - | 200 | 500 | 680 | 1,060 | 30 |
| Multiple leg locations, unspecified | 5180 | 80 | 50 | 30 | - | - | - | 30 | 40 | - |
| Knee(s) and leg(s) | 5181 | 1,940 | 1,340 | 580 | - | 140 | 410 | 580 | 800 | - |
| Multiple leg locations, n.e.c. | 5189 | 450 | 250 | 200 | - | 50 | 90 | 80 | 220 | - |
| Leg(s), n.e.c. | 519 | 370 | 220 | 150 | - | 80 | 30 | 130 | 140 | - |
| Ankle(s) | 52 | 45,780 | 26,990 | 18,500 | 280 | 5,610 | 9,730 | 16,080 | 13,660 | 690 |
| Foot (feet) | 53 | 43,310 | 28,120 | 14,980 | 210 | 6,690 | 10,300 | 13,630 | 11,910 | 780 |
| Foot (feet), unspecified | 530 | 28,130 | 18,060 | 9,890 | 180 | 4,340 | 6,800 | 8,930 | 7,520 | 550 |
| Sole(s) | 531 | 2,840 | 2,050 | 790 | - | 430 | 720 | 620 | 1,040 | 40 |
| Sole(s), unspecified | 5310 | 310 | 260 | 50 | - | 60 | 60 | 90 | 70 | - |
| Ball(s) of the foot | 5311 | 30 | 30 | - | - | - | - | 20 | - | - |
| Arch(es), instep(s) | 5312 | 170 | 100 | 60 | - | - | 80 | 30 | 60 | - |
| Heel(s) | 5313 | 2,320 | 1,640 | 670 | - | 350 | 580 | 470 | 890 | 20 |
| Toes(s), toenail(s) | 532 | 10,240 | 6,570 | 3,650 | 20 | 1,750 | 2,070 | 3,480 | 2,760 | 180 |
| Multiple foot (feet) locations | 538 | 1,110 | 820 | 290 | - | 70 | 520 | 270 | 240 | - |
| Foot (feet), n.e.c. | 539 | 990 | 630 | 370 | - | 110 | 200 | 330 | 350 | - |
| Multiple lower extremities locations | 58 | 9,140 | 5,040 | 4,090 | - | 1,460 | 1,800 | 3,200 | 2,610 | 70 |
| Multiple lower extremities locations, unspecified | 580 | 450 | 120 | 330 | - | 20 | 50 | 310 | 80 | - |
| Foot (feet) and leg(s) | 581 | 1,690 | 1,220 | 460 | - | 450 | 300 | 690 | 250 | - |
| Foot(feet) and leg(s), unspecified | 5810 | 730 | 520 | 210 | - | 60 | 140 | 440 | 90 | - |
| Foot(feet) and knee(s) | 5811 | 360 | 160 | 200 | - | 40 | 110 | 120 | 100 | - |
| Foot(feet) and leg(s), n.e.c. | 5819 | 590 | 530 | 50 | - | 340 | 60 | 130 | 60 | - |

See footnotes at end of table.

TABLE R52. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness, gender, and length of service with employer, private industry, 2015 — Continued

| Part of body | Part of body code ² | Private industry ³ | Gender | | | Length of service with employer | | | | |
|---|--------------------------------|-------------------------------|---------------|---------------|--------------|---------------------------------|---------------|---------------|-------------------|--------------|
| | | | Male | Female | Not reported | Less than 3 months | 3 - 11 months | 1 - 5 years | More than 5 years | Not reported |
| Foot (feet) and ankle(s) | 582 | 2,880 | 1,760 | 1,120 | — | 310 | 610 | 1,020 | 940 | — |
| Ankle(s) and leg(s) | 583 | 3,060 | 1,320 | 1,740 | — | 480 | 590 | 940 | 1,000 | 50 |
| Ankle(s) and leg(s), unspecified | 5830 | 550 | 250 | 300 | — | 70 | 50 | 270 | 150 | — |
| Ankle(s) and knee(s) | 5831 | 1,710 | 670 | 1,040 | — | 270 | 320 | 470 | 620 | 30 |
| Ankle(s) and leg(s), n.e.c. | 5839 | 800 | 400 | 410 | — | 140 | 230 | 200 | 220 | — |
| Multiple lower extremities locations, n.e.c. | 589 | 1,050 | 620 | 420 | — | 200 | 250 | 250 | 340 | — |
| Lower extremities, n.e.c. | 59 | 100 | 70 | 30 | — | 20 | 20 | 50 | — | — |
| Body systems | 6 | 16,560 | 8,750 | 7,720 | 90 | 2,060 | 3,480 | 5,340 | 5,380 | 300 |
| Multiple body parts | 8 | 86,410 | 42,410 | 43,700 | 300 | 8,350 | 16,930 | 27,190 | 32,670 | 1,260 |
| Multiple body parts, unspecified | 80 | 6,720 | 3,410 | 3,190 | 120 | 580 | 860 | 2,110 | 2,870 | 300 |
| Head and neck | 81 | 2,330 | 1,150 | 1,140 | 40 | 330 | 620 | 560 | 800 | 20 |
| Head, neck, and trunk | 82 | 580 | 320 | 260 | — | 30 | 100 | 210 | 240 | — |
| Head and trunk | 83 | 1,150 | 650 | 500 | — | 90 | 240 | 460 | 350 | — |
| Neck and back | 84 | 7,970 | 4,110 | 3,860 | — | 670 | 1,550 | 2,540 | 3,120 | 80 |
| Shoulder(s) and back | 85 | 3,200 | 1,750 | 1,450 | — | 380 | 710 | 1,060 | 980 | 70 |
| Hip(s) and leg(s) | 86 | 1,530 | 640 | 880 | — | 130 | 310 | 410 | 670 | 20 |
| Upper and lower limb(s) | 87 | 4,720 | 1,830 | 2,860 | 30 | 460 | 870 | 1,460 | 1,860 | 60 |
| Other multiple body parts | 89 | 58,210 | 28,560 | 29,550 | 100 | 5,680 | 11,680 | 18,370 | 21,780 | 700 |
| Whole body | 891 | 560 | 310 | 250 | — | 140 | 50 | 190 | 160 | — |
| Multiple body parts, n.e.c. | 899 | 57,650 | 28,250 | 29,300 | 100 | 5,540 | 11,620 | 18,180 | 21,610 | 700 |

See footnotes at end of table.

TABLE R52. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness, gender, and length of service with employer, private industry, 2015 — Continued

| Part of body | Part of body code ² | Private industry ³ | Gender | | | Length of service with employer | | | | |
|------------------------------|--------------------------------|-------------------------------|--------|--------|--------------|---------------------------------|---------------|-------------|-------------------|--------------|
| | | | Male | Female | Not reported | Less than 3 months | 3 - 11 months | 1 - 5 years | More than 5 years | Not reported |
| Nonclassifiable | 9999 | 6,330 | 3,630 | 2,530 | 180 | 610 | 1,080 | 1,890 | 1,820 | 950 |

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.
 Source: U.S. Bureau of Labor Statistics, Survey of Occupational Injuries and Illnesses, in cooperation with participating state agencies.