

TABLE R79. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and hours on the job before event occurred, private industry, 2015

Part of body	Part of body code ²	Private industry ³	Hours on the job before event occurred										
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	Not reported
Total		902,160	6,170	72,910	83,520	182,290	141,690	119,970	60,200	18,300	7,910	950	208,250
Head	1	74,180	670	5,990	6,890	16,130	10,690	10,380	4,570	1,770	560	40	16,490
Head, unspecified	10	18,710	380	1,730	1,630	4,440	2,580	2,460	870	320	160	—	4,140
Cranial region, including skull	11	18,060	220	1,620	2,060	4,130	2,930	2,290	890	530	130	30	3,220
Cranial region, unspecified	110	320	—	—	—	—	100	—	—	—	—	—	200
Brain	111	15,040	210	1,260	1,890	3,400	2,320	1,870	690	500	110	30	2,760
Scalp	112	2,140	—	250	110	590	410	350	170	30	20	—	190
Skull	113	430	—	90	20	110	90	40	20	—	—	—	50
Multiple cranial region locations	118	40	—	—	—	—	—	20	—	—	—	—	—
Cranial region, n.e.c.	119	90	—	—	30	20	—	—	—	—	—	—	20
Ear(s)	12	930	—	50	50	330	110	70	70	—	—	—	240
Face	13	35,450	70	2,490	3,020	7,000	4,910	5,300	2,710	890	240	—	8,800
Face, unspecified	130	3,720	—	170	310	590	750	530	280	30	20	—	1,050
Forehead	131	3,050	30	140	310	630	430	550	280	90	20	—	560
Eye(s)	132	20,600	—	1,360	1,790	4,310	2,420	3,070	1,700	560	100	—	5,290
Nose, nasal cavity	133	2,730	—	380	160	450	390	470	150	50	20	—	650
Nose, except internal location of diseases or disorders	1330	2,470	—	380	160	450	390	470	150	50	20	—	400
Sinus(es)	1334	260	—	—	—	—	—	—	—	—	—	—	260
Cheek(s)	134	390	—	30	30	90	30	70	20	30	—	—	90
Jaw, chin	135	730	—	130	100	160	100	80	20	—	—	—	130
Mouth	136	2,430	—	160	170	440	420	320	90	40	—	—	780
Mouth, unspecified	1360	690	—	—	20	90	30	40	—	—	—	—	500
Lip(s)	1361	670	—	50	80	70	250	140	20	—	—	—	40
Tooth (teeth)	1363	970	—	100	60	240	110	130	60	30	—	—	240
Multiple mouth locations	1368	80	—	—	—	30	20	—	—	—	—	—	—
Multiple face locations	138	1,580	—	110	150	260	350	170	170	80	70	—	230
Face, n.e.c.	139	210	—	—	20	80	20	40	—	—	—	—	—
Multiple head locations	18	760	—	60	100	170	140	180	30	20	—	—	60
Head, n.e.c.	19	270	—	40	40	60	20	90	—	—	—	—	20
Neck, including throat	2	12,430	40	1,090	880	1,970	2,290	1,750	840	380	110	—	3,070
Neck, except internal location of diseases or disorders	20	12,420	40	1,080	880	1,970	2,290	1,750	840	380	110	—	3,070
Trunk	3	209,360	980	17,550	20,320	43,420	31,080	25,670	12,790	3,910	1,770	280	51,600
Trunk, unspecified	30	1,320	—	100	110	260	190	280	100	60	—	—	200
Chest, including ribs, internal organs	31	15,790	90	870	1,070	3,290	2,280	2,070	1,230	300	130	—	4,470
Chest, except internal location of diseases or disorders	310	13,550	90	840	1,050	2,930	2,200	2,030	1,170	280	130	—	2,840
Internal chest location, unspecified	311	50	—	—	—	—	—	—	—	—	—	—	40
Heart	313	710	—	20	—	340	70	30	50	—	—	—	190
Bronchus	314	30	—	—	—	—	—	—	—	—	—	—	20
Lung(s), pleura	315	1,450	—	—	—	—	—	—	—	20	—	—	1,380
Back, including spine, spinal cord	32	155,740	700	14,310	15,960	32,550	22,370	18,030	9,480	2,770	1,280	250	38,040
Back, including spine, spinal cord, unspecified	320	59,360	310	4,450	5,270	10,870	7,960	6,430	3,710	1,080	390	60	18,840

See footnotes at end of table.

TABLE R79. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and hours on the job before event occurred, private industry, 2015 — Continued

Part of body	Part of body code ²	Private industry ³	Hours on the job before event occurred										Not reported
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	
Thoracic region	321	8,160	30	760	1,260	2,140	1,160	900	600	140	50	—	1,130
Lumbar region	322	81,970	300	8,400	8,740	18,020	12,390	10,000	4,740	1,410	770	190	17,010
Sacral region	323	270	—	40	30	40	40	20	20	—	—	—	70
Coccygeal region	324	1,300	20	130	150	330	110	110	110	—	—	—	330
Multiple back regions	328	4,450	30	500	510	1,130	660	510	280	120	70	—	640
Back, including spine, spinal cord, n.e.c.	329	220	—	20	—	40	40	70	20	—	—	—	30
Abdomen	33	18,290	30	840	1,580	3,620	2,760	2,690	880	300	190	20	5,400
Abdomen, except internal location of diseases or disorders	330	17,620	30	820	1,570	3,560	2,710	2,670	860	260	180	20	4,930
Internal abdominal location, unspecified	331	360	—	—	—	40	20	—	—	—	—	—	240
Stomach organ	332	20	—	—	—	—	—	—	—	—	—	—	—
Intestines, peritoneum	335	260	—	—	—	20	20	—	—	—	—	—	210
Intestines, peritoneum, unspecified	3350	230	—	—	—	20	20	—	—	—	—	—	190
Large intestine, colon, rectum	3353	30	—	—	—	—	—	—	—	—	—	—	20
Other digestive structures	336	30	—	—	—	—	—	—	—	—	—	—	—
Liver	3361	30	—	—	—	—	—	—	—	—	—	—	—
Pelvic region	34	14,770	120	1,150	1,340	3,040	2,800	2,110	910	330	160	—	2,800
Pelvic region, unspecified	340	200	—	—	50	—	20	30	30	—	—	—	50
Hip(s)	341	7,370	50	720	620	1,680	1,420	930	360	200	100	—	1,310
Pelvis	342	940	20	50	60	140	290	220	50	20	—	—	80
Buttock(s)	343	1,320	30	120	80	260	210	150	120	—	—	—	330
Groin	344	4,360	—	220	390	830	780	740	330	90	50	—	910
External reproductive tract structures ..	345	200	—	—	—	40	30	—	—	—	—	—	100
External reproductive tract structures, unspecified	3450	30	—	—	—	—	—	—	—	—	—	—	20
Scrotum	3451	100	—	—	—	20	20	—	—	—	—	—	60
Penis	3452	20	—	—	—	—	—	—	—	—	—	—	—
External female genital region	3453	20	—	—	—	—	—	—	—	—	—	—	—
Multiple external reproductive tract structures	3458	20	—	—	—	—	—	—	—	—	—	—	—
Multiple pelvic region locations	348	320	—	30	120	70	40	40	—	—	—	—	—
Pelvic region, n.e.c.	349	50	—	—	—	20	—	—	—	—	—	—	—
Multiple trunk locations	38	3,280	30	260	250	630	650	450	180	150	20	—	660
Trunk, n.e.c.	39	170	—	—	—	40	30	40	—	—	—	—	20
Upper extremities	4	294,420	1,400	22,340	26,690	59,580	47,400	40,910	19,140	5,290	2,720	260	68,680
Upper extremities, unspecified	40	590	—	—	40	110	90	50	—	—	—	—	270
Shoulder(s), including clavicle(s), scapula(e)	41	72,270	410	5,700	6,210	13,860	11,640	9,690	5,030	1,650	800	90	17,200
Arm(s)	42	45,760	410	3,100	3,990	8,910	9,380	5,750	2,560	940	430	40	10,250
Arm(s), unspecified	420	14,060	160	880	1,370	2,160	3,990	1,340	610	170	130	20	3,230
Upper arm(s)	421	6,170	60	450	480	1,390	860	960	340	120	100	—	1,410
Elbow(s)	422	14,360	150	840	1,220	3,100	2,250	1,930	860	470	120	—	3,430
Forearm(s)	423	8,640	30	760	750	1,400	1,940	1,310	670	140	60	—	1,570
Multiple arm locations	428	2,110	—	160	110	680	290	180	70	40	20	—	540
Multiple arm locations, unspecified ..	4280	190	—	30	—	70	50	—	—	—	—	—	20

See footnotes at end of table.

TABLE R79. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and hours on the job before event occurred, private industry, 2015 — Continued

Part of body	Part of body code ²	Private industry ³	Hours on the job before event occurred										Not reported
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	
Elbow(s) and arm(s)	4281	1,460	—	110	60	570	160	120	50	20	20	—	340
Multiple arm locations, n.e.c.	4289	470	—	20	50	40	90	50	—	20	—	—	180
Arm(s), n.e.c.	429	420	—	—	50	180	50	40	—	—	—	—	80
Wrist(s)	43	34,210	220	2,450	2,980	6,010	4,340	4,600	2,400	470	320	40	10,390
Hand(s)	44	124,540	260	9,650	12,050	27,520	19,270	18,270	8,020	1,980	1,040	70	26,430
Hand(s), unspecified	440	33,630	120	2,360	2,550	6,270	5,150	4,820	1,980	440	240	40	9,660
Hand(s), except finger(s)	441	4,380	—	360	390	1,450	370	920	180	50	40	—	610
Finger(s), fingernail(s)	442	81,520	130	6,580	8,740	18,670	12,880	11,730	5,580	1,400	750	30	15,030
Finger(s), fingernail(s), unspecified ..	4420	62,660	90	5,070	6,430	14,530	10,010	8,350	4,390	1,120	640	30	11,990
Fingernail(s), nailbed(s)	4421	930	—	100	130	180	60	220	60	20	—	—	160
Fingertip(s)	4422	7,380	—	750	760	1,670	1,170	1,220	490	130	50	—	1,130
Finger(s), fingernail(s), n.e.c.	4429	10,550	30	660	1,410	2,300	1,640	1,940	640	130	30	—	1,750
Hand(s) and finger(s)	448	3,650	—	240	290	850	560	560	180	60	20	—	870
Hand(s), n.e.c.	449	1,360	—	90	80	280	300	240	90	30	—	—	250
Multiple upper extremities locations	48	16,800	90	1,420	1,420	3,120	2,660	2,530	1,110	230	120	—	4,080
Multiple upper extremities locations, unspecified	480	160	—	50	—	—	20	30	20	—	—	—	40
Hand(s) and arms(s)	481	1,880	20	150	220	420	210	220	130	40	—	—	460
Hand(s) and arm(s), unspecified	4810	800	—	50	120	110	140	120	20	30	—	—	220
Hand(s) and elbow(s)	4811	360	—	—	—	180	—	60	—	—	—	—	90
Hand(s) and arm(s), n.e.c.	4819	710	20	90	90	130	60	40	110	—	—	—	160
Hand(s) and wrist(s)	482	3,770	20	270	260	840	450	410	300	50	—	—	1,170
Wrist(s) and arm(s)	483	2,240	—	250	120	260	270	580	170	20	—	—	560
Wrist(s) and arm(s), unspecified	4830	700	—	110	30	60	90	70	20	—	—	—	310
Wrist(s) and elbow(s)	4831	620	—	60	50	110	80	80	130	—	—	—	100
Wrist(s) and arm(s), n.e.c.	4839	920	—	90	40	80	90	430	30	—	—	—	150
Shoulder(s) and arm(s)	484	5,890	40	470	510	1,040	1,090	1,050	330	80	30	—	1,240
Multiple upper extremities locations, n.e.c.	489	2,860	—	230	310	540	630	240	160	40	60	—	620
Upper extremities, n.e.c.	49	240	—	—	20	60	30	20	—	20	—	—	50
Lower extremities	5	202,460	1,860	16,380	17,890	40,940	33,840	27,330	15,530	4,220	1,810	200	42,460
Lower extremities, unspecified	50	370	—	—	60	30	60	20	20	—	—	—	150
Leg(s)	51	103,770	970	8,210	8,670	20,230	18,550	13,900	7,680	2,090	810	90	22,570
Leg(s), unspecified	510	11,990	30	900	1,010	2,370	1,850	1,250	810	200	80	—	3,490
Thigh(s)	511	4,610	40	400	380	740	1,170	510	400	90	40	—	830
Knee(s)	512	73,810	800	5,920	6,120	14,610	13,180	9,960	5,560	1,540	520	90	15,520
Lower leg(s)	513	10,520	90	710	900	1,960	1,750	1,840	630	200	100	—	2,330
Multiple leg locations	518	2,470	—	240	230	490	520	280	270	50	70	—	330
Multiple leg locations, unspecified ...	5180	80	—	—	—	—	—	—	—	—	—	—	30
Knee(s) and leg(s)	5181	1,940	—	190	170	360	430	230	200	50	60	—	250
Multiple leg locations, n.e.c.	5189	450	—	40	50	120	80	40	50	—	—	—	60
Leg(s), n.e.c.	519	370	—	40	30	60	70	70	—	—	—	—	60
Ankle(s)	52	45,780	630	3,870	4,200	9,490	6,710	6,320	3,890	1,010	460	90	9,110
Foot (feet)	53	43,310	180	3,290	3,860	9,020	7,180	5,910	3,410	880	380	—	9,190
Foot (feet), unspecified	530	28,130	120	1,940	2,700	5,370	4,790	3,330	2,610	590	260	—	6,420
Sole(s)	531	2,840	—	90	160	680	450	500	160	50	30	—	720
Sole(s), unspecified	5310	310	—	—	30	70	40	60	—	—	—	—	90

See footnotes at end of table.

TABLE R79. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and hours on the job before event occurred, private industry, 2015 — Continued

Part of body	Part of body code ²	Private industry ³	Hours on the job before event occurred										Not reported	
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours		
Ball(s) of the foot	5311	30	—	—	—	—	—	—	—	—	—	—	—	—
Arch(es), instep(s)	5312	170	—	20	—	50	—	—	30	—	—	—	—	—
Heel(s)	5313	2,320	—	60	110	540	400	420	130	40	—	—	—	600
Toes(s), toenail(s)	532	10,240	50	790	830	2,640	1,630	1,670	520	190	80	—	—	1,830
Multiple foot (feet) locations	538	1,110	—	370	100	120	130	210	60	30	—	—	—	80
Foot (feet), n.e.c.	539	990	—	90	70	210	170	210	60	20	—	—	—	140
Multiple lower extremities locations	58	9,140	80	990	1,090	2,160	1,330	1,140	530	240	160	—	—	1,430
Multiple lower extremities locations, unspecified	580	450	—	—	300	—	20	—	20	—	—	—	—	90
Foot (feet) and leg(s)	581	1,690	—	200	170	650	220	90	80	40	—	—	—	230
Foot(feet) and leg(s), unspecified	5810	730	—	70	—	360	110	20	30	—	—	—	—	120
Foot(feet) and knee(s)	5811	360	—	30	20	80	30	50	50	20	—	—	—	80
Foot(feet) and leg(s), n.e.c.	5819	590	—	100	140	200	80	20	—	—	—	—	—	30
Foot (feet) and ankle(s)	582	2,880	—	460	190	520	560	580	190	90	30	—	—	250
Ankle(s) and leg(s)	583	3,060	40	220	340	740	410	350	150	90	110	—	—	610
Ankle(s) and leg(s), unspecified	5830	550	—	—	30	90	90	70	30	—	—	—	—	210
Ankle(s) and knee(s)	5831	1,710	30	180	150	470	240	170	90	70	—	—	—	310
Ankle(s) and leg(s), n.e.c.	5839	800	—	30	150	180	90	110	30	20	100	—	—	90
Multiple lower extremities locations, n.e.c.	589	1,050	—	110	100	230	120	110	90	20	20	—	—	240
Lower extremities, n.e.c.	59	100	—	—	—	—	—	—	—	—	—	—	—	20
Body systems	6	16,560	50	1,490	1,610	2,280	2,350	1,720	750	350	190	20	—	5,760
Multiple body parts	8	86,410	1,130	7,810	8,560	17,330	13,360	11,660	6,350	2,310	720	130	—	17,050
Multiple body parts, unspecified	80	6,720	90	590	470	980	1,110	910	410	190	30	—	—	1,940
Head and neck	81	2,330	—	250	260	480	400	340	140	50	20	—	—	390
Head, neck, and trunk	82	580	20	70	80	90	40	70	60	—	30	—	—	110
Head and trunk	83	1,150	30	90	60	230	250	260	40	20	20	—	—	150
Neck and back	84	7,970	50	750	870	1,610	970	1,120	530	450	50	—	—	1,570
Shoulder(s) and back	85	3,200	—	240	400	570	580	550	160	110	—	—	—	560
Hip(s) and leg(s)	86	1,530	20	160	90	360	240	230	100	30	—	—	—	280
Upper and lower limb(s)	87	4,720	130	470	350	900	720	540	640	110	—	—	—	860
Other multiple body parts	89	58,210	770	5,190	5,980	12,120	9,050	7,630	4,260	1,360	540	120	—	11,200
Whole body	891	560	—	30	50	80	140	40	60	—	20	—	—	130
Multiple body parts, n.e.c.	899	57,650	770	5,160	5,930	12,050	8,900	7,590	4,200	1,350	520	120	—	11,070

See footnotes at end of table.

TABLE R79. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and hours on the job before event occurred, private industry, 2015 — Continued

Part of body	Part of body code ²	Private industry ³	Hours on the job before event occurred										Not reported
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	
Nonclassifiable	9999	6,330	50	250	690	640	680	560	220	70	40	–	3,140

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.
 Source: U.S. Bureau of Labor Statistics, Survey of Occupational Injuries and Illnesses, in cooperation with participating state agencies.