

TABLE L20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, local government, 2011²

Part of body	Part of body code ³	Local government ⁴	Source of injury or illness ⁵				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Total		199,700	2,040	12,680	9,350	4,550	8,070
Head	1	12,430	430	640	940	210	520
Head, unspecified	10	3,190	—	40	390	40	100
Cranial region, including skull	11	2,840	—	510	310	70	140
Cranial region, unspecified	110	30	—	—	—	—	—
Brain	111	1,850	—	70	200	70	80
Scalp	112	690	—	430	50	—	—
Skull	113	110	—	—	60	—	—
Multiple cranial region locations	118	140	—	—	—	—	—
Cranial region, n.e.c.	119	20	—	—	—	—	—
Ear(s)	12	400	—	—	—	—	60
Face	13	5,790	420	80	230	100	220
Face, unspecified	130	790	—	—	—	—	40
Forehead	131	400	—	—	30	30	30
Eye(s)	132	3,120	370	—	50	—	100
Nose, nasal cavity	133	260	—	20	—	—	—
Nose, except internal location of diseases or disorders	1330	260	—	20	—	—	—
Cheek(s)	134	230	—	—	—	—	—
Jaw, chin	135	90	—	—	—	—	—
Mouth	136	440	—	—	—	—	—
Mouth, unspecified	1360	30	—	—	—	—	—
Lip(s)	1361	240	—	—	—	—	—
Tooth (teeth)	1363	120	—	—	—	—	—
Multiple mouth locations	1368	40	—	—	—	—	—
Multiple face locations	138	370	—	—	—	—	30
Face, n.e.c.	139	80	—	—	—	—	—
Multiple head locations	18	170	—	—	—	—	—
Head, n.e.c.	19	50	—	—	—	—	—
Neck, including throat	2	2,730	—	120	40	30	40
Neck, except internal location of diseases or disorders ...	20	2,720	—	120	40	30	40
Trunk	3	42,260	400	5,350	2,360	1,650	2,380
Trunk, unspecified	30	210	—	50	—	—	—
Chest, including ribs, internal organs	31	3,440	140	180	90	50	40
Chest, except internal location of diseases or disorders	310	2,650	—	180	90	50	40
Internal chest location, unspecified	311	100	20	—	—	—	—
Heart	313	490	—	—	—	—	—
Lung(s), pleura	315	170	90	—	—	—	—
Internal chest location, n.e.c.	319	20	—	—	—	—	—
Back, including spine, spinal cord	32	31,810	70	4,390	1,740	1,480	1,720
Back, including spine, spinal cord, unspecified	320	11,450	70	2,120	670	310	800
Thoracic region	321	1,540	—	120	90	60	40
Lumbar region	322	17,510	—	2,060	890	1,050	830

See footnotes at end of table.

TABLE L20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, local government, 2011² — Continued

Part of body	Source of injury or illness ⁵							All other sources ⁶
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person--injured or ill worker		Person--other than injured or ill worker		
				Total	Worker motion or position	Total	Patient	
Total	38,470	5,260	21,010	35,440	32,800	29,870	6,990	30,930
Head	1,490	360	1,280	70	20	2,310	240	4,130
Head, unspecified	380	190	810	30	—	460	30	730
Cranial region, including skull	630	20	330	30	—	480	50	290
Cranial region, unspecified	—	—	—	—	—	—	—	—
Brain	510	—	260	30	—	420	30	180
Scalp	50	—	30	—	—	50	20	50
Skull	—	—	—	—	—	—	—	30
Multiple cranial region locations	50	—	—	—	—	—	—	40
Cranial region, n.e.c.	—	—	—	—	—	—	—	—
Ear(s)	—	—	—	—	—	—	—	250
Face	420	140	90	20	—	1,260	150	2,810
Face, unspecified	60	—	20	—	—	400	40	250
Forehead	170	20	40	—	—	20	—	50
Eye(s)	—	70	—	—	—	270	—	2,230
Nose, nasal cavity	30	—	—	—	—	140	20	40
Nose, except internal location of diseases or disorders	30	—	—	—	—	140	20	40
Cheek(s)	—	—	—	—	—	20	—	—
Jaw, chin	—	—	—	—	—	60	20	—
Mouth	30	30	—	—	—	220	20	70
Mouth, unspecified	—	—	—	—	—	—	—	—
Lip(s)	—	20	—	—	—	160	—	40
Tooth (teeth)	20	—	—	—	—	50	20	30
Multiple mouth locations	—	—	—	—	—	—	—	—
Multiple face locations	70	—	—	—	—	120	50	100
Face, n.e.c.	20	—	—	—	—	—	—	—
Multiple head locations	50	—	—	—	—	80	—	30
Head, n.e.c.	—	—	—	—	—	30	—	—
Neck, including throat	140	30	1,020	210	210	650	250	440
Neck, except internal location of diseases or disorders ...	140	30	1,020	210	210	650	250	430
Trunk	4,800	970	3,510	8,820	7,980	7,130	3,320	4,530
Trunk, unspecified	30	—	—	60	60	30	—	20
Chest, including ribs, internal organs	390	70	260	1,200	450	470	40	520
Chest, except internal location of diseases or disorders	390	70	260	660	440	450	40	420
Internal chest location, unspecified	—	—	—	70	—	—	—	—
Heart	—	—	—	480	—	—	—	—
Lung(s), pleura	—	—	—	—	—	—	—	80
Internal chest location, n.e.c.	—	—	—	—	—	—	—	—
Back, including spine, spinal cord	2,810	780	2,850	6,390	6,340	6,080	3,040	3,230
Back, including spine, spinal cord, unspecified	1,170	200	930	1,730	1,730	1,850	1,230	1,470
Thoracic region	60	50	300	290	280	340	130	200
Lumbar region	1,400	530	1,490	4,100	4,070	3,560	1,490	1,470

See footnotes at end of table.

TABLE L20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, local government, 2011² — Continued

Part of body	Part of body code ³	Local government ⁴	Source of injury or illness ⁵				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Sacral region	323	110	—	20	—	—	—
Coccygeal region	324	150	—	—	—	—	—
Multiple back regions	328	1,010	—	70	80	60	40
Back, including spine, spinal cord, n.e.c.	329	40	—	—	—	—	—
Abdomen	33	2,450	190	450	250	80	420
Abdomen, except internal location of diseases or disorders	330	2,070	—	400	240	80	410
Internal abdominal location, unspecified	331	110	—	50	—	—	—
Urinary organs	334	180	—	—	—	—	—
Kidney(s)	3342	30	—	—	—	—	—
Intestines, peritoneum	335	20	—	—	—	—	—
Other digestive structures	336	70	—	—	—	—	—
Pelvic region	34	3,240	—	210	180	30	130
Pelvic region, unspecified	340	130	—	—	—	—	—
Hip(s)	341	1,420	—	50	50	—	—
Pelvis	342	110	—	—	—	—	—
Buttock(s)	343	390	—	—	30	—	—
Groin	344	1,070	—	130	60	20	110
External reproductive tract structures	345	40	—	20	—	—	20
Scrotum	3451	30	—	20	—	—	—
Multiple pelvic region locations	348	40	—	—	—	—	—
Multiple trunk locations	38	1,100	—	80	90	—	60
Trunk, n.e.c.	39	20	—	—	—	—	—
Upper extremities	4	51,930	60	3,810	2,630	1,710	3,130
Upper extremities, unspecified	40	80	—	—	—	—	—
Shoulder(s), including clavicle(s), scapula(e)	41	13,680	—	1,830	910	410	680
Arm(s)	42	9,760	40	790	500	200	510
Arm(s), unspecified	420	2,660	40	230	330	100	110
Upper arm(s)	421	1,030	—	230	20	—	110
Elbow(s)	422	3,690	—	210	80	60	140
Forearm(s)	423	1,440	—	100	—	—	160
Multiple arm locations	428	900	—	30	50	—	—
Multiple arm locations, unspecified	4280	230	—	—	—	—	—
Elbow(s) and arm(s)	4281	250	—	—	40	—	—
Multiple arm locations, n.e.c.	4289	420	—	—	—	—	—
Arm(s), n.e.c.	429	40	—	—	—	—	—
Wrist(s)	43	6,690	—	300	150	110	280
Hand(s)	44	16,660	20	530	940	950	1,530
Hand(s), unspecified	440	5,220	—	150	210	180	220
Hand(s), except finger(s)	441	990	—	20	30	20	50
Finger(s), fingernail(s)	442	9,460	—	340	680	510	1,250
Finger(s), fingernail(s), unspecified	4420	7,250	—	180	540	370	910
Fingernail(s), nailbed(s)	4421	60	—	—	—	—	—
Fingertip(s)	4422	500	—	40	20	30	210
Finger(s), fingernail(s), n.e.c.	4429	1,650	—	110	120	110	130
Hand(s) and finger(s)	448	860	—	—	20	230	20

See footnotes at end of table.

TABLE L20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, local government, 2011² — Continued

Part of body	Source of injury or illness ⁵							
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person--injured or ill worker		Person--other than injured or ill worker		All other sources ⁶
				Total	Worker motion or position	Total	Patient	
Sacral region	30	—	—	—	—	30	—	—
Coccygeal region	70	—	20	—	—	—	—	20
Multiple back regions	80	—	90	250	250	280	160	70
Back, including spine, spinal cord, n.e.c.	—	—	—	—	—	—	—	—
Abdomen	30	80	30	200	160	210	100	480
Abdomen, except internal location of diseases or disorders	30	80	30	180	150	200	90	400
Internal abdominal location, unspecified	—	—	—	—	—	—	—	—
Urinary organs	—	—	—	—	—	—	—	30
Kidney(s)	—	—	—	—	—	—	—	30
Intestines, peritoneum	—	—	—	—	—	—	—	—
Other digestive structures	—	—	—	—	—	—	—	—
Pelvic region	1,200	20	210	810	810	210	70	190
Pelvic region, unspecified	120	—	—	—	—	—	—	—
Hip(s)	660	—	100	410	410	70	30	50
Pelvis	50	—	40	—	—	—	—	—
Buttock(s)	300	—	—	20	20	—	—	—
Groin	40	20	60	380	380	120	30	130
External reproductive tract structures	—	—	—	—	—	—	—	—
Scrotum	—	—	—	—	—	—	—	—
Multiple pelvic region locations	30	—	—	—	—	—	—	—
Multiple trunk locations	340	—	150	150	150	130	70	90
Trunk, n.e.c.	—	—	—	—	—	—	—	—
Upper extremities	7,270	3,230	4,430	6,830	6,710	9,150	1,830	9,060
Upper extremities, unspecified	—	—	—	—	—	—	—	—
Shoulder(s), including clavicle(s), scapula(e)	2,150	590	920	1,600	1,570	2,470	810	1,770
Arm(s)	1,430	200	1,340	1,210	1,200	1,720	310	1,750
Arm(s), unspecified	400	40	210	280	280	530	80	350
Upper arm(s)	160	—	90	140	140	80	30	170
Elbow(s)	640	90	770	380	380	690	50	600
Forearm(s)	120	20	60	160	150	270	130	530
Multiple arm locations	90	30	200	240	240	150	20	90
Multiple arm locations, unspecified	—	—	190	20	20	—	—	—
Elbow(s) and arm(s)	50	20	—	—	—	90	—	20
Multiple arm locations, n.e.c.	30	—	—	220	220	50	—	70
Arm(s), n.e.c.	20	—	—	—	—	—	—	—
Wrist(s)	1,680	200	320	2,110	2,110	850	170	570
Hand(s)	830	2,080	1,310	730	700	3,190	440	4,510
Hand(s), unspecified	330	170	440	240	230	1,300	30	1,950
Hand(s), except finger(s)	70	50	50	30	—	390	20	280
Finger(s), fingernail(s)	400	1,640	810	410	400	1,350	350	2,050
Finger(s), fingernail(s), unspecified	320	1,390	540	190	180	1,170	310	1,620
Fingernail(s), nailbed(s)	—	20	—	—	—	—	—	—
Fingertip(s)	—	40	—	—	—	—	—	140
Finger(s), fingernail(s), n.e.c.	80	190	250	210	210	180	40	280
Hand(s) and finger(s)	20	180	—	40	40	150	40	170

See footnotes at end of table.

TABLE L20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, local government, 2011² — Continued

Part of body	Part of body code ³	Local government ⁴	Source of injury or illness ⁵				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Hand(s), n.e.c.	449	140	—	—	—	—	—
Multiple upper extremities locations	48	5,000	—	360	120	40	110
Multiple upper extremities locations, unspecified	480	270	—	—	—	—	—
Hand(s) and arms(s)	481	630	—	—	—	—	30
Hand(s) and arm(s), unspecified	4810	100	—	—	—	—	—
Hand(s) and elbow(s)	4811	100	—	—	—	—	—
Hand(s) and arm(s), n.e.c.	4819	430	—	—	—	—	—
Hand(s) and wrist(s)	482	1,410	—	160	—	—	40
Wrist(s) and arm(s)	483	320	—	20	—	—	—
Wrist(s) and arm(s), unspecified	4830	100	—	—	—	—	—
Wrist(s) and elbow(s)	4831	90	—	—	—	—	—
Wrist(s) and arm(s), n.e.c.	4839	120	—	—	—	—	—
Shoulder(s) and arm(s)	484	1,200	—	130	30	20	30
Multiple upper extremities locations, n.e.c.	489	1,170	—	40	60	—	—
Upper extremities, n.e.c.	49	60	—	—	—	—	—
Lower extremities	5	49,900	30	1,760	1,910	610	1,430
Lower extremities, unspecified	50	110	—	—	—	—	—
Leg(s)	51	29,790	—	890	760	280	940
Leg(s), unspecified	510	3,590	—	150	50	20	390
Thigh(s)	511	1,550	—	—	—	20	30
Knee(s)	512	21,870	—	630	510	200	310
Lower leg(s)	513	1,680	—	80	110	40	50
Multiple leg locations	518	1,060	—	20	70	—	160
Multiple leg locations, unspecified	5180	70	—	—	—	—	—
Knee(s) and leg(s)	5181	540	—	20	—	—	20
Multiple leg locations, n.e.c.	5189	450	—	—	—	—	140
Leg(s), n.e.c.	519	40	—	—	—	—	—
Ankle(s)	52	10,500	—	240	160	90	140
Foot (feet)	53	7,000	20	610	950	190	320
Foot (feet), unspecified	530	4,750	20	560	630	150	210
Sole(s)	531	410	—	—	20	—	30
Sole(s), unspecified	5310	50	—	—	—	—	20
Arch(es), instep(s)	5312	40	—	—	—	—	—
Heel(s)	5313	300	—	—	—	—	—
Toes(s), toenail(s)	532	1,540	—	40	290	20	40
Multiple foot (feet) locations	538	110	—	—	—	—	—
Foot (feet), n.e.c.	539	180	—	—	—	—	30
Multiple lower extremities locations	58	2,510	—	20	50	30	30
Multiple lower extremities locations, unspecified	580	120	—	—	—	—	—
Foot (feet) and leg(s)	581	380	—	—	30	—	—
Foot(feet) and leg(s), unspecified	5810	80	—	—	30	—	—
Foot(feet) and knee(s)	5811	290	—	—	—	—	—
Foot (feet) and ankle(s)	582	740	—	—	—	—	—
Ankle(s) and leg(s)	583	740	—	—	—	—	—
Ankle(s) and leg(s), unspecified	5830	120	—	—	—	—	—
Ankle(s) and knee(s)	5831	510	—	—	—	—	—

See footnotes at end of table.

TABLE L20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, local government, 2011² — Continued

Part of body	Source of injury or illness ⁵							All other sources ⁶
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person--injured or ill worker		Person--other than injured or ill worker		
				Total	Worker motion or position	Total	Patient	
Hand(s), n.e.c.	—	50	—	20	20	—	—	60
Multiple upper extremities locations	1,140	160	540	1,160	1,120	910	90	440
Multiple upper extremities locations, unspecified	110	—	—	30	—	—	—	—
Hand(s) and arms(s)	350	20	20	120	120	40	—	30
Hand(s) and arm(s), unspecified	—	—	20	20	20	—	—	20
Hand(s) and elbow(s)	20	—	—	70	70	—	—	—
Hand(s) and arm(s), n.e.c.	320	—	—	30	30	30	—	—
Hand(s) and wrist(s)	190	20	70	610	600	110	—	180
Wrist(s) and arm(s)	100	—	30	40	40	60	40	30
Wrist(s) and arm(s), unspecified	20	—	20	20	20	20	—	20
Wrist(s) and elbow(s)	60	—	—	—	—	—	—	—
Wrist(s) and arm(s), n.e.c.	20	—	—	20	20	40	30	20
Shoulder(s) and arm(s)	230	100	270	100	80	210	20	90
Multiple upper extremities locations, n.e.c.	150	—	150	270	270	380	—	100
Upper extremities, n.e.c.	40	—	—	—	—	—	—	—
Lower extremities	14,350	380	3,790	14,990	14,900	4,450	690	5,620
Lower extremities, unspecified	40	—	—	—	—	—	—	—
Leg(s)	8,220	280	2,580	9,090	9,010	3,310	640	2,980
Leg(s), unspecified	1,040	70	740	450	390	130	60	460
Thigh(s)	680	—	130	320	320	200	—	160
Knee(s)	5,860	130	1,550	7,740	7,710	2,650	310	1,940
Lower leg(s)	250	70	90	440	440	260	210	280
Multiple leg locations	380	—	80	140	140	80	50	130
Multiple leg locations, unspecified	—	—	30	20	20	—	—	—
Knee(s) and leg(s)	160	—	50	100	100	20	—	120
Multiple leg locations, n.e.c.	210	—	—	20	20	60	—	—
Leg(s), n.e.c.	—	—	—	—	—	—	—	20
Ankle(s)	3,780	30	520	4,240	4,240	440	30	810
Foot (feet)	990	70	440	1,190	1,190	520	—	1,660
Foot (feet), unspecified	690	40	340	880	880	270	—	920
Sole(s)	80	—	30	180	180	—	—	60
Sole(s), unspecified	—	—	—	—	—	—	—	—
Arch(es), instep(s)	—	—	—	20	20	—	—	—
Heel(s)	70	—	—	150	150	—	—	40
Toes(s), toenail(s)	190	30	50	60	60	210	—	620
Multiple foot (feet) locations	—	—	20	20	20	—	—	40
Foot (feet), n.e.c.	20	—	—	50	50	30	—	20
Multiple lower extremities locations	1,320	—	240	460	460	150	—	170
Multiple lower extremities locations, unspecified	—	—	—	—	—	—	—	—
Foot (feet) and leg(s)	210	—	40	30	30	40	—	30
Foot(feet) and leg(s), unspecified	20	—	—	—	—	—	—	20
Foot(feet) and knee(s)	190	—	—	30	30	30	—	—
Foot (feet) and ankle(s)	270	—	70	280	280	—	—	50
Ankle(s) and leg(s)	480	—	60	90	90	—	—	70
Ankle(s) and leg(s), unspecified	60	—	40	—	—	—	—	20
Ankle(s) and knee(s)	350	—	20	70	70	—	—	40

See footnotes at end of table.

TABLE L20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, local government, 2011² — Continued

Part of body	Part of body code ³	Local government ⁴	Source of injury or illness ⁵				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Ankle(s) and leg(s), n.e.c.	5839	110	—	—	—	—	—
Multiple lower extremities locations, n.e.c.	589	530	—	—	—	—	—
Body systems	6	5,650	1,050	—	20	20	70
Multiple body parts	8	32,120	50	990	1,320	270	380
Multiple body parts, unspecified	80	1,970	—	50	140	—	20
Head and neck	81	440	—	—	—	—	40
Head, neck, and trunk	82	220	—	—	—	—	—
Head and trunk	83	330	—	—	—	—	—
Neck and back	84	2,680	—	230	30	20	30
Shoulder(s) and back	85	700	—	130	80	30	—
Hip(s) and leg(s)	86	590	—	30	20	—	—
Upper and lower limb(s)	87	2,910	—	—	30	30	—
Other multiple body parts	89	22,300	50	520	1,000	180	260
Whole body	891	200	—	—	—	—	—
Multiple body parts, n.e.c.	899	22,100	50	520	1,000	180	250
Nonclassifiable	9999	2,690	—	—	130	40	110

See footnotes at end of table.

TABLE L20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, local government, 2011² — Continued

Part of body	Source of injury or illness ⁵							
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person--injured or ill worker		Person--other than injured or ill worker		All other sources ⁶
				Total	Worker motion or position	Total	Patient	
Ankle(s) and leg(s), n.e.c.	70	—	—	20	20	—	—	—
Multiple lower extremities locations, n.e.c.	360	—	80	50	50	—	—	—
Body systems	20	—	170	1,730	270	730	20	1,770
Multiple body parts	10,170	260	6,750	2,640	2,560	5,380	600	3,480
Multiple body parts, unspecified	660	—	460	130	130	370	30	120
Head and neck	100	—	110	—	—	110	20	50
Head, neck, and trunk	50	—	100	—	—	40	—	20
Head and trunk	140	—	40	—	—	40	—	—
Neck and back	300	40	1,490	130	130	320	30	110
Shoulder(s) and back	110	—	100	—	—	130	90	30
Hip(s) and leg(s)	200	—	70	180	180	70	30	—
Upper and lower limb(s)	1,860	—	330	130	130	370	—	120
Other multiple body parts	6,750	190	4,050	2,000	1,980	3,930	380	3,030
Whole body	70	—	30	—	—	30	—	40
Multiple body parts, n.e.c.	6,680	190	4,020	2,000	1,980	3,900	380	2,980
Nonclassifiable	230	—	50	150	150	70	40	1,900

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.
² Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2011. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.
³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.
⁴ Excludes farms with fewer than 11 employees.
⁵ Data shown in columns correspond to the following Source codes: Chemicals and chemical products = 1; Containers = 21; Furniture and fixtures = 22; Machinery = 3; Parts and materials = 4; Floors, walkways, or ground surfaces = 66; Handtools = 71-73; Vehicles = 8; Person--injured or ill worker = 56; Worker motion or position = 562; Person--other than injured or ill worker = 57; Health care patient = 574; All other sources = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.
⁶ Includes nonclassifiable responses.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.
 Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.