

TABLE L21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, local government, 2011²

Part of body	Part of body code ³	Local government ⁴	Event or exposure leading to injury or illness ⁵							
			Contact with objects				Falls, slips, trips			
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall
Total		199,700	31,960	18,370	8,420	2,480	55,660	7,840	36,140	9,940
Head	1	12,430	6,010	3,790	1,360	–	2,180	270	1,880	–
Head, unspecified	10	3,190	1,800	1,130	660	–	670	90	580	–
Cranial region, including skull	11	2,840	1,280	830	410	–	870	140	730	–
Cranial region, unspecified	110	30	20	–	–	–	–	–	–	–
Brain	111	1,850	550	280	240	–	710	130	570	–
Scalp	112	690	570	410	160	–	60	–	60	–
Skull	113	110	90	90	–	–	–	–	–	–
Multiple cranial region locations	118	140	50	50	–	–	80	–	80	–
Cranial region, n.e.c.	119	20	–	–	–	–	–	–	–	–
Ear(s)	12	400	100	50	–	–	–	–	–	–
Face	13	5,790	2,790	1,760	250	–	550	30	510	–
Face, unspecified	130	790	90	80	–	–	70	–	60	–
Forehead	131	400	150	90	60	–	180	–	160	–
Eye(s)	132	3,120	2,090	1,210	120	–	60	–	50	–
Nose, nasal cavity	133	260	80	60	20	–	40	–	30	–
Nose, except internal location of diseases or disorders	1330	260	80	60	20	–	40	–	30	–
Cheek(s)	134	230	150	140	–	–	–	–	–	–
Jaw, chin	135	90	–	–	–	–	–	–	–	–
Mouth	136	440	50	50	–	–	100	–	100	–
Mouth, unspecified	1360	30	–	–	–	–	–	–	–	–
Lip(s)	1361	240	–	–	–	–	30	–	30	–
Tooth (teeth)	1363	120	40	40	–	–	20	–	20	–
Multiple mouth locations	1368	40	–	–	–	–	40	–	40	–
Multiple face locations	138	370	130	80	50	–	80	–	70	–
Face, n.e.c.	139	80	40	40	–	–	20	–	20	–
Multiple head locations	18	170	30	–	30	–	50	–	50	–
Head, n.e.c.	19	50	–	–	–	–	20	–	–	–
Neck, including throat	2	2,730	250	210	30	–	200	20	150	30
Neck, except internal location of diseases or disorders ...	20	2,720	250	210	30	–	200	20	150	30
Trunk	3	42,260	1,450	670	350	100	7,630	1,090	4,510	1,750
Trunk, unspecified	30	210	20	–	–	–	30	–	20	–
Chest, including ribs, internal organs	31	3,440	210	90	110	–	540	100	370	50
Chest, except internal location of diseases or disorders	310	2,650	200	80	110	–	540	100	370	50
Internal chest location, unspecified	311	100	–	–	–	–	–	–	–	–
Heart	313	490	–	–	–	–	–	–	–	–
Lung(s), pleura	315	170	–	–	–	–	–	–	–	–
Internal chest location, n.e.c.	319	20	–	–	–	–	–	–	–	–
Back, including spine, spinal cord	32	31,810	900	370	130	90	5,080	690	2,700	1,440

See footnotes at end of table.

TABLE L21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, local government, 2011² — Continued

Part of body	Event or exposure leading to injury or illness ⁵											
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				All other events ⁶
	Total	In lifting	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
Total	64,360	18,820	4,850	6,420	13,730	10,930	480	23,000	9,310	11,400	2,150	4,090
Head	40	—	—	810	510	370	200	2,480	1,590	690	190	210
Head, unspecified	—	—	—	—	210	200	—	460	420	40	—	20
Cranial region, including skull	30	—	—	—	170	120	—	480	250	220	—	—
Cranial region, unspecified	—	—	—	—	—	—	—	—	—	—	—	—
Brain	30	—	—	—	130	100	—	420	220	190	—	—
Scalp	—	—	—	—	—	—	—	50	20	30	—	—
Skull	—	—	—	—	—	—	—	—	—	—	—	—
Multiple cranial region locations	—	—	—	—	—	—	—	—	—	—	—	—
Cranial region, n.e.c.	—	—	—	—	—	—	—	—	—	—	—	—
Ear(s)	—	—	—	30	—	—	170	30	—	—	20	—
Face	20	—	—	750	60	40	20	1,410	820	410	160	190
Face, unspecified	—	—	—	40	—	—	20	430	360	30	40	—
Forehead	—	—	—	—	30	30	—	40	—	20	—	—
Eye(s)	—	—	—	600	—	—	—	360	80	180	90	20
Nose, nasal cavity	—	—	—	—	—	—	—	140	60	80	—	—
Nose, except internal location of diseases or disorders	—	—	—	—	—	—	—	140	60	80	—	—
Cheek(s)	—	—	—	60	—	—	—	20	—	—	—	—
Jaw, chin	—	—	—	—	—	—	—	60	50	—	—	—
Mouth	—	—	—	—	—	—	—	220	180	40	—	—
Mouth, unspecified	—	—	—	—	—	—	—	—	—	—	—	—
Lip(s)	—	—	—	—	—	—	—	170	160	—	—	—
Tooth (teeth)	—	—	—	—	—	—	—	50	—	30	—	—
Multiple mouth locations	—	—	—	—	—	—	—	—	—	—	—	—
Multiple face locations	—	—	—	20	—	—	—	130	70	50	—	—
Face, n.e.c.	—	—	—	—	—	—	—	—	—	—	—	—
Multiple head locations	—	—	—	—	—	—	—	80	70	—	—	—
Head, n.e.c.	—	—	—	—	—	—	—	30	20	—	—	—
Neck, including throat	760	280	50	—	980	910	—	450	290	150	—	70
Neck, except internal location of diseases or disorders ...	760	280	50	—	980	910	—	450	290	150	—	70
Trunk	27,120	11,430	400	580	2,180	1,870	20	2,830	660	2,060	100	440
Trunk, unspecified	130	50	—	—	—	—	—	30	—	—	—	—
Chest, including ribs, internal organs	1,650	270	—	250	170	160	—	420	120	240	60	210
Chest, except internal location of diseases or disorders	1,140	270	—	30	170	150	—	420	120	240	60	160
Internal chest location, unspecified	70	—	—	30	—	—	—	—	—	—	—	—
Heart	420	—	—	20	—	—	—	—	—	—	—	50
Lung(s), pleura	—	—	—	170	—	—	—	—	—	—	—	—
Internal chest location, n.e.c.	20	—	—	—	—	—	—	—	—	—	—	—
Back, including spine, spinal cord	21,790	9,310	230	70	1,790	1,530	—	1,990	370	1,590	20	170

See footnotes at end of table.

TABLE L21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, local government, 2011² — Continued

Part of body	Part of body code ³	Local government ⁴	Event or exposure leading to injury or illness ⁵							
			Contact with objects				Falls, slips, trips			
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall
Back, including spine, spinal cord, unspecified	320	11,450	410	110	80	—	1,960	430	1,120	380
Thoracic region	321	1,540	150	140	—	—	80	—	40	30
Lumbar region	322	17,510	280	80	40	80	2,590	230	1,310	850
Sacral region	323	110	—	—	—	—	30	—	30	—
Coccygeal region	324	150	—	—	—	—	120	20	100	—
Multiple back regions	328	1,010	50	30	—	—	290	—	110	180
Back, including spine, spinal cord, n.e.c.	329	40	—	—	—	—	—	—	—	—
Abdomen	33	2,450	50	50	—	—	90	—	40	30
Abdomen, except internal location of diseases or disorders	330	2,070	50	50	—	—	90	—	40	30
Internal abdominal location, unspecified	331	110	—	—	—	—	—	—	—	—
Urinary organs	334	180	—	—	—	—	—	—	—	—
Kidney(s)	3342	30	—	—	—	—	—	—	—	—
Intestines, peritoneum	335	20	—	—	—	—	—	—	—	—
Other digestive structures	336	70	—	—	—	—	—	—	—	—
Pelvic region	34	3,240	260	140	90	—	1,470	90	1,170	190
Pelvic region, unspecified	340	130	—	—	—	—	120	—	120	—
Hip(s)	341	1,420	140	70	50	—	810	60	640	100
Pelvis	342	110	20	—	—	—	50	—	40	—
Buttock(s)	343	390	—	—	—	—	350	20	320	—
Groin	344	1,070	90	50	40	—	100	—	30	70
External reproductive tract structures	345	40	—	—	—	—	—	—	—	—
Scrotum	3451	30	—	—	—	—	—	—	—	—
Multiple pelvic region locations	348	40	—	—	—	—	30	—	30	—
Multiple trunk locations	38	1,100	—	—	—	—	420	190	200	30
Trunk, n.e.c.	39	20	—	—	—	—	—	—	—	—
Upper extremities	4	51,930	13,270	7,100	3,340	1,950	9,650	1,620	7,290	560
Upper extremities, unspecified	40	80	—	—	—	—	—	—	—	—
Shoulder(s), including clavicle(s), scapula(e)	41	13,680	790	490	140	60	2,990	510	2,070	400
Arm(s)	42	9,760	1,830	820	790	130	1,930	260	1,580	70
Arm(s), unspecified	420	2,660	450	310	50	20	610	100	500	—
Upper arm(s)	421	1,030	20	20	—	—	210	—	160	40
Elbow(s)	422	3,690	1,130	370	700	40	800	90	700	—
Forearm(s)	423	1,440	190	90	20	70	160	60	70	—
Multiple arm locations	428	900	30	30	—	—	140	—	130	—
Multiple arm locations, unspecified	4280	230	—	—	—	—	—	—	—	—
Elbow(s) and arm(s)	4281	250	—	—	—	—	90	—	90	—
Multiple arm locations, n.e.c.	4289	420	30	20	—	—	40	—	40	—
Arm(s), n.e.c.	429	40	—	—	—	—	20	—	20	—
Wrist(s)	43	6,690	680	460	140	40	2,050	330	1,670	—
Hand(s)	44	16,660	9,510	4,960	2,230	1,680	1,290	430	800	30
Hand(s), unspecified	440	5,220	2,240	1,340	450	210	690	320	350	—
Hand(s), except finger(s)	441	990	350	240	70	40	100	—	90	—

See footnotes at end of table.

TABLE L21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, local government, 2011² — Continued

Part of body	Event or exposure leading to injury or illness ⁵											
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				All other events ⁶
	Total	In lifting	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
Back, including spine, spinal cord, unspecified	7,870	3,700	90	70	540	460	—	470	140	310	—	110
Thoracic region	1,050	360	—	—	140	130	—	110	—	110	—	—
Lumbar region	12,280	4,910	100	—	1,030	880	—	1,300	200	1,080	—	50
Sacral region	80	50	—	—	—	—	—	—	—	—	—	—
Coccygeal region	—	—	—	—	—	—	—	—	—	—	—	—
Multiple back regions	490	280	20	—	80	50	—	100	20	70	—	—
Back, including spine, spinal cord, n.e.c.	20	—	—	—	—	—	—	—	—	—	—	—
Abdomen	1,820	1,270	—	230	—	—	—	190	50	120	20	60
Abdomen, except internal location of diseases or disorders	1,700	1,170	—	—	—	—	—	190	50	120	20	30
Internal abdominal location, unspecified	100	80	—	—	—	—	—	—	—	—	—	—
Urinary organs	—	—	—	150	—	—	—	—	—	—	—	—
Kidney(s)	—	—	—	—	—	—	—	—	—	—	—	—
Intestines, peritoneum	—	—	—	—	—	—	—	—	—	—	—	—
Other digestive structures	—	—	—	70	—	—	—	—	—	—	—	—
Pelvic region	1,260	300	150	—	80	70	—	140	60	80	—	—
Pelvic region, unspecified	—	—	—	—	—	—	—	—	—	—	—	—
Hip(s)	390	40	—	—	40	30	—	40	30	20	—	—
Pelvis	—	—	—	—	20	20	—	—	—	—	—	—
Buttock(s)	30	—	—	—	—	—	—	—	—	—	—	—
Groin	760	250	40	—	—	—	—	90	20	70	—	—
External reproductive tract structures	40	—	—	—	—	—	—	—	—	—	—	—
Scrotum	30	—	—	—	—	—	—	—	—	—	—	—
Multiple pelvic region locations	—	—	—	—	—	—	—	—	—	—	—	—
Multiple trunk locations	480	230	—	—	130	100	—	50	40	—	—	—
Trunk, n.e.c.	—	—	—	—	—	—	—	—	—	—	—	—
Upper extremities	17,820	5,160	3,900	680	1,700	1,310	80	8,030	2,670	4,330	980	700
Upper extremities, unspecified	30	—	—	—	—	—	—	—	—	—	—	—
Shoulder(s), including clavicle(s), scapula(e)	7,980	3,190	500	—	320	200	30	1,470	310	1,150	—	90
Arm(s)	3,370	1,130	300	250	490	390	—	1,760	640	640	470	130
Arm(s), unspecified	800	220	60	110	160	100	—	530	280	190	60	—
Upper arm(s)	580	310	—	—	70	60	—	140	30	30	70	—
Elbow(s)	1,100	290	70	—	30	20	—	550	260	260	30	80
Forearm(s)	450	200	—	100	40	20	—	510	60	140	300	—
Multiple arm locations	430	110	160	30	200	200	110	30	—	20	—	40
Multiple arm locations, unspecified	30	—	—	—	190	—	—	—	—	—	—	—
Elbow(s) and arm(s)	140	100	—	—	—	—	—	—	—	—	—	—
Multiple arm locations, n.e.c.	260	—	—	—	—	—	—	30	—	20	—	—
Arm(s), n.e.c.	—	—	—	—	—	—	—	—	—	—	—	—
Wrist(s)	3,090	320	1,640	30	80	50	—	740	100	580	50	—
Hand(s)	1,440	190	440	360	440	330	30	3,210	1,170	1,550	450	400
Hand(s), unspecified	370	50	90	160	270	170	20	1,300	430	610	260	170
Hand(s), except finger(s)	70	—	—	—	—	—	—	450	320	60	70	—

See footnotes at end of table.

TABLE L21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, local government, 2011² — Continued

Part of body	Part of body code ³	Local government ⁴	Event or exposure leading to injury or illness ⁵							
			Contact with objects				Falls, slips, trips			
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall
Finger(s), fingernail(s)	442	9,460	6,210	3,070	1,440	1,360	450	90	330	20
Finger(s), fingernail(s), unspecified	4420	7,250	4,720	2,300	1,170	950	340	20	300	—
Fingernail(s), nailbed(s)	4421	60	50	40	—	—	—	—	—	—
Fingertip(s)	4422	500	420	190	110	110	—	—	—	—
Finger(s), fingernail(s), n.e.c.	4429	1,650	1,020	540	160	280	100	70	20	20
Hand(s) and finger(s)	448	860	620	260	250	80	20	—	20	—
Hand(s), n.e.c.	449	140	90	60	20	—	—	—	—	—
Multiple upper extremities locations	48	5,000	440	370	40	30	1,330	100	1,120	30
Multiple upper extremities locations, unspecified	480	270	—	—	—	—	110	—	100	—
Hand(s) and arms(s)	481	630	30	—	—	—	350	—	350	—
Hand(s) and arm(s), unspecified	4810	100	—	—	—	—	—	—	—	—
Hand(s) and elbow(s)	4811	100	—	—	—	—	20	—	20	—
Hand(s) and arm(s), n.e.c.	4819	430	—	—	—	—	320	—	320	—
Hand(s) and wrist(s)	482	1,410	240	240	—	—	220	—	200	20
Wrist(s) and arm(s)	483	320	20	20	—	—	120	—	100	—
Wrist(s) and arm(s), unspecified	4830	100	—	—	—	—	30	—	20	—
Wrist(s) and elbow(s)	4831	90	—	—	—	—	70	—	60	—
Wrist(s) and arm(s), n.e.c.	4839	120	—	—	—	—	20	—	—	—
Shoulder(s) and arm(s)	484	1,200	100	70	20	—	240	—	220	—
Multiple upper extremities locations, n.e.c.	489	1,170	50	20	20	—	300	60	160	—
Upper extremities, n.e.c.	49	60	—	—	—	—	50	—	40	—
Lower extremities	5	49,900	8,330	4,880	2,670	310	21,610	2,300	11,980	6,250
Lower extremities, unspecified	50	110	20	—	20	—	40	20	20	—
Leg(s)	51	29,790	3,300	1,510	1,290	140	12,360	1,170	7,770	2,750
Leg(s), unspecified	510	3,590	550	440	50	40	1,630	190	1,180	60
Thigh(s)	511	1,550	160	80	70	—	800	20	700	80
Knee(s)	512	21,870	2,100	640	1,060	100	8,940	780	5,340	2,390
Lower leg(s)	513	1,680	290	160	100	—	350	50	240	50
Multiple leg locations	518	1,060	200	200	—	—	620	140	310	170
Multiple leg locations, unspecified	5180	70	—	—	—	—	50	—	20	30
Knee(s) and leg(s)	5181	540	50	50	—	—	350	130	110	100
Multiple leg locations, n.e.c.	5189	450	150	150	—	—	210	—	180	30
Leg(s), n.e.c.	519	40	—	—	—	—	20	—	—	—
Ankle(s)	52	10,500	1,110	320	720	40	6,040	710	2,370	2,770
Foot (feet)	53	7,000	3,640	2,900	570	90	1,510	180	730	460
Foot (feet), unspecified	530	4,750	2,390	1,880	390	60	1,140	140	530	330
Sole(s)	531	410	110	30	60	—	90	20	20	50
Sole(s), unspecified	5310	50	20	—	20	—	—	—	—	—
Arch(es), instep(s)	5312	40	—	—	—	—	—	—	—	—
Heel(s)	5313	300	70	20	40	—	70	20	—	30
Toes(s), toenail(s)	532	1,540	1,020	910	110	—	240	—	160	60
Multiple foot (feet) locations	538	110	60	60	—	—	20	—	—	—
Foot (feet), n.e.c.	539	180	60	30	—	—	30	—	—	—

See footnotes at end of table.

TABLE L21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, local government, 2011² — Continued

Part of body	Event or exposure leading to injury or illness ⁵											
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				All other events ⁶
	Total	In lifting	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
Finger(s), fingernail(s)	920	130	300	180	170	150	—	1,310	380	790	120	220
Finger(s), fingernail(s), unspecified	590	100	120	130	150	150	—	1,110	340	680	90	210
Fingernail(s), nailbed(s)	—	—	—	—	—	—	—	—	—	—	—	—
Fingertip(s)	—	—	—	—	—	—	—	—	—	—	—	—
Finger(s), fingernail(s), n.e.c.	310	—	170	—	—	—	—	180	40	100	—	—
Hand(s) and finger(s)	50	—	30	—	—	—	—	140	30	100	—	—
Hand(s), n.e.c.	30	—	20	—	—	—	—	—	—	—	—	—
Multiple upper extremities locations	1,910	310	1,010	20	370	330	20	850	440	400	—	70
Multiple upper extremities locations, unspecified	30	—	—	—	—	—	—	—	—	—	—	—
Hand(s) and arms(s)	180	—	120	—	20	20	—	30	—	30	—	—
Hand(s) and arm(s), unspecified	50	—	20	—	20	20	—	—	—	—	—	—
Hand(s) and elbow(s)	80	—	70	—	—	—	—	—	—	—	—	—
Hand(s) and arm(s), n.e.c.	60	—	30	—	—	—	—	30	—	20	—	—
Hand(s) and wrist(s)	820	180	580	—	30	—	—	100	30	70	—	—
Wrist(s) and arm(s)	120	20	30	—	20	20	—	30	—	—	—	—
Wrist(s) and arm(s), unspecified	20	—	—	—	20	20	—	20	—	—	—	—
Wrist(s) and elbow(s)	20	—	—	—	—	—	—	—	—	—	—	—
Wrist(s) and arm(s), n.e.c.	80	—	20	—	—	—	—	—	—	—	—	—
Shoulder(s) and arm(s)	400	80	—	—	250	240	—	200	50	140	—	—
Multiple upper extremities locations, n.e.c.	350	30	260	—	40	30	—	360	220	140	—	60
Upper extremities, n.e.c.	—	—	—	—	—	—	—	—	—	—	—	—
Lower extremities	13,190	600	90	230	1,860	1,130	90	3,820	1,400	2,090	310	770
Lower extremities, unspecified	—	—	—	—	—	—	—	—	—	—	—	—
Leg(s)	9,190	580	80	90	1,490	1,000	70	2,670	950	1,510	200	630
Leg(s), unspecified	510	100	—	—	610	570	—	250	20	100	120	30
Thigh(s)	300	—	—	20	30	30	30	210	20	160	20	—
Knee(s)	7,390	370	80	20	780	370	—	2,090	880	1,190	—	520
Lower leg(s)	820	60	—	40	20	—	—	80	20	30	40	80
Multiple leg locations	170	50	—	—	40	30	—	30	—	20	—	—
Multiple leg locations, unspecified	—	—	—	—	—	—	—	—	—	—	—	—
Knee(s) and leg(s)	90	—	—	—	30	30	—	20	—	—	—	—
Multiple leg locations, n.e.c.	70	—	—	—	—	—	—	—	—	—	—	—
Leg(s), n.e.c.	—	—	—	—	—	—	—	—	—	—	—	—
Ankle(s)	2,640	—	—	—	130	70	—	440	60	340	30	120
Foot (feet)	1,010	—	—	100	170	50	—	520	270	180	60	20
Foot (feet), unspecified	740	—	—	80	100	20	—	280	90	130	60	—
Sole(s)	170	—	—	—	20	—	—	—	—	—	—	—
Sole(s), unspecified	—	—	—	—	—	—	—	—	—	—	—	—
Arch(es), instep(s)	—	—	—	—	—	—	—	—	—	—	—	—
Heel(s)	150	—	—	—	—	—	—	—	—	—	—	—
Toes(s), toenail(s)	40	—	—	—	20	20	—	210	180	30	—	—
Multiple foot (feet) locations	—	—	—	—	—	—	—	—	—	—	—	—
Foot (feet), n.e.c.	50	—	—	20	—	—	—	20	—	—	—	—

See footnotes at end of table.

TABLE L21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, local government, 2011² — Continued

Part of body	Part of body code ³	Local government ⁴	Event or exposure leading to injury or illness ⁵							
			Contact with objects				Falls, slips, trips			
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall
Multiple lower extremities locations	58	2,510	260	150	70	40	1,660	220	1,090	270
Multiple lower extremities locations, unspecified	580	120	—	—	—	—	40	—	—	—
Foot (feet) and leg(s)	581	380	40	30	—	—	220	40	160	—
Foot(feet) and leg(s), unspecified	5810	80	40	30	—	—	—	—	—	—
Foot(feet) and knee(s)	5811	290	—	—	—	—	200	—	150	—
Foot (feet) and ankle(s)	582	740	90	50	30	—	460	60	210	160
Ankle(s) and leg(s)	583	740	60	30	30	—	560	70	390	80
Ankle(s) and leg(s), unspecified	5830	120	—	—	—	—	100	—	40	40
Ankle(s) and knee(s)	5831	510	30	20	20	—	380	60	300	30
Ankle(s) and leg(s), n.e.c.	5839	110	20	—	20	—	80	—	60	—
Multiple lower extremities locations, n.e.c.	589	530	70	40	—	20	390	30	330	20
Body systems	6	5,650	80	70	—	—	20	—	—	—
Multiple body parts	8	32,120	2,530	1,620	660	110	13,880	2,390	10,100	1,210
Multiple body parts, unspecified	80	1,970	150	140	—	—	800	50	690	—
Head and neck	81	440	120	110	—	—	130	—	130	—
Head, neck, and trunk	82	220	—	—	—	—	60	—	50	—
Head and trunk	83	330	30	20	—	—	150	—	150	—
Neck and back	84	2,680	60	30	20	—	400	180	170	60
Shoulder(s) and back	85	700	130	130	—	—	130	40	80	—
Hip(s) and leg(s)	86	590	30	—	—	—	220	30	170	—
Upper and lower limb(s)	87	2,910	40	30	—	—	2,010	180	1,810	20
Other multiple body parts	89	22,300	1,960	1,140	590	110	9,980	1,910	6,850	1,120
Whole body	891	200	20	—	—	—	90	20	70	—
Multiple body parts, n.e.c.	899	22,100	1,950	1,140	590	110	9,890	1,890	6,790	1,120

See footnotes at end of table.

TABLE L21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, local government, 2011² — Continued

Part of body	Event or exposure leading to injury or illness ⁵											
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				All other events ⁶
	Total	In lifting	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
Multiple lower extremities locations	330	—	—	20	70	20	—	160	120	20	20	—
Multiple lower extremities locations, unspecified	—	—	—	—	—	—	—	—	—	—	—	—
Foot (feet) and leg(s)	60	—	—	20	—	—	—	30	30	—	—	—
Foot(feet) and leg(s), unspecified	—	—	—	20	—	—	—	—	—	—	—	—
Foot(feet) and knee(s)	60	—	—	—	—	—	—	30	30	—	—	—
Foot (feet) and ankle(s)	180	—	—	—	—	—	—	—	—	—	—	—
Ankle(s) and leg(s)	60	—	—	—	40	—	—	30	—	—	20	—
Ankle(s) and leg(s), unspecified	—	—	—	—	20	—	—	—	—	—	—	—
Ankle(s) and knee(s)	60	—	—	—	—	—	—	20	—	—	—	—
Ankle(s) and leg(s), n.e.c.	—	—	—	—	—	—	—	—	—	—	—	—
Multiple lower extremities locations, n.e.c.	30	—	—	—	30	—	—	—	—	—	—	—
Body systems	1,070	—	130	3,590	140	140	—	430	340	40	50	300
Multiple body parts	4,170	1,260	280	470	6,300	5,150	70	4,680	2,350	2,040	260	20
Multiple body parts, unspecified	210	30	90	60	450	380	—	300	230	50	—	—
Head and neck	—	—	—	—	90	80	—	110	60	40	—	—
Head, neck, and trunk	—	—	—	—	90	90	—	40	40	—	—	—
Head and trunk	—	—	—	—	40	40	—	40	40	—	—	—
Neck and back	460	100	50	—	1,460	1,370	20	270	180	100	—	—
Shoulder(s) and back	280	90	—	—	100	60	—	60	20	40	—	—
Hip(s) and leg(s)	230	40	—	—	60	30	—	50	40	—	—	—
Upper and lower limb(s)	120	—	—	20	310	230	—	400	120	240	40	—
Other multiple body parts	2,790	1,000	140	390	3,700	2,870	40	3,420	1,620	1,570	200	—
Whole body	—	—	—	30	30	30	—	30	20	—	—	—
Multiple body parts, n.e.c.	2,790	1,000	140	360	3,670	2,840	40	3,390	1,600	1,570	190	—

See footnotes at end of table.

TABLE L21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, local government, 2011² — Continued

Part of body	Part of body code ³	Local government ⁴	Event or exposure leading to injury or illness ⁵							
			Contact with objects				Falls, slips, trips			
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall
Nonclassifiable	9999	2,690	50	30	—	—	490	130	230	120

See footnotes at end of table.

TABLE L21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, local government, 2011² — Continued

Part of body	Event or exposure leading to injury or illness ⁵											
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				All other events ⁶
	Total	In lifting	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
Nonclassifiable	190	50	–	50	50	40	–	270	20	–	260	1,570

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2011. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

⁵ Data shown in columns correspond to the following Event codes: Contact with objects, Total = 6; Struck by object = 62; Struck against object = 63; Caught in or compressed or crushed = 64; Falls, slips, trips, Total = 4; Fall to lower level = 43; Fall on same level = 42; Slips or trips without fall = 41; Overexertion and bodily reaction, Total = 7; In lifting = 711; Repetitive motion = 72; Exposure to harmful substance or environment = 5; Transportation accidents, Total = 2; Roadway accident = 26; Fires and explosions = 3; Violence and other injuries by persons or animals, Total = 1; Intentional injury by other person = 111; Injury by person-unintentional or intent unknown = 12; Animal and other insect related = 13; All other events = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁶ Includes nonclassifiable responses.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.