

TABLE L51. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and race or ethnic origin of worker, local government, 2011²

Part of body	Part of body code ³	Local government ⁴	Race or ethnic origin ⁵								Not reported
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	
Total		199,700	85,390	14,070	14,080	1,480	370	680	90	90	83,460
Head	1	12,430	5,180	1,000	610	250	–	40	–	–	5,330
Head, unspecified	10	3,190	1,260	320	270	110	–	–	–	–	1,220
Cranial region, including skull	11	2,840	1,140	100	180	60	–	–	–	–	1,340
Cranial region, unspecified	110	30	20	–	–	–	–	–	–	–	–
Brain	111	1,850	890	50	100	20	–	–	–	–	790
Scalp	112	690	150	60	–	–	–	–	–	–	470
Skull	113	110	20	–	20	–	–	–	–	–	70
Multiple cranial region locations	118	140	50	–	–	–	–	–	–	–	–
Cranial region, n.e.c.	119	20	–	–	–	–	–	–	–	–	–
Ear(s)	12	400	250	–	–	–	–	–	–	–	130
Face	13	5,790	2,420	550	150	80	–	20	–	–	2,560
Face, unspecified	130	790	380	40	–	–	–	–	–	–	360
Forehead	131	400	130	80	60	–	–	–	–	–	130
Eye(s)	132	3,120	1,190	340	50	70	–	–	–	–	1,470
Nose, nasal cavity	133	260	170	–	–	–	–	–	–	–	90
Nose, except internal location of diseases or disorders	1330	260	170	–	–	–	–	–	–	–	90
Cheek(s)	134	230	70	–	–	–	–	–	–	–	150
Jaw, chin	135	90	30	–	–	–	–	–	–	–	50
Mouth	136	440	250	70	–	–	–	–	–	–	110
Mouth, unspecified	1360	30	–	–	–	–	–	–	–	–	–
Lip(s)	1361	240	190	–	–	–	–	–	–	–	60
Tooth (teeth)	1363	120	60	–	–	–	–	–	–	–	40
Multiple mouth locations	1368	40	–	40	–	–	–	–	–	–	–
Multiple face locations	138	370	170	–	20	–	–	–	–	–	160
Face, n.e.c.	139	80	30	–	–	–	–	–	–	–	40
Multiple head locations	18	170	90	20	–	–	–	–	–	–	60
Head, n.e.c.	19	50	20	–	–	–	–	–	–	–	30
Neck, including throat	2	2,730	1,070	340	80	–	–	–	–	–	1,220
Neck, except internal location of diseases or disorders ...	20	2,720	1,070	340	70	–	–	–	–	–	1,220
Trunk	3	42,260	19,510	2,530	3,330	380	100	230	–	–	16,160
Trunk, unspecified	30	210	40	–	–	–	–	–	–	–	130
Chest, including ribs, internal organs	31	3,440	1,780	170	150	30	–	–	–	–	1,270
Chest, except internal location of diseases or disorders	310	2,650	1,440	120	50	30	–	–	–	–	970
Internal chest location, unspecified	311	100	50	20	–	–	–	–	–	–	20
Heart	313	490	240	–	–	–	–	–	–	–	220
Lung(s), pleura	315	170	50	20	70	–	–	–	–	–	40
Internal chest location, n.e.c.	319	20	–	–	–	–	–	–	–	–	20
Back, including spine, spinal cord	32	31,810	13,890	2,030	2,830	350	70	160	–	–	12,450
Back, including spine, spinal cord, unspecified	320	11,450	5,300	820	860	260	20	70	–	–	4,110
Thoracic region	321	1,540	880	40	20	–	–	–	–	–	580

See footnotes at end of table.

TABLE L51. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and race or ethnic origin of worker, local government, 2011² — Continued

Part of body	Part of body code ³	Local government ⁴	Race or ethnic origin ⁵								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported
Lumbar region	322	17,510	7,200	1,110	1,860	80	50	80	—	—	7,110
Sacral region	323	110	60	—	—	—	—	—	—	—	30
Coccygeal region	324	150	60	—	30	—	—	—	—	—	50
Multiple back regions	328	1,010	380	40	40	—	—	—	—	—	550
Back, including spine, spinal cord, n.e.c.	329	40	20	—	—	—	—	—	—	—	—
Abdomen	33	2,450	1,470	40	80	—	—	30	—	—	820
Abdomen, except internal location of diseases or disorders	330	2,070	1,370	40	70	—	—	30	—	—	560
Internal abdominal location, unspecified	331	110	60	—	—	—	—	—	—	—	30
Urinary organs	334	180	30	—	—	—	—	—	—	—	—
Kidney(s)	3342	30	30	—	—	—	—	—	—	—	—
Intestines, peritoneum	335	20	—	—	—	—	—	—	—	—	—
Other digestive structures	336	70	—	—	—	—	—	—	—	—	70
Pelvic region	34	3,240	1,720	220	190	—	—	—	—	—	1,090
Pelvic region, unspecified	340	130	110	—	—	—	—	—	—	—	—
Hip(s)	341	1,420	890	110	60	—	—	—	—	—	350
Pelvis	342	110	70	—	—	—	—	—	—	—	20
Buttock(s)	343	390	170	20	—	—	—	—	—	—	200
Groin	344	1,070	420	80	80	—	—	—	—	—	480
External reproductive tract structures	345	40	30	—	—	—	—	—	—	—	—
Scrotum	3451	30	30	—	—	—	—	—	—	—	—
Multiple pelvic region locations	348	40	20	—	—	—	—	—	—	—	20
Multiple trunk locations	38	1,100	590	30	70	—	—	—	—	—	400
Trunk, n.e.c.	39	20	—	—	—	—	—	—	—	—	—
Upper extremities	4	51,930	21,950	3,600	3,380	430	140	110	30	20	22,270
Upper extremities, unspecified	40	80	—	—	—	—	—	—	—	—	70
Shoulder(s), including clavicle(s), scapula(e)	41	13,680	6,320	1,000	680	240	50	30	—	—	5,360
Arm(s)	42	9,760	3,920	670	470	30	—	—	20	—	4,630
Arm(s), unspecified	420	2,660	1,110	240	260	20	—	—	—	—	1,010
Upper arm(s)	421	1,030	630	—	—	—	—	—	—	—	360
Elbow(s)	422	3,690	1,100	190	110	—	—	—	—	—	2,290
Forearm(s)	423	1,440	770	120	30	—	—	—	—	—	520
Multiple arm locations	428	900	290	110	70	—	—	—	—	—	430
Multiple arm locations, unspecified	4280	230	210	—	—	—	—	—	—	—	30
Elbow(s) and arm(s)	4281	250	40	20	—	—	—	—	—	—	150
Multiple arm locations, n.e.c.	4289	420	50	90	20	—	—	—	—	—	260
Arm(s), n.e.c.	429	40	20	—	—	—	—	—	—	—	—
Wrist(s)	43	6,690	3,350	450	250	20	30	30	—	—	2,540
Hand(s)	44	16,660	6,190	1,050	1,550	120	50	40	—	20	7,650
Hand(s), unspecified	440	5,220	2,070	190	750	—	—	—	—	—	2,180
Hand(s), except finger(s)	441	990	290	110	100	—	—	20	—	—	470
Finger(s), fingernail(s)	442	9,460	3,530	720	680	100	40	—	—	20	4,360
Finger(s), fingernail(s), unspecified	4420	7,250	2,610	650	300	40	40	—	—	20	3,590
Fingernail(s), nailbed(s)	4421	60	20	—	20	—	—	—	—	—	20
Fingertip(s)	4422	500	240	30	—	—	—	—	—	—	210

See footnotes at end of table.

TABLE L51. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and race or ethnic origin of worker, local government, 2011² — Continued

Part of body	Part of body code ³	Local government ⁴	Race or ethnic origin ⁵									
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported	
Finger(s), fingernail(s), n.e.c.	4429	1,650	650	30	350	60	—	—	—	—	—	540
Hand(s) and finger(s)	448	860	200	20	20	—	—	—	—	—	—	620
Hand(s), n.e.c.	449	140	100	—	—	—	—	—	—	—	—	20
Multiple upper extremities locations	48	5,000	2,110	430	430	30	—	—	—	—	—	2,000
Multiple upper extremities locations, unspecified	480	270	170	—	40	—	—	—	—	—	—	60
Hand(s) and arms(s)	481	630	110	20	30	—	—	—	—	—	—	460
Hand(s) and arm(s), unspecified	4810	100	40	—	—	—	—	—	—	—	—	50
Hand(s) and elbow(s)	4811	100	—	—	—	—	—	—	—	—	—	80
Hand(s) and arm(s), n.e.c.	4819	430	50	—	30	—	—	—	—	—	—	340
Hand(s) and wrist(s)	482	1,410	770	190	60	—	—	—	—	—	—	380
Wrist(s) and arm(s)	483	320	190	—	—	—	—	—	—	—	—	110
Wrist(s) and arm(s), unspecified	4830	100	50	—	—	—	—	—	—	—	—	50
Wrist(s) and elbow(s)	4831	90	60	—	—	—	—	—	—	—	—	30
Wrist(s) and arm(s), n.e.c.	4839	120	70	—	—	—	—	—	—	—	—	40
Shoulder(s) and arm(s)	484	1,200	400	170	80	20	—	—	—	—	—	520
Multiple upper extremities locations, n.e.c.	489	1,170	470	30	210	—	—	—	—	—	—	460
Upper extremities, n.e.c.	49	60	50	—	—	—	—	—	—	—	—	—
Lower extremities	5	49,900	22,540	3,010	3,330	170	70	150	—	50	—	20,560
Lower extremities, unspecified	50	110	—	—	30	—	—	—	—	—	—	70
Leg(s)	51	29,790	13,770	1,640	1,970	100	40	80	—	50	—	12,130
Leg(s), unspecified	510	3,590	1,720	180	670	—	—	—	—	—	—	1,000
Thigh(s)	511	1,550	700	80	30	—	—	—	—	—	—	740
Knee(s)	512	21,870	10,100	1,320	1,070	80	20	70	—	40	—	9,160
Lower leg(s)	513	1,680	780	40	160	—	20	—	—	—	—	680
Multiple leg locations	518	1,060	450	20	40	—	—	—	—	—	—	540
Multiple leg locations, unspecified	5180	70	30	—	—	—	—	—	—	—	—	30
Knee(s) and leg(s)	5181	540	360	20	30	—	—	—	—	—	—	140
Multiple leg locations, n.e.c.	5189	450	70	—	—	—	—	—	—	—	—	370
Leg(s), n.e.c.	519	40	30	—	—	—	—	—	—	—	—	—
Ankle(s)	52	10,500	4,900	680	540	30	20	40	—	—	—	4,290
Foot (feet)	53	7,000	2,890	540	430	20	—	—	—	—	—	3,090
Foot (feet), unspecified	530	4,750	1,880	300	170	—	—	—	—	—	—	2,360
Sole(s)	531	410	120	20	150	—	—	—	—	—	—	120
Sole(s), unspecified	5310	50	20	—	30	—	—	—	—	—	—	—
Arch(es), instep(s)	5312	40	20	—	—	—	—	—	—	—	—	30
Heel(s)	5313	300	70	20	120	—	—	—	—	—	—	80
Toes(s), toenail(s)	532	1,540	740	200	90	—	—	—	—	—	—	510
Multiple foot (feet) locations	538	110	40	20	—	—	—	—	—	—	—	50
Foot (feet), n.e.c.	539	180	110	—	—	—	—	—	—	—	—	60
Multiple lower extremities locations	58	2,510	970	150	360	20	—	20	—	—	—	980
Multiple lower extremities locations, unspecified	580	120	—	—	—	—	—	—	—	—	—	110
Foot (feet) and leg(s)	581	380	150	—	—	—	—	—	—	—	—	150
Foot(feet) and leg(s), unspecified	5810	80	30	—	—	—	—	—	—	—	—	40
Foot(feet) and knee(s)	5811	290	110	—	—	—	—	—	—	—	—	110
Foot (feet) and ankle(s)	582	740	350	20	70	—	—	—	—	—	—	280

See footnotes at end of table.

TABLE L51. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and race or ethnic origin of worker, local government, 2011² — Continued

Part of body	Part of body code ³	Local government ⁴	Race or ethnic origin ⁵									
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported	
Ankle(s) and leg(s)	583	740	360	100	20	—	—	—	—	—	—	250
Ankle(s) and leg(s), unspecified	5830	120	50	—	—	—	—	—	—	—	—	60
Ankle(s) and knee(s)	5831	510	230	90	20	—	—	—	—	—	—	170
Ankle(s) and leg(s), n.e.c.	5839	110	80	—	—	—	—	—	—	—	—	20
Multiple lower extremities locations, n.e.c.	589	530	90	20	220	—	—	—	—	—	—	190
Body systems	6	5,650	1,870	860	170	40	—	70	—	—	—	2,620
Multiple body parts	8	32,120	12,020	2,520	3,130	190	40	70	20	—	—	14,130
Multiple body parts, unspecified	80	1,970	590	260	180	20	—	—	—	—	—	910
Head and neck	81	440	160	50	50	—	—	—	—	—	—	160
Head, neck, and trunk	82	220	80	—	—	—	—	—	—	—	—	110
Head and trunk	83	330	160	30	—	—	—	—	—	—	—	130
Neck and back	84	2,680	1,010	160	310	30	—	—	—	—	—	1,150
Shoulder(s) and back	85	700	350	30	100	50	—	—	—	—	—	170
Hip(s) and leg(s)	86	590	200	—	20	—	—	—	—	—	—	360
Upper and lower limb(s)	87	2,910	1,440	460	380	—	—	—	—	—	—	630
Other multiple body parts	89	22,300	8,030	1,500	2,070	90	30	50	20	—	—	10,500
Whole body	891	200	80	50	—	—	—	—	—	—	—	60
Multiple body parts, n.e.c.	899	22,100	7,940	1,450	2,070	90	30	50	20	—	—	10,430
Nonclassifiable	9999	2,690	1,260	210	40	—	—	—	—	—	—	1,170

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2011. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

⁵ Race and ethnicity data do not add to total. Some cases may be counted as both Multi-race and Hispanic and other race.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.