

TABLE L52. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness, gender, and length of service with employer, local government, 2011²

Part of body	Part of body code ³	Local government ⁴	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Total		199,700	118,640	80,150	910	3,400	9,640	51,510	128,210	6,940
Head	1	12,430	6,660	5,760	—	310	690	3,120	8,050	260
Head, unspecified	10	3,190	1,500	1,690	—	40	170	680	2,160	150
Cranial region, including skull	11	2,840	1,190	1,640	—	40	100	720	1,960	20
Cranial region, unspecified	110	30	—	—	—	—	—	20	—	—
Brain	111	1,850	750	1,090	—	40	80	570	1,140	—
Scalp	112	690	250	440	—	—	—	70	610	—
Skull	113	110	90	20	—	—	—	60	40	—
Multiple cranial region locations	118	140	80	60	—	—	—	—	140	—
Cranial region, n.e.c.	119	20	—	20	—	—	—	—	20	—
Ear(s)	12	400	290	100	—	—	—	100	300	—
Face	13	5,790	3,550	2,230	—	230	420	1,540	3,500	90
Face, unspecified	130	790	390	410	—	—	160	130	480	—
Forehead	131	400	160	240	—	—	—	130	250	—
Eye(s)	132	3,120	2,430	680	—	160	210	960	1,720	70
Nose, nasal cavity	133	260	100	160	—	—	—	110	130	—
Nose, except internal location of diseases or disorders	1330	260	100	160	—	—	—	110	130	—
Cheek(s)	134	230	70	160	—	—	—	—	220	—
Jaw, chin	135	90	30	60	—	—	—	20	50	—
Mouth	136	440	150	290	—	20	—	50	350	—
Mouth, unspecified	1360	30	20	—	—	—	—	20	—	—
Lip(s)	1361	240	80	170	—	—	—	—	220	—
Tooth (teeth)	1363	120	40	70	—	—	—	20	90	—
Multiple mouth locations	1368	40	—	40	—	—	—	—	40	—
Multiple face locations	138	370	190	180	—	—	20	110	230	—
Face, n.e.c.	139	80	30	50	—	—	—	—	70	—
Multiple head locations	18	170	120	50	—	—	—	80	90	—
Head, n.e.c.	19	50	—	50	—	—	—	—	40	—
Neck, including throat	2	2,730	1,530	1,200	—	50	120	690	1,780	80
Neck, except internal location of diseases or disorders ...	20	2,720	1,520	1,190	—	50	120	690	1,780	80
Trunk	3	42,260	27,190	14,830	240	750	2,410	11,240	26,680	1,190
Trunk, unspecified	30	210	120	90	—	—	—	120	70	—
Chest, including ribs, internal organs	31	3,440	2,500	940	—	40	170	640	2,500	90
Chest, except internal location of diseases or disorders	310	2,650	1,790	860	—	40	170	550	1,800	90
Internal chest location, unspecified	311	100	80	20	—	—	—	—	100	—
Heart	313	490	480	—	—	—	—	50	440	—
Lung(s), pleura	315	170	140	30	—	—	—	40	130	—
Internal chest location, n.e.c.	319	20	—	—	—	—	—	—	20	—
Back, including spine, spinal cord	32	31,810	20,100	11,580	130	610	2,010	8,730	19,760	700
Back, including spine, spinal cord, unspecified	320	11,450	7,930	3,390	130	150	670	2,850	7,450	330
Thoracic region	321	1,540	760	780	—	30	110	780	560	70
Lumbar region	322	17,510	10,850	6,660	—	430	1,150	4,740	10,900	290
Sacral region	323	110	40	70	—	—	—	—	90	—
Coccygeal region	324	150	40	110	—	—	30	20	100	—

See footnotes at end of table.

TABLE L52. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness, gender, and length of service with employer, local government, 2011² — Continued

Part of body	Part of body code ³	Local government ⁴	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Multiple back regions	328	1,010	460	560	—	—	50	310	640	—
Back, including spine, spinal cord, n.e.c.	329	40	30	—	—	—	—	20	20	—
Abdomen	33	2,450	2,080	360	—	30	90	610	1,630	80
Abdomen, except internal location of diseases or disorders	330	2,070	1,720	350	—	—	80	550	1,360	60
Internal abdominal location, unspecified	331	110	100	—	—	—	—	60	30	—
Urinary organs	334	180	180	—	—	—	—	—	150	—
Kidney(s)	3342	30	30	—	—	—	—	—	—	—
Intestines, peritoneum	335	20	—	—	—	—	—	—	—	—
Other digestive structures	336	70	70	—	—	—	—	—	70	—
Pelvic region	34	3,240	1,650	1,480	—	50	100	780	2,000	320
Pelvic region, unspecified	340	130	110	—	—	—	—	—	120	—
Hip(s)	341	1,420	530	890	—	—	50	400	840	130
Pelvis	342	110	60	60	—	—	—	20	90	—
Buttock(s)	343	390	50	230	—	—	—	140	120	120
Groin	344	1,070	810	250	—	40	20	200	740	70
External reproductive tract structures	345	40	40	—	—	—	—	20	20	—
Scrotum	3451	30	30	—	—	—	—	20	20	—
Multiple pelvic region locations	348	40	—	40	—	—	—	—	20	—
Multiple trunk locations	38	1,100	720	380	—	—	30	350	700	—
Trunk, n.e.c.	39	20	—	—	—	—	—	—	—	—
Upper extremities	4	51,930	31,810	20,110	—	660	2,670	11,550	34,890	2,170
Upper extremities, unspecified	40	80	50	40	—	—	—	20	70	—
Shoulder(s), including clavicle(s), scapula(e)	41	13,680	8,870	4,810	—	210	670	2,950	9,490	350
Arm(s)	42	9,760	5,830	3,920	—	110	400	1,930	6,910	410
Arm(s), unspecified	420	2,660	1,210	1,440	—	80	100	590	1,820	60
Upper arm(s)	421	1,030	560	470	—	—	—	300	650	60
Elbow(s)	422	3,690	2,540	1,150	—	—	130	510	2,890	140
Forearm(s)	423	1,440	1,020	420	—	—	120	260	910	150
Multiple arm locations	428	900	470	430	—	—	30	260	610	—
Multiple arm locations, unspecified	4280	230	220	—	—	—	—	200	30	—
Elbow(s) and arm(s)	4281	250	180	70	—	—	20	40	190	—
Multiple arm locations, n.e.c.	4289	420	60	360	—	—	—	20	390	—
Arm(s), n.e.c.	429	40	30	—	—	—	—	—	20	—
Wrist(s)	43	6,690	3,590	3,100	—	70	410	1,350	4,670	180
Hand(s)	44	16,660	11,730	4,930	—	250	930	4,250	10,310	930
Hand(s), unspecified	440	5,220	3,930	1,280	—	80	130	1,170	3,470	370
Hand(s), except finger(s)	441	990	810	180	—	—	—	350	600	20
Finger(s), fingernail(s)	442	9,460	6,190	3,260	—	150	530	2,580	5,750	450
Finger(s), fingernail(s), unspecified	4420	7,250	4,710	2,530	—	80	440	2,010	4,290	430
Fingernail(s), nailbed(s)	4421	60	50	—	—	—	—	—	50	—
Fingertip(s)	4422	500	380	120	—	—	—	160	300	—
Finger(s), fingernail(s), n.e.c.	4429	1,650	1,050	600	—	70	70	390	1,110	—
Hand(s) and finger(s)	448	860	720	130	—	—	260	80	430	70
Hand(s), n.e.c.	449	140	70	70	—	—	—	80	50	—
Multiple upper extremities locations	48	5,000	1,730	3,270	—	20	250	1,040	3,390	300
Multiple upper extremities locations, unspecified	480	270	40	230	—	—	—	180	90	—
Hand(s) and arms(s)	481	630	120	510	—	—	—	120	490	—

See footnotes at end of table.

TABLE L52. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness, gender, and length of service with employer, local government, 2011² — Continued

Part of body	Part of body code ³	Local government ⁴	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Hand(s) and arm(s), unspecified	4810	100	40	50	—	—	—	20	80	—
Hand(s) and elbow(s)	4811	100	50	50	—	—	—	60	40	—
Hand(s) and arm(s), n.e.c.	4819	430	30	400	—	—	—	50	380	—
Hand(s) and wrist(s)	482	1,410	390	1,020	—	—	190	100	1,110	—
Wrist(s) and arm(s)	483	320	110	210	—	—	—	60	230	—
Wrist(s) and arm(s), unspecified	4830	100	30	70	—	—	—	20	60	—
Wrist(s) and elbow(s)	4831	90	50	50	—	—	—	—	90	—
Wrist(s) and arm(s), n.e.c.	4839	120	30	90	—	—	—	30	90	—
Shoulder(s) and arm(s)	484	1,200	500	710	—	—	—	220	910	—
Multiple upper extremities locations, n.e.c.	489	1,170	570	600	—	—	20	360	560	230
Upper extremities, n.e.c.	49	60	20	50	—	—	—	—	50	—
Lower extremities	5	49,900	29,770	19,770	350	1,000	2,390	13,910	30,800	1,790
Lower extremities, unspecified	50	110	60	40	—	—	—	50	50	—
Leg(s)	51	29,790	19,150	10,520	120	420	1,330	7,630	19,530	880
Leg(s), unspecified	510	3,590	2,220	1,370	—	—	100	1,210	2,090	170
Thigh(s)	511	1,550	950	600	—	—	30	150	1,360	—
Knee(s)	512	21,870	14,090	7,670	110	310	1,090	5,390	14,460	620
Lower leg(s)	513	1,680	1,180	490	—	70	50	680	870	—
Multiple leg locations	518	1,060	670	390	—	—	50	190	720	80
Multiple leg locations, unspecified	5180	70	50	20	—	—	—	—	40	—
Knee(s) and leg(s)	5181	540	350	200	—	—	40	180	260	—
Multiple leg locations, n.e.c.	5189	450	280	170	—	—	20	—	430	—
Leg(s), n.e.c.	519	40	30	—	—	—	—	—	30	—
Ankle(s)	52	10,500	5,980	4,300	220	220	600	3,340	5,810	530
Foot (feet)	53	7,000	3,340	3,650	—	240	240	2,470	3,770	280
Foot (feet), unspecified	530	4,750	2,320	2,430	—	170	160	1,510	2,650	260
Sole(s)	531	410	300	110	—	—	—	50	340	—
Sole(s), unspecified	5310	50	40	—	—	—	—	—	40	—
Arch(es), instep(s)	5312	40	30	—	—	—	—	—	30	—
Heel(s)	5313	300	230	70	—	—	—	30	260	—
Toes(s), toenail(s)	532	1,540	530	1,020	—	50	60	810	610	20
Multiple foot (feet) locations	538	110	70	40	—	—	—	20	80	—
Foot (feet), n.e.c.	539	180	120	60	—	—	—	70	90	—
Multiple lower extremities locations	58	2,510	1,240	1,260	—	130	230	420	1,640	90
Multiple lower extremities locations, unspecified	580	120	120	—	—	—	—	—	30	—
Foot (feet) and leg(s)	581	380	150	230	—	—	—	110	200	—
Foot(feet) and leg(s), unspecified	5810	80	50	30	—	—	—	—	70	—
Foot(feet) and knee(s)	5811	290	100	190	—	—	—	100	120	—
Foot (feet) and ankle(s)	582	740	280	450	—	90	50	150	380	70
Ankle(s) and leg(s)	583	740	300	450	—	30	20	60	610	20
Ankle(s) and leg(s), unspecified	5830	120	70	50	—	—	20	—	70	—
Ankle(s) and knee(s)	5831	510	190	310	—	—	—	50	450	—
Ankle(s) and leg(s), n.e.c.	5839	110	30	80	—	—	—	—	90	—
Multiple lower extremities locations, n.e.c.	589	530	390	140	—	—	20	100	410	—
Body systems	6	5,650	3,560	2,080	—	200	280	1,430	3,650	80
Multiple body parts	8	32,120	16,420	15,590	120	420	1,050	8,590	21,190	870

See footnotes at end of table.

TABLE L52. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness, gender, and length of service with employer, local government, 2011² — Continued

Part of body	Part of body code ³	Local government ⁴	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Multiple body parts, unspecified	80	1,970	820	1,030	—	50	140	610	950	220
Head and neck	81	440	240	200	—	30	—	90	310	—
Head, neck, and trunk	82	220	130	90	—	—	—	60	160	—
Head and trunk	83	330	110	220	—	—	—	60	250	—
Neck and back	84	2,680	1,740	940	—	60	70	860	1,670	20
Shoulder(s) and back	85	700	360	340	—	—	40	210	440	—
Hip(s) and leg(s)	86	590	170	420	—	—	80	70	430	—
Upper and lower limb(s)	87	2,910	1,300	1,620	—	40	40	1,300	1,460	70
Other multiple body parts	89	22,300	11,550	10,750	—	230	660	5,340	15,510	560
Whole body	891	200	90	110	—	—	—	70	120	—
Multiple body parts, n.e.c.	899	22,100	11,460	10,640	—	230	650	5,270	15,390	560

See footnotes at end of table.

TABLE L52. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness, gender, and length of service with employer, local government, 2011² — Continued

Part of body	Part of body code ³	Local government ⁴	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Nonclassifiable	9999	2,690	1,700	800	180	–	40	970	1,180	490

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2011. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.