

TABLE L67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, local government, 2011²

| Nature | Nature code ³ | Local government ⁴ | Days-away-from-work cases involving: | | | | | |
|--|--------------------------|-------------------------------|--------------------------------------|---------|--------|---------|------------|---------|
| | | | 1 day | | 2 days | | 3 - 5 days | |
| | | | Number | Percent | Number | Percent | Number | Percent |
| Total | | 199,700 | 26,530 | 13.3 | 20,570 | 10.3 | 33,770 | 16.9 |
| Traumatic injuries and disorders | 1 | 189,340 | 24,650 | 13.0 | 19,620 | 10.4 | 31,980 | 16.9 |
| Traumatic injuries and disorders, unspecified | 10 | 11,190 | 1,370 | 12.2 | 740 | 6.6 | 1,880 | 16.8 |
| Traumatic injuries to bones, nerves, spinal cord | 11 | 14,440 | 980 | 6.8 | 550 | 3.8 | 1,310 | 9.1 |
| Traumatic injuries to bones, nerves, spinal cord, unspecified | 110 | 390 | 50 | 12.8 | 30 | 7.7 | 50 | 12.8 |
| Fractures | 111 | 13,590 | 900 | 6.6 | 520 | 3.8 | 1,200 | 8.8 |
| Traumatic injuries to nerves, except the spinal cord .. | 113 | 410 | 20 | 4.9 | – | – | 50 | 12.2 |
| Traumatic injuries to nerves, except the spinal cord, unspecified | 1130 | 30 | – | – | – | – | – | – |
| Pinched nerve | 1131 | 370 | 20 | 5.4 | – | – | 40 | 10.8 |
| Traumatic injuries to bones, nerves, spinal cord, n.e.c. | 119 | 20 | – | – | – | – | – | – |
| Traumatic injuries to muscles, tendons, ligaments, joints, etc. | 12 | 81,770 | 8,450 | 10.3 | 7,410 | 9.1 | 13,740 | 16.8 |
| Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified | 120 | 720 | 70 | 9.7 | 110 | 15.3 | 110 | 15.3 |
| Dislocations | 121 | 1,620 | 120 | 7.4 | 50 | 3.1 | 140 | 8.6 |
| Dislocations, unspecified | 1210 | 180 | 20 | 11.1 | – | – | – | – |
| Herniated discs | 1211 | 430 | 50 | 11.6 | 20 | 4.7 | – | – |
| Dislocation of joints | 1212 | 960 | 50 | 5.2 | 20 | 2.1 | 120 | 12.5 |
| Dislocations, n.e.c. | 1219 | 50 | – | – | – | – | – | – |
| Cartilage fractures and tears | 122 | 850 | – | – | 40 | 4.7 | 60 | 7.1 |
| Cartilage fractures and tears, unspecified | 1220 | 30 | – | – | – | – | – | – |
| Meniscus tears | 1221 | 800 | – | – | 40 | 5.0 | 60 | 7.5 |
| Cartilage fractures and tears, n.e.c. | 1229 | 20 | – | – | – | – | – | – |
| Sprains, strains, tears | 123 | 76,710 | 8,130 | 10.6 | 7,180 | 9.4 | 13,080 | 17.1 |
| Sprains, strains, tears, unspecified | 1230 | 5,350 | 630 | 11.8 | 390 | 7.3 | 740 | 13.8 |
| Major tears to muscles, tendons, ligaments | 1231 | 3,760 | 210 | 5.6 | 70 | 1.9 | 210 | 5.6 |
| Sprains | 1232 | 23,220 | 3,060 | 13.2 | 2,390 | 10.3 | 4,440 | 19.1 |
| Strains | 1233 | 42,710 | 4,170 | 9.8 | 3,980 | 9.3 | 7,550 | 17.7 |
| Multiple sprains, strains, tears | 1238 | 1,670 | 50 | 3.0 | 340 | 20.4 | 140 | 8.4 |
| Hernias due to traumatic incidents | 124 | 1,230 | 80 | 6.5 | – | – | 130 | 10.6 |
| Whiplash | 125 | 270 | 30 | 11.1 | 20 | 7.4 | – | – |
| Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc. | 128 | 170 | – | – | – | – | 30 | 17.6 |
| Traumatic injuries to muscles, tendons, ligaments, joints, etc., n.e.c. | 129 | 210 | – | – | – | – | 170 | 81.0 |
| Open wounds | 13 | 10,730 | 2,370 | 22.1 | 1,320 | 12.3 | 2,040 | 19.0 |
| Open wounds, unspecified | 130 | 90 | – | – | 30 | 33.3 | 40 | 44.4 |
| Amputations, avulsions, enucleations | 131 | 270 | – | – | 20 | 7.4 | 50 | 18.5 |
| Amputations | 1311 | 220 | – | – | – | – | 30 | 13.6 |
| Avulsions, enucleations | 1312 | 50 | – | – | – | – | 20 | 40.0 |
| Cuts, lacerations | 132 | 7,720 | 1,780 | 23.1 | 880 | 11.4 | 1,350 | 17.5 |
| Puncture wounds, except gunshot wounds | 133 | 2,400 | 530 | 22.1 | 390 | 16.2 | 600 | 25.0 |
| Gunshot wounds | 134 | 210 | 30 | 14.3 | – | – | – | – |
| Multiple types of open wounds | 138 | 20 | – | – | – | – | – | – |
| Open wounds, n.e.c. | 139 | 20 | – | – | – | – | – | – |
| Surface wounds and bruises | 14 | 22,050 | 3,500 | 15.9 | 3,670 | 16.6 | 4,810 | 21.8 |

See footnotes at end of table.

TABLE L67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, local government, 2011² — Continued

| Nature | Days-away-from-work cases involving: | | | | | | | | Median days away from work |
|--|--------------------------------------|---------|--------------|---------|--------------|---------|-----------------|---------|----------------------------|
| | 6 - 10 days | | 11 - 20 days | | 21 - 30 days | | 31 days or more | | |
| | Number | Percent | Number | Percent | Number | Percent | Number | Percent | |
| Total | 26,900 | 13.5 | 28,760 | 14.4 | 14,410 | 7.2 | 48,770 | 24.4 | 8 |
| Traumatic injuries and disorders | 25,900 | 13.7 | 27,730 | 14.6 | 13,210 | 7.0 | 46,250 | 24.4 | 8 |
| Traumatic injuries and disorders, unspecified | 1,270 | 11.3 | 1,310 | 11.7 | 780 | 7.0 | 3,860 | 34.5 | 13 |
| Traumatic injuries to bones, nerves, spinal cord | 1,660 | 11.5 | 2,500 | 17.3 | 1,350 | 9.3 | 6,080 | 42.1 | 22 |
| Traumatic injuries to bones, nerves, spinal cord, unspecified | 80 | 20.5 | 40 | 10.3 | — | — | 130 | 33.3 | 10 |
| Fractures | 1,570 | 11.6 | 2,440 | 18.0 | 1,300 | 9.6 | 5,670 | 41.7 | 22 |
| Traumatic injuries to nerves, except the spinal cord .. | — | — | 20 | 4.9 | 40 | 9.8 | 260 | 63.4 | 65 |
| Traumatic injuries to nerves, except the spinal cord, unspecified | — | — | — | — | — | — | — | — | 20 |
| Pinched nerve | — | — | 20 | 5.4 | 20 | 5.4 | 250 | 67.6 | 92 |
| Traumatic injuries to bones, nerves, spinal cord, n.e.c. | — | — | — | — | — | — | — | — | 180 |
| Traumatic injuries to muscles, tendons, ligaments, joints, etc. | 11,460 | 14.0 | 12,060 | 14.7 | 6,770 | 8.3 | 21,890 | 26.8 | 10 |
| Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified | 70 | 9.7 | 80 | 11.1 | 160 | 22.2 | 120 | 16.7 | 10 |
| Dislocations | 100 | 6.2 | 240 | 14.8 | 130 | 8.0 | 840 | 51.9 | 38 |
| Dislocations, unspecified | 50 | 27.8 | — | — | — | — | 70 | 38.9 | 19 |
| Herniated discs | — | — | 30 | 7.0 | — | — | 300 | 69.8 | 83 |
| Dislocation of joints | 50 | 5.2 | 180 | 18.8 | 100 | 10.4 | 450 | 46.9 | 24 |
| Dislocations, n.e.c. | — | — | — | — | — | — | — | — | 11 |
| Cartilage fractures and tears | 100 | 11.8 | 160 | 18.8 | 160 | 18.8 | 330 | 38.8 | 26 |
| Cartilage fractures and tears, unspecified | — | — | — | — | — | — | — | — | 43 |
| Meniscus tears | 100 | 12.5 | 150 | 18.8 | 150 | 18.8 | 300 | 37.5 | 26 |
| Cartilage fractures and tears, n.e.c. | — | — | — | — | — | — | — | — | 88 |
| Sprains, strains, tears | 11,030 | 14.4 | 11,250 | 14.7 | 5,850 | 7.6 | 20,190 | 26.3 | 10 |
| Sprains, strains, tears, unspecified | 990 | 18.5 | 1,020 | 19.1 | 230 | 4.3 | 1,340 | 25.0 | 10 |
| Major tears to muscles, tendons, ligaments | 230 | 6.1 | 590 | 15.7 | 360 | 9.6 | 2,080 | 55.3 | 39 |
| Sprains | 3,410 | 14.7 | 2,670 | 11.5 | 1,720 | 7.4 | 5,540 | 23.9 | 8 |
| Strains | 6,280 | 14.7 | 6,640 | 15.5 | 3,380 | 7.9 | 10,710 | 25.1 | 10 |
| Multiple sprains, strains, tears | 120 | 7.2 | 330 | 19.8 | 170 | 10.2 | 510 | 30.5 | 13 |
| Hernias due to traumatic incidents | 100 | 8.1 | 260 | 21.1 | 320 | 26.0 | 330 | 26.8 | 21 |
| Whiplash | 50 | 18.5 | — | — | 110 | 40.7 | 30 | 11.1 | 25 |
| Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc. | — | — | 60 | 35.3 | 20 | 11.8 | 40 | 23.5 | 13 |
| Traumatic injuries to muscles, tendons, ligaments, joints, etc., n.e.c. | — | — | — | — | 20 | 9.5 | 20 | 9.5 | 4 |
| Open wounds | 1,870 | 17.4 | 1,630 | 15.2 | 490 | 4.6 | 1,010 | 9.4 | 5 |
| Open wounds, unspecified | — | — | — | — | — | — | — | — | 3 |
| Amputations, avulsions, enucleations | 30 | 11.1 | 30 | 11.1 | 20 | 7.4 | 110 | 40.7 | 19 |
| Amputations | 20 | 9.1 | 30 | 13.6 | 20 | 9.1 | 110 | 50.0 | 35 |
| Avulsions, enucleations | — | — | — | — | — | — | — | — | 3 |
| Cuts, lacerations | 1,370 | 17.7 | 1,430 | 18.5 | 270 | 3.5 | 650 | 8.4 | 5 |
| Puncture wounds, except gunshot wounds | 450 | 18.8 | 110 | 4.6 | 200 | 8.3 | 120 | 5.0 | 3 |
| Gunshot wounds | — | — | 40 | 19.0 | — | — | 120 | 57.1 | 34 |
| Multiple types of open wounds | — | — | — | — | — | — | — | — | 14 |
| Open wounds, n.e.c. | — | — | — | — | — | — | — | — | 1 |
| Surface wounds and bruises | 3,470 | 15.7 | 2,840 | 12.9 | 1,060 | 4.8 | 2,700 | 12.2 | 5 |

See footnotes at end of table.

TABLE L67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, local government, 2011² — Continued

| Nature | Nature code ³ | Local government ⁴ | Days-away-from-work cases involving: | | | | | |
|--|--------------------------|-------------------------------|--------------------------------------|---------|--------|---------|------------|---------|
| | | | 1 day | | 2 days | | 3 - 5 days | |
| | | | Number | Percent | Number | Percent | Number | Percent |
| Surface wounds and bruises, unspecified | 140 | 200 | 40 | 20.0 | 20 | 10.0 | 20 | 10.0 |
| Abrasions, scratches | 141 | 2,120 | 470 | 22.2 | 670 | 31.6 | 440 | 20.8 |
| Bruises, contusions | 143 | 19,230 | 2,930 | 15.2 | 2,890 | 15.0 | 4,230 | 22.0 |
| Multiple surface wounds and bruises | 148 | 340 | 40 | 11.8 | 50 | 14.7 | 90 | 26.5 |
| Surface wounds and bruises, n.e.c. | 149 | 150 | 20 | 13.3 | 40 | 26.7 | 20 | 13.3 |
| Burns and corrosions | 15 | 1,710 | 340 | 19.9 | 250 | 14.6 | 450 | 26.3 |
| Burns and corrosions, unspecified | 150 | 40 | — | — | — | — | — | — |
| Chemical burns and corrosions | 151 | 320 | 180 | 56.2 | 50 | 15.6 | 20 | 6.2 |
| Chemical burns and corrosions, unspecified | 1510 | 300 | 180 | 60.0 | 50 | 16.7 | — | — |
| Heat (thermal) burns | 152 | 1,230 | 120 | 9.8 | 170 | 13.8 | 400 | 32.5 |
| Heat (thermal) burns, unspecified | 1520 | 930 | 100 | 10.8 | 150 | 16.1 | 270 | 29.0 |
| First degree heat (thermal) burns | 1521 | 90 | — | — | — | — | 70 | 77.8 |
| Second degree heat (thermal) burns | 1522 | 180 | 20 | 11.1 | — | — | 40 | 22.2 |
| Heat (thermal) burns, n.e.c. | 1529 | 30 | — | — | — | — | — | — |
| Electrical burns | 153 | 40 | — | — | — | — | — | — |
| Electrical burns, unspecified | 1530 | 40 | — | — | — | — | — | — |
| Other burns | 159 | 80 | 30 | 37.5 | — | — | — | — |
| Other burns, first degree | 1591 | 80 | 30 | 37.5 | — | — | — | — |
| Intracranial injuries | 16 | 1,780 | 220 | 12.4 | 380 | 21.3 | 380 | 21.3 |
| Intracranial injuries, unspecified | 160 | 190 | 70 | 36.8 | 20 | 10.5 | — | — |
| Concussions | 162 | 1,580 | 150 | 9.5 | 360 | 22.8 | 370 | 23.4 |
| Effects of environmental conditions | 17 | 780 | 330 | 42.3 | 250 | 32.1 | 170 | 21.8 |
| Effects of heat and light | 172 | 770 | 330 | 42.9 | 240 | 31.2 | 170 | 22.1 |
| Effects of heat and light, unspecified | 1720 | 50 | — | — | — | — | 20 | 40.0 |
| Heat stroke | 1721 | 20 | — | — | — | — | — | — |
| Heat syncope | 1722 | 90 | 20 | 22.2 | 50 | 55.6 | 20 | 22.2 |
| Heat fatigue | 1723 | 100 | 80 | 80.0 | — | — | — | — |
| Heat exhaustion, prostration | 1725 | 460 | 180 | 39.1 | 170 | 37.0 | 90 | 19.6 |
| Effects of heat and light, n.e.c. | 1729 | 50 | 30 | 60.0 | — | — | — | — |
| Multiple traumatic injuries and disorders | 18 | 9,490 | 1,040 | 11.0 | 830 | 8.7 | 1,660 | 17.5 |
| Multiple traumatic injuries and disorders, unspecified | 180 | 1,200 | 120 | 10.0 | 30 | 2.5 | 290 | 24.2 |
| Cuts and abrasions or bruises | 181 | 2,000 | 220 | 11.0 | 250 | 12.5 | 780 | 39.0 |
| Sprains and other injuries | 182 | 4,110 | 550 | 13.4 | 330 | 8.0 | 420 | 10.2 |
| Sprains and other injuries, unspecified | 1820 | 120 | 60 | 50.0 | — | — | 20 | 16.7 |
| Sprains and bruises | 1821 | 3,130 | 440 | 14.1 | 290 | 9.3 | 310 | 9.9 |
| Sprains and cuts | 1822 | 420 | — | — | — | — | 30 | 7.1 |
| Sprains and other injuries, n.e.c. | 1829 | 440 | 40 | 9.1 | 20 | 4.5 | 70 | 15.9 |
| Fractures and other injuries | 183 | 970 | 40 | 4.1 | 30 | 3.1 | 40 | 4.1 |
| Fractures and other injuries, unspecified | 1830 | 70 | — | — | — | — | — | — |
| Fractures (except skull fractures) and concussions | 1831 | 50 | — | — | — | — | — | — |
| Fractures and dislocations | 1834 | 160 | — | — | — | — | — | — |
| Fractures and other injuries, n.e.c. | 1839 | 700 | 40 | 5.7 | 20 | 2.9 | 30 | 4.3 |
| Burns and other injuries, except fractures | 184 | 30 | — | — | — | — | — | — |
| Burns and other injuries, n.e.c. | 1849 | 30 | — | — | — | — | — | — |
| Multiple traumatic injuries and disorders, n.e.c. | 189 | 1,180 | 100 | 8.5 | 200 | 16.9 | 110 | 9.3 |
| Other traumatic injuries and disorders | 19 | 35,390 | 6,040 | 17.1 | 4,220 | 11.9 | 5,550 | 15.7 |
| Other traumatic injuries and disorders, unspecified ... | 190 | 60 | 50 | 83.3 | — | — | — | — |
| Electrocutions, electric shocks | 193 | 160 | 40 | 25.0 | 30 | 18.8 | — | — |
| Dermatitis and reactions affecting the skin—acute | 195 | 560 | 170 | 30.4 | 90 | 16.1 | 190 | 33.9 |

See footnotes at end of table.

TABLE L67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, local government, 2011² — Continued

| Nature | Days-away-from-work cases involving: | | | | | | | | Median days away from work |
|--|--------------------------------------|---------|--------------|---------|--------------|---------|-----------------|---------|----------------------------|
| | 6 - 10 days | | 11 - 20 days | | 21 - 30 days | | 31 days or more | | |
| | Number | Percent | Number | Percent | Number | Percent | Number | Percent | |
| Surface wounds and bruises, unspecified | 20 | 10.0 | 40 | 20.0 | — | — | 40 | 20.0 | 10 |
| Abrasions, scratches | 110 | 5.2 | 190 | 9.0 | 70 | 3.3 | 170 | 8.0 | 2 |
| Bruises, contusions | 3,190 | 16.6 | 2,570 | 13.4 | 970 | 5.0 | 2,440 | 12.7 | 5 |
| Multiple surface wounds and bruises | 90 | 26.5 | 40 | 11.8 | — | — | 30 | 8.8 | 5 |
| Surface wounds and bruises, n.e.c. | — | — | — | — | — | — | — | — | 4 |
| Burns and corrosions | 390 | 22.8 | 80 | 4.7 | 70 | 4.1 | 130 | 7.6 | 3 |
| Burns and corrosions, unspecified | — | — | — | — | — | — | — | — | 7 |
| Chemical burns and corrosions | 20 | 6.2 | 30 | 9.4 | — | — | — | — | 1 |
| Chemical burns and corrosions, unspecified | — | — | 30 | 10.0 | — | — | — | — | 1 |
| Heat (thermal) burns | 320 | 26.0 | 50 | 4.1 | 70 | 5.7 | 100 | 8.1 | 4 |
| Heat (thermal) burns, unspecified | 260 | 28.0 | 40 | 4.3 | 30 | 3.2 | 90 | 9.7 | 5 |
| First degree heat (thermal) burns | — | — | — | — | — | — | — | — | 3 |
| Second degree heat (thermal) burns | 60 | 33.3 | — | — | 30 | 16.7 | — | — | 7 |
| Heat (thermal) burns, n.e.c. | — | — | — | — | — | — | — | — | 5 |
| Electrical burns | — | — | — | — | — | — | — | — | 2 |
| Electrical burns, unspecified | — | — | — | — | — | — | — | — | 2 |
| Other burns | 30 | 37.5 | — | — | — | — | — | — | 4 |
| Other burns, first degree | 30 | 37.5 | — | — | — | — | — | — | 3 |
| Intracranial injuries | 240 | 13.5 | 190 | 10.7 | 50 | 2.8 | 300 | 16.9 | 4 |
| Intracranial injuries, unspecified | — | — | — | — | — | — | 70 | 36.8 | 3 |
| Concussions | 240 | 15.2 | 180 | 11.4 | 50 | 3.2 | 230 | 14.6 | 4 |
| Effects of environmental conditions | 20 | 2.6 | — | — | — | — | — | — | 2 |
| Effects of heat and light | 20 | 2.6 | — | — | — | — | — | — | 2 |
| Effects of heat and light, unspecified | — | — | — | — | — | — | — | — | 5 |
| Heat stroke | — | — | — | — | — | — | — | — | 4 |
| Heat syncope | — | — | — | — | — | — | — | — | 2 |
| Heat fatigue | — | — | — | — | — | — | — | — | 1 |
| Heat exhaustion, prostration | — | — | — | — | — | — | — | — | 2 |
| Effects of heat and light, n.e.c. | — | — | — | — | — | — | — | — | 1 |
| Multiple traumatic injuries and disorders | 1,810 | 19.1 | 1,570 | 16.5 | 360 | 3.8 | 2,210 | 23.3 | 8 |
| Multiple traumatic injuries and disorders, unspecified | 290 | 24.2 | 220 | 18.3 | 20 | 1.7 | 230 | 19.2 | 10 |
| Cuts and abrasions or bruises | 390 | 19.5 | 90 | 4.5 | 40 | 2.0 | 210 | 10.5 | 4 |
| Sprains and other injuries | 880 | 21.4 | 940 | 22.9 | 170 | 4.1 | 820 | 20.0 | 9 |
| Sprains and other injuries, unspecified | 30 | 25.0 | — | — | — | — | — | — | 2 |
| Sprains and bruises | 680 | 21.7 | 680 | 21.7 | 150 | 4.8 | 590 | 18.8 | 8 |
| Sprains and cuts | 80 | 19.0 | 220 | 52.4 | — | — | 50 | 11.9 | 17 |
| Sprains and other injuries, n.e.c. | 100 | 22.7 | 40 | 9.1 | — | — | 170 | 38.6 | 7 |
| Fractures and other injuries | 100 | 10.3 | 160 | 16.5 | 70 | 7.2 | 530 | 54.6 | 44 |
| Fractures and other injuries, unspecified | 30 | 42.9 | — | — | — | — | 20 | 28.6 | 10 |
| Fractures (except skull fractures) and concussions | — | — | — | — | — | — | 40 | 80.0 | 52 |
| Fractures and dislocations | — | — | — | — | — | — | 130 | 81.2 | 180 |
| Fractures and other injuries, n.e.c. | 60 | 8.6 | 150 | 21.4 | 60 | 8.6 | 340 | 48.6 | 26 |
| Burns and other injuries, except fractures | — | — | — | — | — | — | — | — | 12 |
| Burns and other injuries, n.e.c. | — | — | — | — | — | — | — | — | 12 |
| Multiple traumatic injuries and disorders, n.e.c. | 150 | 12.7 | 150 | 12.7 | 50 | 4.2 | 420 | 35.6 | 12 |
| Other traumatic injuries and disorders | 3,710 | 10.5 | 5,540 | 15.7 | 2,280 | 6.4 | 8,050 | 22.7 | 7 |
| Other traumatic injuries and disorders, unspecified ... | — | — | — | — | — | — | — | — | 1 |
| Electrocutions, electric shocks | — | — | 60 | 37.5 | — | — | — | — | 4 |
| Dermatitis and reactions affecting the skin—acute | 60 | 10.7 | 40 | 7.1 | — | — | — | — | 3 |

See footnotes at end of table.

TABLE L67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, local government, 2011² — Continued

| Nature | Nature code ³ | Local government ⁴ | Days-away-from-work cases involving: | | | | | |
|---|--------------------------|-------------------------------|--------------------------------------|-------------|------------|------------|------------|-------------|
| | | | 1 day | | 2 days | | 3 - 5 days | |
| | | | Number | Percent | Number | Percent | Number | Percent |
| Dermatitis and reactions affecting the skin—acute, unspecified | 1950 | 190 | 60 | 31.6 | — | — | 90 | 47.4 |
| Allergic dermatitis—acute | 1951 | 280 | 90 | 32.1 | 60 | 21.4 | 50 | 17.9 |
| Irritant dermatitis—acute | 1952 | 50 | — | — | — | — | — | — |
| Dermatitis and reactions affecting the skin—acute, n.e.c. | 1959 | 40 | — | — | — | — | — | — |
| Other poisoning, toxic, noxious, or allergenic effects | 196 | 1,660 | 580 | 34.9 | 130 | 7.8 | 480 | 28.9 |
| Poisoning, toxic, noxious, or allergenic effect, unspecified | 1960 | 420 | 210 | 50.0 | 40 | 9.5 | 70 | 16.7 |
| Poisoning, including poisoning-related asphyxia ... | 1961 | 260 | 50 | 19.2 | — | — | 100 | 38.5 |
| Other respiratory system symptoms—toxic, noxious, or allergenic effect | 1963 | 440 | 240 | 54.5 | 30 | 6.8 | 90 | 20.5 |
| Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect | 1965 | 180 | 20 | 11.1 | — | — | 120 | 66.7 |
| Other or unspecified allergic reactions | 1966 | 130 | 30 | 23.1 | — | — | 40 | 30.8 |
| Nausea, vomiting— toxic, noxious, or allergenic effect | 1967 | 40 | — | — | — | — | — | — |
| Multiple poisoning, toxic, noxious, or allergenic effects | 1968 | 50 | — | — | — | — | — | — |
| Other poisoning, toxic, noxious, or allergenic effects, n.e.c. | 1969 | 130 | — | — | — | — | 40 | 30.8 |
| Nonspecified injuries and disorders | 197 | 32,920 | 5,200 | 15.8 | 3,970 | 12.1 | 4,860 | 14.8 |
| Crushing injuries | 1971 | 750 | 170 | 22.7 | 70 | 9.3 | 90 | 12.0 |
| Soreness, pain, hurt—nonspecified injury | 1972 | 25,890 | 3,540 | 13.7 | 2,930 | 11.3 | 4,030 | 15.6 |
| Swelling, inflammation, irritation—nonspecified injury | 1973 | 3,770 | 1,030 | 27.3 | 790 | 21.0 | 450 | 11.9 |
| Numbness—nonspecified injury | 1974 | 240 | — | — | 30 | 12.5 | 90 | 37.5 |
| Multiple nonspecified injuries and disorders | 1978 | 1,180 | 330 | 28.0 | 20 | 1.7 | 30 | 2.5 |
| Nonspecified injuries and disorders, n.e.c. | 1979 | 1,080 | 130 | 12.0 | 130 | 12.0 | 160 | 14.8 |
| Other traumatic injuries and disorders, n.e.c. | 199 | 20 | — | — | — | — | — | — |
| Diseases and disorders of body systems | 2 | 4,320 | 440 | 10.2 | 410 | 9.5 | 930 | 21.5 |
| Systemic diseases and disorders, unspecified | 20 | 20 | — | — | — | — | — | — |
| Nervous system and sense organs diseases | 22 | 1,760 | 120 | 6.8 | 150 | 8.5 | 640 | 36.4 |
| Disorders of the peripheral nervous system | 224 | 1,460 | 20 | 1.4 | 80 | 5.5 | 630 | 43.2 |
| Carpal tunnel syndrome | 2241 | 1,430 | 20 | 1.4 | 80 | 5.6 | 620 | 43.4 |
| Disorders of the eye, adnexa, vision | 225 | 140 | 90 | 64.3 | — | — | — | — |
| Conjunctivitis—non-viral | 2251 | 30 | — | — | — | — | — | — |
| Blindness, low vision | 2254 | 60 | — | — | — | — | — | — |
| Disorders of the eye, adnexa, vision, n.e.c. | 2259 | 30 | — | — | — | — | — | — |
| Disorders of the ear, mastoid process, hearing | 226 | 140 | — | — | 60 | 42.9 | — | — |
| Deafness, hearing loss and impairment | 2261 | 120 | — | — | 60 | 50.0 | — | — |
| Circulatory system diseases | 23 | 540 | 30 | 5.6 | — | — | 50 | 9.3 |
| Hypertensive disease | 232 | 60 | 30 | 50.0 | — | — | — | — |
| Ischemic heart disease, including heart attack | 233 | 280 | — | — | — | — | 40 | 14.3 |
| Ischemic heart disease, unspecified | 2330 | 40 | — | — | — | — | 40 | 100.0 |
| Myocardial infarction (heart attack) | 2331 | 220 | — | — | — | — | — | — |
| Other forms of heart disease | 235 | 20 | — | — | — | — | — | — |
| Other forms of heart disease, n.e.c. | 2359 | 20 | — | — | — | — | — | — |
| Respiratory system diseases | 24 | 140 | — | — | — | — | 40 | 28.6 |

See footnotes at end of table.

TABLE L67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, local government, 2011² — Continued

| Nature | Days-away-from-work cases involving: | | | | | | | | Median days away from work |
|---|--------------------------------------|-------------|--------------|-------------|--------------|-------------|-----------------|-------------|----------------------------|
| | 6 - 10 days | | 11 - 20 days | | 21 - 30 days | | 31 days or more | | |
| | Number | Percent | Number | Percent | Number | Percent | Number | Percent | |
| Dermatitis and reactions affecting the skin—acute, unspecified | — | — | — | — | — | — | — | — | 3 |
| Allergic dermatitis—acute | 40 | 14.3 | 40 | 14.3 | — | — | — | — | 2 |
| Irritant dermatitis—acute | — | — | — | — | — | — | — | — | 2 |
| Dermatitis and reactions affecting the skin—acute, n.e.c. | — | — | — | — | — | — | — | — | 3 |
| Other poisoning, toxic, noxious, or allergenic effects | 150 | 9.0 | 170 | 10.2 | 20 | 1.2 | 140 | 8.4 | 4 |
| Poisoning, toxic, noxious, or allergenic effect, unspecified | 70 | 16.7 | 30 | 7.1 | — | — | — | — | 2 |
| Poisoning, including poisoning-related asphyxia ... | — | — | — | — | — | — | 100 | 38.5 | 4 |
| Other respiratory system symptoms—toxic, noxious, or allergenic effect | 30 | 6.8 | — | — | 20 | 4.5 | 30 | 6.8 | 1 |
| Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect | — | — | — | — | — | — | — | — | 5 |
| Other or unspecified allergic reactions | 20 | 15.4 | 30 | 23.1 | — | — | — | — | 4 |
| Nausea, vomiting— toxic, noxious, or allergenic effect | — | — | — | — | — | — | — | — | 2 |
| Multiple poisoning, toxic, noxious, or allergenic effects | — | — | 30 | 60.0 | — | — | — | — | 15 |
| Other poisoning, toxic, noxious, or allergenic effects, n.e.c. | — | — | — | — | — | — | — | — | 14 |
| Nonspecified injuries and disorders | 3,490 | 10.6 | 5,260 | 16.0 | 2,250 | 6.8 | 7,900 | 24.0 | 8 |
| Crushing injuries | 70 | 9.3 | 70 | 9.3 | 100 | 13.3 | 200 | 26.7 | 8 |
| Soreness, pain, hurt—nonspecified injury | 2,820 | 10.9 | 4,160 | 16.1 | 1,850 | 7.1 | 6,560 | 25.3 | 9 |
| Swelling, inflammation, irritation—nonspecified injury | 480 | 12.7 | 420 | 11.1 | 200 | 5.3 | 400 | 10.6 | 3 |
| Numbness—nonspecified injury | 20 | 8.3 | 40 | 16.7 | — | — | 50 | 20.8 | 5 |
| Multiple nonspecified injuries and disorders | 40 | 3.4 | 370 | 31.4 | 50 | 4.2 | 320 | 27.1 | 12 |
| Nonspecified injuries and disorders, n.e.c. | 60 | 5.6 | 200 | 18.5 | 40 | 3.7 | 370 | 34.3 | 16 |
| Other traumatic injuries and disorders, n.e.c. | — | — | — | — | — | — | — | — | 7 |
| Diseases and disorders of body systems | 510 | 11.8 | 440 | 10.2 | 440 | 10.2 | 1,150 | 26.6 | 10 |
| Systemic diseases and disorders, unspecified | — | — | — | — | — | — | — | — | 14 |
| Nervous system and sense organs diseases | 70 | 4.0 | 140 | 8.0 | 270 | 15.3 | 360 | 20.5 | 4 |
| Disorders of the peripheral nervous system | 40 | 2.7 | 130 | 8.9 | 210 | 14.4 | 340 | 23.3 | 5 |
| Carpal tunnel syndrome | 40 | 2.8 | 130 | 9.1 | 210 | 14.7 | 320 | 22.4 | 5 |
| Disorders of the eye, adnexa, vision | 20 | 14.3 | — | — | — | — | — | — | 1 |
| Conjunctivitis—non-viral | — | — | — | — | — | — | — | — | 1 |
| Blindness, low vision | — | — | — | — | — | — | — | — | 1 |
| Disorders of the eye, adnexa, vision, n.e.c. | — | — | — | — | — | — | — | — | 1 |
| Disorders of the ear, mastoid process, hearing | — | — | — | — | — | — | — | — | 6 |
| Deafness, hearing loss and impairment | — | — | — | — | — | — | — | — | 2 |
| Circulatory system diseases | 140 | 25.9 | — | — | 30 | 5.6 | 140 | 25.9 | 10 |
| Hypertensive disease | 20 | 33.3 | — | — | — | — | — | — | 6 |
| Ischemic heart disease, including heart attack | 120 | 42.9 | — | — | — | — | 100 | 35.7 | 10 |
| Ischemic heart disease, unspecified | — | — | — | — | — | — | — | — | 5 |
| Myocardial infarction (heart attack) | 120 | 54.5 | — | — | — | — | 80 | 36.4 | 10 |
| Other forms of heart disease | — | — | — | — | — | — | — | — | 30 |
| Other forms of heart disease, n.e.c. | — | — | — | — | — | — | — | — | 30 |
| Respiratory system diseases | 80 | 57.1 | — | — | — | — | — | — | 9 |

See footnotes at end of table.

TABLE L67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, local government, 2011² — Continued

| Nature | Nature code ³ | Local government ⁴ | Days-away-from-work cases involving: | | | | | |
|--|--------------------------|-------------------------------|--------------------------------------|-------------|-----------|-------------|------------|-------------|
| | | | 1 day | | 2 days | | 3 - 5 days | |
| | | | Number | Percent | Number | Percent | Number | Percent |
| Pneumonia, influenza | 243 | 40 | — | — | — | — | 30 | 75.0 |
| Pneumonia | 2431 | 30 | — | — | — | — | — | — |
| Chronic obstructive pulmonary disease and allied conditions | 244 | 20 | — | — | — | — | — | — |
| Asthma, except intrinsic | 2443 | 20 | — | — | — | — | — | — |
| Digestive system diseases and disorders | 25 | 120 | — | — | — | — | — | — |
| Hernia—nontraumatic | 253 | 120 | — | — | — | — | — | — |
| Musculoskeletal system and connective tissue diseases and disorders | 27 | 1,170 | 250 | 21.4 | 90 | 7.7 | 160 | 13.7 |
| Musculoskeletal system and connective tissue diseases and disorders, unspecified | 270 | 20 | — | — | — | — | — | — |
| Dorsopathies | 272 | 210 | — | — | — | — | 20 | 9.5 |
| Sciatica | 2721 | 90 | — | — | — | — | — | — |
| Lumbago | 2722 | 50 | — | — | — | — | — | — |
| Dorsopathies, n.e.c. | 2729 | 40 | — | — | — | — | — | — |
| Soft tissue disorders, except the back | 273 | 870 | 240 | 27.6 | 90 | 10.3 | 140 | 16.1 |
| Soft tissue disorder, except the back, unspecified | 2730 | 80 | — | — | 30 | 37.5 | — | — |
| Bursitis | 2731 | 90 | — | — | — | — | 60 | 66.7 |
| Stenosing tenosynovitis | 2732 | 60 | — | — | — | — | — | — |
| Epicondylitis | 2734 | 280 | 220 | 78.6 | — | — | — | — |
| Other or unspecified tendonitis (tendinitis) | 2735 | 230 | — | — | 50 | 21.7 | 50 | 21.7 |
| Ganglion or cystic tumor | 2736 | 90 | — | — | — | — | — | — |
| Soft tissue disorder, except the back, n.e.c. | 2739 | 20 | — | — | — | — | — | — |
| Osteopathies, chondropathies, and acquired deformities | 274 | 70 | — | — | — | — | — | — |
| Disorders of the skin and subcutaneous tissue | 28 | 280 | 20 | 7.1 | — | — | 20 | 7.1 |
| Infections of the skin and subcutaneous tissue | 281 | 270 | — | — | — | — | 20 | 7.4 |
| Infections of the skin and subcutaneous tissue, unspecified | 2810 | 80 | — | — | — | — | — | — |
| Cellulitis and abscess | 2811 | 40 | — | — | — | — | — | — |
| Methicillin-resistant staphylococcus aureus (MRSA) infection | 2813 | 120 | — | — | — | — | — | — |
| Other staphylococcus skin infection | 2814 | 20 | — | — | — | — | — | — |
| Other systemic diseases and disorders | 29 | 260 | — | — | — | — | 30 | 11.5 |
| Other systemic diseases and disorders, unspecified | 290 | 230 | — | — | — | — | 20 | 8.7 |
| Endocrine, nutritional, metabolic, and immunity disorders | 291 | 30 | — | — | — | — | — | — |
| Endocrine, nutritional, metabolic, and immunity disorders, n.e.c. | 2919 | 30 | — | — | — | — | — | — |
| Infectious and parasitic diseases | 3 | 200 | 40 | 20.0 | 50 | 25.0 | 30 | 15.0 |
| Infectious and parasitic diseases, unspecified | 30 | 40 | — | — | — | — | — | — |
| Bacterial diseases | 31 | 60 | — | — | — | — | — | — |
| Other bacterial diseases | 319 | 50 | — | — | — | — | — | — |
| Viral diseases | 32 | 50 | — | — | — | — | — | — |
| Viral diseases accompanied by exanthem (eruptive fever) | 323 | 20 | — | — | — | — | — | — |
| Chickenpox, varicella | 3233 | 20 | — | — | — | — | — | — |
| Other diseases due to viruses | 329 | 20 | — | — | — | — | — | — |
| Other diseases due to viruses, n.e.c. | 3299 | 20 | — | — | — | — | — | — |

See footnotes at end of table.

TABLE L67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, local government, 2011² — Continued

| Nature | Days-away-from-work cases involving: | | | | | | | | Median days away from work |
|--|--------------------------------------|-------------|--------------|----------|--------------|-------------|-----------------|----------|----------------------------|
| | 6 - 10 days | | 11 - 20 days | | 21 - 30 days | | 31 days or more | | |
| | Number | Percent | Number | Percent | Number | Percent | Number | Percent | |
| Pneumonia, influenza | - | - | - | - | - | - | - | - | 5 |
| Pneumonia | - | - | - | - | - | - | - | - | 5 |
| Chronic obstructive pulmonary disease and allied conditions | - | - | - | - | - | - | - | - | 7 |
| Asthma, except intrinsic | - | - | - | - | - | - | - | - | 7 |
| Digestive system diseases and disorders | - | - | - | - | - | - | 100 | 83.3 | 61 |
| Hernia—nontraumatic | - | - | - | - | - | - | 100 | 83.3 | 61 |
| Musculoskeletal system and connective tissue diseases and disorders | 120 | 10.3 | 140 | 12.0 | 90 | 7.7 | 310 | 26.5 | 7 |
| Musculoskeletal system and connective tissue diseases and disorders, unspecified | - | - | - | - | - | - | - | - | 124 |
| Dorsopathies | 60 | 28.6 | - | - | - | - | 50 | 23.8 | 13 |
| Sciatica | - | - | - | - | - | - | - | - | 13 |
| Lumbago | - | - | - | - | - | - | - | - | 6 |
| Dorsopathies, n.e.c. | - | - | - | - | - | - | - | - | 7 |
| Soft tissue disorders, except the back | 60 | 6.9 | 70 | 8.0 | 90 | 10.3 | 170 | 19.5 | 4 |
| Soft tissue disorder, except the back, unspecified | - | - | - | - | - | - | 40 | 50.0 | 11 |
| Bursitis | - | - | - | - | - | - | - | - | 4 |
| Stenosing tenosynovitis | - | - | - | - | - | - | 50 | 83.3 | 73 |
| Epicondylitis | 30 | 10.7 | - | - | - | - | - | - | 1 |
| Other or unspecified tendonitis (tendinitis) | - | - | 30 | 13.0 | 30 | 13.0 | 50 | 21.7 | 6 |
| Ganglion or cystic tumor | - | - | - | - | - | - | - | - | 28 |
| Soft tissue disorder, except the back, n.e.c. | - | - | - | - | - | - | - | - | 17 |
| Osteopathies, chondropathies, and acquired deformities | - | - | - | - | - | - | 70 | 100.0 | 48 |
| Disorders of the skin and subcutaneous tissue | 70 | 25.0 | 100 | 35.7 | 30 | 10.7 | 30 | 10.7 | 12 |
| Infections of the skin and subcutaneous tissue | 70 | 25.9 | 100 | 37.0 | 30 | 11.1 | 30 | 11.1 | 14 |
| Infections of the skin and subcutaneous tissue, unspecified | 50 | 62.5 | - | - | 30 | 37.5 | - | - | 6 |
| Cellulitis and abscess | - | - | - | - | - | - | - | - | 8 |
| Methicillin-resistant staphylococcus aureus (MRSA) infection | - | - | 90 | 75.0 | - | - | - | - | 20 |
| Other staphylococcus skin infection | - | - | - | - | - | - | - | - | 57 |
| Other systemic diseases and disorders | 20 | 7.7 | - | - | - | - | 180 | 69.2 | 39 |
| Other systemic diseases and disorders, unspecified | - | - | - | - | - | - | 180 | 78.3 | 39 |
| Endocrine, nutritional, metabolic, and immunity disorders | - | - | - | - | - | - | - | - | 1 |
| Endocrine, nutritional, metabolic, and immunity disorders, n.e.c. | - | - | - | - | - | - | - | - | 1 |
| Infectious and parasitic diseases | 20 | 10.0 | - | - | 50 | 25.0 | - | - | 5 |
| Infectious and parasitic diseases, unspecified | - | - | - | - | - | - | - | - | 2 |
| Bacterial diseases | - | - | - | - | - | - | - | - | 21 |
| Other bacterial diseases | - | - | - | - | - | - | - | - | 21 |
| Viral diseases | - | - | - | - | - | - | - | - | 11 |
| Viral diseases accompanied by exanthem (eruptive fever) | - | - | - | - | - | - | - | - | 11 |
| Chickenpox, varicella | - | - | - | - | - | - | - | - | 11 |
| Other diseases due to viruses | - | - | - | - | - | - | - | - | 16 |
| Other diseases due to viruses, n.e.c. | - | - | - | - | - | - | - | - | 16 |

See footnotes at end of table.

TABLE L67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, local government, 2011² — Continued

| Nature | Nature code ³ | Local government ⁴ | Days-away-from-work cases involving: | | | | | |
|--|--------------------------|-------------------------------|--------------------------------------|---------|--------|---------|------------|---------|
| | | | 1 day | | 2 days | | 3 - 5 days | |
| | | | Number | Percent | Number | Percent | Number | Percent |
| Other infectious and parasitic diseases | 39 | 30 | — | — | — | — | — | — |
| Scabies and other acariases | 392 | 30 | — | — | — | — | — | — |
| Neoplasms, tumors, and cancers | 4 | 220 | — | — | — | — | — | — |
| Malignant neoplasms and tumors (cancers, carcinomas, sarcomas) | 41 | 220 | — | — | — | — | — | — |
| Malignant neoplasms and tumors of other sites | 419 | 180 | — | — | — | — | — | — |
| Symptoms, signs, and ill-defined conditions | 5 | 1,730 | 300 | 17.3 | 360 | 20.8 | 370 | 21.4 |
| Symptoms, signs, and ill-defined conditions, unspecified | 50 | 30 | — | — | — | — | — | — |
| Symptoms | 51 | 1,630 | 290 | 17.8 | 320 | 19.6 | 360 | 22.1 |
| General symptoms | 511 | 910 | 140 | 15.4 | 110 | 12.1 | 270 | 29.7 |
| Loss of consciousness—not heat related | 5111 | 250 | 20 | 8.0 | 60 | 24.0 | 110 | 44.0 |
| Convulsions, seizures | 5112 | 20 | — | — | — | — | — | — |
| Dizziness—general | 5114 | 230 | 110 | 47.8 | 40 | 17.4 | 20 | 8.7 |
| Inflammation, swelling—general | 5115 | 20 | — | — | — | — | — | — |
| Numbness—general | 5116 | 20 | — | — | — | — | — | — |
| Multiple general symptoms | 5118 | 330 | — | — | — | — | 130 | 39.4 |
| General symptoms, n.e.c. | 5119 | 30 | — | — | — | — | — | — |
| Symptoms involving head and neck | 514 | 80 | — | — | — | — | — | — |
| Headache, except migraine | 5141 | 30 | — | — | — | — | — | — |
| Symptoms involving cardiovascular system | 515 | 90 | — | — | — | — | — | — |
| Symptoms involving cardiovascular system, n.e.c. | 5159 | 70 | — | — | — | — | — | — |
| Symptoms involving respiratory system and chest | 516 | 420 | 50 | 11.9 | 150 | 35.7 | 60 | 14.3 |
| Symptoms involving respiratory system and chest, unspecified | 5160 | 40 | — | — | — | — | — | — |
| Chest pain | 5164 | 230 | 20 | 8.7 | 60 | 26.1 | 20 | 8.7 |
| Multiple symptoms involving respiratory system and chest | 5168 | 30 | — | — | — | — | — | — |
| Symptoms involving respiratory system and chest, n.e.c. | 5169 | 130 | — | — | 80 | 61.5 | 20 | 15.4 |
| Multiple symptoms | 518 | 90 | 70 | 77.8 | — | — | — | — |
| Abnormal findings | 52 | 60 | — | — | — | — | — | — |
| Other abnormal findings | 529 | 40 | — | — | — | — | — | — |
| Other diseases, conditions, and disorders | 6 | 1,790 | 70 | 3.9 | 20 | 1.1 | 280 | 15.6 |
| Mental disorders and syndromes | 62 | 1,790 | 60 | 3.4 | 20 | 1.1 | 280 | 15.6 |
| Anxiety, stress | 621 | 1,740 | 60 | 3.4 | 20 | 1.1 | 280 | 16.1 |
| Anxiety, stress, unspecified | 6210 | 740 | 30 | 4.1 | — | — | 40 | 5.4 |
| Post-traumatic stress disorder | 6211 | 520 | 20 | 3.8 | — | — | 140 | 26.9 |
| Anxiety or panic disorder | 6213 | 60 | — | — | — | — | — | — |

See footnotes at end of table.

TABLE L67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, local government, 2011² — Continued

| Nature | Days-away-from-work cases involving: | | | | | | | | Median days away from work |
|--|--------------------------------------|---------|--------------|---------|--------------|---------|-----------------|---------|----------------------------|
| | 6 - 10 days | | 11 - 20 days | | 21 - 30 days | | 31 days or more | | |
| | Number | Percent | Number | Percent | Number | Percent | Number | Percent | |
| Other infectious and parasitic diseases | — | — | — | — | — | — | — | — | 1 |
| Scabies and other acariases | — | — | — | — | — | — | — | — | 1 |
| Neoplasms, tumors, and cancers | — | — | — | — | — | — | 220 | 100.0 | 40 |
| Malignant neoplasms and tumors (cancers, carcinomas, sarcomas) | — | — | — | — | — | — | 220 | 100.0 | 40 |
| Malignant neoplasms and tumors of other sites | — | — | — | — | — | — | 180 | 100.0 | 40 |
| Symptoms, signs, and ill-defined conditions | 180 | 10.4 | 270 | 15.6 | 70 | 4.0 | 180 | 10.4 | 3 |
| Symptoms, signs, and ill-defined conditions, unspecified | — | — | — | — | — | — | — | — | 6 |
| Symptoms | 160 | 9.8 | 260 | 16.0 | 60 | 3.7 | 170 | 10.4 | 3 |
| General symptoms | 80 | 8.8 | 180 | 19.8 | 50 | 5.5 | 80 | 8.8 | 4 |
| Loss of consciousness—not heat related | 20 | 8.0 | — | — | 20 | 8.0 | 30 | 12.0 | 4 |
| Convulsions, seizures | — | — | — | — | — | — | — | — | 87 |
| Dizziness—general | 30 | 13.0 | — | — | — | — | — | — | 2 |
| Inflammation, swelling—general | — | — | — | — | — | — | — | — | 3 |
| Numbness—general | — | — | — | — | — | — | — | — | 16 |
| Multiple general symptoms | — | — | — | — | — | — | 20 | 6.1 | 17 |
| General symptoms, n.e.c. | — | — | — | — | — | — | — | — | 8 |
| Symptoms involving head and neck | — | — | — | — | — | — | 30 | 37.5 | 2 |
| Headache, except migraine | — | — | — | — | — | — | 30 | 100.0 | 130 |
| Symptoms involving cardiovascular system | — | — | — | — | — | — | 60 | 66.7 | 180 |
| Symptoms involving cardiovascular system, n.e.c. | — | — | — | — | — | — | 60 | 85.7 | 180 |
| Symptoms involving respiratory system and chest | 80 | 19.0 | 80 | 19.0 | — | — | — | — | 3 |
| Symptoms involving respiratory system and chest, unspecified | — | — | — | — | — | — | — | — | 3 |
| Chest pain | 50 | 21.7 | 70 | 30.4 | — | — | — | — | 7 |
| Multiple symptoms involving respiratory system and chest | — | — | — | — | — | — | — | — | 1 |
| Symptoms involving respiratory system and chest, n.e.c. | 20 | 15.4 | — | — | — | — | — | — | 2 |
| Multiple symptoms | — | — | — | — | — | — | — | — | 1 |
| Abnormal findings | — | — | — | — | — | — | — | — | 2 |
| Other abnormal findings | — | — | — | — | — | — | — | — | 2 |
| Other diseases, conditions, and disorders | 180 | 10.1 | 190 | 10.6 | 280 | 15.6 | 780 | 43.6 | 30 |
| Mental disorders and syndromes | 180 | 10.1 | 190 | 10.6 | 280 | 15.6 | 780 | 43.6 | 30 |
| Anxiety, stress | 180 | 10.3 | 190 | 10.9 | 280 | 16.1 | 740 | 42.5 | 29 |
| Anxiety, stress, unspecified | 120 | 16.2 | 40 | 5.4 | 140 | 18.9 | 360 | 48.6 | 30 |
| Post-traumatic stress disorder | 20 | 3.8 | 140 | 26.9 | 80 | 15.4 | 120 | 23.1 | 12 |
| Anxiety or panic disorder | — | — | — | — | — | — | 50 | 83.3 | 36 |

See footnotes at end of table.

TABLE L67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, local government, 2011² — Continued

| Nature | Nature code ³ | Local government ⁴ | Days-away-from-work cases involving: | | | | | |
|---|--------------------------|-------------------------------|--------------------------------------|---------|--------|---------|------------|---------|
| | | | 1 day | | 2 days | | 3 - 5 days | |
| | | | Number | Percent | Number | Percent | Number | Percent |
| Anxiety, stress, n.e.c. | 6219 | 420 | 20 | 4.8 | — | — | 80 | 19.0 |
| Mental disorders and syndromes, n.e.c. | 629 | 30 | — | — | — | — | — | — |
| Exposures to disease—no illness incurred | 7 | 150 | 30 | 20.0 | 40 | 26.7 | — | — |
| Multiple diseases, conditions, and disorders | 8 | 80 | — | — | 30 | 37.5 | — | — |
| Nonclassifiable | 9999 | 1,880 | 1,000 | 53.2 | 50 | 2.7 | 180 | 9.6 |

See footnotes at end of table.

TABLE L67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, local government, 2011² — Continued

| Nature | Days-away-from-work cases involving: | | | | | | | | Median days away from work |
|---|--------------------------------------|---------|--------------|---------|--------------|---------|-----------------|---------|----------------------------|
| | 6 - 10 days | | 11 - 20 days | | 21 - 30 days | | 31 days or more | | |
| | Number | Percent | Number | Percent | Number | Percent | Number | Percent | |
| Anxiety, stress, n.e.c. | 30 | 7.1 | — | — | 50 | 11.9 | 220 | 52.4 | 44 |
| Mental disorders and syndromes, n.e.c. | — | — | — | — | — | — | — | — | 105 |
| Exposures to disease—no illness incurred | — | — | 70 | 46.7 | — | — | — | — | 5 |
| Multiple diseases, conditions, and disorders | — | — | — | — | — | — | 40 | 50.0 | 11 |
| Nonclassifiable | 90 | 4.8 | 40 | 2.1 | 350 | 18.6 | 160 | 8.5 | 1 |

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2011. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.
Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.