

TABLE L78. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and hours on the job before event occurred, local government, 2011²

Nature	Nature code ³	Local government ⁴	Hours on the job before event occurred										
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	Not reported
Total		199,700	2,360	18,020	20,060	39,230	29,580	27,870	10,800	3,890	4,470	1,620	41,820
Traumatic injuries and disorders	1	189,340	2,330	17,420	19,660	38,130	27,790	26,950	10,430	3,800	4,430	1,330	37,070
Traumatic injuries and disorders, unspecified	10	11,190	40	980	790	1,550	840	1,550	660	120	150	90	4,440
Traumatic injuries to bones, nerves, spinal cord	11	14,440	170	1,550	1,170	2,600	2,100	2,370	920	310	100	140	3,010
Traumatic injuries to bones, nerves, spinal cord, unspecified	110	390	–	60	70	70	70	40	–	–	–	–	60
Fractures	111	13,590	160	1,480	1,070	2,450	1,860	2,320	890	300	100	130	2,830
Traumatic injuries to nerves, except the spinal cord	113	410	–	20	30	70	150	–	20	–	–	–	100
Traumatic injuries to nerves, except the spinal cord, unspecified	1130	30	–	–	–	–	–	–	–	–	–	–	–
Pinched nerve	1131	370	–	20	30	60	150	–	–	–	–	–	70
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	119	20	–	–	–	–	–	–	–	–	–	–	–
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	12	81,770	730	7,290	8,630	17,240	12,410	11,150	4,300	1,870	1,890	320	15,940
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	120	720	–	70	40	310	40	80	30	20	–	–	130
Dislocations	121	1,620	–	160	90	190	280	270	270	20	20	–	320
Dislocations, unspecified	1210	180	–	–	–	20	–	20	–	–	–	–	100
Herniated discs	1211	430	–	–	–	90	120	60	40	–	–	–	90
Dislocation of joints	1212	960	–	130	60	80	140	190	220	20	–	–	100
Dislocations, n.e.c.	1219	50	–	–	–	–	–	–	–	–	–	–	30
Cartilage fractures and tears	122	850	–	30	110	170	130	200	30	–	–	–	180
Cartilage fractures and tears, unspecified	1220	30	–	–	–	–	–	–	–	–	–	–	–
Meniscus tears	1221	800	–	30	110	170	110	180	20	–	–	–	170
Cartilage fractures and tears, n.e.c.	1229	20	–	–	–	–	–	–	–	–	–	–	–
Sprains, strains, tears	123	76,710	700	6,960	8,150	16,180	11,580	10,330	3,890	1,810	1,860	310	14,940
Sprains, strains, tears, unspecified	1230	5,350	50	420	470	1,160	820	650	170	150	480	20	950
Major tears to muscles, tendons, ligaments	1231	3,760	30	250	250	900	560	610	200	130	130	–	690
Sprains	1232	23,220	190	2,370	2,050	5,280	3,310	3,700	1,210	590	280	90	4,160
Strains	1233	42,710	430	3,800	5,220	8,240	6,640	5,190	2,230	920	970	200	8,880
Multiple sprains, strains, tears	1238	1,670	–	130	160	600	240	170	80	–	–	–	260
Hernias due to traumatic incidents	124	1,230	–	40	90	330	190	160	60	–	–	–	330
Whiplash	125	270	–	–	140	20	–	30	–	–	–	–	40
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	128	170	–	–	–	20	30	90	20	–	–	–	–
Traumatic injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	129	210	–	–	–	20	160	–	–	–	–	–	–
Open wounds	13	10,730	70	600	1,730	2,400	1,480	2,110	440	110	150	20	1,620
Open wounds, unspecified	130	90	–	–	–	40	–	20	–	–	–	–	–
Amputations, avulsions, enucleations	131	270	–	20	30	60	50	30	–	–	20	–	60

See footnotes at end of table.

TABLE L78. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and hours on the job before event occurred, local government, 2011² — Continued

Nature	Nature code ³	Local government ⁴	Hours on the job before event occurred										
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	Not reported
Amputations	1311	220	—	20	30	50	30	20	—	—	—	—	40
Avulsions, enucleations	1312	50	—	—	—	—	20	—	—	—	—	—	—
Cuts, lacerations	132	7,720	60	480	1,180	1,960	960	1,590	210	50	120	—	1,110
Puncture wounds, except gunshot wounds	133	2,400	—	90	490	320	370	450	150	40	—	20	440
Gunshot wounds	134	210	—	—	—	20	90	—	70	—	—	—	—
Multiple types of open wounds	138	20	—	—	—	—	—	—	—	—	—	—	—
Open wounds, n.e.c.	139	20	—	—	—	—	—	—	—	—	—	—	—
Surface wounds and bruises	14	22,050	470	2,180	2,210	4,760	3,250	2,930	1,170	300	710	110	3,940
Surface wounds and bruises, unspecified	140	200	—	30	—	30	20	—	20	—	—	—	70
Abrasions, scratches	141	2,120	—	190	240	290	350	340	90	30	340	—	240
Bruises, contusions	143	19,230	450	1,880	1,890	4,310	2,830	2,540	1,030	270	370	60	3,600
Multiple surface wounds and bruises	148	340	—	50	80	120	50	30	—	—	—	—	—
Surface wounds and bruises, n.e.c. ...	149	150	—	30	—	—	—	20	—	—	—	—	30
Burns and corrosions	15	1,710	—	130	120	380	350	300	50	70	—	100	200
Burns and corrosions, unspecified	150	40	—	—	—	—	—	—	—	—	—	—	—
Chemical burns and corrosions, unspecified	151	320	—	20	40	20	20	150	20	—	—	—	50
Heat (thermal) burns	152	1,230	—	90	60	320	320	120	30	60	—	100	120
Heat (thermal) burns, unspecified ..	1520	930	—	70	50	220	250	110	—	60	—	70	80
First degree heat (thermal) burns ..	1521	90	—	—	—	50	30	—	—	—	—	—	—
Second degree heat (thermal) burns	1522	180	—	—	—	40	20	—	20	—	—	—	—
Heat (thermal) burns, n.e.c.	1529	30	—	—	—	—	—	—	—	—	—	—	—
Electrical burns	153	40	—	—	—	—	—	—	—	—	—	—	—
Electrical burns, unspecified	1530	40	—	—	—	—	—	—	—	—	—	—	—
Other burns	159	80	—	—	—	—	—	20	—	—	—	—	—
Other burns, first degree	1591	80	—	—	—	—	—	20	—	—	—	—	—
Intracranial injuries	16	1,780	50	240	130	370	270	270	160	30	30	—	220
Intracranial injuries, unspecified	160	190	—	—	20	—	—	40	60	—	—	—	40
Concussions	162	1,580	50	230	110	360	250	230	100	30	30	—	190
Effects of environmental conditions	17	780	—	60	20	190	80	240	20	—	40	—	120
Effects of heat and light	172	770	—	60	20	190	80	240	20	—	30	—	120
Effects of heat and light, unspecified	1720	50	—	—	—	—	30	—	—	—	—	—	—
Heat stroke	1721	20	—	—	—	20	—	—	—	—	—	—	—
Heat syncope	1722	90	—	—	—	—	—	80	—	—	—	—	—
Heat fatigue	1723	100	—	—	—	—	—	—	—	—	—	—	—
Heat exhaustion, prostration	1725	460	—	50	20	140	40	150	—	—	30	—	—
Effects of heat and light, n.e.c.	1729	50	—	—	—	20	—	—	—	—	—	—	—
Multiple traumatic injuries and disorders	18	9,490	110	1,110	980	1,560	1,720	1,570	800	290	480	—	860
Multiple traumatic injuries and disorders, unspecified	180	1,200	—	70	40	340	50	50	260	200	—	—	190
Cuts and abrasions or bruises	181	2,000	—	130	220	210	580	340	260	—	100	—	160
Sprains and other injuries	182	4,110	70	660	510	660	640	610	180	80	340	—	350

See footnotes at end of table.

TABLE L78. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and hours on the job before event occurred, local government, 2011² — Continued

Nature	Nature code ³	Local government ⁴	Hours on the job before event occurred										Not reported
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	
Sprains and other injuries, unspecified	1820	120	—	—	—	20	—	—	50	—	—	—	30
Sprains and bruises	1821	3,130	50	510	490	540	520	310	100	60	340	—	200
Sprains and cuts	1822	420	—	—	—	30	70	240	—	—	—	—	50
Sprains and other injuries, n.e.c. ...	1829	440	20	140	—	60	50	50	20	20	—	—	80
Fractures and other injuries	183	970	—	130	120	150	300	90	70	—	40	—	60
Fractures and other injuries, unspecified	1830	70	—	—	—	—	—	—	20	—	—	—	—
Fractures (except skull fractures) and concussions	1831	50	—	—	—	—	—	—	—	—	—	—	30
Fractures and dislocations	1834	160	—	20	—	—	110	—	—	—	—	—	—
Fractures and other injuries, n.e.c. ...	1839	700	—	100	90	130	190	80	50	—	30	—	20
Burns and other injuries, except fractures	184	30	—	—	—	—	—	—	—	—	—	—	—
Burns and other injuries, n.e.c.	1849	30	—	—	—	—	—	—	—	—	—	—	—
Multiple traumatic injuries and disorders, n.e.c.	189	1,180	30	120	80	200	140	490	30	—	—	—	90
Other traumatic injuries and disorders ...	19	35,390	700	3,260	3,880	7,070	5,290	4,460	1,920	690	860	540	6,720
Other traumatic injuries and disorders, unspecified	190	60	—	—	—	—	—	—	—	—	—	—	—
Electrocutions, electric shocks	193	160	—	30	—	20	—	—	—	—	—	20	70
Dermatitis and reactions affecting the skin—acute	195	560	—	50	20	60	80	60	50	—	—	—	220
Dermatitis and reactions affecting the skin—acute, unspecified	1950	190	—	—	—	20	40	—	—	—	—	—	90
Allergic dermatitis—acute	1951	280	—	50	—	30	30	40	40	—	—	—	70
Irritant dermatitis—acute	1952	50	—	—	—	—	—	20	—	—	—	—	30
Dermatitis and reactions affecting the skin—acute, n.e.c.	1959	40	—	—	—	—	—	—	—	—	—	—	40
Other poisoning, toxic, noxious, or allergenic effects	196	1,660	—	130	100	270	130	420	130	60	—	—	380
Poisoning, toxic, noxious, or allergenic effect, unspecified	1960	420	—	30	50	120	50	50	—	—	—	—	90
Poisoning, including poisoning-related asphyxia	1961	260	—	—	—	30	—	110	—	—	—	—	90
Other respiratory system symptoms—toxic, noxious, or allergenic effect	1963	440	—	50	30	40	40	210	—	40	—	—	30
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	1965	180	—	20	—	—	—	—	—	—	—	—	120
Other or unspecified allergic reactions	1966	130	—	—	—	30	—	40	40	—	—	—	—
Nausea, vomiting— toxic, noxious, or allergenic effect	1967	40	—	—	—	30	—	—	—	—	—	—	—
Multiple poisoning, toxic, noxious, or allergenic effects	1968	50	—	—	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE L78. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and hours on the job before event occurred, local government, 2011² — Continued

Nature	Nature code ³	Local government ⁴	Hours on the job before event occurred										Not reported	
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours		
Other poisoning, toxic, noxious, or allergenic effects, n.e.c.	1969	130	—	20	—	—	—	—	—	70	—	—	—	30
Nonspecified injuries and disorders ...	197	32,920	680	3,040	3,760	6,710	5,070	3,960	1,730	600	850	510	6,010	
Crushing injuries	1971	750	—	60	70	190	140	140	20	—	—	—	100	
Soreness, pain, hurt—nonspecified injury	1972	25,890	640	2,560	2,700	4,920	4,000	3,100	1,420	490	470	510	5,070	
Swelling, inflammation, irritation—nonspecified injury	1973	3,770	20	160	270	1,220	520	520	110	80	370	—	520	
Numbness—nonspecified injury	1974	240	—	—	50	40	—	20	—	—	—	—	90	
Multiple nonspecified injuries and disorders	1978	1,180	—	50	360	230	240	60	150	30	—	—	50	
Nonspecified injuries and disorders, n.e.c.	1979	1,080	—	200	300	120	140	110	30	—	—	—	160	
Other traumatic injuries and disorders, n.e.c.	199	20	—	—	—	—	—	—	—	—	—	—	—	
Diseases and disorders of body systems	2	4,320	—	150	170	450	580	260	150	40	30	150	2,340	
Systemic diseases and disorders, unspecified	20	20	—	—	—	—	—	—	—	—	—	—	20	
Nervous system and sense organs diseases	22	1,760	—	50	60	100	80	50	90	—	—	—	1,310	
Disorders of the peripheral nervous system	224	1,460	—	40	40	40	60	20	20	—	—	—	1,230	
Carpal tunnel syndrome	2241	1,430	—	40	40	30	50	20	20	—	—	—	1,210	
Disorders of the eye, adnexa, vision ..	225	140	—	—	20	60	—	20	—	—	—	—	—	
Conjunctivitis—non-viral	2251	30	—	—	—	—	—	—	—	—	—	—	—	
Blindness, low vision	2254	60	—	—	—	60	—	—	—	—	—	—	—	
Disorders of the eye, adnexa, vision, n.e.c.	2259	30	—	—	—	—	—	20	—	—	—	—	—	
Disorders of the ear, mastoid process, hearing	226	140	—	—	—	—	20	—	60	—	—	—	—	
Deafness, hearing loss and impairment	2261	120	—	—	—	—	—	—	60	—	—	—	—	
Circulatory system diseases	23	540	—	—	—	40	100	40	20	—	—	—	190	
Hypertensive disease	232	60	—	—	—	—	—	40	—	—	—	—	—	
Ischemic heart disease, including heart attack	233	280	—	—	—	—	80	—	20	—	—	—	180	
Ischemic heart disease, unspecified	2330	40	—	—	—	—	—	—	—	—	—	—	40	
Myocardial infarction (heart attack)	2331	220	—	—	—	—	80	—	20	—	—	—	110	
Other forms of heart disease	235	20	—	—	—	—	—	—	—	—	—	—	—	
Other forms of heart disease, n.e.c.	2359	20	—	—	—	—	—	—	—	—	—	—	—	
Respiratory system diseases	24	140	—	—	—	—	—	20	—	—	—	—	110	
Pneumonia, influenza	243	40	—	—	—	—	—	—	—	—	—	—	40	
Pneumonia	2431	30	—	—	—	—	—	—	—	—	—	—	30	
Chronic obstructive pulmonary disease and allied conditions	244	20	—	—	—	—	—	—	—	—	—	—	—	

See footnotes at end of table.

TABLE L78. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and hours on the job before event occurred, local government, 2011² — Continued

Nature	Nature code ³	Local government ⁴	Hours on the job before event occurred											
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	Not reported	
Asthma, except intrinsic	2443	20	—	—	—	—	—	—	—	—	—	—	—	—
Digestive system diseases and disorders	25	120	—	—	—	—	—	—	—	—	—	—	—	80
Hernia—nontraumatic	253	120	—	—	—	—	—	—	—	—	—	—	—	80
Musculoskeletal system and connective tissue diseases and disorders	27	1,170	—	80	90	170	260	70	30	30	20	—	—	420
Musculoskeletal system and connective tissue diseases and disorders, unspecified	270	20	—	—	—	—	—	—	—	—	—	—	—	—
Dorsopathies	272	210	—	50	—	90	—	—	—	—	—	—	—	—
Sciatica	2721	90	—	—	—	90	—	—	—	—	—	—	—	—
Lumbago	2722	50	—	50	—	—	—	—	—	—	—	—	—	—
Dorsopathies, n.e.c.	2729	40	—	—	—	—	—	—	—	—	—	—	—	—
Soft tissue disorders, except the back	273	870	—	30	70	80	260	40	20	—	20	—	—	350
Soft tissue disorder, except the back, unspecified	2730	80	—	—	—	—	—	—	—	—	—	—	—	60
Bursitis	2731	90	—	—	—	—	—	—	—	—	—	—	—	80
Stenosing tenosynovitis	2732	60	—	—	—	—	—	—	—	—	—	—	—	—
Epicondylitis	2734	280	—	—	—	—	220	30	—	—	—	—	—	—
Other or unspecified tendonitis (tendinitis)	2735	230	—	—	20	40	—	—	20	—	—	—	—	110
Ganglion or cystic tumor	2736	90	—	—	20	—	—	—	—	—	—	—	—	60
Soft tissue disorder, except the back, n.e.c.	2739	20	—	—	—	—	—	—	—	—	—	—	—	—
Osteopathies, chondropathies, and acquired deformities	274	70	—	—	—	—	—	—	—	—	—	—	—	70
Disorders of the skin and subcutaneous tissue	28	280	—	—	—	90	30	60	—	—	—	—	—	90
Infections of the skin and subcutaneous tissue	281	270	—	—	—	90	30	60	—	—	—	—	—	80
Infections of the skin and subcutaneous tissue, unspecified	2810	80	—	—	—	—	—	50	—	—	—	—	—	30
Cellulitis and abscess	2811	40	—	—	—	—	—	—	—	—	—	—	—	—
Methicillin-resistant staphylococcus aureus (MRSA) infection	2813	120	—	—	—	—	20	—	—	—	—	—	—	40
Other staphylococcus skin infection	2814	20	—	—	—	—	—	—	—	—	—	—	—	—
Other systemic diseases and disorders	29	260	—	—	20	30	—	—	—	—	—	—	—	100
Other systemic diseases and disorders, unspecified	290	230	—	—	—	20	—	—	—	—	—	—	—	100
Endocrine, nutritional, metabolic, and immunity disorders	291	30	—	—	20	—	—	—	—	—	—	—	—	—
Endocrine, nutritional, metabolic, and immunity disorders, n.e.c.	2919	30	—	—	20	—	—	—	—	—	—	—	—	—
Infectious and parasitic diseases	3	200	—	20	—	—	20	20	—	—	—	—	—	110
Infectious and parasitic diseases, unspecified	30	40	—	—	—	—	—	—	—	—	—	—	—	—
Bacterial diseases	31	60	—	—	—	—	—	—	—	—	—	—	—	50

See footnotes at end of table.

TABLE L78. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and hours on the job before event occurred, local government, 2011² — Continued

Nature	Nature code ³	Local government ⁴	Hours on the job before event occurred											Not reported
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours		
Other bacterial diseases	319	50	—	—	—	—	—	—	—	—	—	—	—	40
Viral diseases	32	50	—	20	—	—	—	—	—	—	—	—	—	—
Viral diseases accompanied by exanthem (eruptive fever)	323	20	—	—	—	—	—	—	—	—	—	—	—	—
Chickenpox, varicella	3233	20	—	—	—	—	—	—	—	—	—	—	—	—
Other diseases due to viruses	329	20	—	20	—	—	—	—	—	—	—	—	—	—
Other diseases due to viruses, n.e.c.	3299	20	—	20	—	—	—	—	—	—	—	—	—	—
Other infectious and parasitic diseases	39	30	—	—	—	—	—	—	—	—	—	—	—	20
Scabies and other acariases	392	30	—	—	—	—	—	—	—	—	—	—	—	20
Neoplasms, tumors, and cancers	4	220	—	—	—	—	—	—	—	—	—	—	—	220
Malignant neoplasms and tumors (cancers, carcinomas, sarcomas)	41	220	—	—	—	—	—	—	—	—	—	—	—	220
Malignant neoplasms and tumors of other sites	419	180	—	—	—	—	—	—	—	—	—	—	—	180
Symptoms, signs, and ill-defined conditions	5	1,730	—	200	70	400	160	240	50	30	—	20	—	560
Symptoms, signs, and ill-defined conditions, unspecified	50	30	—	—	—	—	—	—	—	—	—	—	—	—
Symptoms	51	1,630	—	190	50	390	140	200	50	30	—	20	—	540
General symptoms	511	910	—	50	30	140	40	160	—	20	—	—	—	460
Loss of consciousness—not heat related	5111	250	—	—	20	—	30	80	—	—	—	—	—	90
Convulsions, seizures	5112	20	—	—	—	—	—	—	—	—	—	—	—	—
Dizziness—general	5114	230	—	40	—	20	—	50	—	—	—	—	—	90
Inflammation, swelling—general	5115	20	—	—	—	—	—	—	—	—	—	—	—	—
Numbness—general	5116	20	—	—	—	—	—	—	—	—	—	—	—	—
Multiple general symptoms	5118	330	—	—	—	90	—	—	—	—	—	—	—	220
General symptoms, n.e.c.	5119	30	—	—	—	—	—	—	—	—	—	—	—	20
Symptoms involving head and neck ..	514	80	—	30	—	—	—	—	—	—	—	—	—	—
Headache, except migraine	5141	30	—	30	—	—	—	—	—	—	—	—	—	—
Symptoms involving cardiovascular system	515	90	—	—	—	—	—	—	—	—	—	—	—	—
Symptoms involving cardiovascular system, n.e.c.	5159	70	—	—	—	—	—	—	—	—	—	—	—	—
Symptoms involving respiratory system and chest	516	420	—	110	—	110	40	30	30	—	—	—	—	70
Symptoms involving respiratory system and chest, unspecified	5160	40	—	—	—	—	—	—	—	—	—	—	—	—
Chest pain	5164	230	—	30	—	80	20	—	—	—	—	—	—	—
Multiple symptoms involving respiratory system and chest	5168	30	—	—	—	—	—	—	—	—	—	—	—	—
Symptoms involving respiratory system and chest, n.e.c.	5169	130	—	60	—	—	20	—	—	—	—	—	—	—
Multiple symptoms	518	90	—	—	—	80	—	—	—	—	—	—	—	—
Abnormal findings	52	60	—	—	—	—	—	40	—	—	—	—	—	—

See footnotes at end of table.

TABLE L78. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and hours on the job before event occurred, local government, 2011² — Continued

Nature	Nature code ³	Local government ⁴	Hours on the job before event occurred											
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	Not reported	
Other abnormal findings	529	40	—	—	—	—	—	—	40	—	—	—	—	—
Other diseases, conditions, and disorders	6	1,790	—	180	80	130	240	290	80	—	—	—	120	640
Mental disorders and syndromes	62	1,790	—	180	80	130	240	290	80	—	—	—	120	640
Anxiety, stress	621	1,740	—	180	80	120	240	280	80	—	—	—	120	630
Anxiety, stress, unspecified	6210	740	—	70	20	40	140	40	50	—	—	—	—	360
Post-traumatic stress disorder	6211	520	—	20	20	20	60	50	30	—	—	—	120	170
Anxiety or panic disorder	6213	60	—	—	—	20	—	20	—	—	—	—	—	—

See footnotes at end of table.

TABLE L78. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and hours on the job before event occurred, local government, 2011² — Continued

Nature	Nature code ³	Local government ⁴	Hours on the job before event occurred										
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	Not reported
Anxiety, stress, n.e.c.	6219	420	—	80	30	30	30	170	—	—	—	—	80
Mental disorders and syndromes, n.e.c.	629	30	—	—	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE L78. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and hours on the job before event occurred, local government, 2011² — Continued

Nature	Nature code ³	Local government ⁴	Hours on the job before event occurred										
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	Not reported
Exposures to disease—no illness incurred	7	150	—	—	—	20	20	—	60	—	—	—	40
Multiple diseases, conditions, and disorders	8	80	—	—	20	30	—	—	—	—	—	—	—
Nonclassifiable	9999	1,880	—	50	40	60	780	110	20	—	—	—	820

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2011. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.