

TABLE L79. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by injury or illness and hours on the job before event occurred, local government, 2011<sup>2</sup>

Part of body	Part of body code <sup>3</sup>	Local government <sup>4</sup>	Hours on the job before event occurred										
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	Not reported
Total .....		199,700	2,360	18,020	20,060	39,230	29,580	27,870	10,800	3,890	4,470	1,620	41,820
<b>Head</b> .....	1	12,430	100	1,100	1,690	3,430	1,890	1,390	640	160	400	50	1,570
Head, unspecified .....	10	3,190	—	210	610	890	700	300	50	20	—	—	390
Cranial region, including skull .....	11	2,840	50	340	540	590	350	370	210	30	30	—	320
Cranial region, unspecified .....	110	30	—	—	—	—	—	—	—	—	—	—	—
Brain .....	111	1,850	50	250	140	380	270	300	160	30	30	—	250
Scalp .....	112	690	—	30	400	170	40	20	—	—	—	—	30
Skull .....	113	110	—	50	—	—	30	—	—	—	—	—	—
Multiple cranial region locations .....	118	140	—	—	—	—	—	50	—	—	—	—	—
Cranial region, n.e.c. ....	119	20	—	—	—	—	—	—	—	—	—	—	—
Ear(s) .....	12	400	—	—	—	80	60	50	80	—	—	—	70
Face .....	13	5,790	30	520	540	1,750	770	650	280	100	370	—	780
Face, unspecified .....	130	790	—	70	70	240	110	50	20	—	—	—	220
Forehead .....	131	400	—	60	70	110	40	60	—	—	—	—	40
Eye(s) .....	132	3,120	—	260	300	900	300	390	200	60	340	—	370
Nose, nasal cavity .....	133	260	—	20	20	90	30	40	—	—	—	—	30
Nose, except internal location of diseases or disorders .....	1330	260	—	20	20	90	30	40	—	—	—	—	30
Cheek(s) .....	134	230	—	—	—	210	—	—	—	—	—	—	—
Jaw, chin .....	135	90	—	—	—	—	—	—	—	—	—	—	50
Mouth .....	136	440	—	30	—	100	210	50	—	20	—	—	30
Mouth, unspecified .....	1360	30	—	—	—	—	—	20	—	—	—	—	—
Lip(s) .....	1361	240	—	—	—	20	200	—	—	—	—	—	—
Tooth (teeth) .....	1363	120	—	20	—	30	—	30	—	20	—	—	—
Multiple mouth locations .....	1368	40	—	—	—	—	—	—	—	—	—	—	—
Multiple face locations .....	138	370	—	60	70	60	60	50	20	—	—	—	40
Face, n.e.c. ....	139	80	—	—	—	40	—	—	—	—	—	—	—
Multiple head locations .....	18	170	—	30	—	80	—	20	—	—	—	—	—
Head, n.e.c. ....	19	50	—	—	—	30	—	—	—	—	—	—	—
<b>Neck, including throat</b> .....	2	2,730	100	210	300	410	590	340	110	180	—	20	460
Neck, except internal location of diseases or disorders .....	20	2,720	100	210	300	410	590	340	110	180	—	20	460
<b>Trunk</b> .....	3	42,260	250	3,770	4,910	9,190	5,940	4,890	2,070	780	550	360	9,540
Trunk, unspecified .....	30	210	—	—	—	30	130	20	—	—	—	—	—
Chest, including ribs, internal organs .....	31	3,440	20	160	290	630	420	390	350	100	20	190	850
Chest, except internal location of diseases or disorders .....	310	2,650	20	120	280	570	300	350	330	100	20	40	530
Internal chest location, unspecified .....	311	100	—	40	—	40	—	—	—	—	—	—	—
Heart .....	313	490	—	—	—	20	100	—	20	—	—	—	180
Lung(s), pleura .....	315	170	—	—	—	—	—	20	—	—	—	—	140
Internal chest location, n.e.c. ....	319	20	—	—	—	—	—	—	—	—	—	—	—
Back, including spine, spinal cord .....	32	31,810	210	3,020	4,000	7,020	4,550	3,730	1,530	500	400	160	6,700
Back, including spine, spinal cord, unspecified .....	320	11,450	100	890	1,300	2,030	1,740	1,290	480	170	120	70	3,270
Thoracic region .....	321	1,540	—	130	150	430	300	190	40	—	—	—	290

See footnotes at end of table.

TABLE L79. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by injury or illness and hours on the job before event occurred, local government, 2011<sup>2</sup> — Continued

Part of body	Part of body code <sup>3</sup>	Local government <sup>4</sup>	Hours on the job before event occurred										Not reported
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	
Lumbar region .....	322	17,510	70	1,860	2,480	4,270	2,370	1,910	960	300	270	80	2,940
Sacral region .....	323	110	—	—	20	60	—	—	—	—	—	—	—
Coccygeal region .....	324	150	—	—	—	60	20	20	—	—	—	—	20
Multiple back regions .....	328	1,010	30	110	50	170	110	300	50	20	—	—	180
Back, including spine, spinal cord, n.e.c. ....	329	40	—	—	—	—	—	—	—	—	—	—	—
Abdomen .....	33	2,450	—	80	170	440	360	240	90	20	—	—	1,050
Abdomen, except internal location of diseases or disorders .....	330	2,070	—	70	160	430	340	230	80	20	—	—	720
Internal abdominal location, unspecified .....	331	110	—	—	—	—	—	—	—	—	—	—	80
Urinary organs .....	334	180	—	—	—	—	—	—	—	—	—	—	180
Kidney(s) .....	3342	30	—	—	—	—	—	—	—	—	—	—	30
Intestines, peritoneum .....	335	20	—	—	—	—	—	—	—	—	—	—	—
Other digestive structures .....	336	70	—	—	—	—	—	—	—	—	—	—	70
Pelvic region .....	34	3,240	—	380	360	740	320	370	50	30	110	—	850
Pelvic region, unspecified .....	340	130	—	—	—	110	—	—	—	—	—	—	—
Hip(s) .....	341	1,420	—	80	160	330	140	170	30	—	—	—	480
Pelvis .....	342	110	—	—	40	30	—	20	—	—	—	—	—
Buttock(s) .....	343	390	—	140	40	30	30	20	—	—	—	—	130
Groin .....	344	1,070	—	120	100	230	130	150	20	—	80	—	230
External reproductive tract structures ..	345	40	—	—	—	—	—	—	—	20	—	—	—
Scrotum .....	3451	30	—	—	—	—	—	—	—	—	—	—	—
Multiple pelvic region locations .....	348	40	—	—	—	—	—	—	—	—	—	—	—
Multiple trunk locations .....	38	1,100	—	120	90	340	150	130	30	130	20	—	80
Trunk, n.e.c. ....	39	20	—	—	—	—	—	—	—	—	—	—	—
<b>Upper extremities .....</b>	<b>4</b>	<b>51,930</b>	<b>270</b>	<b>4,550</b>	<b>4,750</b>	<b>9,920</b>	<b>7,780</b>	<b>7,540</b>	<b>2,880</b>	<b>1,060</b>	<b>1,440</b>	<b>100</b>	<b>11,640</b>
Upper extremities, unspecified .....	40	80	—	40	—	—	—	—	—	—	—	—	20
Shoulder(s), including clavicle(s), scapula(e) .....	41	13,680	60	980	1,040	2,650	2,290	2,220	1,000	260	330	40	2,800
Arm(s) .....	42	9,760	110	1,260	1,140	1,880	1,020	960	540	270	180	20	2,370
Arm(s), unspecified .....	420	2,660	—	460	240	470	340	210	190	100	20	—	630
Upper arm(s) .....	421	1,030	—	120	250	110	50	190	30	70	—	—	210
Elbow(s) .....	422	3,690	100	380	240	830	500	310	260	20	160	20	860
Forearm(s) .....	423	1,440	—	180	190	250	60	170	50	—	—	—	510
Multiple arm locations .....	428	900	—	110	220	230	60	70	—	50	—	—	160
Multiple arm locations, unspecified ..	4280	230	—	—	—	20	—	—	—	—	—	—	20
Elbow(s) and arm(s) .....	4281	250	—	100	30	40	—	—	—	50	—	—	—
Multiple arm locations, n.e.c. ....	4289	420	—	20	—	170	40	60	—	—	—	—	120
Arm(s), n.e.c. ....	429	40	—	—	—	—	—	—	—	—	—	—	—
Wrist(s) .....	43	6,690	30	590	410	1,070	940	910	230	180	350	—	1,960
Hand(s) .....	44	16,660	30	940	1,580	3,210	2,500	3,040	960	340	570	30	3,470
Hand(s), unspecified .....	440	5,220	—	180	620	960	640	1,270	180	70	—	—	1,270
Hand(s), except finger(s) .....	441	990	—	30	100	140	100	180	310	30	—	—	100
Finger(s), fingernail(s) .....	442	9,460	20	730	740	1,920	1,680	1,280	460	230	550	—	1,830
Finger(s), fingernail(s), unspecified ..	4420	7,250	—	410	510	1,520	1,300	990	310	160	400	—	1,640
Fingernail(s), nailbed(s) .....	4421	60	—	—	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE L79. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by injury or illness and hours on the job before event occurred, local government, 2011<sup>2</sup> — Continued

Part of body	Part of body code <sup>3</sup>	Local government <sup>4</sup>	Hours on the job before event occurred										Not reported
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	
Fingertip(s) .....	4422	500	—	40	30	110	30	90	—	—	—	—	70
Finger(s), fingernail(s), n.e.c. ....	4429	1,650	—	260	200	290	340	190	140	30	80	—	110
Hand(s) and finger(s) .....	448	860	—	—	90	170	70	250	—	—	—	—	240
Hand(s), n.e.c. ....	449	140	—	—	20	20	20	60	—	—	—	—	30
Multiple upper extremities locations .....	48	5,000	30	700	590	1,090	1,020	400	140	—	—	—	1,010
Multiple upper extremities locations, unspecified .....	480	270	—	—	—	40	180	—	—	—	—	—	30
Hand(s) and arms(s) .....	481	630	—	30	330	40	40	40	—	—	—	—	150
Hand(s) and arm(s), unspecified .....	4810	100	—	—	—	—	20	20	—	—	—	—	30
Hand(s) and elbow(s) .....	4811	100	—	—	—	—	—	—	—	—	—	—	70
Hand(s) and arm(s), n.e.c. ....	4819	430	—	20	320	20	—	—	—	—	—	—	40
Hand(s) and wrist(s) .....	482	1,410	—	330	90	320	450	90	—	—	—	—	120
Wrist(s) and arm(s) .....	483	320	—	50	30	60	20	20	—	—	—	—	120
Wrist(s) and arm(s), unspecified .....	4830	100	—	—	—	30	—	—	—	—	—	—	30
Wrist(s) and elbow(s) .....	4831	90	—	—	20	—	—	—	—	—	—	—	—
Wrist(s) and arm(s), n.e.c. ....	4839	120	—	—	—	30	—	—	—	—	—	—	70
Shoulder(s) and arm(s) .....	484	1,200	20	240	70	330	120	130	100	—	—	—	200
Multiple upper extremities locations, n.e.c. ....	489	1,170	—	50	70	300	200	120	20	—	—	—	390
Upper extremities, n.e.c. ....	49	60	—	—	—	—	—	—	—	—	—	—	—
<b>Lower extremities</b> .....	<b>5</b>	<b>49,900</b>	<b>820</b>	<b>4,510</b>	<b>4,390</b>	<b>9,510</b>	<b>7,180</b>	<b>8,070</b>	<b>3,030</b>	<b>980</b>	<b>1,120</b>	<b>370</b>	<b>9,900</b>
Lower extremities, unspecified .....	50	110	—	—	—	20	20	—	—	—	—	—	—
Leg(s) .....	51	29,790	550	2,270	2,540	6,090	3,930	4,540	2,100	680	830	220	6,040
Leg(s), unspecified .....	510	3,590	—	150	200	380	390	790	500	—	—	—	1,150
Thigh(s) .....	511	1,550	—	80	90	770	100	60	120	30	—	60	250
Knee(s) .....	512	21,870	390	1,810	1,980	4,340	2,920	3,400	1,290	610	710	160	4,270
Lower leg(s) .....	513	1,680	—	120	120	490	280	210	140	30	—	—	270
Multiple leg locations .....	518	1,060	140	110	140	110	220	80	50	—	—	—	100
Multiple leg locations, unspecified ...	5180	70	—	—	—	—	30	—	—	—	—	—	—
Knee(s) and leg(s) .....	5181	540	—	100	80	30	40	50	20	—	—	—	100
Multiple leg locations, n.e.c. ....	5189	450	—	—	50	70	150	20	—	—	—	—	—
Leg(s), n.e.c. ....	519	40	—	—	—	—	20	—	—	—	—	—	—
Ankle(s) .....	52	10,500	190	1,130	740	1,770	1,540	2,020	470	180	160	140	2,160
Foot (feet) .....	53	7,000	60	730	680	1,320	1,260	1,230	370	90	50	—	1,210
Foot (feet), unspecified .....	530	4,750	30	500	560	880	590	960	250	70	30	—	870
Sole(s) .....	531	410	—	60	20	40	80	40	20	—	—	—	140
Sole(s), unspecified .....	5310	50	—	—	—	—	—	—	—	—	—	—	—
Arch(es), instep(s) .....	5312	40	—	—	—	—	—	—	—	—	—	—	—
Heel(s) .....	5313	300	—	30	—	20	50	20	20	—	—	—	120
Toes(s), toenail(s) .....	532	1,540	40	100	90	340	530	160	90	20	—	—	180
Multiple foot (feet) locations .....	538	110	—	20	—	20	20	30	—	—	—	—	—
Foot (feet), n.e.c. ....	539	180	—	40	—	40	30	30	—	—	—	—	30
Multiple lower extremities locations .....	58	2,510	20	380	400	310	420	280	90	40	60	—	480
Multiple lower extremities locations, unspecified .....	580	120	—	—	—	—	—	—	—	—	—	—	—
Foot (feet) and leg(s) .....	581	380	—	80	40	90	80	40	20	—	—	—	40
Foot(feet) and leg(s), unspecified ....	5810	80	—	30	—	20	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE L79. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by injury or illness and hours on the job before event occurred, local government, 2011<sup>2</sup> — Continued

Part of body	Part of body code <sup>3</sup>	Local government <sup>4</sup>	Hours on the job before event occurred										Not reported
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	
Foot(feet) and knee(s) .....	5811	290	—	50	30	60	70	40	—	—	—	—	40
Foot (feet) and ankle(s) .....	582	740	—	60	70	80	140	90	20	—	—	—	220
Ankle(s) and leg(s) .....	583	740	—	180	30	100	150	110	30	30	20	—	90
Ankle(s) and leg(s), unspecified .....	5830	120	—	20	—	20	—	40	—	—	—	—	30
Ankle(s) and knee(s) .....	5831	510	—	120	20	80	140	50	30	30	—	—	40
Ankle(s) and leg(s), n.e.c. ....	5839	110	—	50	—	—	—	20	—	—	—	—	20
Multiple lower extremities locations, n.e.c. ....	589	530	—	40	260	30	50	50	30	—	—	—	50
<b>Body systems</b> .....	<b>6</b>	<b>5,650</b>	<b>—</b>	<b>510</b>	<b>260</b>	<b>800</b>	<b>600</b>	<b>1,160</b>	<b>220</b>	<b>110</b>	<b>50</b>	<b>150</b>	<b>1,780</b>
<b>Multiple body parts</b> .....	<b>8</b>	<b>32,120</b>	<b>800</b>	<b>3,310</b>	<b>3,720</b>	<b>5,910</b>	<b>4,740</b>	<b>4,340</b>	<b>1,820</b>	<b>600</b>	<b>890</b>	<b>580</b>	<b>5,420</b>
Multiple body parts, unspecified .....	80	1,970	—	150	180	450	170	330	110	30	—	—	540
Head and neck .....	81	440	—	20	50	150	60	70	—	30	—	—	60
Head, neck, and trunk .....	82	220	—	20	30	40	30	50	—	—	—	—	40
Head and trunk .....	83	330	—	40	20	110	80	30	—	—	—	—	30
Neck and back .....	84	2,680	—	220	190	410	340	720	160	30	20	50	530
Shoulder(s) and back .....	85	700	20	80	80	190	90	40	50	—	—	—	130
Hip(s) and leg(s) .....	86	590	—	70	180	60	60	50	—	—	—	—	140
Upper and lower limb(s) .....	87	2,910	40	340	280	500	590	360	140	80	—	—	570
Other multiple body parts .....	89	22,300	700	2,390	2,720	3,990	3,320	2,690	1,340	400	870	500	3,390
Whole body .....	891	200	—	50	—	70	—	—	40	—	—	—	20
Multiple body parts, n.e.c. ....	899	22,100	700	2,340	2,710	3,920	3,320	2,690	1,300	400	850	500	3,370

See footnotes at end of table.

**TABLE L79. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by injury or illness and hours on the job before event occurred, local government, 2011<sup>2</sup> — Continued**

Part of body	Part of body code <sup>3</sup>	Local government <sup>4</sup>	Hours on the job before event occurred										Not reported
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	
<b>Nonclassifiable .....</b>	9999	2,690	—	60	30	60	860	140	30	—	—	—	1,510

<sup>1</sup> Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

<sup>2</sup> Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOI) for reference year 2011. This table includes corrected estimates. For additional information see: [https://www.bls.gov/bls/errata/iif\\_errata\\_1014.htm](https://www.bls.gov/bls/errata/iif_errata_1014.htm).

<sup>3</sup> Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

<sup>4</sup> Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.