

TABLE L86. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and day of the week event occurred, local government, 2011²

| Part of body | Part of body code ³ | Local government ⁴ | Day of week | | | | | | |
|----------------------------------------------------------------|--------------------------------|-------------------------------|-------------|--------|---------|-----------|----------|--------|----------|
| | | | Sunday | Monday | Tuesday | Wednesday | Thursday | Friday | Saturday |
| Total | | 199,700 | 9,710 | 33,280 | 44,090 | 38,790 | 32,690 | 29,370 | 11,770 |
| Head | 1 | 12,430 | 610 | 1,620 | 2,850 | 2,940 | 2,010 | 1,910 | 490 |
| Head, unspecified | 10 | 3,190 | 130 | 230 | 550 | 890 | 800 | 500 | 90 |
| Cranial region, including skull | 11 | 2,840 | 210 | 290 | 860 | 570 | 430 | 370 | 110 |
| Cranial region, unspecified | 110 | 30 | - | - | - | - | - | - | - |
| Brain | 111 | 1,850 | 160 | 200 | 370 | 470 | 220 | 320 | 100 |
| Scalp | 112 | 690 | 40 | 30 | 390 | 60 | 140 | 20 | - |
| Skull | 113 | 110 | - | - | 20 | - | 60 | 20 | - |
| Multiple cranial region locations | 118 | 140 | - | - | 60 | - | - | - | - |
| Cranial region, n.e.c. | 119 | 20 | - | - | - | - | - | - | - |
| Ear(s) | 12 | 400 | - | 80 | 80 | 160 | 50 | 20 | - |
| Face | 13 | 5,790 | 270 | 980 | 1,330 | 1,290 | 680 | 960 | 280 |
| Face, unspecified | 130 | 790 | 40 | 40 | 320 | 140 | 190 | 50 | - |
| Forehead | 131 | 400 | - | 90 | 80 | 30 | 30 | 160 | - |
| Eye(s) | 132 | 3,120 | 210 | 540 | 730 | 780 | 300 | 400 | 160 |
| Nose, nasal cavity | 133 | 260 | - | 70 | 40 | 70 | 50 | - | - |
| Nose, except internal location of diseases or disorders | 1330 | 260 | - | 70 | 40 | 70 | 50 | - | - |
| Cheek(s) | 134 | 230 | - | 70 | - | 140 | - | - | - |
| Jaw, chin | 135 | 90 | - | - | 40 | - | - | 30 | - |
| Mouth | 136 | 440 | - | 60 | 40 | 40 | 40 | 230 | - |
| Mouth, unspecified | 1360 | 30 | - | 20 | - | - | - | - | - |
| Lip(s) | 1361 | 240 | - | - | - | 20 | - | 160 | - |
| Tooth (teeth) | 1363 | 120 | - | 20 | 20 | - | 30 | 30 | - |
| Multiple mouth locations | 1368 | 40 | - | - | - | - | - | - | - |
| Multiple face locations | 138 | 370 | - | 80 | 70 | 80 | 50 | 50 | 30 |
| Face, n.e.c. | 139 | 80 | - | 30 | - | - | 20 | 30 | - |
| Multiple head locations | 18 | 170 | - | - | 40 | 20 | 40 | 50 | - |
| Head, n.e.c. | 19 | 50 | - | 20 | - | - | 20 | - | - |
| Neck, including throat | 2 | 2,730 | 180 | 370 | 400 | 560 | 500 | 550 | 160 |
| Neck, except internal location of diseases or disorders | 20 | 2,720 | 170 | 370 | 400 | 550 | 500 | 550 | 160 |
| Trunk | 3 | 42,260 | 2,140 | 7,280 | 8,240 | 9,200 | 7,150 | 5,490 | 2,770 |
| Trunk, unspecified | 30 | 210 | - | 140 | 20 | - | 30 | - | - |
| Chest, including ribs, internal organs | 31 | 3,440 | 330 | 280 | 750 | 770 | 400 | 560 | 340 |
| Chest, except internal location of diseases or disorders | 310 | 2,650 | 230 | 230 | 560 | 560 | 300 | 480 | 290 |
| Internal chest location, unspecified | 311 | 100 | - | - | - | - | 20 | 50 | - |
| Heart | 313 | 490 | 20 | - | 180 | 170 | 40 | 20 | 50 |
| Lung(s), pleura | 315 | 170 | 70 | 20 | - | 40 | 30 | - | - |
| Internal chest location, n.e.c. | 319 | 20 | - | - | - | - | - | - | - |
| Back, including spine, spinal cord | 32 | 31,810 | 1,570 | 5,790 | 6,090 | 6,770 | 5,530 | 4,170 | 1,900 |
| Back, including spine, spinal cord, unspecified | 320 | 11,450 | 440 | 1,820 | 2,310 | 2,660 | 1,850 | 1,690 | 680 |
| Thoracic region | 321 | 1,540 | 180 | 400 | 320 | 220 | 200 | 190 | 40 |
| Lumbar region | 322 | 17,510 | 890 | 3,350 | 3,290 | 3,690 | 3,090 | 2,070 | 1,120 |
| Sacral region | 323 | 110 | - | 30 | 20 | - | 50 | - | - |
| Coccygeal region | 324 | 150 | - | 50 | - | 30 | 30 | - | - |

See footnotes at end of table.

TABLE L86. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and day of the week event occurred, local government, 2011² — Continued

| Part of body | Part of body code ³ | Local government ⁴ | Day of week | | | | | | |
|------------------------------------------------------------------|--------------------------------|-------------------------------|--------------|--------------|---------------|--------------|--------------|--------------|--------------|
| | | | Sunday | Monday | Tuesday | Wednesday | Thursday | Friday | Saturday |
| Multiple back regions | 328 | 1,010 | 50 | 130 | 140 | 160 | 300 | 200 | 40 |
| Back, including spine, spinal cord, n.e.c. | 329 | 40 | — | 20 | — | — | — | — | — |
| Abdomen | 33 | 2,450 | 70 | 310 | 540 | 660 | 310 | 270 | 290 |
| Abdomen, except internal location of diseases or disorders | 330 | 2,070 | 70 | 260 | 490 | 620 | 290 | 200 | 140 |
| Internal abdominal location, unspecified | 331 | 110 | — | 20 | — | — | — | 60 | — |
| Urinary organs | 334 | 180 | — | — | — | 30 | — | — | — |
| Kidney(s) | 3342 | 30 | — | — | — | 30 | — | — | — |
| Intestines, peritoneum | 335 | 20 | — | — | — | — | — | — | — |
| Other digestive structures | 336 | 70 | — | — | — | — | — | — | — |
| Pelvic region | 34 | 3,240 | 140 | 560 | 460 | 890 | 660 | 340 | 190 |
| Pelvic region, unspecified | 340 | 130 | — | — | — | — | 120 | — | — |
| Hip(s) | 341 | 1,420 | 40 | 160 | 280 | 430 | 250 | 100 | 150 |
| Pelvis | 342 | 110 | — | — | — | 40 | — | — | — |
| Buttock(s) | 343 | 390 | — | 120 | 30 | 120 | 60 | 70 | — |
| Groin | 344 | 1,070 | 70 | 240 | 120 | 240 | 210 | 150 | 30 |
| External reproductive tract structures .. | 345 | 40 | — | — | — | — | — | — | — |
| Scrotum | 3451 | 30 | — | — | — | — | — | — | — |
| Multiple pelvic region locations | 348 | 40 | — | — | — | — | 20 | — | — |
| Multiple trunk locations | 38 | 1,100 | 30 | 190 | 370 | 90 | 230 | 140 | 40 |
| Trunk, n.e.c. | 39 | 20 | — | — | — | — | — | — | — |
| Upper extremities | 4 | 51,930 | 2,200 | 9,710 | 11,410 | 9,660 | 8,070 | 7,530 | 3,350 |
| Upper extremities, unspecified | 40 | 80 | — | — | — | — | 30 | — | — |
| Shoulder(s), including clavicle(s), scapula(e) | 41 | 13,680 | 670 | 2,920 | 2,450 | 2,650 | 2,060 | 2,020 | 910 |
| Arm(s) | 42 | 9,760 | 320 | 1,720 | 2,350 | 1,880 | 1,420 | 1,430 | 650 |
| Arm(s), unspecified | 420 | 2,660 | 140 | 400 | 730 | 350 | 550 | 380 | 90 |
| Upper arm(s) | 421 | 1,030 | — | 140 | 120 | 280 | 120 | 260 | 100 |
| Elbow(s) | 422 | 3,690 | 120 | 780 | 890 | 840 | 410 | 380 | 270 |
| Forearm(s) | 423 | 1,440 | 40 | 310 | 300 | 150 | 170 | 350 | 130 |
| Multiple arm locations | 428 | 900 | 20 | 80 | 300 | 250 | 160 | 50 | 50 |
| Multiple arm locations, unspecified .. | 4280 | 230 | — | — | 210 | — | — | — | — |
| Elbow(s) and arm(s) | 4281 | 250 | — | 30 | 50 | 20 | 80 | 20 | 40 |
| Multiple arm locations, n.e.c. | 4289 | 420 | — | 40 | 40 | 220 | 80 | 20 | — |
| Arm(s), n.e.c. | 429 | 40 | — | — | — | 20 | — | — | — |
| Wrist(s) | 43 | 6,690 | 220 | 820 | 1,770 | 1,820 | 900 | 870 | 280 |
| Hand(s) | 44 | 16,660 | 860 | 2,930 | 3,660 | 2,740 | 2,840 | 2,480 | 1,160 |
| Hand(s), unspecified | 440 | 5,220 | 320 | 880 | 1,180 | 1,080 | 790 | 700 | 270 |
| Hand(s), except finger(s) | 441 | 990 | 70 | 130 | 80 | 100 | 210 | 120 | 280 |
| Finger(s), fingernail(s) | 442 | 9,460 | 430 | 1,790 | 2,100 | 1,330 | 1,740 | 1,530 | 540 |
| Finger(s), fingernail(s), unspecified .. | 4420 | 7,250 | 330 | 1,390 | 1,700 | 920 | 1,220 | 1,230 | 450 |
| Fingernail(s), nailbed(s) | 4421 | 60 | — | — | — | — | 20 | 20 | 20 |
| Fingertip(s) | 4422 | 500 | — | 30 | 180 | 100 | 100 | 70 | — |
| Finger(s), fingernail(s), n.e.c. | 4429 | 1,650 | 90 | 360 | 210 | 310 | 410 | 200 | 70 |
| Hand(s) and finger(s) | 448 | 860 | 40 | 70 | 260 | 220 | 70 | 130 | 70 |
| Hand(s), n.e.c. | 449 | 140 | — | 70 | 40 | — | 30 | — | — |
| Multiple upper extremities locations | 48 | 5,000 | 120 | 1,270 | 1,150 | 550 | 830 | 710 | 360 |

See footnotes at end of table.

TABLE L86. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and day of the week event occurred, local government, 2011² — Continued

| Part of body | Part of body code ³ | Local government ⁴ | Day of week | | | | | | |
|---------------------------------------------------------|--------------------------------|-------------------------------|--------------|--------------|---------------|--------------|--------------|--------------|--------------|
| | | | Sunday | Monday | Tuesday | Wednesday | Thursday | Friday | Saturday |
| Multiple upper extremities locations, unspecified | 480 | 270 | 20 | 30 | — | 20 | 40 | 30 | 130 |
| Hand(s) and arms(s) | 481 | 630 | — | 70 | 430 | 40 | 30 | 30 | 20 |
| Hand(s) and arm(s), unspecified | 4810 | 100 | — | — | 40 | 20 | — | 20 | — |
| Hand(s) and elbow(s) | 4811 | 100 | — | 50 | 30 | — | — | — | — |
| Hand(s) and arm(s), n.e.c. | 4819 | 430 | — | 20 | 360 | — | 20 | — | — |
| Hand(s) and wrist(s) | 482 | 1,410 | 30 | 470 | 240 | 110 | 260 | 130 | 180 |
| Wrist(s) and arm(s) | 483 | 320 | — | 100 | 100 | 60 | — | 40 | — |
| Wrist(s) and arm(s), unspecified | 4830 | 100 | — | — | 40 | — | — | 20 | — |
| Wrist(s) and elbow(s) | 4831 | 90 | — | 20 | 30 | — | — | — | — |
| Wrist(s) and arm(s), n.e.c. | 4839 | 120 | — | 70 | 30 | — | — | — | — |
| Shoulder(s) and arm(s) | 484 | 1,200 | 30 | 360 | 90 | 100 | 190 | 410 | 30 |
| Multiple upper extremities locations, n.e.c. | 489 | 1,170 | 40 | 240 | 280 | 220 | 310 | 80 | — |
| Upper extremities, n.e.c. | 49 | 60 | — | — | — | — | — | — | — |
| Lower extremities | 5 | 49,900 | 2,830 | 8,050 | 10,510 | 9,280 | 8,130 | 8,190 | 2,910 |
| Lower extremities, unspecified | 50 | 110 | — | 60 | — | 20 | — | — | — |
| Leg(s) | 51 | 29,790 | 2,120 | 4,830 | 6,760 | 5,280 | 4,820 | 4,430 | 1,530 |
| Leg(s), unspecified | 510 | 3,590 | 340 | 400 | 1,690 | 340 | 340 | 280 | 190 |
| Thigh(s) | 511 | 1,550 | 80 | 100 | 530 | 200 | 190 | 410 | 30 |
| Knee(s) | 512 | 21,870 | 1,420 | 4,070 | 3,780 | 4,420 | 3,770 | 3,210 | 1,200 |
| Lower leg(s) | 513 | 1,680 | 130 | 200 | 490 | 240 | 280 | 240 | 100 |
| Multiple leg locations | 518 | 1,060 | 140 | 60 | 260 | 90 | 230 | 270 | — |
| Multiple leg locations, unspecified ... | 5180 | 70 | — | 40 | — | — | — | — | — |
| Knee(s) and leg(s) | 5181 | 540 | 140 | 20 | 80 | 70 | 60 | 170 | — |
| Multiple leg locations, n.e.c. | 5189 | 450 | — | — | 170 | — | 170 | 90 | — |
| Leg(s), n.e.c. | 519 | 40 | — | — | — | — | — | 20 | — |
| Ankle(s) | 52 | 10,500 | 390 | 1,660 | 1,940 | 2,040 | 1,880 | 1,590 | 1,000 |
| Foot (feet) | 53 | 7,000 | 180 | 1,110 | 1,310 | 1,510 | 1,020 | 1,550 | 310 |
| Foot (feet), unspecified | 530 | 4,750 | 110 | 850 | 890 | 1,130 | 720 | 940 | 110 |
| Sole(s) | 531 | 410 | — | 40 | 60 | 50 | 150 | 50 | 40 |
| Sole(s), unspecified | 5310 | 50 | — | — | 20 | — | — | — | — |
| Arch(es), instep(s) | 5312 | 40 | — | — | 20 | — | — | — | — |
| Heel(s) | 5313 | 300 | — | 30 | 20 | 30 | 140 | 50 | 30 |
| Toes(s), toenail(s) | 532 | 1,540 | 60 | 190 | 310 | 270 | 100 | 480 | 130 |
| Multiple foot (feet) locations | 538 | 110 | — | — | 20 | 20 | 30 | 20 | 20 |
| Foot (feet), n.e.c. | 539 | 180 | — | 30 | 20 | 40 | 20 | 50 | — |
| Multiple lower extremities locations | 58 | 2,510 | 140 | 380 | 490 | 410 | 400 | 620 | 60 |
| Multiple lower extremities locations, unspecified | 580 | 120 | — | — | 20 | — | — | — | — |
| Foot (feet) and leg(s) | 581 | 380 | — | 50 | 150 | 80 | 30 | 70 | — |
| Foot(feet) and leg(s), unspecified | 5810 | 80 | — | — | 20 | 30 | — | — | — |
| Foot(feet) and knee(s) | 5811 | 290 | — | 30 | 130 | 40 | 20 | 50 | — |
| Foot (feet) and ankle(s) | 582 | 740 | 40 | 170 | 70 | 50 | 180 | 190 | 20 |
| Ankle(s) and leg(s) | 583 | 740 | 60 | 130 | 150 | 170 | 120 | 90 | 20 |
| Ankle(s) and leg(s), unspecified | 5830 | 120 | — | — | 20 | 50 | 40 | — | — |
| Ankle(s) and knee(s) | 5831 | 510 | — | 110 | 120 | 120 | 70 | 90 | — |
| Ankle(s) and leg(s), n.e.c. | 5839 | 110 | 50 | 20 | 20 | — | 20 | — | — |
| Multiple lower extremities locations, n.e.c. | 589 | 530 | 40 | 30 | 100 | 40 | 40 | 260 | 30 |

See footnotes at end of table.

TABLE L86. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and day of the week event occurred, local government, 2011² — Continued

| Part of body | Part of body code ³ | Local government ⁴ | Day of week | | | | | | |
|----------------------------------------|--------------------------------|-------------------------------|-------------|--------|---------|-----------|----------|--------|----------|
| | | | Sunday | Monday | Tuesday | Wednesday | Thursday | Friday | Saturday |
| Body systems | 6 | 5,650 | 250 | 1,230 | 1,050 | 680 | 1,140 | 770 | 520 |
| Multiple body parts | 8 | 32,120 | 1,360 | 4,760 | 8,440 | 6,080 | 5,320 | 4,630 | 1,520 |
| Multiple body parts, unspecified | 80 | 1,970 | 30 | 190 | 560 | 410 | 280 | 250 | 240 |
| Head and neck | 81 | 440 | 20 | 50 | 80 | 120 | 100 | 60 | — |
| Head, neck, and trunk | 82 | 220 | 70 | 40 | 20 | 20 | 50 | 20 | — |
| Head and trunk | 83 | 330 | — | 80 | 50 | 70 | 90 | 30 | — |
| Neck and back | 84 | 2,680 | 70 | 510 | 830 | 310 | 490 | 340 | 120 |
| Shoulder(s) and back | 85 | 700 | 30 | 110 | 160 | 110 | 40 | 180 | 70 |
| Hip(s) and leg(s) | 86 | 590 | — | 70 | 210 | 80 | 160 | 30 | 30 |
| Upper and lower limb(s) | 87 | 2,910 | 200 | 240 | 540 | 1,000 | 610 | 220 | 100 |
| Other multiple body parts | 89 | 22,300 | 930 | 3,480 | 5,980 | 3,970 | 3,490 | 3,510 | 940 |
| Whole body | 891 | 200 | 20 | — | 40 | 40 | 70 | — | — |
| Multiple body parts, n.e.c. | 899 | 22,100 | 910 | 3,470 | 5,940 | 3,930 | 3,430 | 3,500 | 930 |

See footnotes at end of table.

TABLE L86. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and day of the week event occurred, local government, 2011² — Continued

| Part of body | Part of body code ³ | Local government ⁴ | Day of week | | | | | | |
|------------------------------|--------------------------------|-------------------------------|-------------|--------|---------|-----------|----------|--------|----------|
| | | | Sunday | Monday | Tuesday | Wednesday | Thursday | Friday | Saturday |
| Nonclassifiable | 9999 | 2,690 | 150 | 260 | 1,180 | 390 | 350 | 300 | 50 |

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2011. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.
Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.