

TABLE L93. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and time of day event occurred, local government, 2011²

Part of body	Part of body code ³	Local government ⁴	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Total		199,700	5,560	20,830	60,610	47,600	17,740	11,970	35,390
Head	1	12,430	280	1,340	4,850	2,790	1,210	580	1,390
Head, unspecified	10	3,190	20	390	1,340	650	370	110	310
Cranial region, including skull	11	2,840	30	440	1,240	630	180	70	250
Cranial region, unspecified	110	30	—	—	—	—	—	—	—
Brain	111	1,850	—	340	680	410	150	70	180
Scalp	112	690	—	100	490	40	20	—	30
Skull	113	110	—	—	40	60	—	—	—
Multiple cranial region locations	118	140	—	—	—	100	—	—	—
Cranial region, n.e.c.	119	20	—	—	—	—	—	—	—
Ear(s)	12	400	—	—	90	170	20	50	60
Face	13	5,790	170	490	2,100	1,310	610	340	760
Face, unspecified	130	790	—	70	290	150	—	30	220
Forehead	131	400	—	30	190	80	40	—	40
Eye(s)	132	3,120	20	230	1,100	680	490	250	350
Nose, nasal cavity	133	260	—	20	110	70	20	—	20
Nose, except internal location of diseases or disorders	1330	260	—	20	110	70	20	—	20
Cheek(s)	134	230	70	—	140	—	—	—	—
Jaw, chin	135	90	—	—	—	—	—	—	50
Mouth	136	440	50	70	80	220	—	—	20
Mouth, unspecified	1360	30	—	—	—	20	—	—	—
Lip(s)	1361	240	—	—	30	160	—	—	—
Tooth (teeth)	1363	120	—	20	40	30	—	—	—
Multiple mouth locations	1368	40	—	—	—	—	—	—	—
Multiple face locations	138	370	20	20	150	90	20	30	40
Face, n.e.c.	139	80	—	30	30	—	—	—	—
Multiple head locations	18	170	50	—	40	30	30	—	—
Head, n.e.c.	19	50	—	—	30	—	—	—	—
Neck, including throat	2	2,730	40	440	560	600	350	310	430
Neck, except internal location of diseases or disorders	20	2,720	40	440	550	600	350	310	420
Trunk	3	42,260	1,210	4,680	14,230	7,910	3,830	1,900	8,510
Trunk, unspecified	30	210	—	—	90	80	—	30	—
Chest, including ribs, internal organs	31	3,440	240	460	1,050	550	270	150	730
Chest, except internal location of diseases or disorders	310	2,650	80	400	850	490	240	140	450
Internal chest location, unspecified	311	100	—	40	50	—	—	—	—
Heart	313	490	150	20	140	30	—	—	140
Lung(s), pleura	315	170	—	—	—	—	—	—	140
Internal chest location, n.e.c.	319	20	—	—	—	—	—	—	—
Back, including spine, spinal cord	32	31,810	750	3,700	10,940	6,090	2,880	1,480	5,970
Back, including spine, spinal cord, unspecified	320	11,450	210	940	3,630	2,100	850	640	3,070
Thoracic region	321	1,540	120	120	690	230	160	40	190
Lumbar region	322	17,510	410	2,470	6,250	3,390	1,720	680	2,600
Sacral region	323	110	—	—	80	—	—	—	—

See footnotes at end of table.

TABLE L93. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and time of day event occurred, local government, 2011² — Continued

Part of body	Part of body code ³	Local government ⁴	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Coccygeal region	324	150	—	20	80	30	—	—	20
Multiple back regions	328	1,010	—	140	200	330	140	120	80
Back, including spine, spinal cord, n.e.c.	329	40	—	—	—	—	—	—	—
Abdomen	33	2,450	50	120	670	430	180	30	970
Abdomen, except internal location of diseases or disorders	330	2,070	50	110	610	400	180	30	680
Internal abdominal location, unspecified	331	110	—	—	—	20	—	—	80
Urinary organs	334	180	—	—	—	—	—	—	180
Kidney(s)	3342	30	—	—	—	—	—	—	30
Intestines, peritoneum	335	20	—	—	—	—	—	—	—
Other digestive structures	336	70	—	—	—	—	—	—	—
Pelvic region	34	3,240	50	330	1,150	560	230	140	790
Pelvic region, unspecified	340	130	—	—	110	—	—	—	—
Hip(s)	341	1,420	40	120	450	210	70	70	470
Pelvis	342	110	—	30	30	40	—	—	—
Buttock(s)	343	390	—	70	90	90	—	—	130
Groin	344	1,070	—	70	440	190	120	70	180
External reproductive tract structures ..	345	40	—	—	—	—	20	—	—
Scrotum	3451	30	—	—	—	—	—	—	—
Multiple pelvic region locations	348	40	—	—	20	20	—	—	—
Multiple trunk locations	38	1,100	130	80	310	190	260	70	50
Trunk, n.e.c.	39	20	—	—	—	—	—	—	—
Upper extremities	4	51,930	1,060	5,090	15,410	12,360	4,830	3,520	9,650
Upper extremities, unspecified	40	80	—	—	—	30	—	—	20
Shoulder(s), including clavicle(s), scapula(e)	41	13,680	330	1,470	3,930	3,360	1,240	1,030	2,310
Arm(s)	42	9,760	100	1,380	2,840	2,130	990	380	1,940
Arm(s), unspecified	420	2,660	40	240	950	500	290	60	590
Upper arm(s)	421	1,030	—	170	360	220	110	20	160
Elbow(s)	422	3,690	40	610	770	980	440	230	610
Forearm(s)	423	1,440	—	160	350	340	120	40	420
Multiple arm locations	428	900	—	200	410	80	20	30	150
Multiple arm locations, unspecified ..	4280	230	—	190	20	—	—	—	20
Elbow(s) and arm(s)	4281	250	—	—	180	30	20	—	—
Multiple arm locations, n.e.c.	4289	420	—	—	210	40	—	30	120
Arm(s), n.e.c.	429	40	—	—	—	20	—	—	—
Wrist(s)	43	6,690	50	470	1,710	1,400	420	780	1,850
Hand(s)	44	16,660	470	1,160	5,450	4,170	1,660	1,180	2,580
Hand(s), unspecified	440	5,220	190	410	1,640	1,350	260	480	890
Hand(s), except finger(s)	441	990	30	30	410	270	110	40	100
Finger(s), fingernail(s)	442	9,460	240	660	3,080	2,160	1,240	610	1,460
Finger(s), fingernail(s), unspecified ..	4420	7,250	210	510	2,170	1,610	1,080	350	1,320
Fingernail(s), nailbed(s)	4421	60	—	—	30	—	—	—	—
Fingertip(s)	4422	500	—	50	160	180	60	—	50
Finger(s), fingernail(s), n.e.c.	4429	1,650	30	100	720	350	100	260	90
Hand(s) and finger(s)	448	860	—	60	280	310	50	30	100
Hand(s), n.e.c.	449	140	—	—	30	70	—	—	30

See footnotes at end of table.

TABLE L93. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and time of day event occurred, local government, 2011² — Continued

Part of body	Part of body code ³	Local government ⁴	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Multiple upper extremities locations	48	5,000	90	570	1,450	1,260	520	150	950
Multiple upper extremities locations, unspecified	480	270	—	—	70	50	—	—	30
Hand(s) and arms(s)	481	630	—	—	80	370	—	—	150
Hand(s) and arm(s), unspecified	4810	100	—	—	30	20	—	—	30
Hand(s) and elbow(s)	4811	100	—	—	20	—	—	—	70
Hand(s) and arm(s), n.e.c.	4819	430	—	—	30	330	—	—	40
Hand(s) and wrist(s)	482	1,410	—	160	600	450	40	30	120
Wrist(s) and arm(s)	483	320	—	90	70	50	—	—	80
Wrist(s) and arm(s), unspecified	4830	100	—	—	20	20	—	—	20
Wrist(s) and elbow(s)	4831	90	—	50	—	—	—	—	—
Wrist(s) and arm(s), n.e.c.	4839	120	—	30	30	20	—	—	40
Shoulder(s) and arm(s)	484	1,200	60	250	340	200	100	60	190
Multiple upper extremities locations, n.e.c.	489	1,170	20	50	310	150	230	40	380
Upper extremities, n.e.c.	49	60	—	—	20	—	—	—	—
Lower extremities	5	49,900	1,400	5,090	14,340	13,240	4,620	2,800	8,390
Lower extremities, unspecified	50	110	—	—	20	—	30	30	—
Leg(s)	51	29,790	1,080	2,990	8,150	7,620	2,870	1,870	5,210
Leg(s), unspecified	510	3,590	—	140	720	1,260	220	90	1,130
Thigh(s)	511	1,550	50	120	840	230	80	40	210
Knee(s)	512	21,870	1,000	2,360	5,660	5,510	2,310	1,490	3,530
Lower leg(s)	513	1,680	20	150	680	370	180	50	230
Multiple leg locations	518	1,060	—	220	220	240	80	190	100
Multiple leg locations, unspecified ..	5180	70	—	—	40	20	—	—	—
Knee(s) and leg(s)	5181	540	—	60	60	60	80	190	100
Multiple leg locations, n.e.c.	5189	450	—	160	120	160	—	—	—
Leg(s), n.e.c.	519	40	—	—	20	—	—	—	—
Ankle(s)	52	10,500	200	1,260	2,900	2,800	980	540	1,810
Foot (feet)	53	7,000	60	520	2,450	2,210	480	240	1,030
Foot (feet), unspecified	530	4,750	60	310	1,800	1,410	320	150	700
Sole(s)	531	410	—	50	70	90	40	40	140
Sole(s), unspecified	5310	50	—	—	—	—	—	—	—
Arch(es), instep(s)	5312	40	—	—	—	20	—	—	—
Heel(s)	5313	300	—	—	40	50	30	40	120
Toes(s), toenail(s)	532	1,540	—	120	480	640	100	40	170
Multiple foot (feet) locations	538	110	—	—	50	30	—	—	—
Foot (feet), n.e.c.	539	180	—	30	50	40	20	—	20
Multiple lower extremities locations	58	2,510	50	320	830	610	250	130	330
Multiple lower extremities locations, unspecified	580	120	—	—	—	—	—	—	—
Foot (feet) and leg(s)	581	380	—	60	120	90	—	60	20
Foot(feet) and leg(s), unspecified ..	5810	80	—	—	40	20	—	—	—
Foot(feet) and knee(s)	5811	290	—	50	80	70	—	60	20
Foot (feet) and ankle(s)	582	740	—	30	180	160	140	—	200
Ankle(s) and leg(s)	583	740	—	140	190	240	70	30	60
Ankle(s) and leg(s), unspecified	5830	120	—	—	20	60	—	—	30
Ankle(s) and knee(s)	5831	510	—	80	150	160	60	30	—
Ankle(s) and leg(s), n.e.c.	5839	110	—	40	20	30	—	—	20

See footnotes at end of table.

TABLE L93. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and time of day event occurred, local government, 2011² — Continued

Part of body	Part of body code ³	Local government ⁴	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Multiple lower extremities locations, n.e.c.	589	530	—	—	320	80	30	30	50
Body systems	6	5,650	260	560	1,050	1,550	630	350	1,240
Multiple body parts	8	32,120	1,290	3,600	10,030	8,180	2,210	2,470	4,340
Multiple body parts, unspecified	80	1,970	140	290	410	390	150	90	500
Head and neck	81	440	—	20	200	130	40	20	20
Head, neck, and trunk	82	220	—	60	50	40	30	30	—
Head and trunk	83	330	—	40	140	20	30	—	30
Neck and back	84	2,680	20	170	700	1,040	250	90	410
Shoulder(s) and back	85	700	50	80	250	110	70	20	120
Hip(s) and leg(s)	86	590	—	80	240	60	30	50	120
Upper and lower limb(s)	87	2,910	80	390	780	780	140	170	550
Other multiple body parts	89	22,300	970	2,470	7,260	5,610	1,470	1,940	2,580
Whole body	891	200	—	—	100	30	60	—	—
Multiple body parts, n.e.c.	899	22,100	970	2,470	7,160	5,580	1,410	1,940	2,570

See footnotes at end of table.

TABLE L93. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and time of day event occurred, local government, 2011² — Continued

Part of body	Part of body code ³	Local government ⁴	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Nonclassifiable	9999	2,690	—	30	140	970	60	30	1,450

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2011. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/if_errata_1014.htm.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals. Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.