

TABLE L47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, local government, 2012²

Nature	Nature code ³	Local government ⁴	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Total		181,060	106,120	74,760	180	5,050	10,030	40,840	122,470	2,670
Traumatic injuries and disorders	1	173,830	102,100	71,560	160	4,930	9,820	39,260	117,410	2,400
Traumatic injuries and disorders, unspecified	10	3,680	1,610	2,070	-	110	230	540	2,580	230
Traumatic injuries to bones, nerves, spinal cord	11	10,050	4,990	5,060	-	600	410	2,080	6,820	140
Traumatic injuries to bones, nerves, spinal cord, unspecified	110	70	20	40	-	-	-	20	40	-
Fractures	111	9,720	4,780	4,940	-	600	390	2,000	6,590	140
Traumatic injuries to spinal cord	112	40	20	20	-	-	-	-	30	-
Traumatic injuries to spinal cord, unspecified	1120	20	-	-	-	-	-	-	20	-
Traumatic injuries to spinal cord, n.e.c.	1129	20	-	-	-	-	-	-	-	-
Traumatic injuries to nerves, except the spinal cord ..	113	200	150	50	-	-	-	40	150	-
Pinched nerve	1131	200	150	50	-	-	-	30	150	-
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	12	80,130	50,190	29,920	-	1,810	4,410	17,560	55,390	960
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	120	650	580	70	-	-	30	60	540	-
Dislocations	121	1,580	1,190	380	-	80	310	440	740	-
Dislocations, unspecified	1210	140	120	20	-	-	-	-	130	-
Herniated discs	1211	360	250	110	-	-	20	80	260	-
Dislocation of joints	1212	1,020	790	230	-	70	290	340	310	-
Dislocations, n.e.c.	1219	50	30	20	-	-	-	20	30	-
Cartilage fractures and tears	122	860	550	310	-	-	-	160	690	-
Cartilage fractures and tears, unspecified	1220	20	20	-	-	-	-	-	-	-
Meniscus tears	1221	760	520	240	-	-	-	150	590	-
Cartilage fractures and tears, n.e.c.	1229	90	-	70	-	-	-	-	80	-
Sprains, strains, tears	123	75,740	46,800	28,930	-	1,700	4,020	16,640	52,480	910
Sprains, strains, tears, unspecified	1230	5,450	3,220	2,230	-	220	410	1,150	3,660	20
Major tears to muscles, tendons, ligaments	1231	3,020	2,160	850	-	30	260	550	2,170	-
Sprains	1232	19,890	12,220	7,680	-	610	1,060	4,450	13,670	110
Strains	1233	45,210	27,640	17,550	-	820	2,240	10,300	31,090	760
Multiple sprains, strains, tears	1238	2,170	1,560	610	-	30	60	190	1,890	-
Hernias due to traumatic incidents	124	1,040	920	120	-	-	20	180	810	20
Whiplash	125	120	60	60	-	-	20	20	80	-
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	128	120	80	40	-	-	-	60	50	-
Open wounds	13	11,130	8,480	2,650	-	360	670	2,410	7,650	50
Open wounds, unspecified	130	130	70	60	-	-	-	-	80	-
Amputations, avulsions, enucleations	131	270	170	100	-	-	-	60	200	-
Amputations	1311	150	90	60	-	-	-	40	100	-
Avulsions, enucleations	1312	110	70	40	-	-	-	20	80	-
Cuts, lacerations	132	7,590	5,590	2,000	-	330	530	1,530	5,170	30
Puncture wounds, except gunshot wounds	133	2,910	2,430	480	-	20	90	690	2,090	20
Gunshot wounds	134	230	220	-	-	-	-	120	100	-
Surface wounds and bruises	14	19,100	8,520	10,580	-	440	880	4,590	12,870	330
Surface wounds and bruises, unspecified	140	190	130	60	-	-	30	20	140	-
Abrasions, scratches	141	1,490	600	890	-	90	90	260	920	120
Blisters	142	100	100	-	-	-	-	80	20	-
Bruises, contusions	143	16,420	7,170	9,250	-	330	730	3,990	11,160	200

See footnotes at end of table.

TABLE L47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, local government, 2012² — Continued

Nature	Nature code ³	Local government ⁴	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Multiple surface wounds and bruises	148	650	400	250	—	—	20	100	520	—
Surface wounds and bruises, n.e.c.	149	250	130	120	—	—	—	140	110	—
Burns and corruptions	15	2,760	1,590	1,170	—	30	250	510	1,970	—
Burns and corruptions, unspecified	150	90	70	20	—	—	90	—	—	—
Chemical burns and corruptions	151	240	160	80	—	—	30	60	140	—
Chemical burns and corruptions, unspecified	1510	220	160	70	—	—	30	60	130	—
Heat (thermal) burns	152	2,300	1,240	1,060	—	20	120	400	1,760	—
Heat (thermal) burns, unspecified	1520	1,670	840	820	—	—	70	220	1,350	—
First degree heat (thermal) burns	1521	180	50	120	—	—	—	—	160	—
Second degree heat (thermal) burns	1522	310	230	90	—	—	—	140	160	—
Third or fourth degree heat (thermal) burns	1523	20	—	—	—	—	—	—	—	—
Heat (thermal) burns, n.e.c.	1529	130	110	—	—	—	—	—	90	—
Electrical burns	153	110	110	—	—	—	20	50	50	—
Electrical burns, unspecified	1530	100	100	—	—	—	20	40	40	—
Other burns	159	20	20	—	—	—	—	—	—	—
Intracranial injuries	16	1,720	630	1,090	—	90	100	550	960	—
Intracranial injuries, unspecified	160	170	70	90	—	—	20	100	50	—
Concussions	162	1,520	540	990	—	90	80	440	910	—
Effects of environmental conditions	17	690	580	110	—	40	70	160	410	—
Effects of heat and light	172	680	560	110	—	40	70	150	410	—
Effects of heat and light, unspecified	1720	30	—	—	—	—	—	—	20	—
Heat stroke	1721	40	30	—	—	—	—	—	30	—
Heat syncope	1722	20	20	—	—	—	—	—	20	—
Heat fatigue	1723	50	50	—	—	—	—	—	50	—
Heat exhaustion, prostration	1725	320	280	40	—	30	70	50	180	—
Effects of heat and light, n.e.c.	1729	210	180	40	—	—	—	90	110	—
Multiple traumatic injuries and disorders	18	7,260	3,900	3,350	—	170	360	1,500	5,220	—
Multiple traumatic injuries and disorders, unspecified	180	650	240	410	—	—	20	100	530	—
Cuts and abrasions or bruises	181	1,560	1,050	500	—	—	160	220	1,170	—
Sprains and other injuries	182	3,440	1,630	1,810	—	140	80	650	2,560	—
Sprains and other injuries, unspecified	1820	240	80	160	—	—	—	130	110	—
Sprains and bruises	1821	2,480	1,110	1,370	—	120	70	440	1,850	—
Sprains and cuts	1822	220	130	90	—	—	—	50	160	—
Sprains and other injuries, n.e.c.	1829	500	310	190	—	—	—	30	440	—
Fractures and other injuries	183	840	480	370	—	—	60	210	560	—
Fractures and other injuries, unspecified	1830	90	40	40	—	—	—	—	80	—
Fractures (except skull fractures) and concussions	1831	70	50	20	—	—	—	—	70	—
Fractures and dislocations	1834	30	30	—	—	—	20	—	—	—
Fractures and other injuries, n.e.c.	1839	640	340	290	—	—	30	210	380	—
Burns and other injuries, except fractures	184	90	60	30	—	—	—	—	70	—
Burns and other injuries, n.e.c.	1849	40	—	30	—	—	—	—	20	—
Multiple traumatic injuries and disorders, n.e.c.	189	680	440	230	—	—	30	300	330	—
Other traumatic injuries and disorders	19	37,310	21,610	15,560	140	1,280	2,450	9,380	23,530	670
Other traumatic injuries and disorders, unspecified ...	190	50	—	40	—	—	—	—	50	—
Asphyxiations, strangulations, suffocations	191	30	—	20	—	—	—	—	30	—
Electrocutions, electric shocks	193	780	210	560	—	—	—	110	660	—
Dermatitis and reactions affecting the skin—acute	195	470	380	90	—	40	20	120	280	—
Dermatitis and reactions affecting the skin—acute, unspecified	1950	90	50	40	—	20	—	—	60	—

See footnotes at end of table.

TABLE L47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, local government, 2012² — Continued

Nature	Nature code ³	Local government ⁴	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Allergic dermatitis—acute	1951	320	280	30	—	20	—	110	170	—
Irritant dermatitis—acute	1952	50	40	—	—	—	—	—	40	—
Other poisoning, toxic, noxious, or allergenic effects	196	1,840	1,260	570	—	110	120	360	1,240	—
Poisoning, toxic, noxious, or allergenic effect, unspecified	1960	620	500	110	—	80	30	130	370	—
Poisoning, including poisoning-related asphyxia ...	1961	190	150	40	—	—	—	30	150	—
Other respiratory system symptoms—toxic, noxious, or allergenic effect	1963	590	400	190	—	—	40	80	460	—
Coughing and throat irritation— toxic, noxious, or allergenic effect	1964	20	—	—	—	—	—	—	—	—
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	1965	80	30	50	—	—	20	30	30	—
Other or unspecified allergic reactions	1966	130	60	60	—	—	—	40	90	—
Nausea, vomiting— toxic, noxious, or allergenic effect	1967	30	—	30	—	—	—	30	—	—
Multiple poisoning, toxic, noxious, or allergenic effects	1968	80	30	50	—	—	—	—	60	—
Other poisoning, toxic, noxious, or allergenic effects, n.e.c.	1969	100	70	30	—	—	—	20	40	—
Nonspecified injuries and disorders	197	34,110	19,720	14,270	130	1,130	2,310	8,770	21,250	660
Crushing injuries	1971	1,090	830	260	—	90	80	190	720	—
Soreness, pain, hurt—nonspecified injury	1972	29,250	16,600	12,530	130	1,010	2,100	7,440	18,310	400
Swelling, inflammation, irritation—nonspecified injury	1973	2,710	1,590	1,120	—	20	110	920	1,560	110
Numbness—nonspecified injury	1974	150	130	30	—	—	—	30	60	—
Multiple nonspecified injuries and disorders	1978	730	480	250	—	—	20	160	450	80
Nonspecified injuries and disorders, n.e.c.	1979	180	90	90	—	—	—	40	140	—
Other traumatic injuries and disorders, n.e.c.	199	20	—	—	—	—	—	—	20	—
Traumatic injuries and disorders, n.e.c.	1999	20	—	—	—	—	—	—	20	—
Diseases and disorders of body systems	2	2,920	1,840	1,080	—	80	110	610	2,100	30
Nervous system and sense organs diseases	22	1,030	450	570	—	50	30	190	770	—
Disorders of the peripheral nervous system	224	750	230	510	—	—	—	130	610	—
Carpal tunnel syndrome	2241	720	220	500	—	—	—	130	580	—
Disorders of the peripheral nervous system, n.e.c.	2249	20	—	—	—	—	—	—	20	—
Disorders of the eye, adnexa, vision	225	160	110	50	—	50	—	40	70	—
Disorders of the eye, adnexa, vision, unspecified ..	2250	20	—	—	—	—	—	—	—	—
Conjunctivitis—non-viral	2251	120	100	20	—	50	—	20	50	—
Disorders of the ear, mastoid process, hearing	226	100	100	—	—	—	—	—	70	—
Disorders of the ear, mastoid process, hearing, unspecified	2260	20	20	—	—	—	—	—	—	—
Deafness, hearing loss and impairment	2261	80	70	—	—	—	—	—	60	—
Circulatory system diseases	23	330	330	—	—	—	—	100	200	—
Ischemic heart disease, including heart attack	233	270	270	—	—	—	—	70	170	—
Ischemic heart disease, unspecified	2330	20	20	—	—	—	—	—	—	—
Myocardial infarction (heart attack)	2331	240	240	—	—	—	—	70	170	—
Diseases of the veins, lymphatics	238	30	30	—	—	—	—	—	—	—
Hemorrhoids	2382	30	30	—	—	—	—	—	—	—
Respiratory system diseases	24	270	210	60	—	—	—	—	260	—

See footnotes at end of table.

TABLE L47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, local government, 2012² — Continued

Nature	Nature code ³	Local government ⁴	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Acute respiratory infections (including common cold)	241	60	—	50	—	—	—	—	60	—
Pneumonia, influenza	243	140	140	—	—	—	—	—	130	—
Pneumonia, influenza, unspecified	2430	40	40	—	—	—	—	—	40	—
Pneumonia	2431	20	20	—	—	—	—	—	20	—
Influenza—common	2432	40	40	—	—	—	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions	244	60	50	—	—	—	—	—	60	—
Asthma, except intrinsic	2443	60	—	—	—	—	—	—	60	—
Digestive system diseases and disorders	25	220	220	—	—	—	—	—	220	—
Hernia—nontraumatic	253	220	220	—	—	—	—	—	220	—
Musculoskeletal system and connective tissue diseases and disorders	27	860	490	370	—	20	70	250	520	—
Musculoskeletal system and connective tissue diseases and disorders, unspecified	270	20	—	—	—	—	—	—	20	—
Arthropathies and related disorders (arthritis)	271	40	—	—	—	—	—	—	40	—
Dorsopathies	272	40	20	20	—	—	—	—	30	—
Sciatica	2721	30	—	—	—	—	—	—	20	—
Soft tissue disorders, except the back	273	760	430	330	—	20	70	240	420	—
Soft tissue disorder, except the back, unspecified	2730	20	—	—	—	—	—	—	—	—
Bursitis	2731	100	50	50	—	—	—	—	40	—
Stenosing tenosynovitis	2732	110	60	40	—	—	—	—	100	—
Other tenosynovitis, synovitis	2733	20	—	—	—	—	—	—	—	—
Epicondylitis	2734	100	80	30	—	—	—	70	30	—
Other or unspecified tendonitis (tendinitis)	2735	250	100	150	—	20	—	60	160	—
Ganglion or cystic tumor	2736	40	20	—	—	—	—	—	30	—
Soft tissue disorder, except the back, n.e.c.	2739	120	110	—	—	—	—	80	40	—
Disorders of the skin and subcutaneous tissue	28	180	110	70	—	—	—	50	120	—
Infections of the skin and subcutaneous tissue	281	160	90	70	—	—	—	50	100	—
Infections of the skin and subcutaneous tissue, unspecified	2810	60	—	50	—	—	—	—	50	—
Cellulitis and abscess	2811	40	30	—	—	—	—	20	20	—
Methicillin-resistant staphylococcus aureus (MRSA) infection	2813	40	40	—	—	—	—	—	—	—
Infections of the skin and subcutaneous tissue, n.e.c.	2819	20	—	—	—	—	—	—	—	—
Other diseases and disorders of the skin and subcutaneous tissue	289	20	20	—	—	—	—	—	20	—
Other systemic diseases and disorders	29	20	20	—	—	—	—	—	—	—
Infectious and parasitic diseases	3	230	150	80	—	—	—	100	110	—
Bacterial diseases	31	120	90	40	—	—	—	50	70	—
Other bacterial diseases	319	80	40	40	—	—	—	50	30	—
Diphtheria, whooping cough	3192	30	—	30	—	—	—	—	30	—
Viral diseases	32	50	40	—	—	—	—	30	—	—
Other infectious and parasitic diseases	39	40	—	30	—	—	—	20	—	—
Scabies and other acariases	392	30	—	20	—	—	—	20	—	—
Neoplasms, tumors, and cancers	4	60	60	—	—	—	—	—	60	—

See footnotes at end of table.

TABLE L47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, local government, 2012² — Continued

Nature	Nature code ³	Local government ⁴	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Malignant neoplasms and tumors (cancers, carcinomas, sarcomas)	41	60	60	-	-	-	-	-	60	-
Malignant neoplasms and tumors (cancers, carcinomas, sarcomas), unspecified	410	20	20	-	-	-	-	-	20	-
Symptoms, signs, and ill-defined conditions	5	1,250	770	490	-	30	-	280	940	-
Symptoms, signs, and ill-defined conditions, unspecified	50	50	40	-	-	-	-	-	50	-
Symptoms	51	1,180	710	460	-	30	-	280	860	-
Symptoms, unspecified	510	50	-	50	-	-	-	-	50	-
General symptoms	511	500	300	200	-	30	-	160	310	-
Loss of consciousness—not heat related	5111	280	170	110	-	30	-	70	170	-
Dizziness—general	5114	80	30	40	-	-	-	30	50	-
Multiple general symptoms	5118	120	80	30	-	-	-	60	60	-
Symptoms involving head and neck	514	110	40	70	-	-	-	20	90	-
Headache, except migraine	5141	90	30	60	-	-	-	20	80	-
Symptoms involving cardiovascular system	515	100	90	-	-	-	-	-	90	-
Symptoms involving cardiovascular system, unspecified	5150	40	30	-	-	-	-	-	30	-
Unspecified tachycardia (rapid heartbeat)	5151	30	30	-	-	-	-	-	30	-
Symptoms involving cardiovascular system, n.e.c.	5159	30	30	-	-	-	-	-	30	-
Symptoms involving respiratory system and chest	516	290	180	110	-	-	-	40	240	-
Symptoms involving respiratory system and chest, unspecified	5160	50	20	30	-	-	-	20	30	-
Chest pain	5164	170	120	50	-	-	-	-	160	-
Symptoms involving respiratory system and chest, n.e.c.	5169	60	40	20	-	-	-	-	50	-
Symptoms involving digestive and urinary system	517	80	70	-	-	-	-	-	70	-
Multiple symptoms	518	40	30	-	-	-	-	30	-	-
Other diseases, conditions, and disorders	6	1,800	620	1,180	-	-	50	440	1,300	-
Mental disorders and syndromes	62	1,800	620	1,180	-	-	50	440	1,300	-
Mental disorders and syndromes, unspecified	620	150	80	70	-	-	-	20	130	-
Anxiety, stress	621	1,620	530	1,090	-	-	20	420	1,170	-
Anxiety, stress, unspecified	6210	790	170	630	-	-	20	160	600	-
Post-traumatic stress disorder	6211	490	310	170	-	-	-	220	260	-
Anxiety, stress, n.e.c.	6219	330	50	280	-	-	-	30	300	-
Depression or depressive episode	622	30	-	30	-	-	-	-	-	-

See footnotes at end of table.

TABLE L47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, local government, 2012² — Continued

Nature	Nature code ³	Local government ⁴	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Exposures to disease—no illness incurred	7	200	70	140	—	—	30	140	30	—
Multiple diseases, conditions, and disorders	8	140	80	60	—	—	—	—	120	—
Nonclassifiable	9999	630	440	180	—	—	—	—	390	220

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2012. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.